

- holds her breath until the mother picks her up and gives in to her request. The nurse's best response to the mother is that:
- a. The child probably would benefit from some counseling with a trained therapist.
 - b. The mother and father should evaluate their childrearing practices.
 - c. The child's behavior is normal for a toddler and may represent frustration with control of her emotions; further exploration of events surrounding temper tantrums and possible interventions should be explored.
 - d. The child's behavior is typical of toddlers, and the parents should just wait for the child to finish this phase because this will end soon as well.
4. Toddlers are often known to be finicky eaters and may exhibit abnormal eating patterns that may concern parents. Which of the following actions for feeding toddlers should be suggested so that adequate amounts of nutrients for growth and development are consumed? Select all that apply.
- a. Avoid placing large food portions on the toddler's plate.
 - b. Allow the child to graze on nutritious (not "junk" food) snacks during the day.
 - c. Insist that the child sit at the table until all persons have completed their meals.
 - d. Allow the child to make certain food choices (within reasonable limits)—for example, would you like a half peanut butter or ham sandwich?
 - e. Provide meals at the same time of day as much as possible so that the toddler has a sense of consistency.
 - f. Make the child eat all of the food provided, and provide disciplinary actions, such as a "time-out" if the plate is not cleaned.
5. A common cause of accidental death in children 1 to 19 years old involves motor vehicle crashes. Evidence from test crashes indicates that the safest action to prevent accidental deaths in toddlers includes:
- a. Placing the child in a rear-facing weight-appropriate car