

Prodromal symptoms, [162](#)

Progesterone, [912t-913t](#)

Progestin-only pill, [477t-479t](#)

Prolactin, [912t-913t](#)

Prone position, for energy conservation, [244](#), [244f](#)

Prone sleeping, sudden infant death syndrome and, [345-346](#)

Prongs, oxygen delivery via, [625-626](#)

Prosthetist, [964](#)

Prostitution, child, [420](#)

Protein-energy malnutrition, [332-333](#)  
    nursing care management for, [333](#)  
    therapeutic treatment of, [333](#)

Proteins, in human milk, [216](#)

Protest, stages of, [554](#), [555b](#), [555f](#)

Proton pump inhibitors  
    for gastroesophageal reflux, [707](#)  
    for peptic ulcer disease, [717](#)

Protruding eyeballs, [920-921](#)

Pruritus, from opioids, [131t-132t](#), [132](#)

PSARP. *See* [Posterior sagittal anorectoplasty \(PSARP\)](#)

Pseudohypertrophy, [993-994](#)

Pseudohypoparathyroidism, [921](#), [922b](#)

Pseudomenstruation, in neonate, [192](#), [201](#)

Pseudostrabismus, [92](#), [92f](#)

Psychologic distress, [8](#)

Psychological factors, affecting eating patterns, [485](#)

Psychological interventions, for burn pain, [144](#)

Psychological stressors, in intensive care unit, [572b](#)