

Pediatric shock, [410](#)

Pediculosis capitis (head lice), [182-184](#), [182f](#)  
clinical manifestations and diagnostic evaluation of, [182](#)  
“no-nit” policies, [184b](#)  
nursing care management of, [182-183](#), [183f](#)  
prevention of, [183-184](#)  
psychological effects of, [183](#)  
therapeutic management of, [182](#)

Pedophilia, [420](#)

PedsQL. *See* [Pediatric Quality of Life Scale \(PedsQL\)](#)

Peer, adolescent relationships with, [456](#)

Peer cultures, [28-29](#)

Peer groups, school-age child and, [433-434](#)

PEFM. *See* [Peak expiratory flow meter \(PEFM\)](#)

PEFR. *See* [Peak expiratory flow rate \(PEFR\)](#)

Penetrating wounds, to eye, [542](#), [544b](#)

Penicillin G, for streptococcal pharyngitis, [642](#)

Penis  
examination of, [106](#)  
in neonate, [201](#)  
circumcised, care for, [215](#)

PENTACEL, [154](#)

Peptic ulcer disease, [716-717](#), [716b](#)

Perceptual thinking, in school-age child, [431](#)

Percussion  
in cardiovascular dysfunction, [738](#)  
in unconscious child, [880](#)

Perinatal (vertical) transmission, of HIV infection, [806](#)