- 1):S37-S42.
- Ziegler EE, Nelson SE, Jeter JM. Iron supplementation of breastfed infants. *Nutr Rev.* 2011;69(Suppl 1):S71–S77.
- Zimmerman B, Valentino LA. Hemophilia: in review. *Pediatr Rev.* 2013;34(7):289–295.
- Zimmerman SA, Schultz WH, Davis JS, et al. Sustained long-term hematologic efficacy of hydroxyurea at maximum tolerated dose in children with sickle cell disease. *Blood*. 2004;103(6):2039–2045.

*Sickle Cell Disease Association of America, Inc., 231 E. Baltimore St., Suite 800, Baltimore, MD 21202; 410-528-1555, 800-421-8453; email: scdaa@sicklecelldisease.org; www.sicklecelldisease.org; www.facebook.com/sicklecellcampaign; Sickle Cell Information Center, PO Box 109, Grady Memorial Hospital, 80 Jesse Hill Jr Drive SE, Atlanta, GA 30303; 404-616-3572; email: aplatt@emory.edu; www.scinfo.org; National Heart, Lung, and Blood Institute Health Information Center, PO Box 30105, Bethesda, MD 20824-0105; 301-592-8573; http://www.nhlbi.nih.gov; http://www.ahcpr.gov. *Guideline for the management of acute and chronic pain in sickle-cell disease* is available from the American Pain Society, 4700 W. Lake Ave., Glenview, IL 60025-1485; 847-375-4715; email: info@ampainsoc.org; http://www.ampainsoc.org; www.facebook.com/americanpainsociety.

*330 Seventh Ave., No. 200, New York, NY 10001; 800-522-7222; http://www.thalassemia.org; www.facebook.com/pages/Thalassemia-org/162500870481012.

*100 Park Avenue, Suite 108, Rockville, MD 20850; 800-747-2820, 301-279-7202; email: help@aamds.org; http://www.aamds.org; www.facebook.com/aamds.

*116 W. 32nd St., 11th Floor, New York, NY 10001; 800-42-HANDI, 212-328-3700; email: handi@hemophilia.org; http://www.hemophilia.org; www.facebook.com/NationalHemophiliaFoundation.

[†]400-1255 University St., Montreal, Quebec, Canada H3B 3B6; 800-668-2686, 514-848-0503; email: chs@hemophilia.ca; www.hemophilia.ca.

*Additional information is available from the National HIV/AIDS Hotline: 800-448-0440; outside of the United States: 301-315-2816.