with the child to the special place. Consider including props such as a suitcase or picnic basket.

## **Emergency Admission**

One of the most traumatic hospital experiences for the child and parents is an emergency admission. The sudden onset of an illness or the occurrence of an injury leaves little time for preparation and explanation. Sometimes the emergency admission is compounded by admission to an intensive care unit (ICU) or the need for immediate surgery. However, even in instances requiring only outpatient treatment, the child is exposed to a strange, frightening environment and to experiences that may elicit fear or cause pain.

There is a wide discrepancy between what constitutes a medically defined emergency and a client-defined emergency. A growing concern is the use of major emergency departments for routine primary care health visits. To offset overcrowding in emergency departments, many facilities have minor emergency units or pediatric minor emergency units for after-hours health care. Telephone triage for minor illnesses for patients is also emerging as a health care delivery mode to differentiate illnesses such as a common cold from true life-threatening conditions that require immediate practitioner attention and intervention. Other factors contributing to the overuse of emergency departments (as opposed to the primary practitioner's office) include the increasing number of uninsured persons and households where both parents work full time and cannot afford to take time off during the day to take the sick child to a practitioner.

In pediatric populations, most visits to an emergency department are for respiratory infections, skin conditions, gastrointestinal disorders, and trauma (such as poisoning) account for the remainder of cases. The most common reason parents give for bringing the child to the emergency department is concern about the illness worsening. However, practitioners may not think that the progressive symptoms necessitate immediate or emergency care. One of the nurse's primary goals is to assess the parents' perception of the event and their reasons for considering it serious or life threatening.

Lengthy preparatory admission procedures are often