

Neonatal Infant Pain Scale (NIPS), [121t](#)

Neonatal Intensive Care Unit Network Neurobehavioral Scale (NNNS), [285](#)

Neonatal Pain, Agitation, and Sedation Scale (NPASS), [120](#), [121t](#)

Neonate

abdomen in, [201](#), [206t-209t](#)

circumference of, [196](#)

acid-base imbalance in, [273-276](#), [275b](#), [276t](#)

adjustment of, to extrauterine life, [190-225](#)

alcohol exposure of, [286](#)

assessment of, [193](#)

Apgar scoring in, [193](#), [193t](#)

behavioral, [203-205](#), [205b](#)

birth weight in, [193-194](#)

clinical, [193-202](#)

general appearance in, [198](#), [206t-209t](#)

general measurements in, [196-198](#), [196f-197f](#)

gestational age in, [193-202](#), [194f-195f](#), [195b](#)

initial, [193](#), [193t](#)

physical, [205](#), [205b](#), [206t-209t](#)

reflexes in, [203t](#)

transitional, [202](#)

auditory acuity in, [193](#)

axillary temperature in, [196-197](#), [196f](#)

bathing of, [213](#), [213f](#)

behavior of, [198](#), [221](#)

birth injuries in, [229-232](#), [230f-232f](#)

birthmarks in, [234-235](#), [235f](#)