

pediatric clinic. The mother describes what may be a type of seizure. What subjective data will help you determine the type? Select all that apply.

- a. The presence or absence of an aura
- b. If the child appeared disoriented after the seizure
- c. Presence of vomiting after the seizure
- d. The duration of the seizure
- e. If the seizure was related to certain foods or occurred after a certain activity

Correct Answers

1. d; 2. c; 3. b; 4. d; 5. a, b, d

References

- Abend NS, Loddenkemper T. Pediatric status epilepticus management. *Curr Opin Pediatr*. 2014;26(6):668–674.
- Allen KA. Parental decision-making for medically complex infants and children: an integrated literature review. *Int J Nurs Stud*. 2014;51(9):1289–1304.
- Anderson V, Le Brocq R, Iselin G, et al. Adaptive ability, behavior and quality of life pre- and posttraumatic brain injury in childhood. *Disabil Rehabil*. 2012;34(19):1639–1647.
- Arlachov Y, Ganatra RH. Sedation/anaesthesia in paediatric radiology. *Br J Radiol*. 2012;85(1019):e1018–e1031.
- Babcock L, Byczkowski T, Wade SL, et al. Predicting postconcussion syndrome after mild traumatic brain injury in children and adolescents who present to the emergency department. *JAMA Pediatr*. 2013;167(2):156–161.
- Baca CB, Vickrey BG, Vassar SD, et al. Injuries in adolescents with childhood-onset epilepsy compared with sibling controls. *J Pediatr*. 2013;163(6):1684–1691.
- Bamberger DM. Diagnosis, initial management, and prevention of meningitis. *Am Fam Physician*. 2010;82(12):1491–1498.
- Bassan H, Barzilay M, Shinnar S, et al. Prolonged febrile