- Guyatt GH, Oxman AD, Vist GE, et al. GRADE: an emerging consensus on rating quality of evidence and strength of recommendations. *BMJ*. 2008;336(7650):924–926.
- Huffman S, Pieper P, Jarczyk KS, et al. Methods to confirm feeding tube placement: application of research in practice. *Pediatr Nurs*. 2004;30(1):10–13.
- Metheny N, McSweeney M, Wehrle MA, et al. Effectiveness of the auscultatory method in predicting feeding tube location. *Nurs Res.* 1990;39(5):262–267.
- Metheny N, Reed L, Berglund B, et al. Visual characteristics of aspirates from feeding tubes as a method for predicting tube location. *Nurs Res.* 1994;43(5):282–287.
- Metheny N, Reed L, Wiersema L, et al. Effectiveness of pH measurements in predicting feeding tube placement: an update. *Nurs Res.* 1993;42(6):324–331.
- Metheny NA, Stewart BJ. Testing feeding tube placement during continuous tube feedings. *Appl Nurs Res.* 2002;15(4):254–258.
- Metheny NA, Stewart BJ, Smith L, et al. pH and concentrations of pepsin and trypsin in feeding tube aspirates as predictors of tube placement. *JPEN J Parenter Enteral Nutr.* 1997;21(5):279–285.
- Metheny NA, Stewart BJ, Smith L, et al. pH and concentration of bilirubin in feeding tube aspirates as predictors of tube placement. *Nurs Res.* 1999;48(4):189–197.
- Neumann MJ, Meyer CT, Dutton JL, et al. Hold that x-ray: aspirate pH and auscultation prove tube placement. *J Clin Gastroenterol*. 1995;20(4):293–295.
- Nyqvist KH, Sorell A, Ewald U. Litmus tests for verification of feeding tube location in infants: evaluation of their clinical use. *J Clin Nurs*. 2005;14(4):486–495.
- Phang JS, Marsh WA, Barlows TG, et al. Determining feeding tube location by gastric and intestinal pH values. *Nutr Clin Pract*. 2004;19(6):640–644.
- Society of Pediatric Nurses (SPN) Clinical Practice Committee, SPN Research Committee, Longo MA. Best evidence: nasogastric tube placement verification. *J Pediatr Nurs*. 2011;26(4):373–376.
- Strobel CT, Byrne WJ, Ament ME, et al. Correlation of