

Scan Report

June 9, 2026

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone “Coordinated Universal Time”, which is abbreviated “UTC”. The task was “SOFT”. The scan started at Tue Jun 9 14:32:11 2026 UTC and ended at Tue Jun 9 16:20:23 2026 UTC. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1	Result Overview	2
2	Results per Host	2
2.1	10.0.20.11	2
2.1.1	High 5986/tcp	2
2.1.2	Medium 135/tcp	6
2.1.3	Medium 3389/tcp	9
2.1.4	Medium 5986/tcp	13
2.2	10.0.20.51	18
2.2.1	High 5986/tcp	18
2.2.2	Medium 135/tcp	22
2.2.3	Medium 5986/tcp	26
2.2.4	Medium 3389/tcp	31
2.3	10.0.20.60	35
2.3.1	Critical 80/tcp	36
2.3.2	High 80/tcp	38
2.3.3	Medium 80/tcp	39
2.3.4	Low 22/tcp	47
2.4	10.0.20.61	48
2.4.1	High 80/tcp	48
2.4.2	Medium 80/tcp	49
2.4.3	Low 22/tcp	51
2.5	10.0.20.254	52

1 Result Overview

Host	Critical	High	Medium	Low	Log	False P.
10.0.20.11	0	1	4	0	0	0
10.0.20.51	0	1	4	0	0	0
10.0.20.60 softwaresolutions.acme.skb	2	2	7	1	0	0
10.0.20.61	0	1	1	1	0	0
10.0.20.254	0	0	0	0	0	0
Total: 5	2	5	16	2	0	0

Vendor security updates are not trusted.

Overrides are off. Even when a result has an override, this report uses the actual threat of the result.

Information on overrides is included in the report.

Notes are included in the report.

This report might not show details of all issues that were found.

Issues with the threat level “Log” are not shown.

Issues with the threat level “Debug” are not shown.

Issues with the threat level “False Positive” are not shown.

Only results with a minimum QoD of 70 are shown.

This report contains all 25 results selected by the filtering described above. Before filtering there were 357 results.

2 Results per Host

2.1 10.0.20.11

Host scan start Tue Jun 9 14:32:48 2026 UTC

Host scan end Tue Jun 9 15:52:06 2026 UTC

Service (Port)	Threat Level
5986/tcp	High
135/tcp	Medium
3389/tcp	Medium
5986/tcp	Medium

2.1.1 High 5986/tcp

High (CVSS: 7.5) NVT: SSL/TLS: Report Vulnerable Cipher Suites for HTTPS
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↪802067)
Summary This routine reports all SSL/TLS cipher suites accepted by a service where attack vectors exists only on HTTPS services.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Vulnerable' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_RSA_WITH_3DES_EDE_CBC_SHA (SWEET32) 'Vulnerable' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_RSA_WITH_3DES_EDE_CBC_SHA (SWEET32)
Impact This could allow remote attackers to obtain sensitive information or have other, unspecified impacts.
Solution: Solution type: Mitigation The configuration of this services should be changed so that it does not accept the listed cipher suites anymore. Please see the references for more resources supporting you with this task.
Affected Software/OS All services accepting vulnerable SSL/TLS cipher suites via HTTPS.
Vulnerability Insight These rules are applied for the evaluation of the vulnerable cipher suites: - 64-bit block cipher 3DES vulnerable to the SWEET32 attack (CVE-2016-2183).
Vulnerability Detection Method Checks previous collected cipher suites. Details: SSL/TLS: Report Vulnerable Cipher Suites for HTTPS OID:1.3.6.1.4.1.25623.1.0.108031 Version used: 2026-06-03T07:18:10Z
Product Detection Result ... continues on next page ...

...continued from previous page ...
Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)
References cve: CVE-2016-2183 cve: CVE-2016-6329 cve: CVE-2020-12872 url: https://configurator.tlsref.org/ url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidel ↪ines/TG02102/BSI-TR-02102-1.html url: https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/ ↪TLS-Protokoll/TLS-Protokoll_node.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/Technisch ↪eRichtlinien/TR03116/BSI-TR-03116-4.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindes ↪tstandard_BSI_TLS_Version_2_4.html url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters ↪-report-2014 url: https://sweet32.info cert-bund: WID-SEC-2026-0180 cert-bund: WID-SEC-2024-1277 cert-bund: WID-SEC-2024-0209 cert-bund: WID-SEC-2024-0064 cert-bund: WID-SEC-2022-2226 cert-bund: WID-SEC-2022-1955 cert-bund: CB-K21/1094 cert-bund: CB-K20/1023 cert-bund: CB-K20/0321 cert-bund: CB-K20/0314 cert-bund: CB-K20/0157 cert-bund: CB-K19/0618 cert-bund: CB-K19/0615 cert-bund: CB-K18/0296 cert-bund: CB-K17/1980 cert-bund: CB-K17/1871 cert-bund: CB-K17/1803 cert-bund: CB-K17/1753 cert-bund: CB-K17/1750 cert-bund: CB-K17/1709 cert-bund: CB-K17/1558 cert-bund: CB-K17/1273 cert-bund: CB-K17/1202 cert-bund: CB-K17/1196 cert-bund: CB-K17/1055
... continues on next page ...

...continued from previous page ...

cert-bund: CB-K17/1026
 cert-bund: CB-K17/0939
 cert-bund: CB-K17/0917
 cert-bund: CB-K17/0915
 cert-bund: CB-K17/0877
 cert-bund: CB-K17/0796
 cert-bund: CB-K17/0724
 cert-bund: CB-K17/0661
 cert-bund: CB-K17/0657
 cert-bund: CB-K17/0582
 cert-bund: CB-K17/0581
 cert-bund: CB-K17/0506
 cert-bund: CB-K17/0504
 cert-bund: CB-K17/0467
 cert-bund: CB-K17/0345
 cert-bund: CB-K17/0098
 cert-bund: CB-K17/0089
 cert-bund: CB-K17/0086
 cert-bund: CB-K17/0082
 cert-bund: CB-K16/1837
 cert-bund: CB-K16/1830
 cert-bund: CB-K16/1635
 cert-bund: CB-K16/1630
 cert-bund: CB-K16/1624
 cert-bund: CB-K16/1622
 cert-bund: CB-K16/1500
 cert-bund: CB-K16/1465
 cert-bund: CB-K16/1307
 cert-bund: CB-K16/1296
 dfn-cert: DFN-CERT-2025-0041
 dfn-cert: DFN-CERT-2021-1618
 dfn-cert: DFN-CERT-2021-0775
 dfn-cert: DFN-CERT-2021-0770
 dfn-cert: DFN-CERT-2021-0274
 dfn-cert: DFN-CERT-2020-2141
 dfn-cert: DFN-CERT-2020-0368
 dfn-cert: DFN-CERT-2019-1455
 dfn-cert: DFN-CERT-2019-0068
 dfn-cert: DFN-CERT-2018-1296
 dfn-cert: DFN-CERT-2018-0323
 dfn-cert: DFN-CERT-2017-2070
 dfn-cert: DFN-CERT-2017-1954
 dfn-cert: DFN-CERT-2017-1885
 dfn-cert: DFN-CERT-2017-1831
 dfn-cert: DFN-CERT-2017-1821
 dfn-cert: DFN-CERT-2017-1785
 dfn-cert: DFN-CERT-2017-1626

...continues on next page ...

...continued from previous page ...

```

dfn-cert: DFN-CERT-2017-1326
dfn-cert: DFN-CERT-2017-1239
dfn-cert: DFN-CERT-2017-1238
dfn-cert: DFN-CERT-2017-1090
dfn-cert: DFN-CERT-2017-1060
dfn-cert: DFN-CERT-2017-0968
dfn-cert: DFN-CERT-2017-0947
dfn-cert: DFN-CERT-2017-0946
dfn-cert: DFN-CERT-2017-0904
dfn-cert: DFN-CERT-2017-0816
dfn-cert: DFN-CERT-2017-0746
dfn-cert: DFN-CERT-2017-0677
dfn-cert: DFN-CERT-2017-0675
dfn-cert: DFN-CERT-2017-0611
dfn-cert: DFN-CERT-2017-0609
dfn-cert: DFN-CERT-2017-0522
dfn-cert: DFN-CERT-2017-0519
dfn-cert: DFN-CERT-2017-0482
dfn-cert: DFN-CERT-2017-0351
dfn-cert: DFN-CERT-2017-0090
dfn-cert: DFN-CERT-2017-0089
dfn-cert: DFN-CERT-2017-0088
dfn-cert: DFN-CERT-2017-0086
dfn-cert: DFN-CERT-2016-1943
dfn-cert: DFN-CERT-2016-1937
dfn-cert: DFN-CERT-2016-1732
dfn-cert: DFN-CERT-2016-1726
dfn-cert: DFN-CERT-2016-1715
dfn-cert: DFN-CERT-2016-1714
dfn-cert: DFN-CERT-2016-1588
dfn-cert: DFN-CERT-2016-1555
dfn-cert: DFN-CERT-2016-1391
dfn-cert: DFN-CERT-2016-1378

```

[\[return to 10.0.20.11 \]](#)

2.1.2 Medium 135/tcp

Medium (CVSS: 5.0)

NVT: DCE/RPC and MSRPC Services Enumeration Reporting

Summary

Distributed Computing Environment / Remote Procedure Calls (DCE/RPC) or MSRPC based service enumeration reporting.

... continues on next page ...

...continued from previous page ...

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Here is the list of DCE/RPC or MSRPC services running on this host via the TCP protocol:

Port: 49664/tcp

UUID: d95afe70-a6d5-4259-822e-2c84da1ddb0d, version 1
Endpoint: ncacn_ip_tcp:10.0.20.11[49664]

Port: 49665/tcp

UUID: f6beaff7-1e19-4fbb-9f8f-b89e2018337c, version 1
Endpoint: ncacn_ip_tcp:10.0.20.11[49665]
Annotation: Event log TCPIP

Port: 49666/tcp

UUID: 0b1c2170-5732-4e0e-8cd3-d9b16f3b84d7, version 0
Endpoint: ncacn_ip_tcp:10.0.20.11[49666]
Annotation: RemoteAccessCheck
UUID: 12345778-1234-abcd-ef00-0123456789ac, version 1
Endpoint: ncacn_ip_tcp:10.0.20.11[49666]

Named pipe : lsass

Win32 service or process : lsass.exe

Description : SAM access

UUID: 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1
Endpoint: ncacn_ip_tcp:10.0.20.11[49666]

Annotation: Ngc Pop Key Service

UUID: 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1
Endpoint: ncacn_ip_tcp:10.0.20.11[49666]

Annotation: Ngc Pop Key Service

UUID: b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2
Endpoint: ncacn_ip_tcp:10.0.20.11[49666]

Annotation: KeyIso

Port: 49667/tcp

UUID: 0b1c2170-5732-4e0e-8cd3-d9b16f3b84d7, version 0
Endpoint: ncacn_ip_tcp:10.0.20.11[49667]

Annotation: RemoteAccessCheck

UUID: 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1
Endpoint: ncacn_ip_tcp:10.0.20.11[49667]

Annotation: Ngc Pop Key Service

UUID: 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1
Endpoint: ncacn_ip_tcp:10.0.20.11[49667]

Annotation: Ngc Pop Key Service

UUID: b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2
Endpoint: ncacn_ip_tcp:10.0.20.11[49667]

Annotation: KeyIso

Port: 49668/tcp

UUID: 3a9ef155-691d-4449-8d05-09ad57031823, version 1
Endpoint: ncacn_ip_tcp:10.0.20.11[49668]

...continues on next page ...

...continued from previous page ... UUID: 86d35949-83c9-4044-b424-db363231fd0c, version 1 Endpoint: ncacn_ip_tcp:10.0.20.11[49668] Port: 49672/tcp UUID: 29770a8f-829b-4158-90a2-78cd488501f7, version 1 Endpoint: ncacn_ip_tcp:10.0.20.11[49672] Port: 49673/tcp UUID: 0b6edbf8-4a24-4fc6-8a23-942b1eca65d1, version 1 Endpoint: ncacn_ip_tcp:10.0.20.11[49673] UUID: 12345678-1234-abcd-ef00-0123456789ab, version 1 Endpoint: ncacn_ip_tcp:10.0.20.11[49673] Named pipe : spoolss Win32 service or process : spoolsv.exe Description : Spooler service UUID: 4a452661-8290-4b36-8fbe-7f4093a94978, version 1 Endpoint: ncacn_ip_tcp:10.0.20.11[49673] UUID: 76f03f96-cdfd-44fc-a22c-64950a001209, version 1 Endpoint: ncacn_ip_tcp:10.0.20.11[49673] UUID: ae33069b-a2a8-46ee-a235-ddfd339be281, version 1 Endpoint: ncacn_ip_tcp:10.0.20.11[49673] Port: 49677/tcp UUID: 367abb81-9844-35f1-ad32-98f038001003, version 2 Endpoint: ncacn_ip_tcp:10.0.20.11[49677] Note: DCE/RPC or MSRPC services running on this host locally were identified. Reporting this list is not enabled by default due to the possible large size of this list. See the script preferences to enable this reporting.
Impact An attacker may use this information to gain more knowledge about the remote host and to conduct further attacks based on it.
Solution: Solution type: Mitigation Filter incoming traffic to this ports.
Affected Software/OS All systems exposing / disclosing information via DCE/RPC or MSRPC services.
Vulnerability Insight DCE/RPC or MSRPC services running on the remote host can be enumerated by connecting on port 135 and doing the appropriate queries.
Vulnerability Detection Method Reports previously collected (via 'DCE/RPC and MSRPC Services Enumeration' OID: 1.3.6.1.4.1.25623.1.0.108044) DCE/RPC or MSRPC services.
... continues on next page ...

...continued from previous page ...

This VT is reporting a severity by default. If the scanned network is e.g. a private LAN / private WAN which contains systems not accessible to the public (access restricted) and it is accepted that the service is disclosing information to this network please set the 'Network type' configuration of the following VT to e.g. 'Private LAN' or 'Private WAN':

Global variable settings (OID: 1.3.6.1.4.1.25623.1.0.12288)

In this case a 'Log' level result is used instead.

Details: DCE/RPC and MSRPC Services Enumeration Reporting

OID:1.3.6.1.4.1.25623.1.0.10736

Version used: 2025-11-26T05:40:08Z

[\[return to 10.0.20.11 \]](#)

2.1.3 Medium 3389/tcp

Medium (CVSS: 4.3)

NVT: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection

Product detection result

cpe:/a:ietf:transport_layer_security:1.0

Detected by SSL/TLS: Version Detection (OID: 1.3.6.1.4.1.25623.1.0.105782)

Summary

It was possible to detect the usage of the deprecated TLSv1.0 and/or TLSv1.1 protocol on this system.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

In addition to TLSv1.2+ the service is also providing the deprecated TLSv1.0 and ↪ TLSv1.1 protocols and supports one or more ciphers. Those supported ciphers c ↪an be found in the 'SSL/TLS: Report Supported Cipher Suites' (OID: 1.3.6.1.4.1 ↪.25623.1.0.802067) VT.

Impact

An attacker might be able to use the known cryptographic flaws to eavesdrop the connection between clients and the service to get access to sensitive data transferred within the secured connection.

Furthermore newly uncovered vulnerabilities in this protocols won't receive security updates anymore.

Solution:

Solution type: Mitigation

... continues on next page ...

...continued from previous page ...
It is recommended to disable the deprecated TLSv1.0 and/or TLSv1.1 protocols in favor of the TLSv1.2+ protocols. Please see the references for more resources supporting you with this task.
Affected Software/OS - All services providing an encrypted communication using the TLSv1.0 and/or TLSv1.1 protocols - CVE-2023-41928: Kiloview P1 4G and P2 4G Video Encoder - CVE-2024-41270: Gorush v1.18.4 - CVE-2025-3200: Multiple products from Wiesemann & Theis
Vulnerability Insight The TLSv1.0 and TLSv1.1 protocols contain known cryptographic flaws like: - CVE-2011-3389: Browser Exploit Against SSL/TLS (BEAST) - CVE-2015-0204: Factoring Attack on RSA-EXPORT Keys Padding Oracle On Downgraded Legacy Encryption (FREAK)
Vulnerability Detection Method Checks the used TLS protocols of the services provided by this system. Details: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection OID:1.3.6.1.4.1.25623.1.0.117274 Version used: 2026-06-03T07:18:10Z
Product Detection Result Product: cpe:/a:ietf:transport_layer_security:1.0 Method: SSL/TLS: Version Detection OID: 1.3.6.1.4.1.25623.1.0.105782)
References cve: CVE-2011-3389 cve: CVE-2015-0204 cve: CVE-2023-41928 cve: CVE-2024-41270 cve: CVE-2025-3200 url: https://configurator.tlsref.org/ url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-1.html url: https://www.bsi.bund.de/EN/Themen/Oeffentliche-Verwaltung/Mindeststandards/TLS-Protokoll/TLS-Protokoll_node.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/TechnischeRichtlinien/TR03116/BSI-TR-03116-4.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindeststandard_BSI_TLS_Version_2_4.html url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters-report-2014
... continues on next page ...

...continued from previous page...

url: <https://datatracker.ietf.org/doc/rfc8996/>
url: <https://vnhacker.blogspot.com/2011/09/beast.html>
url: <https://web.archive.org/web/20201108095603/https://censys.io/blog/freak>
url: <https://certvde.com/en/advisories/VDE-2025-031/>
url: <https://gist.github.com/nyxfqq/cfae38fada582a0f576d154be1aeb1fc>
url: <https://advisories.ncsc.nl/advisory?id=NCSC-2024-0273>
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2023-1435
cert-bund: CB-K18/0799
cert-bund: CB-K16/1289
cert-bund: CB-K16/1096
cert-bund: CB-K15/1751
cert-bund: CB-K15/1266
cert-bund: CB-K15/0850
cert-bund: CB-K15/0764
cert-bund: CB-K15/0720
cert-bund: CB-K15/0548
cert-bund: CB-K15/0526
cert-bund: CB-K15/0509
cert-bund: CB-K15/0493
cert-bund: CB-K15/0384
cert-bund: CB-K15/0365
cert-bund: CB-K15/0364
cert-bund: CB-K15/0302
cert-bund: CB-K15/0192
cert-bund: CB-K15/0079
cert-bund: CB-K15/0016
cert-bund: CB-K14/1342
cert-bund: CB-K14/0231
cert-bund: CB-K13/0845
cert-bund: CB-K13/0796
cert-bund: CB-K13/0790
dfn-cert: DFN-CERT-2020-0177
dfn-cert: DFN-CERT-2020-0111
dfn-cert: DFN-CERT-2019-0068
dfn-cert: DFN-CERT-2018-1441
dfn-cert: DFN-CERT-2018-1408
dfn-cert: DFN-CERT-2016-1372
dfn-cert: DFN-CERT-2016-1164
dfn-cert: DFN-CERT-2016-0388
dfn-cert: DFN-CERT-2015-1853
dfn-cert: DFN-CERT-2015-1332
dfn-cert: DFN-CERT-2015-0884
dfn-cert: DFN-CERT-2015-0800
dfn-cert: DFN-CERT-2015-0758
dfn-cert: DFN-CERT-2015-0567
dfn-cert: DFN-CERT-2015-0544

...continues on next page...

...continued from previous page ...	
dfn-cert:	DFN-CERT-2015-0530
dfn-cert:	DFN-CERT-2015-0396
dfn-cert:	DFN-CERT-2015-0375
dfn-cert:	DFN-CERT-2015-0374
dfn-cert:	DFN-CERT-2015-0305
dfn-cert:	DFN-CERT-2015-0199
dfn-cert:	DFN-CERT-2015-0079
dfn-cert:	DFN-CERT-2015-0021
dfn-cert:	DFN-CERT-2014-1414
dfn-cert:	DFN-CERT-2013-1847
dfn-cert:	DFN-CERT-2013-1792
dfn-cert:	DFN-CERT-2012-1979
dfn-cert:	DFN-CERT-2012-1829
dfn-cert:	DFN-CERT-2012-1530
dfn-cert:	DFN-CERT-2012-1380
dfn-cert:	DFN-CERT-2012-1377
dfn-cert:	DFN-CERT-2012-1292
dfn-cert:	DFN-CERT-2012-1214
dfn-cert:	DFN-CERT-2012-1213
dfn-cert:	DFN-CERT-2012-1180
dfn-cert:	DFN-CERT-2012-1156
dfn-cert:	DFN-CERT-2012-1155
dfn-cert:	DFN-CERT-2012-1039
dfn-cert:	DFN-CERT-2012-0956
dfn-cert:	DFN-CERT-2012-0908
dfn-cert:	DFN-CERT-2012-0868
dfn-cert:	DFN-CERT-2012-0867
dfn-cert:	DFN-CERT-2012-0848
dfn-cert:	DFN-CERT-2012-0838
dfn-cert:	DFN-CERT-2012-0776
dfn-cert:	DFN-CERT-2012-0722
dfn-cert:	DFN-CERT-2012-0638
dfn-cert:	DFN-CERT-2012-0627
dfn-cert:	DFN-CERT-2012-0451
dfn-cert:	DFN-CERT-2012-0418
dfn-cert:	DFN-CERT-2012-0354
dfn-cert:	DFN-CERT-2012-0234
dfn-cert:	DFN-CERT-2012-0221
dfn-cert:	DFN-CERT-2012-0177
dfn-cert:	DFN-CERT-2012-0170
dfn-cert:	DFN-CERT-2012-0146
dfn-cert:	DFN-CERT-2012-0142
dfn-cert:	DFN-CERT-2012-0126
dfn-cert:	DFN-CERT-2012-0123
dfn-cert:	DFN-CERT-2012-0095
dfn-cert:	DFN-CERT-2012-0051
dfn-cert:	DFN-CERT-2012-0047
...continues on next page ...	

...continued from previous page ...
dfn-cert: DFN-CERT-2012-0021
dfn-cert: DFN-CERT-2011-1953
dfn-cert: DFN-CERT-2011-1946
dfn-cert: DFN-CERT-2011-1844
dfn-cert: DFN-CERT-2011-1826
dfn-cert: DFN-CERT-2011-1774
dfn-cert: DFN-CERT-2011-1743
dfn-cert: DFN-CERT-2011-1738
dfn-cert: DFN-CERT-2011-1706
dfn-cert: DFN-CERT-2011-1628
dfn-cert: DFN-CERT-2011-1627
dfn-cert: DFN-CERT-2011-1619
dfn-cert: DFN-CERT-2011-1482

[\[return to 10.0.20.11 \]](#)

2.1.4 Medium 5986/tcp

Medium (CVSS: 4.3)
NVT: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection
Product detection result cpe:/a:ietf:transport_layer_security:1.0 Detected by SSL/TLS: Version Detection (OID: 1.3.6.1.4.1.25623.1.0.105782)
Summary It was possible to detect the usage of the deprecated TLSv1.0 and/or TLSv1.1 protocol on this system.
Quality of Detection (QoD): 98%
Vulnerability Detection Result In addition to TLSv1.2+ the service is also providing the deprecated TLSv1.0 and ↪ TLSv1.1 protocols and supports one or more ciphers. Those supported ciphers c ↪an be found in the 'SSL/TLS: Report Supported Cipher Suites' (OID: 1.3.6.1.4.1 ↪.25623.1.0.802067) VT.
Impact An attacker might be able to use the known cryptographic flaws to eavesdrop the connection between clients and the service to get access to sensitive data transferred within the secured connection. Furthermore newly uncovered vulnerabilities in this protocols won't receive security updates anymore.
... continues on next page ...

...continued from previous page ...
Solution: Solution type: Mitigation It is recommended to disable the deprecated TLSv1.0 and/or TLSv1.1 protocols in favor of the TLSv1.2+ protocols. Please see the references for more resources supporting you with this task.
Affected Software/OS - All services providing an encrypted communication using the TLSv1.0 and/or TLSv1.1 protocols - CVE-2023-41928: Kiloview P1 4G and P2 4G Video Encoder - CVE-2024-41270: Gorush v1.18.4 - CVE-2025-3200: Multiple products from Wiesemann & Theis
Vulnerability Insight The TLSv1.0 and TLSv1.1 protocols contain known cryptographic flaws like: - CVE-2011-3389: Browser Exploit Against SSL/TLS (BEAST) - CVE-2015-0204: Factoring Attack on RSA-EXPORT Keys Padding Oracle On Downgraded Legacy Encryption (FREAK)
Vulnerability Detection Method Checks the used TLS protocols of the services provided by this system. Details: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection OID:1.3.6.1.4.1.25623.1.0.117274 Version used: 2026-06-03T07:18:10Z
Product Detection Result Product: cpe:/a:ietf:transport_layer_security:1.0 Method: SSL/TLS: Version Detection OID: 1.3.6.1.4.1.25623.1.0.105782)
References cve: CVE-2011-3389 cve: CVE-2015-0204 cve: CVE-2023-41928 cve: CVE-2024-41270 cve: CVE-2025-3200 url: https://configurator.tlsref.org/ url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-1.html url: https://www.bsi.bund.de/EN/Themen/Oeffentliche-Verwaltung/Mindeststandards/TLS-Protokoll/TLS-Protokoll_node.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/TechnischeRichtlinien/TR03116/BSI-TR-03116-4.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindeststandard_BSI_TLS_Version_2_4.html
...continues on next page ...

...continued from previous page...	
url:	https://web.archive.org/web/20240113175943/https://www.bettercrypto.org
url:	https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters
	↔-report-2014
url:	https://datatracker.ietf.org/doc/rfc8996/
url:	https://vnhacker.blogspot.com/2011/09/beast.html
url:	https://web.archive.org/web/20201108095603/https://censys.io/blog/freak
url:	https://certvde.com/en/advisories/VDE-2025-031/
url:	https://gist.github.com/nyxfqq/cfae38fada582a0f576d154be1aeb1fc
url:	https://advisories.ncsc.nl/advisory?id=NCSC-2024-0273
cert-bund:	WID-SEC-2026-0180
cert-bund:	WID-SEC-2023-1435
cert-bund:	CB-K18/0799
cert-bund:	CB-K16/1289
cert-bund:	CB-K16/1096
cert-bund:	CB-K15/1751
cert-bund:	CB-K15/1266
cert-bund:	CB-K15/0850
cert-bund:	CB-K15/0764
cert-bund:	CB-K15/0720
cert-bund:	CB-K15/0548
cert-bund:	CB-K15/0526
cert-bund:	CB-K15/0509
cert-bund:	CB-K15/0493
cert-bund:	CB-K15/0384
cert-bund:	CB-K15/0365
cert-bund:	CB-K15/0364
cert-bund:	CB-K15/0302
cert-bund:	CB-K15/0192
cert-bund:	CB-K15/0079
cert-bund:	CB-K15/0016
cert-bund:	CB-K14/1342
cert-bund:	CB-K14/0231
cert-bund:	CB-K13/0845
cert-bund:	CB-K13/0796
cert-bund:	CB-K13/0790
dfn-cert:	DFN-CERT-2020-0177
dfn-cert:	DFN-CERT-2020-0111
dfn-cert:	DFN-CERT-2019-0068
dfn-cert:	DFN-CERT-2018-1441
dfn-cert:	DFN-CERT-2018-1408
dfn-cert:	DFN-CERT-2016-1372
dfn-cert:	DFN-CERT-2016-1164
dfn-cert:	DFN-CERT-2016-0388
dfn-cert:	DFN-CERT-2015-1853
dfn-cert:	DFN-CERT-2015-1332
dfn-cert:	DFN-CERT-2015-0884
dfn-cert:	DFN-CERT-2015-0800
...continues on next page...	

...continued from previous page ...

dfn-cert: DFN-CERT-2015-0758
dfn-cert: DFN-CERT-2015-0567
dfn-cert: DFN-CERT-2015-0544
dfn-cert: DFN-CERT-2015-0530
dfn-cert: DFN-CERT-2015-0396
dfn-cert: DFN-CERT-2015-0375
dfn-cert: DFN-CERT-2015-0374
dfn-cert: DFN-CERT-2015-0305
dfn-cert: DFN-CERT-2015-0199
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2015-0021
dfn-cert: DFN-CERT-2014-1414
dfn-cert: DFN-CERT-2013-1847
dfn-cert: DFN-CERT-2013-1792
dfn-cert: DFN-CERT-2012-1979
dfn-cert: DFN-CERT-2012-1829
dfn-cert: DFN-CERT-2012-1530
dfn-cert: DFN-CERT-2012-1380
dfn-cert: DFN-CERT-2012-1377
dfn-cert: DFN-CERT-2012-1292
dfn-cert: DFN-CERT-2012-1214
dfn-cert: DFN-CERT-2012-1213
dfn-cert: DFN-CERT-2012-1180
dfn-cert: DFN-CERT-2012-1156
dfn-cert: DFN-CERT-2012-1155
dfn-cert: DFN-CERT-2012-1039
dfn-cert: DFN-CERT-2012-0956
dfn-cert: DFN-CERT-2012-0908
dfn-cert: DFN-CERT-2012-0868
dfn-cert: DFN-CERT-2012-0867
dfn-cert: DFN-CERT-2012-0848
dfn-cert: DFN-CERT-2012-0838
dfn-cert: DFN-CERT-2012-0776
dfn-cert: DFN-CERT-2012-0722
dfn-cert: DFN-CERT-2012-0638
dfn-cert: DFN-CERT-2012-0627
dfn-cert: DFN-CERT-2012-0451
dfn-cert: DFN-CERT-2012-0418
dfn-cert: DFN-CERT-2012-0354
dfn-cert: DFN-CERT-2012-0234
dfn-cert: DFN-CERT-2012-0221
dfn-cert: DFN-CERT-2012-0177
dfn-cert: DFN-CERT-2012-0170
dfn-cert: DFN-CERT-2012-0146
dfn-cert: DFN-CERT-2012-0142
dfn-cert: DFN-CERT-2012-0126
dfn-cert: DFN-CERT-2012-0123

...continues on next page ...

...continued from previous page ...

```
dfn-cert: DFN-CERT-2012-0095
dfn-cert: DFN-CERT-2012-0051
dfn-cert: DFN-CERT-2012-0047
dfn-cert: DFN-CERT-2012-0021
dfn-cert: DFN-CERT-2011-1953
dfn-cert: DFN-CERT-2011-1946
dfn-cert: DFN-CERT-2011-1844
dfn-cert: DFN-CERT-2011-1826
dfn-cert: DFN-CERT-2011-1774
dfn-cert: DFN-CERT-2011-1743
dfn-cert: DFN-CERT-2011-1738
dfn-cert: DFN-CERT-2011-1706
dfn-cert: DFN-CERT-2011-1628
dfn-cert: DFN-CERT-2011-1627
dfn-cert: DFN-CERT-2011-1619
dfn-cert: DFN-CERT-2011-1482
```

Medium (CVSS: 4.0)

NVT: SSL/TLS: Certificate Signed Using A Weak Signature Algorithm

Summary

The remote service is using a SSL/TLS certificate in the certificate chain that has been signed using a cryptographically weak hashing algorithm.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The following certificates are part of the certificate chain but using insecure ↪signature algorithms:

Subject: CN=Cloudbase-Init WinRM

Signature Algorithm: sha1WithRSAEncryption

Solution:

Solution type: Mitigation

Servers that use SSL/TLS certificates signed with a weak SHA-1, MD5, MD4 or MD2 hashing algorithm will need to obtain new SHA-2 signed SSL/TLS certificates to avoid web browser SSL/TLS certificate warnings.

Vulnerability Insight

The following hashing algorithms used for signing SSL/TLS certificates are considered cryptographically weak and not secure enough for ongoing use:

- Secure Hash Algorithm 1 (SHA-1)
- Message Digest 5 (MD5)
- Message Digest 4 (MD4)

... continues on next page ...

...continued from previous page ...

- Message Digest 2 (MD2)

Beginning as late as January 2017 and as early as June 2016, browser developers such as Microsoft and Google will begin warning users when visiting web sites that use SHA-1 signed Secure Socket Layer (SSL) certificates.

NOTE: The script preference allows to set one or more custom SHA-1 fingerprints of CA certificates which are trusted by this routine. The fingerprints needs to be passed comma-separated and case-insensitive:

Fingerprint1

or

fingerprint1, Fingerprint2

Vulnerability Detection Method

Check which hashing algorithm was used to sign the remote SSL/TLS certificate.

Details: SSL/TLS: Certificate Signed Using A Weak Signature Algorithm

OID:1.3.6.1.4.1.25623.1.0.105880

Version used: 2021-10-15T11:13:32Z

References

url: <https://blog.mozilla.org/security/2014/09/23/phasing-out-certificates-with-sha-1-based-signature-algorithms/>

[\[return to 10.0.20.11 \]](#)

2.2 10.0.20.51

Host scan start Tue Jun 9 14:32:48 2026 UTC

Host scan end Tue Jun 9 16:20:18 2026 UTC

Service (Port)	Threat Level
5986/tcp	High
135/tcp	Medium
5986/tcp	Medium
3389/tcp	Medium

2.2.1 High 5986/tcp

High (CVSS: 7.5)

NVT: SSL/TLS: Report Vulnerable Cipher Suites for HTTPS

Product detection result

cpe:/a:ietf:transport_layer_security

Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0. ↪802067)

... continues on next page ...

...continued from previous page ...
Summary This routine reports all SSL/TLS cipher suites accepted by a service where attack vectors exists only on HTTPS services.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Vulnerable' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_RSA_WITH_3DES_EDE_CBC_SHA (SWEET32) 'Vulnerable' cipher suites accepted by this service via the TLSv1.1 protocol: TLS_RSA_WITH_3DES_EDE_CBC_SHA (SWEET32) 'Vulnerable' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_RSA_WITH_3DES_EDE_CBC_SHA (SWEET32)
Impact This could allow remote attackers to obtain sensitive information or have other, unspecified impacts.
Solution: Solution type: Mitigation The configuration of this services should be changed so that it does not accept the listed cipher suites anymore. Please see the references for more resources supporting you with this task.
Affected Software/OS All services accepting vulnerable SSL/TLS cipher suites via HTTPS.
Vulnerability Insight These rules are applied for the evaluation of the vulnerable cipher suites: - 64-bit block cipher 3DES vulnerable to the SWEET32 attack (CVE-2016-2183).
Vulnerability Detection Method Checks previous collected cipher suites. Details: SSL/TLS: Report Vulnerable Cipher Suites for HTTPS OID:1.3.6.1.4.1.25623.1.0.108031 Version used: 2026-06-03T07:18:10Z
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)
References ... continues on next page ...

...continued from previous page ...

```

cve: CVE-2016-2183
cve: CVE-2016-6329
cve: CVE-2020-12872
url: https://configurator.tlsref.org/
url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidel
↪ines/TG02102/BSI-TR-02102-1.html
url: https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/
↪TLS-Protokoll/TLS-Protokoll_node.html
url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/Technisch
↪eRichtlinien/TR03116/BSI-TR-03116-4.html
url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindes
↪tstandard_BSI_TLS_Version_2_4.html
url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org
url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters
↪-report-2014
url: https://sweet32.info
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2024-1277
cert-bund: WID-SEC-2024-0209
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2022-2226
cert-bund: WID-SEC-2022-1955
cert-bund: CB-K21/1094
cert-bund: CB-K20/1023
cert-bund: CB-K20/0321
cert-bund: CB-K20/0314
cert-bund: CB-K20/0157
cert-bund: CB-K19/0618
cert-bund: CB-K19/0615
cert-bund: CB-K18/0296
cert-bund: CB-K17/1980
cert-bund: CB-K17/1871
cert-bund: CB-K17/1803
cert-bund: CB-K17/1753
cert-bund: CB-K17/1750
cert-bund: CB-K17/1709
cert-bund: CB-K17/1558
cert-bund: CB-K17/1273
cert-bund: CB-K17/1202
cert-bund: CB-K17/1196
cert-bund: CB-K17/1055
cert-bund: CB-K17/1026
cert-bund: CB-K17/0939
cert-bund: CB-K17/0917
cert-bund: CB-K17/0915
cert-bund: CB-K17/0877
cert-bund: CB-K17/0796

```

... continues on next page ...

...continued from previous page ...

cert-bund: CB-K17/0724
 cert-bund: CB-K17/0661
 cert-bund: CB-K17/0657
 cert-bund: CB-K17/0582
 cert-bund: CB-K17/0581
 cert-bund: CB-K17/0506
 cert-bund: CB-K17/0504
 cert-bund: CB-K17/0467
 cert-bund: CB-K17/0345
 cert-bund: CB-K17/0098
 cert-bund: CB-K17/0089
 cert-bund: CB-K17/0086
 cert-bund: CB-K17/0082
 cert-bund: CB-K16/1837
 cert-bund: CB-K16/1830
 cert-bund: CB-K16/1635
 cert-bund: CB-K16/1630
 cert-bund: CB-K16/1624
 cert-bund: CB-K16/1622
 cert-bund: CB-K16/1500
 cert-bund: CB-K16/1465
 cert-bund: CB-K16/1307
 cert-bund: CB-K16/1296
 dfn-cert: DFN-CERT-2025-0041
 dfn-cert: DFN-CERT-2021-1618
 dfn-cert: DFN-CERT-2021-0775
 dfn-cert: DFN-CERT-2021-0770
 dfn-cert: DFN-CERT-2021-0274
 dfn-cert: DFN-CERT-2020-2141
 dfn-cert: DFN-CERT-2020-0368
 dfn-cert: DFN-CERT-2019-1455
 dfn-cert: DFN-CERT-2019-0068
 dfn-cert: DFN-CERT-2018-1296
 dfn-cert: DFN-CERT-2018-0323
 dfn-cert: DFN-CERT-2017-2070
 dfn-cert: DFN-CERT-2017-1954
 dfn-cert: DFN-CERT-2017-1885
 dfn-cert: DFN-CERT-2017-1831
 dfn-cert: DFN-CERT-2017-1821
 dfn-cert: DFN-CERT-2017-1785
 dfn-cert: DFN-CERT-2017-1626
 dfn-cert: DFN-CERT-2017-1326
 dfn-cert: DFN-CERT-2017-1239
 dfn-cert: DFN-CERT-2017-1238
 dfn-cert: DFN-CERT-2017-1090
 dfn-cert: DFN-CERT-2017-1060
 dfn-cert: DFN-CERT-2017-0968

...continues on next page ...

...continued from previous page ...

```

dfn-cert: DFN-CERT-2017-0947
dfn-cert: DFN-CERT-2017-0946
dfn-cert: DFN-CERT-2017-0904
dfn-cert: DFN-CERT-2017-0816
dfn-cert: DFN-CERT-2017-0746
dfn-cert: DFN-CERT-2017-0677
dfn-cert: DFN-CERT-2017-0675
dfn-cert: DFN-CERT-2017-0611
dfn-cert: DFN-CERT-2017-0609
dfn-cert: DFN-CERT-2017-0522
dfn-cert: DFN-CERT-2017-0519
dfn-cert: DFN-CERT-2017-0482
dfn-cert: DFN-CERT-2017-0351
dfn-cert: DFN-CERT-2017-0090
dfn-cert: DFN-CERT-2017-0089
dfn-cert: DFN-CERT-2017-0088
dfn-cert: DFN-CERT-2017-0086
dfn-cert: DFN-CERT-2016-1943
dfn-cert: DFN-CERT-2016-1937
dfn-cert: DFN-CERT-2016-1732
dfn-cert: DFN-CERT-2016-1726
dfn-cert: DFN-CERT-2016-1715
dfn-cert: DFN-CERT-2016-1714
dfn-cert: DFN-CERT-2016-1588
dfn-cert: DFN-CERT-2016-1555
dfn-cert: DFN-CERT-2016-1391
dfn-cert: DFN-CERT-2016-1378

```

[\[return to 10.0.20.51 \]](#)**2.2.2 Medium 135/tcp**

Medium (CVSS: 5.0)

NVT: DCE/RPC and MSRPC Services Enumeration Reporting

Summary

Distributed Computing Environment / Remote Procedure Calls (DCE/RPC) or MSRPC based service enumeration reporting.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Here is the list of DCE/RPC or MSRPC services running on this host via the TCP protocol:

...continues on next page ...

...continued from previous page...	
Port: 49664/tcp	UUID: d95afe70-a6d5-4259-822e-2c84da1ddb0d, version 1 Endpoint: ncacn_ip_tcp:10.0.20.51[49664]
Port: 49665/tcp	UUID: f6beaff7-1e19-4fbb-9f8f-b89e2018337c, version 1 Endpoint: ncacn_ip_tcp:10.0.20.51[49665] Annotation: Event log TCPIP
Port: 49666/tcp	UUID: 3a9ef155-691d-4449-8d05-09ad57031823, version 1 Endpoint: ncacn_ip_tcp:10.0.20.51[49666] UUID: 86d35949-83c9-4044-b424-db363231fd0c, version 1 Endpoint: ncacn_ip_tcp:10.0.20.51[49666]
Port: 49667/tcp	UUID: 0b1c2170-5732-4e0e-8cd3-d9b16f3b84d7, version 0 Endpoint: ncacn_ip_tcp:10.0.20.51[49667] Annotation: RemoteAccessCheck UUID: 12345678-1234-abcd-ef00-01234567cffb, version 1 Endpoint: ncacn_ip_tcp:10.0.20.51[49667] Named pipe : lsass Win32 service or process : Netlogon Description : Net Logon service UUID: 12345778-1234-abcd-ef00-0123456789ab, version 0 Endpoint: ncacn_ip_tcp:10.0.20.51[49667] Named pipe : lsass Win32 service or process : lsass.exe Description : LSA access UUID: 12345778-1234-abcd-ef00-0123456789ac, version 1 Endpoint: ncacn_ip_tcp:10.0.20.51[49667] Named pipe : lsass Win32 service or process : lsass.exe Description : SAM access UUID: 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1 Endpoint: ncacn_ip_tcp:10.0.20.51[49667] Annotation: Ngc Pop Key Service UUID: 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1 Endpoint: ncacn_ip_tcp:10.0.20.51[49667] Annotation: Ngc Pop Key Service UUID: b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2 Endpoint: ncacn_ip_tcp:10.0.20.51[49667] Annotation: KeyIso UUID: c9ac6db5-82b7-4e55-ae8a-e464ed7b4277, version 1 Endpoint: ncacn_ip_tcp:10.0.20.51[49667] Annotation: Impl friendly name UUID: e3514235-4b06-11d1-ab04-00c04fc2dcd2, version 4 Endpoint: ncacn_ip_tcp:10.0.20.51[49667] Annotation: MS NT Directory DRS Interface
Port: 49669/tcp	
...continues on next page...	

...continued from previous page...	
UUID: 29770a8f-829b-4158-90a2-78cd488501f7, version 1	
Endpoint: ncacn_ip_tcp:10.0.20.51[49669]	
Port: 49670/tcp	
UUID: 0b1c2170-5732-4e0e-8cd3-d9b16f3b84d7, version 0	
Endpoint: ncacn_ip_tcp:10.0.20.51[49670]	
Annotation: RemoteAccessCheck	
UUID: 12345678-1234-abcd-ef00-01234567cffb, version 1	
Endpoint: ncacn_ip_tcp:10.0.20.51[49670]	
Named pipe : lsass	
Win32 service or process : Netlogon	
Description : Net Logon service	
UUID: 12345778-1234-abcd-ef00-0123456789ab, version 0	
Endpoint: ncacn_ip_tcp:10.0.20.51[49670]	
Named pipe : lsass	
Win32 service or process : lsass.exe	
Description : LSA access	
UUID: 12345778-1234-abcd-ef00-0123456789ac, version 1	
Endpoint: ncacn_ip_tcp:10.0.20.51[49670]	
Named pipe : lsass	
Win32 service or process : lsass.exe	
Description : SAM access	
UUID: 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1	
Endpoint: ncacn_ip_tcp:10.0.20.51[49670]	
Annotation: Ngc Pop Key Service	
UUID: 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1	
Endpoint: ncacn_ip_tcp:10.0.20.51[49670]	
Annotation: Ngc Pop Key Service	
UUID: b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2	
Endpoint: ncacn_ip_tcp:10.0.20.51[49670]	
Annotation: KeyIso	
UUID: e3514235-4b06-11d1-ab04-00c04fc2dcd2, version 4	
Endpoint: ncacn_ip_tcp:10.0.20.51[49670]	
Annotation: MS NT Directory DRS Interface	
Port: 49671/tcp	
UUID: 0b1c2170-5732-4e0e-8cd3-d9b16f3b84d7, version 0	
Endpoint: ncacn_http:10.0.20.51[49671]	
Annotation: RemoteAccessCheck	
UUID: 12345678-1234-abcd-ef00-01234567cffb, version 1	
Endpoint: ncacn_http:10.0.20.51[49671]	
Named pipe : lsass	
Win32 service or process : Netlogon	
Description : Net Logon service	
UUID: 12345778-1234-abcd-ef00-0123456789ab, version 0	
Endpoint: ncacn_http:10.0.20.51[49671]	
Named pipe : lsass	
Win32 service or process : lsass.exe	
Description : LSA access	
...continues on next page...	

...continued from previous page...	
UUID: 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1 Endpoint: ncacn_http:10.0.20.51[49671] Annotation: Ngc Pop Key Service UUID: 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1 Endpoint: ncacn_http:10.0.20.51[49671] Annotation: Ngc Pop Key Service UUID: b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2 Endpoint: ncacn_http:10.0.20.51[49671] Annotation: KeyIso UUID: e3514235-4b06-11d1-ab04-00c04fc2dcd2, version 4 Endpoint: ncacn_http:10.0.20.51[49671] Annotation: MS NT Directory DRS Interface Port: 49672/tcp UUID: 0b6edbfa-4a24-4fc6-8a23-942b1eca65d1, version 1 Endpoint: ncacn_ip_tcp:10.0.20.51[49672] UUID: 12345678-1234-abcd-ef00-0123456789ab, version 1 Endpoint: ncacn_ip_tcp:10.0.20.51[49672] Named pipe : spoolss Win32 service or process : spoolsv.exe Description : Spooler service UUID: 4a452661-8290-4b36-8fbe-7f4093a94978, version 1 Endpoint: ncacn_ip_tcp:10.0.20.51[49672] UUID: 76f03f96-cdfd-44fc-a22c-64950a001209, version 1 Endpoint: ncacn_ip_tcp:10.0.20.51[49672] UUID: ae33069b-a2a8-46ee-a235-ddfd339be281, version 1 Endpoint: ncacn_ip_tcp:10.0.20.51[49672] Port: 49682/tcp UUID: 50abc2a4-574d-40b3-9d66-ee4fd5fba076, version 5 Endpoint: ncacn_ip_tcp:10.0.20.51[49682] Named pipe : dnsserver Win32 service or process : dns.exe Description : DNS Server Port: 49694/tcp UUID: 897e2e5f-93f3-4376-9c9c-fd2277495c27, version 1 Endpoint: ncacn_ip_tcp:10.0.20.51[49694] Annotation: Frs2 Service Port: 49703/tcp UUID: 367abb81-9844-35f1-ad32-98f038001003, version 2 Endpoint: ncacn_ip_tcp:10.0.20.51[49703] Note: DCE/RPC or MSRPC services running on this host locally were identified. Re- porting this list is not enabled by default due to the possible large size of this list. See the script preferences to enable this reporting.	
Impact	
An attacker may use this information to gain more knowledge about the remote host and to conduct further attacks based on it.	
...continues on next page...	

...continued from previous page ...
Solution: Solution type: Mitigation Filter incoming traffic to this ports.
Affected Software/OS All systems exposing / disclosing information via DCE/RPC or MSRPC services.
Vulnerability Insight DCE/RPC or MSRPC services running on the remote host can be enumerated by connecting on port 135 and doing the appropriate queries.
Vulnerability Detection Method Reports previously collected (via 'DCE/RPC and MSRPC Services Enumeration' OID: 1.3.6.1.4.1.25623.1.0.108044) DCE/RPC or MSRPC services. This VT is reporting a severity by default. If the scanned network is e.g. a private LAN / private WAN which contains systems not accessible to the public (access restricted) and it is accepted that the service is disclosing information to this network please set the 'Network type' configuration of the following VT to e.g. 'Private LAN' or 'Private WAN': Global variable settings (OID: 1.3.6.1.4.1.25623.1.0.12288) In this case a 'Log' level result is used instead. Details: DCE/RPC and MSRPC Services Enumeration Reporting OID:1.3.6.1.4.1.25623.1.0.10736 Version used: 2025-11-26T05:40:08Z

[\[return to 10.0.20.51 \]](#)

2.2.3 Medium 5986/tcp

Medium (CVSS: 4.3)
NVT: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection
Product detection result cpe:/a:ietf:transport_layer_security:1.0 Detected by SSL/TLS: Version Detection (OID: 1.3.6.1.4.1.25623.1.0.105782)
Summary It was possible to detect the usage of the deprecated TLSv1.0 and/or TLSv1.1 protocol on this system.
Quality of Detection (QoD): 98%
Vulnerability Detection Result
... continues on next page ...

...continued from previous page ...
In addition to TLSv1.2+ the service is also providing the deprecated TLSv1.0 and ↪ TLSv1.1 protocols and supports one or more ciphers. Those supported ciphers c ↪an be found in the 'SSL/TLS: Report Supported Cipher Suites' (OID: 1.3.6.1.4.1 ↪.25623.1.0.802067) VT.
Impact An attacker might be able to use the known cryptographic flaws to eavesdrop the connection between clients and the service to get access to sensitive data transferred within the secured connection. Furthermore newly uncovered vulnerabilities in this protocols won't receive security updates anymore.
Solution: Solution type: Mitigation It is recommended to disable the deprecated TLSv1.0 and/or TLSv1.1 protocols in favor of the TLSv1.2+ protocols. Please see the references for more resources supporting you with this task.
Affected Software/OS - All services providing an encrypted communication using the TLSv1.0 and/or TLSv1.1 protocols - CVE-2023-41928: Kiloview P1 4G and P2 4G Video Encoder - CVE-2024-41270: Gorush v1.18.4 - CVE-2025-3200: Multiple products from Wiesemann & Theis
Vulnerability Insight The TLSv1.0 and TLSv1.1 protocols contain known cryptographic flaws like: - CVE-2011-3389: Browser Exploit Against SSL/TLS (BEAST) - CVE-2015-0204: Factoring Attack on RSA-EXPORT Keys Padding Oracle On Downgraded Legacy Encryption (FREAK)
Vulnerability Detection Method Checks the used TLS protocols of the services provided by this system. Details: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection OID:1.3.6.1.4.1.25623.1.0.117274 Version used: 2026-06-03T07:18:10Z
Product Detection Result Product: cpe:/a:ietf:transport_layer_security:1.0 Method: SSL/TLS: Version Detection OID: 1.3.6.1.4.1.25623.1.0.105782)
References cve: CVE-2011-3389 cve: CVE-2015-0204 cve: CVE-2023-41928
... continues on next page ...

...continued from previous page...

cve: CVE-2024-41270
 cve: CVE-2025-3200
 url: <https://configurator.tlsref.org/>
 url: <https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-1.html>
 url: https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/0TLS-Protokoll/TLS-Protokoll_node.html
 url: <https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/TechnischeRichtlinien/TR03116/BSI-TR-03116-4.html>
 url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindeststandard_BSI_TLS_Version_2_4.html
 url: <https://web.archive.org/web/20240113175943/https://www.bettercrypto.org>
 url: <https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters0-report-2014>
 url: <https://datatracker.ietf.org/doc/rfc8996/>
 url: <https://vnhacker.blogspot.com/2011/09/beast.html>
 url: <https://web.archive.org/web/20201108095603/https://censys.io/blog/freak>
 url: <https://certvde.com/en/advisories/VDE-2025-031/>
 url: <https://gist.github.com/nyxfqq/cfae38fada582a0f576d154be1aeb1fc>
 url: <https://advisories.ncsc.nl/advisory?id=NCSC-2024-0273>
 cert-bund: WID-SEC-2026-0180
 cert-bund: WID-SEC-2023-1435
 cert-bund: CB-K18/0799
 cert-bund: CB-K16/1289
 cert-bund: CB-K16/1096
 cert-bund: CB-K15/1751
 cert-bund: CB-K15/1266
 cert-bund: CB-K15/0850
 cert-bund: CB-K15/0764
 cert-bund: CB-K15/0720
 cert-bund: CB-K15/0548
 cert-bund: CB-K15/0526
 cert-bund: CB-K15/0509
 cert-bund: CB-K15/0493
 cert-bund: CB-K15/0384
 cert-bund: CB-K15/0365
 cert-bund: CB-K15/0364
 cert-bund: CB-K15/0302
 cert-bund: CB-K15/0192
 cert-bund: CB-K15/0079
 cert-bund: CB-K15/0016
 cert-bund: CB-K14/1342
 cert-bund: CB-K14/0231
 cert-bund: CB-K13/0845
 cert-bund: CB-K13/0796
 cert-bund: CB-K13/0790
 dfn-cert: DFN-CERT-2020-0177

...continues on next page...

...continued from previous page ...

```

dfn-cert: DFN-CERT-2020-0111
dfn-cert: DFN-CERT-2019-0068
dfn-cert: DFN-CERT-2018-1441
dfn-cert: DFN-CERT-2018-1408
dfn-cert: DFN-CERT-2016-1372
dfn-cert: DFN-CERT-2016-1164
dfn-cert: DFN-CERT-2016-0388
dfn-cert: DFN-CERT-2015-1853
dfn-cert: DFN-CERT-2015-1332
dfn-cert: DFN-CERT-2015-0884
dfn-cert: DFN-CERT-2015-0800
dfn-cert: DFN-CERT-2015-0758
dfn-cert: DFN-CERT-2015-0567
dfn-cert: DFN-CERT-2015-0544
dfn-cert: DFN-CERT-2015-0530
dfn-cert: DFN-CERT-2015-0396
dfn-cert: DFN-CERT-2015-0375
dfn-cert: DFN-CERT-2015-0374
dfn-cert: DFN-CERT-2015-0305
dfn-cert: DFN-CERT-2015-0199
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2015-0021
dfn-cert: DFN-CERT-2014-1414
dfn-cert: DFN-CERT-2013-1847
dfn-cert: DFN-CERT-2013-1792
dfn-cert: DFN-CERT-2012-1979
dfn-cert: DFN-CERT-2012-1829
dfn-cert: DFN-CERT-2012-1530
dfn-cert: DFN-CERT-2012-1380
dfn-cert: DFN-CERT-2012-1377
dfn-cert: DFN-CERT-2012-1292
dfn-cert: DFN-CERT-2012-1214
dfn-cert: DFN-CERT-2012-1213
dfn-cert: DFN-CERT-2012-1180
dfn-cert: DFN-CERT-2012-1156
dfn-cert: DFN-CERT-2012-1155
dfn-cert: DFN-CERT-2012-1039
dfn-cert: DFN-CERT-2012-0956
dfn-cert: DFN-CERT-2012-0908
dfn-cert: DFN-CERT-2012-0868
dfn-cert: DFN-CERT-2012-0867
dfn-cert: DFN-CERT-2012-0848
dfn-cert: DFN-CERT-2012-0838
dfn-cert: DFN-CERT-2012-0776
dfn-cert: DFN-CERT-2012-0722
dfn-cert: DFN-CERT-2012-0638
dfn-cert: DFN-CERT-2012-0627

```

...continues on next page ...

...continued from previous page ...

```

dfn-cert: DFN-CERT-2012-0451
dfn-cert: DFN-CERT-2012-0418
dfn-cert: DFN-CERT-2012-0354
dfn-cert: DFN-CERT-2012-0234
dfn-cert: DFN-CERT-2012-0221
dfn-cert: DFN-CERT-2012-0177
dfn-cert: DFN-CERT-2012-0170
dfn-cert: DFN-CERT-2012-0146
dfn-cert: DFN-CERT-2012-0142
dfn-cert: DFN-CERT-2012-0126
dfn-cert: DFN-CERT-2012-0123
dfn-cert: DFN-CERT-2012-0095
dfn-cert: DFN-CERT-2012-0051
dfn-cert: DFN-CERT-2012-0047
dfn-cert: DFN-CERT-2012-0021
dfn-cert: DFN-CERT-2011-1953
dfn-cert: DFN-CERT-2011-1946
dfn-cert: DFN-CERT-2011-1844
dfn-cert: DFN-CERT-2011-1826
dfn-cert: DFN-CERT-2011-1774
dfn-cert: DFN-CERT-2011-1743
dfn-cert: DFN-CERT-2011-1738
dfn-cert: DFN-CERT-2011-1706
dfn-cert: DFN-CERT-2011-1628
dfn-cert: DFN-CERT-2011-1627
dfn-cert: DFN-CERT-2011-1619
dfn-cert: DFN-CERT-2011-1482

```

Medium (CVSS: 4.0)

NVT: SSL/TLS: Certificate Signed Using A Weak Signature Algorithm

Summary

The remote service is using a SSL/TLS certificate in the certificate chain that has been signed using a cryptographically weak hashing algorithm.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The following certificates are part of the certificate chain but using insecure ↪signature algorithms:

Subject: CN=Cloudbase-Init WinRM
 Signature Algorithm: sha1WithRSAEncryption

Solution:**Solution type:** Mitigation

... continues on next page ...

...continued from previous page ...
Servers that use SSL/TLS certificates signed with a weak SHA-1, MD5, MD4 or MD2 hashing algorithm will need to obtain new SHA-2 signed SSL/TLS certificates to avoid web browser SSL/TLS certificate warnings.
Vulnerability Insight The following hashing algorithms used for signing SSL/TLS certificates are considered cryptographically weak and not secure enough for ongoing use: - Secure Hash Algorithm 1 (SHA-1) - Message Digest 5 (MD5) - Message Digest 4 (MD4) - Message Digest 2 (MD2) Beginning as late as January 2017 and as early as June 2016, browser developers such as Microsoft and Google will begin warning users when visiting web sites that use SHA-1 signed Secure Socket Layer (SSL) certificates. NOTE: The script preference allows to set one or more custom SHA-1 fingerprints of CA certificates which are trusted by this routine. The fingerprints needs to be passed comma-separated and case-insensitive: Fingerprint1 or fingerprint1, Fingerprint2
Vulnerability Detection Method Check which hashing algorithm was used to sign the remote SSL/TLS certificate. Details: SSL/TLS: Certificate Signed Using A Weak Signature Algorithm OID:1.3.6.1.4.1.25623.1.0.105880 Version used: 2021-10-15T11:13:32Z
References url: https://blog.mozilla.org/security/2014/09/23/phasing-out-certificates-with-sha-1-based-signature-algorithms/

[[return to 10.0.20.51](#)]

2.2.4 Medium 3389/tcp

Medium (CVSS: 4.3)
NVT: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection
Product detection result cpe:/a:ietf:transport_layer_security:1.0 Detected by SSL/TLS: Version Detection (OID: 1.3.6.1.4.1.25623.1.0.105782)
... continues on next page ...

...continued from previous page ...
Summary It was possible to detect the usage of the deprecated TLSv1.0 and/or TLSv1.1 protocol on this system.
Quality of Detection (QoD): 98%
Vulnerability Detection Result In addition to TLSv1.2+ the service is also providing the deprecated TLSv1.0 and ↪ TLSv1.1 protocols and supports one or more ciphers. Those supported ciphers c ↪an be found in the 'SSL/TLS: Report Supported Cipher Suites' (OID: 1.3.6.1.4.1 ↪.25623.1.0.802067) VT.
Impact An attacker might be able to use the known cryptographic flaws to eavesdrop the connection between clients and the service to get access to sensitive data transferred within the secured connection. Furthermore newly uncovered vulnerabilities in this protocols won't receive security updates anymore.
Solution: Solution type: Mitigation It is recommended to disable the deprecated TLSv1.0 and/or TLSv1.1 protocols in favor of the TLSv1.2+ protocols. Please see the references for more resources supporting you with this task.
Affected Software/OS - All services providing an encrypted communication using the TLSv1.0 and/or TLSv1.1 protocols - CVE-2023-41928: Kiloview P1 4G and P2 4G Video Encoder - CVE-2024-41270: Gorush v1.18.4 - CVE-2025-3200: Multiple products from Wiesemann & Theis
Vulnerability Insight The TLSv1.0 and TLSv1.1 protocols contain known cryptographic flaws like: - CVE-2011-3389: Browser Exploit Against SSL/TLS (BEAST) - CVE-2015-0204: Factoring Attack on RSA-EXPORT Keys Padding Oracle On Downgraded Legacy Encryption (FREAK)
Vulnerability Detection Method Checks the used TLS protocols of the services provided by this system. Details: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection OID:1.3.6.1.4.1.25623.1.0.117274 Version used: 2026-06-03T07:18:10Z
Product Detection Result Product: cpe:/a:ietf:transport_layer_security:1.0 Method: SSL/TLS: Version Detection
... continues on next page ...

...continued from previous page ...

OID: 1.3.6.1.4.1.25623.1.0.105782)

References

cve: CVE-2011-3389

cve: CVE-2015-0204

cve: CVE-2023-41928

cve: CVE-2024-41270

cve: CVE-2025-3200

url: <https://configurator.tlsref.org/>url: <https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidel↵ines/TG02102/BSI-TR-02102-1.html>url: https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/↵TLS-Protokoll/TLS-Protokoll_node.htmlurl: <https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/Technisch↵eRichtlinien/TR03116/BSI-TR-03116-4.html>url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindes↵tstandard_BSI_TLS_Version_2_4.htmlurl: <https://web.archive.org/web/20240113175943/https://www.bettercrypto.org>url: <https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters↵-report-2014>url: <https://datatracker.ietf.org/doc/rfc8996/>url: <https://vnhacker.blogspot.com/2011/09/beast.html>url: <https://web.archive.org/web/20201108095603/https://censys.io/blog/freak>url: <https://certvde.com/en/advisories/VDE-2025-031/>url: <https://gist.github.com/nyxfqq/cfae38fada582a0f576d154be1aeb1fc>url: <https://advisories.ncsc.nl/advisory?id=NCSC-2024-0273>

cert-bund: WID-SEC-2026-0180

cert-bund: WID-SEC-2023-1435

cert-bund: CB-K18/0799

cert-bund: CB-K16/1289

cert-bund: CB-K16/1096

cert-bund: CB-K15/1751

cert-bund: CB-K15/1266

cert-bund: CB-K15/0850

cert-bund: CB-K15/0764

cert-bund: CB-K15/0720

cert-bund: CB-K15/0548

cert-bund: CB-K15/0526

cert-bund: CB-K15/0509

cert-bund: CB-K15/0493

cert-bund: CB-K15/0384

cert-bund: CB-K15/0365

cert-bund: CB-K15/0364

cert-bund: CB-K15/0302

cert-bund: CB-K15/0192

cert-bund: CB-K15/0079

... continues on next page ...

...continued from previous page ...

cert-bund: CB-K15/0016
cert-bund: CB-K14/1342
cert-bund: CB-K14/0231
cert-bund: CB-K13/0845
cert-bund: CB-K13/0796
cert-bund: CB-K13/0790
dfn-cert: DFN-CERT-2020-0177
dfn-cert: DFN-CERT-2020-0111
dfn-cert: DFN-CERT-2019-0068
dfn-cert: DFN-CERT-2018-1441
dfn-cert: DFN-CERT-2018-1408
dfn-cert: DFN-CERT-2016-1372
dfn-cert: DFN-CERT-2016-1164
dfn-cert: DFN-CERT-2016-0388
dfn-cert: DFN-CERT-2015-1853
dfn-cert: DFN-CERT-2015-1332
dfn-cert: DFN-CERT-2015-0884
dfn-cert: DFN-CERT-2015-0800
dfn-cert: DFN-CERT-2015-0758
dfn-cert: DFN-CERT-2015-0567
dfn-cert: DFN-CERT-2015-0544
dfn-cert: DFN-CERT-2015-0530
dfn-cert: DFN-CERT-2015-0396
dfn-cert: DFN-CERT-2015-0375
dfn-cert: DFN-CERT-2015-0374
dfn-cert: DFN-CERT-2015-0305
dfn-cert: DFN-CERT-2015-0199
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2015-0021
dfn-cert: DFN-CERT-2014-1414
dfn-cert: DFN-CERT-2013-1847
dfn-cert: DFN-CERT-2013-1792
dfn-cert: DFN-CERT-2012-1979
dfn-cert: DFN-CERT-2012-1829
dfn-cert: DFN-CERT-2012-1530
dfn-cert: DFN-CERT-2012-1380
dfn-cert: DFN-CERT-2012-1377
dfn-cert: DFN-CERT-2012-1292
dfn-cert: DFN-CERT-2012-1214
dfn-cert: DFN-CERT-2012-1213
dfn-cert: DFN-CERT-2012-1180
dfn-cert: DFN-CERT-2012-1156
dfn-cert: DFN-CERT-2012-1155
dfn-cert: DFN-CERT-2012-1039
dfn-cert: DFN-CERT-2012-0956
dfn-cert: DFN-CERT-2012-0908
dfn-cert: DFN-CERT-2012-0868

... continues on next page ...

...continued from previous page ...

```

dfn-cert: DFN-CERT-2012-0867
dfn-cert: DFN-CERT-2012-0848
dfn-cert: DFN-CERT-2012-0838
dfn-cert: DFN-CERT-2012-0776
dfn-cert: DFN-CERT-2012-0722
dfn-cert: DFN-CERT-2012-0638
dfn-cert: DFN-CERT-2012-0627
dfn-cert: DFN-CERT-2012-0451
dfn-cert: DFN-CERT-2012-0418
dfn-cert: DFN-CERT-2012-0354
dfn-cert: DFN-CERT-2012-0234
dfn-cert: DFN-CERT-2012-0221
dfn-cert: DFN-CERT-2012-0177
dfn-cert: DFN-CERT-2012-0170
dfn-cert: DFN-CERT-2012-0146
dfn-cert: DFN-CERT-2012-0142
dfn-cert: DFN-CERT-2012-0126
dfn-cert: DFN-CERT-2012-0123
dfn-cert: DFN-CERT-2012-0095
dfn-cert: DFN-CERT-2012-0051
dfn-cert: DFN-CERT-2012-0047
dfn-cert: DFN-CERT-2012-0021
dfn-cert: DFN-CERT-2011-1953
dfn-cert: DFN-CERT-2011-1946
dfn-cert: DFN-CERT-2011-1844
dfn-cert: DFN-CERT-2011-1826
dfn-cert: DFN-CERT-2011-1774
dfn-cert: DFN-CERT-2011-1743
dfn-cert: DFN-CERT-2011-1738
dfn-cert: DFN-CERT-2011-1706
dfn-cert: DFN-CERT-2011-1628
dfn-cert: DFN-CERT-2011-1627
dfn-cert: DFN-CERT-2011-1619
dfn-cert: DFN-CERT-2011-1482

```

[\[return to 10.0.20.51 \]](#)

2.3 10.0.20.60

```

Host scan start   Tue Jun 9 14:32:48 2026 UTC
Host scan end     Tue Jun 9 16:06:06 2026 UTC

```

Service (Port)	Threat Level
80/tcp	Critical
80/tcp	High
80/tcp	Medium

... (continues) ...

... (continued) ...

Service (Port)	Threat Level
22/tcp	Low

2.3.1 Critical 80/tcp

Critical (CVSS: 9.8)	
NVT: WordPress InfiniteWP Client Plugin < 1.9.4.5 Authentication Bypass Vulnerability	
Summary The WordPress plugin 'InfiniteWP Client' is prone to an authentication bypass vulnerability.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 1.9.4.4 Fixed version: 1.9.4.5 Installation path / port: /wp-content/plugins/iwp-client	
Solution: Solution type: VendorFix Update to version 1.9.4.5 or later.	
Affected Software/OS WordPress InfiniteWP Client plugin prior to version 1.9.4.5.	
Vulnerability Insight A missing authorization check in iwp_mmb_set_request in init.php. Any attacker who knows the username of an administrator can log in.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WordPress InfiniteWP Client Plugin < 1.9.4.5 Authentication Bypass Vulnerability OID:1.3.6.1.4.1.25623.1.0.126464 Version used: 2023-10-13T16:09:03Z	
References cve: CVE-2020-8772 url: https://wpscan.com/vulnerability/10011	

Critical (CVSS: 9.8)	
NVT: Adminer < 4.16.0 Multiple Vulnerabilities	
Summary Adminer is prone to multiple vulnerabilities.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 4.6.2 Fixed version: 4.16.0 Installation path / port: /	
Solution: Solution type: VendorFix Update to version 4.16.0 or later.	
Affected Software/OS Adminer versions prior to 4.16.0.	
Vulnerability Insight The following flaws exist: - CVE-2023-45195: Server-side request forgery (SSRF) vulnerability - CVE-2023-45196: Denial-of-service (DoS) vulnerability - CVE-2023-45197: File upload vulnerability	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Adminer < 4.16.0 Multiple Vulnerabilities OID:1.3.6.1.4.1.25623.1.0.119086 Version used: 2025-09-09T05:38:49Z	
References cve: CVE-2023-45195 cve: CVE-2023-45196 cve: CVE-2023-45197 url: https://github.com/vrana/adminer/issues/1149 url: https://github.com/vrana/adminer/commit/578c9fca923e3afeccb29761f5da37dfe5d ↪60993 url: https://github.com/vrana/adminer/commit/b2759df1f949f24e69737e7d1151551afc8 ↪dd37e url: https://github.com/vrana/adminer/commit/d94e348f57571c52bd58a5c0ee28ef588aa ↪a5c45	

[[return to 10.0.20.60](#)]

2.3.2 High 80/tcp

High (CVSS: 7.8) NVT: Adminer <= 4.8.1 DoS Vulnerability
Summary Adminer is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 4.6.2 Fixed version: 4.8.2 Installation path / port: /
Impact Remote, unauthenticated attackers can trigger this by sending a malicious serialized object, which forces excessive memory usage, rendering Adminer’s interface unresponsive and causing a server-level DoS. While the server may recover after several minutes, multiple simultaneous requests can cause a complete crash requiring manual intervention.
Solution: Solution type: VendorFix Update to version 4.8.2 or later.
Affected Software/OS Adminer version 4.8.1 and prior.
Vulnerability Insight When using Monolog for logging, Adminer allows a denial of service (memory consumption) via a crafted serialized payload (e.g., using s:1000000000), leading to a PHP Object Injection issue.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Adminer <= 4.8.1 DoS Vulnerability OID:1.3.6.1.4.1.25623.1.0.155221 Version used: 2025-08-28T05:39:05Z
References cve: CVE-2025-43960 url: https://github.com/far00t01/CVE-2025-43960

High (CVSS: 7.5)
NVT: Adminer 1.12.0 - 4.6.2 Information Disclosure Vulnerability
Summary Adminer is prone to an information disclosure vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 4.6.2 Fixed version: 4.6.3 Installation path / port: /
Solution: Solution type: VendorFix Update to version 4.6.3 or later.
Affected Software/OS Adminer version 1.12.0 through 4.6.2.
Vulnerability Insight Adminer allows an attacker to read arbitrary files on the remote server by requesting Adminer to connect to a remote MySQL database.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Adminer 1.12.0 - 4.6.2 Information Disclosure Vulnerability OID:1.3.6.1.4.1.25623.1.0.124056 Version used: 2025-08-28T05:39:05Z
References cve: CVE-2021-43008 url: https://github.com/vrana/adminer/releases/tag/v4.6.3 url: https://podalirius.net/en/cves/2021-43008/ url: https://sansec.io/research/adminer-4.6.2-file-disclosure-vulnerability dfn-cert: DFN-CERT-2022-1100

[\[return to 10.0.20.60 \]](#)

2.3.3 Medium 80/tcp

Medium (CVSS: 6.1)
NVT: WordPress Social Warfare Plugin < 3.5.3 XSS Vulnerability
Summary The WordPress plugin 'Social Warfare' is prone to a cross-site scripting (XSS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 3.5.2 Fixed version: 3.5.3 Installation path / port: /wp-content/plugins/social-warfare
Impact Successful exploitation would allow an attacker to inject malicious content into an affected site.
Solution: Solution type: VendorFix Update to version 3.5.3 or later.
Affected Software/OS WordPress Social Warfare plugin before version 3.5.3.
Vulnerability Detection Method Details: WordPress Social Warfare Plugin < 3.5.3 XSS Vulnerability OID:1.3.6.1.4.1.25623.1.0.112549 Version used: 2024-07-26T05:05:35Z
References cve: CVE-2019-9978 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://blog.sucuri.net/2019/03/zero-day-stored-xss-in-social-warfare.html url: https://wordpress.org/plugins/social-warfare/#developers

Medium (CVSS: 5.3)
NVT: WordPress < 6.5 Private Information Exposure Vulnerability
Summary WordPress is prone to a private information exposure via 'redirect_guess_404_permalink()'.
Quality of Detection (QoD): 80%
... continues on next page ...

...continued from previous page...

Vulnerability Detection Result

Installed version: 5.3

Fixed version: 6.5

Installation

path / port: /

Impact

This can allow unauthenticated attackers to expose the slug of a custom post whose 'publicly_queryable' post status has been set to 'false'.

Solution:**Solution type:** VendorFix

Update to version 6.5 or later.

Note: As of 04/2024 the security fix is only available in version 6.5 and haven't been 'backported' to older versions yet.

Affected Software/OS

WordPress versions prior to 6.5.

Vulnerability Insight

When guessing the proper URL to redirect a 404, WordPress only considers the post statuses and not the proper post type privacy settings, leading to potential information disclosure.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: WordPress < 6.5 Private Information Exposure Vulnerability

OID:1.3.6.1.4.1.25623.1.0.114477

Version used: 2025-01-13T08:32:03Z

References

cve: CVE-2023-5692

url: <https://core.trac.wordpress.org/ticket/59795>url: <https://core.trac.wordpress.org/changeset/57645>url: https://bugzilla.redhat.com/show_bug.cgi?id=2273662

url: <https://www.wordfence.com/threat-intel/vulnerabilities/id/6e6f993b-ce09-405c0-84a1-cbe9953f36b1>

url: <https://patchstack.com/database/vulnerability/wordpress/wordpress-wordpress-core-plugin-6-4-3-sensitive-information-exposure-via-redirect-guess-404-permalink-vulnerability>

cert-bund: WID-SEC-2024-0808

Medium (CVSS: 5.3)
NVT: WordPress InfiniteWP Client Plugin < 1.12.1 Information Disclosure Vulnerability
Summary The WordPress plugin 'InfiniteWP Client' is prone to an information disclosure vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.9.4.4 Fixed version: 1.12.1 Installation path / port: /wp-content/plugins/iwp-client
Solution: Solution type: VendorFix Update to version 1.12.1 or later.
Affected Software/OS WordPress InfiniteWP Client plugin prior to version 1.12.1.
Vulnerability Insight Attackers with subscriber-level permissions or above are able to extract sensitive data including configuration via the 'admin_notice' function.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WordPress InfiniteWP Client Plugin < 1.12.1 Information Disclosure Vulnerability OID:1.3.6.1.4.1.25623.1.0.127521 Version used: 2023-10-13T16:09:03Z
References cve: CVE-2023-2916 url: https://www.wordfence.com/threat-intel/vulnerabilities/id/aa157c80-447f-4406-9e49-9cc6208b7b19

Medium (CVSS: 5.3)
NVT: phpinfo() Output Reporting (HTTP)
Summary Reporting of files containing the output of the phpinfo() PHP function previously detected via HTTP.
...
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following files are calling the function phpinfo() which disclose potentiall ↪y sensitive information: http://softwaresolutions.acme.skf/info.php Concluded from: <title>phpinfo()</title><meta name="ROBOTS" content="NOINDEX,NOFOLLOW,NOARCHIV ↪E" /></head> <tr><td class="e">Configuration File (php.ini) Path </td><td class="v">/usr/lo ↪cal/etc/php </td></tr>
Impact Some of the information that can be gathered from this file includes: The username of the user running the PHP process, if it is a sudo user, the IP address of the host, the web server version, the system version (Unix, Linux, Windows, ...), and the root directory of the web server.
Solution: Solution type: Workaround Delete the listed files or restrict access to them.
Affected Software/OS All systems exposing a file containing the output of the phpinfo() PHP function. This VT is also reporting if an affected endpoint for the following products have been identified: - CVE-2008-0149: TUTOS - CVE-2023-49282, CVE-2023-49283: Microsoft Graph PHP SDK - CVE-2024-10486: Google for WooCommerce plugin for WordPress
Vulnerability Insight Many PHP installation tutorials instruct the user to create a file called phpinfo.php or similar containing the phpinfo() statement. Such a file is often left back in the webserver directory.
Vulnerability Detection Method This script reports files identified by the following separate VT: 'phpinfo() Output Detection (HTTP)' (OID: 1.3.6.1.4.1.25623.1.0.108474). Details: phpinfo() Output Reporting (HTTP) OID:1.3.6.1.4.1.25623.1.0.11229 Version used: 2025-07-09T05:43:50Z
References cve: CVE-2008-0149 cve: CVE-2023-49282 cve: CVE-2023-49283 cve: CVE-2024-10486 url: https://www.php.net/manual/en/function.phpinfo.php
... continues on next page ...

...continued from previous page ...
url: https://beaglesecurity.com/blog/vulnerability/revealing-phpinfo.html

Medium (CVSS: 5.0)
NVT: Missing 'HttpOnly' Cookie Attribute (HTTP)
Summary The remote HTTP web server / application is missing to set the 'HttpOnly' cookie attribute for one or more sent HTTP cookie.
Quality of Detection (QoD): 70%
Vulnerability Detection Result The cookie(s): Set-Cookie: wp_wpfileupload_ff0d38790e281aeda1f8ebe90c37ffef=5hnMkWpM5w6R687yCw9↵dQqMT17RgSZTm; expires=Thu, 11-Jun-2026 14:42:12 GMT; Max-Age=***replaced***;↵path=/ is/are missing the "HttpOnly" cookie attribute.
Solution: Solution type: Mitigation - Set the 'HttpOnly' cookie attribute for any session cookie - Evaluate / do an own assessment of the security impact on the web server / application and create an override for this result if there is none (this can't be checked automatically by this VT)
Affected Software/OS Any web application with session handling in cookies.
Vulnerability Insight The flaw exists if a session cookie is not using the 'HttpOnly' cookie attribute. This allows a cookie to be accessed by JavaScript which could lead to session hijacking attacks.
Vulnerability Detection Method Checks all cookies sent by the remote HTTP web server / application for a missing 'HttpOnly' cookie attribute. Details: Missing 'HttpOnly' Cookie Attribute (HTTP) OID:1.3.6.1.4.1.25623.1.0.105925 Version used: 2024-01-12T16:12:12Z
References url: https://www.rfc-editor.org/rfc/rfc6265#section-5.2.6 url: https://owasp.org/www-community/HttpOnly url: https://wiki.owasp.org/index.php/Testing_for_cookies_attributes_(OTG-SESS-0↵02)

Medium (CVSS: 5.0)
NVT: Sensitive File Disclosure (HTTP)
Summary The script attempts to identify files containing sensitive data at the remote web server.
Quality of Detection (QoD): 70%
Vulnerability Detection Result The following files containing sensitive information were identified: Description: Database backup file publicly accessible. Match: -- MySQL dump 10.13 Distrib 5.7.26, for Linux (x86_64) INSERT INTO 'wordpress'.'wp_users' ('ID', 'user_login', 'user_pass', 'user_nicename', 'user_email', 'user_registered') VALUES ('2', 'editor', MD5('editor'), 'Editor', 'editor@yourdomain.com', '2020-01-01 00:00:00'); INSERT INTO 'wordpress'.'wp_usermeta' ('umeta_id', 'user_id', 'meta_key', 'meta_value') VALUES (NULL, '2', 'wp_capabilities', 'a:1:{s:6:"editor";b:1;}); INSERT INTO 'wordpress'.'wp_usermeta' ('umeta_id', 'user_id', 'meta_key', 'meta_value') VALUES (NULL, '2', 'wp_user_level', '7'); Used regex: ^(-- (MySQL MariaDB) dump INSERT INTO DROP TABLE CREATE TABLE URL: http://softwaresolutions.acme.skb/dump.sql
Impact Based on the information provided in these files an attacker might be able to gather additional info and/or sensitive data like usernames and passwords.
Solution: Solution type: Mitigation The sensitive files shouldn't be accessible via a web server. Restrict access to it or remove it completely.
Vulnerability Insight Currently the script is checking for files like e.g.: - Software (Blog, CMS) configuration or log files - Web / application server configuration / password files (e.g. .htaccess, .htpasswd, web.config, web.xml, ...) - Cloud (e.g. AWS) configuration files - Files containing API keys for services / providers - Database backup files (e.g. .sql, ...) - Editor / history files (e.g. .lessht, .dbshell, ...) - SSH or SSL/TLS Private Keys - Generic environment files (e.g. .env including the ones from Codeigniter, ...) - CVE-2017-16894: Laravel framework specific environment/.env files
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Method Enumerate the remote web server and check if sensitive files are accessible. Details: Sensitive File Disclosure (HTTP) OID:1.3.6.1.4.1.25623.1.0.107305 Version used: 2025-10-29T05:40:29Z
References cve: CVE-2017-16894

Medium (CVSS: 4.8)
NVT: Cleartext Transmission of Sensitive Information via HTTP
Summary The host / application transmits sensitive information (username, passwords) in cleartext via HTTP.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following input fields were identified (URL:input name): http://softwaresolutions.acme.skb/wp-login.php:pwd http://softwaresolutions.acme.skb/wp-login.php?redirect_to=http%3A%2F%2Fsoftware ↪solutions.acme.skb%2Fwp-admin%2F&reauth=1:pwd
Impact An attacker could use this situation to compromise or eavesdrop on the HTTP communication between the client and the server using a man-in-the-middle attack to get access to sensitive data like usernames or passwords.
Solution: Solution type: Workaround Enforce the transmission of sensitive data via an encrypted SSL/TLS connection. Additionally make sure the host / application is redirecting all users to the secured SSL/TLS connection before allowing to input sensitive data into the mentioned functions.
Affected Software/OS Hosts / applications which doesn't enforce the transmission of sensitive data via an encrypted SSL/TLS connection.
Vulnerability Detection Method Evaluate previous collected information and check if the host / application is not enforcing the transmission of sensitive data via an encrypted SSL/TLS connection. The script is currently checking the following: - HTTP Basic Authentication (Basic Auth)
... continues on next page ...

...continued from previous page...
- HTTP Forms (e.g. Login) with input field of type 'password' Details: Cleartext Transmission of Sensitive Information via HTTP OID:1.3.6.1.4.1.25623.1.0.108440 Version used: 2023-09-07T05:05:21Z
References url: https://www.owasp.org/index.php/Top_10_2013-A2-Broken_Authentication_and_Session_Management url: https://www.owasp.org/index.php/Top_10_2013-A6-Sensitive_Data_Exposure url: https://cwe.mitre.org/data/definitions/319.html

[\[return to 10.0.20.60 \]](#)

2.3.4 Low 22/tcp

Low (CVSS: 2.6)
NVT: Weak MAC Algorithm(s) Supported (SSH)
Product detection result cpe:/a:ietf:secure_shell_protocol Detected by SSH Protocol Algorithms Supported (OID: 1.3.6.1.4.1.25623.1.0.105565 ↪)
Summary The remote SSH server is configured to allow / support weak MAC algorithm(s).
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SSH server supports the following weak client-to-server MAC algorithm ↪(s): umac-64-etm@openssh.com umac-64@openssh.com The remote SSH server supports the following weak server-to-client MAC algorithm ↪(s): umac-64-etm@openssh.com umac-64@openssh.com
Solution: Solution type: Mitigation Disable the reported weak MAC algorithm(s).
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Method Checks the supported MAC algorithms (client-to-server and server-to-client) of the remote SSH server. Currently weak MAC algorithms are defined as the following: - MD5 based algorithms - 96-bit based algorithms - 64-bit based algorithms - 'none' algorithm Details: Weak MAC Algorithm(s) Supported (SSH) OID:1.3.6.1.4.1.25623.1.0.105610 Version used: 2024-06-14T05:05:48Z
Product Detection Result Product: cpe:/a:ietf:secure_shell_protocol Method: SSH Protocol Algorithms Supported OID: 1.3.6.1.4.1.25623.1.0.105565)
References url: https://www.rfc-editor.org/rfc/rfc6668 url: https://www.rfc-editor.org/rfc/rfc4253#section-6.4

[\[return to 10.0.20.60 \]](#)

2.4 10.0.20.61

Host scan start Tue Jun 9 14:32:48 2026 UTC
Host scan end Tue Jun 9 15:30:01 2026 UTC

Service (Port)	Threat Level
80/tcp	High
80/tcp	Medium
22/tcp	Low

2.4.1 High 80/tcp

High (CVSS: 7.5) NVT: EasyPHP Webserver <= 12.1 Multiple Vulnerabilities - Active Check
Summary EasyPHP Webserver is prone to multiple vulnerabilities.
Quality of Detection (QoD): 99%
... continues on next page ...

...continued from previous page ...

Vulnerability Detection ResultVulnerable URL: <http://10.0.20.61/phpinfo.php>

Concluded from:

```

<title>PHP 7.4.3-4ubuntu2.18 - phpinfo()</title><meta name="ROBOTS" content="N
↪OINDEX,NOFOLLOW,NOARCHIVE" /></head>
<tr><td class="e">Configuration File (php.ini) Path </td><td class="v">/etc/ph
↪p/7.4/apache2 </td></tr>
<h2>PHP Variables</h2>

```

Impact

Successful exploitation will allow attackers to gain administrative access, disclose the information, inject PHP code/shell and execute a remote PHP Code.

Solution:**Solution type:** WillNotFix

No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS

EasyPHP version 12.1 and prior.

Vulnerability Insight

The bug in EasyPHP WebServer Manager, its skipping authentication for certain requests. Which allows to bypass the authentication, disclose the information or execute a remote PHP code.

Vulnerability Detection Method

Sends a crafted HTTP GET request and checks the response.

Note: It is currently expected that a result of this VT is reported if the system is generally exposing a phpinfo() output on the relevant URL / endpoint (independent from the running product). Exposing such sensitive information is generally seen as a security misconfiguration and should be avoided.

Details: EasyPHP Webserver <= 12.1 Multiple Vulnerabilities - Active Check

OID:1.3.6.1.4.1.25623.1.0.803189

Version used: 2025-11-11T05:40:18Z

References

url: <https://cxsecurity.com/issue/WLB-2013040069>

[\[return to 10.0.20.61 \]](#)

2.4.2 Medium 80/tcp

Medium (CVSS: 5.0)
NVT: Source Control Management (SCM) Files/Folders Accessible (HTTP)
Summary The script attempts to identify files/folders of a SCM accessible at the webserver.
Quality of Detection (QoD): 70%
Vulnerability Detection Result The following SCM files/folders were identified: Match: 000000000000000000000000000000000000 5100fccf1d3d2b8f85065503f58 ↳fa3f2761d0661 root <root@dvwp.acme.sk> 1682402040 +0300 clone: from https://g ↳ithub.com/digininja/DVWA.git Used regex: ^[a-f0-9]{40} [a-f0-9]{40} URL: http://10.0.20.61/.git/logs/HEAD Match: [core] [remote "origin"] [branch "master"] Used regex: ^\[(core receive (remote branch) .+)\] \$ URL: http://10.0.20.61/.git/config Match: # git ls-files --others --exclude-from=.git/info/exclude Used regex: ^# git ls-files URL: http://10.0.20.61/.git/info/exclude Match: DIRC Used regex: ^DIRC URL: http://10.0.20.61/.git/index Match: Unnamed repository; edit this file 'description' to name the reposit ↳ory. Used regex: ^Unnamed repository URL: http://10.0.20.61/.git/description Match: ref: refs/heads/master Used regex: ^ref: refs/ URL: http://10.0.20.61/.git/HEAD
Impact Based on the information provided in these files/folders an attacker might be able to gather additional info about the structure of the system and its applications.
Solution: Solution type: Mitigation Restrict access to the SCM files/folders for authorized systems only.
Vulnerability Insight Currently the script is checking for files/folders of the following SCM software: - Git (.git) ... continues on next page ...

...continued from previous page ...
- Mercurial (.hg) - Bazaar (.bzt) - CVS (CVS/Root, CVS/Entries) - Subversion (.svn)
Vulnerability Detection Method Check the response if SCM files/folders are accessible. Details: Source Control Management (SCM) Files/Folders Accessible (HTTP) OID:1.3.6.1.4.1.25623.1.0.111084 Version used: 2023-08-01T13:29:10Z
References url: http://pen-testing.sans.org/blog/pen-testing/2012/12/06/all-your-svn-are-be-long-to-us url: https://github.com/anantshri/svn-extractor url: https://blog.skullsecurity.org/2012/using-git-clone-to-get-pwn3d url: https://blog.netspi.com/dumping-git-data-from-misconfigured-web-servers/ url: http://resources.infosecinstitute.com/hacking-svn-git-and-mercurial/

[\[return to 10.0.20.61 \]](#)

2.4.3 Low 22/tcp

Low (CVSS: 2.6)
NVT: Weak MAC Algorithm(s) Supported (SSH)
Product detection result cpe:/a:ietf:secure_shell_protocol Detected by SSH Protocol Algorithms Supported (OID: 1.3.6.1.4.1.25623.1.0.105565 ↪)
Summary The remote SSH server is configured to allow / support weak MAC algorithm(s).
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SSH server supports the following weak client-to-server MAC algorithm ↪(s): umac-64-etm@openssh.com umac-64@openssh.com The remote SSH server supports the following weak server-to-client MAC algorithm ↪(s):
... continues on next page ...

...continued from previous page...	
umac-64-etm@openssh.com umac-64@openssh.com	
Solution: Solution type: Mitigation Disable the reported weak MAC algorithm(s).	
Vulnerability Detection Method Checks the supported MAC algorithms (client-to-server and server-to-client) of the remote SSH server. Currently weak MAC algorithms are defined as the following: - MD5 based algorithms - 96-bit based algorithms - 64-bit based algorithms - 'none' algorithm Details: Weak MAC Algorithm(s) Supported (SSH) OID:1.3.6.1.4.1.25623.1.0.105610 Version used: 2024-06-14T05:05:48Z	
Product Detection Result Product: cpe:/a:ietf:secure_shell_protocol Method: SSH Protocol Algorithms Supported OID: 1.3.6.1.4.1.25623.1.0.105565)	
References url: https://www.rfc-editor.org/rfc/rfc6668 url: https://www.rfc-editor.org/rfc/rfc4253#section-6.4	

[\[return to 10.0.20.61 \]](#)

2.510.0.20.254

Host scan start Tue Jun 9 14:32:48 2026 UTC
Host scan end Tue Jun 9 14:43:44 2026 UTC

Service (Port)	Threat Level
----------------	--------------