Digital Collections in CollectionBuilder MAP

Metadata application profile (MAP) for Iowa State University Digital Collections built with CollectionBuilder. For metadata creation instructions, see Metadata creation for Digital Collections in CollectionBuilder.

- Key
- Elements by CSV field name
- CSV column headers
- Resources
- Page properties

Key

Displayed?	Whether the element is listed in the config-metadata file and therefore displayed in the public interface	
Display label	Label for the element shown in the public interface	
Definition	The meaning of the element	
Required	Whether the element must be populated with a value	
Repeatable	Whether the element may be populated with more than one value; if **Yes**, use semicolons to separate multiple values in a cell	
Usage	Guidelines for populating this element	
Content standard or controlled vocabulary	Style rules for metadata values or a list of values to choose from	
Examples	Sample metadata values for this element	
Crosswalks Equivalent elements in other schemas or systems	**Aviary**	Column header for bulk metadata creation in Aviary
	Dublin Core (dcterms)	DCMI Metadata Terms RDF predicate mapped to the CollectionBuilder

		element; the URI for this property is used in each term's underlying JSON-LD metadata
	Open Graph	Open Graph protocol
	Schema.org	Schemas - Schema.org
	DPLA	Metadata Application Profile
	MARC 21	MARC STANDARDS (Network Development and MARC Standards Office, Library of Congress)
	MODS	Metadata Object Description Schema: MODS (Library of Congress Standards)
	Islandora CSV	Column header for bulk metadata creation in Islandora Legacy
	IPTC	IPTC Photo Metadata Standard 2025.1
Metadata type	Type of metadata represented by this element (see Metadata types)	

Elements by CSV field name

objectid | collectionid | display_template | parentid | sequence | pres_file | filename | object_location | image_alt_text | image_small | image_thumb | object_ocr & object_hocr | object_transcript | object_pdf | title | ark | legacy_id | aviary_id | avian_id | uid | call_number | archival_collection & finding_aid_ark | archival_series_title | folder_title | box | folder_num | other_collection | contributing_institution & contributing_institution_uri | personal_creator & personal_creator_uri | creator_characteristic & creator_characteristic_uri | corporate_creator & corporate_creator_uri | interviewee & interviewee_uri | interviewer & interviewer_uri | personal_contributor & personal_contributor_uri | corporate_contributor & corporate_contributor_uri | description | disclaimer | language | chronological_subject | personal_name_subject & personal_name_subject_uri | corporate_name_subject & corporate_name_subject_uri | subject & subject_uri | location & location_uri | latitude | longitude | geodetic_datum | conservation_note | accessibility_note & accessibility_uri | extent | medium & medium_uri | genre & genre_uri | type | format | rights & rightsstatement | date | date_digital | publisher & publisher_uri | issuance | issuance_start & issuance_end | frequency | digital_collection & digital_collection_ark | relation & relation_uri | digital_origin | staff_notes

objectid

Displayed?	Yes
Display label	Identifier
Definition	Unique identifier for the digital object or child item.
Required	Yes
Repeatable	No
Usage	Populate every row, including **child** rows. Use a unique string, all lowercase with no spaces or special characters. Note that items without an `objectid` will not be displayed in the collection, and items with a duplicate `objectid` will be overwritten.
Content standard or controlled vocabulary	Follow this template: *[collection-abbreviation] [numeric-sequence]* Use lowercase letters only, no spaces, and no special characters. Do not begin the `objectid` with a number.
Examples	ccparry74
Crosswalks	Aviary MAP: Custom Unique Identifier **DPLA**: NA **Dublin Core**: dcterms:identifier **MARC**: 035 **MODS**: identifier[@type='local'] **Islandora CSV**: pid For objects migrated to CollectionBuilder, the Islandora `pid` was transformed to meet `objectid` requirements. See

		PID mapping (Google Sheet).
Metadata type	Administrative	

collectionid

Displayed?	No
Display label	NA
Definition	Identifier for the collection.
Required	Yes
Repeatable	No
Usage	Enter the collection identifier in every row, including children.
Content standard or controlled vocabulary	Name of the collection in lowercase with no spaces and no punctuation.
Examples	jacktrice iowaseedcatalogs
Crosswalks	NA
Metadata type	Administrative

display_template

Displayed?	No
Display label	NA
Definition	Parameter that determines the item page type and the correct item representations on other pages.
Required	Yes
Repeatable	No
Usage	Populate every row, including children.

Content standard or controlled vocabulary	**Object Type**	**Value**
	multipage objects	complex
	children of multipage objects	child
	single page objects	simple
	video (in Aviary)	video
	audio (in Aviary)	audio
	pdf with no children	pdf
	set of objects with any media type (i.e. image, pdf, video, or audio)	compound_object
	See also {%} CSV Metadata	
Examples	complex simple	
Crosswalks	NA	
Metadata type	Administrative; Structural	

parentid

Displayed?	No
Display label	NA
Definition	The objectid of the parent, if applicable.
Required	Yes
Repeatable	No
Usage	Populate for children only. Enter the objectid of the parent object.
Content standard or	See objectid.

controlled vocabulary		
Examples	mezvinsky3 jacktrice25	
Crosswalks	**Aviary**	NA
	DPLA	NA
	Dublin Core	dcterms:identifier
	MARC	NA
	MODS	NA
	Islandora CSV	parent_object
Metadata type	Administrative; Structural	

sequence

Displayed?	No	
Display label	NA	
Definition	Order in which children are displayed. ⚠ Not used by CollectionBuilder; for reference only.	
Required	Yes	
Repeatable	No	
Usage	Populate for children only: Enter the order in which children are displayed.	
Content standard or controlled vocabulary	0 for parent row or simple object 1,2,3... for child objects respectively	
Crosswalks	**DPLA**	NA
	Dublin Core	NA

	MARC	NA
	MODS	NA
	Islandora CSV	sequence
Metadata type	Structural	

pres_file

Displayed?	No	
Display label	NA	
Definition	File name of the preservation copy (TIFF or other preservation-quality file).	
Required	Yes	
Repeatable	No	
Usage	Populate the simple objects and children only. For Aviary records, enter file names in both `pres_file` and `filename` fields. Unlike for `filename` values, capitalization can be retained for `pres_file` values.	
Content standard or controlled vocabulary	Local standard: File Naming Conventions for the Digital Projects Workflow	
Examples	**Parent/Simple**: jacktrice001.tif **Child**: jacktrice001_c001.tif **AV resource**: uslsav001.mp4	
Crosswalks	**Aviary**	Path [Media file name]
	DPLA	NA
	Dublin Core	NA
	MARC	856 $f

	MODS	identifier[not(@*)]
	Islandora CSV	file_name
	IPTC	IMAGE_Filename
Metadata type	Administrative	

filename

Displayed?	Yes	
Display label	Filename	
Definition	Name of the file with extension.	
Required	Yes	
Repeatable	No	
Usage	Record the digital name (in lowercase with no spaces), including the extension. For image files use **.jpg** as extension. ⚠ Parent rows do not have associated file names.	
Content standard or controlled vocabulary	Local standard: File Naming Conventions for the Digital Projects Workflow	
Examples	**Parent/Simple**: jacktrice001.jpg **Child**: jacktrice001_c001.jpg **AV resource**: uslsav001.mp4	
Crosswalks	**Aviary**	Path [Media file name]
	DPLA	NA
	Dublin Core	dcterms:identifier
	MARC	NA
	MODS	NA

	Islandora CSV	file_name
	IPTC	IMAGE_Filename
Metadata type	Administrative	

object_location

Displayed?	No
Display label	NA
Definition	Relative path to the file or URL for externally hosted object.
Required	Yes
Repeatable	No
Usage	Populate for children or external objects only. Prepend **https://isuu00001library102stg.blob.core.windows.net/digital-objects/*[collectionid]*/** to file name with extension (**.jpg**) OR enter URL of external object (e.g., Aviary URL).
Content standard or controlled vocabulary	• Non-textual objects have a file name with path **or** a URL in `object_location`. • One-page textual objects have a JPEG file name with path in `object_location` and a PDF file name in the `object_pdf` field. • Multipage textual objects have a parent row with **no** value in `object_location` and a PDF file name in the `object_pdf` field. They also have child rows with a JPEG file name and path in `object_location` and **no** value in `object_pdf`.
Examples	File name with path: https://isuu00001library102stg.blob.core.windows.net/

	digital-objects/mezvinsky/ms0274_mezvinsky_004_019i001.jpg Aviary URL: https://iastate.aviaryplatform.com/r/m32n58d38c	
Crosswalks	**Aviary**	URL
	DPLA	Is Shown At
	Dublin Core	NA
	MARC	856 $u
	MODS	location/url
	Islandora CSV	file_name; url
	IPTC	IMAGE_Filepath
Metadata type	Descriptive; Administrative	

image_alt_text

Displayed?	No
Display label	NA
Definition	Textual description of the image_small representation of the item.
Required	Required for images.
Repeatable	No
Usage	Leave blank for now; CollectionBuilder populates alt text with description, then title. We can correct/enhance alt text in future.
Content standard or controlled vocabulary	{%} CSV Metadata (CollectionBuilder Documentation) How to Write Effective Alt Text for Visuals (Iowa State Knowledge Base)

Examples	Students conducting an experiment using test tubes and safety goggles in a chemistry lab.	
Crosswalks	**DPLA**	NA
	Dublin Core	NA
	MARC	NA
	MODS	NA
	Islandora CSV	NA
Metadata type	Descriptive	

image_small

Displayed?	No
Display label	NA
Definition	A full URL to a small image representation of the object, or relative path if items are contained within the project.
Required	Yes
Repeatable	No
Usage	• Populate every row (simple, parent, or child). • Prepend **https://isuu00001library102stg.blob.core.windows.net/digital-objects/*[collectionid]*/small/** to filename without extension and append **_sm.jpg**. • For complex objects, the value for the parent should match the value for the first child.
Content standard or controlled vocabulary	Local standard: File Naming Conventions for the Digital Projects Workflow
Examples	https://isuu00001library102stg.blob.core.windows.net/digital-

	objects/mezvinsky/small/ms0274_mezvinsky_004_019i001_sm.jpg	
Crosswalks	**Aviary**	NA
	DPLA	NA
	Dublin Core	dcterms:identifier
	MARC	NA
	MODS	NA
	Islandora CSV	NA
Metadata type	Administrative	

image_thumb

Displayed?	No
Display label	NA
Definition	A full URL to a thumb image representation of the object or relative path if items are contained within the project.
Required	Yes
Repeatable	No
Usage	• Populate every row (simple, parent, or child). • Prepend **https://isuu00001library102stg.blob.core.windows.net/digital-objects/*[collectionid]*/thumbs/** to filename without extension and append **_th.jpg**. • For complex objects, the value for the parent should match the value of the first child.
Content standard or controlled vocabulary	Local standard: File Naming Conventions for the Digital Projects Workflow

Examples	https://isuu00001library102stg.blob.core.windows.net/digital-objects/mezvinsky/thumbs/ms0274_mezvinsky_004_019i001_th.jpg	
Crosswalks	**Aviary**	Media Thumbnail Path
	DPLA	NA
	Dublin Core	dcterms:identifier
	MARC	NA
	MODS	NA
	Islandora CSV	NA
Metadata type	Administrative	

object_ocr & object_hocr

Displayed?	No
Display label	NA
Definition	A machine-readable text file derived from Islandora for scanned objects with DCMI type Text.
Required	No
Repeatable	No
Usage	Used during the migration from Islandora to CollectionBuilder. Not required for new collections in CollectionBuilder.
Content standard or controlled vocabulary	[objectid].txt
Examples	https://isuu00001library102stg.blob.core.windows.net/digital-objects/ccparry/ocr/ccparry11.txt

	https://isuu00001library102stg.blob.core.windows.net/digital-objects/ccparry/hocr/ccparry11.txt
Crosswalks	NA
Metadata type	Administrative

object_transcript

Displayed?	No	
Display label	NA	
Definition	A text transcript of the item's content. This is most commonly used with video and audio items, but can be used for any item type.	
Required	No	
Repeatable	No	
Usage	Use for full text or an AV transcript files. If transcript file exists, populate the parent row with **https://isuu00001library102stg.blob.core.windows.net/digital-objects/*[collectionid]*/transcripts/*[objectid OR transcriptfilename]*.txt**	
Content standard or controlled vocabulary	Local standard: File Naming Conventions for the Digital Projects Workflow **Non-Aviary:** [objectid].txt **Aviary:** [transcriptfilename].txt	
Examples	https://isuu00001library102stg.blob.core.windows.net/digital-objects/jacktrice/transcripts/jacktrice25.txt https://isuu00001library102stg.blob.core.windows.net/digital-objects/aloh/transcripts/rs017-001-005_schneider.txt	
Crosswalks	**Aviary**	Path [Transcript file name]
	DPLA	NA

	Dublin Core	dcterms:identifier
	MARC	NA
	MODS	NA
	Islandora CSV	NA
Metadata type	Administrative	

object_pdf

Displayed?	No
Display label	NA
Definition	A downloadable PDF file of the item's content. PDF files are generated by preservation staff for complex objects with DCMI type **Text** to enable text recognition. These PDFs provide a consolidated and easily accessible format for users to read, download, or print the content from the digital collection. They also enhance navigation and improve searchability.
Required	No
Repeatable	No
Usage	• Populate only for objects with a DCMI type of **Text** OR objects that consist of a PDF file with no children (i.e., an object with a `display_template` value of **pdf**). • For multipage text objects, populate the parent row with **https://isuu00001library102stg.blob.core.windows.net/digital-objects/*[collectionid]*/pdf/*[objectid]*.pdf** and leave child rows blank. • For single-page text objects or simple objects with a PDF file type, populate the row with **https://isuu00001library102stg.blob.core.window**

	s.net/digital-objects/*[collectionid]*/pdf/*[objectid]*.pdf • For non-Text objects, leave blank.
Content standard or controlled vocabulary	Local standard: File Naming Conventions for the Digital Projects Workflow [objectid].pdf
Examples	https://isuu00001library102stg.blob.core.windows.net/digital-objects/fairfieldbirdclub/pdf/fairfieldbirdclub104.pdf
Crosswalks	**DPLA**: NA **Dublin Core**: dcterms:identifier **MARC**: NA **MODS**: NA **Islandora CSV**: NA **IPTC**: IMAGE_Filename
Metadata type	Administrative

title

Displayed?	Yes
Display label	Title
Definition	A word or phrase by which the material being described is known or can be identified. A title may be devised or formal.
Required	Yes
Repeatable	No
Usage	• Populate for every row, including children. • For objects having a formal title, transcribe the title and impose sentence case.

	• For articles and clippings, add the serial title in parentheses after the article title and impose sentence case. • For objects lacking a formal title, devise a title that uniquely identifies the object; use sentence case. ⚠ Ensure the title is unique. CollectionBuilder Siteimprove findings identify duplicate titles.
Content standard or controlled vocabulary	[Metadata creation guidelines: Title element (based on DACS, RDA)]
Examples	**Transcribed:** Petersen sculpture going up for sale (Des Moines register) **Devised**: Photograph of people using the Dubuque municipal swimming pool
Crosswalks	
	Aviary — Title
	DPLA — Title
	Dublin Core — dcterms:title
	MARC — 245
	MODS — titleInfo/title
	Islandora CSV — title
	IPTC — IPTC_Headline; IPTC_Title; IPTC_Description
Metadata type	Descriptive

ark

Displayed?	Yes
Display label	Item Permalink
Definition	The Archival Resource Key for the digital object.

Required	Yes	
Repeatable	No	
Usage	Record the ARK for the object. ⚠ Objects assigned ARKs include simple, complex, video, audio, compound object, and pdf (for pdfs with no children). Child items are not assigned ARKs, as they must be grouped under a parent.	
Content standard or controlled vocabulary	ARK	
Examples	https://n2t.net/ark:/87292/w9222r573	
Crosswalks	**Aviary**	Ark
	DPLA	Is Shown At
	Dublin Core	dcterms:identifier
	MARC	856 40 $u
	MODS	identifier[@type='ark']
	Islandora CSV	ark
	IPTC	IPTC_Description
Metadata type	Descriptive; Administrative	

legacy_id

Displayed?	No
Display label	NA
Definition	Islandora PID.
Required	Yes
Repeatable	No

Usage	Used during the migration from Islandora to CollectionBuilder. Not required for new collections in CollectionBuilder.
Content standard or controlled vocabulary	NA
Examples	HaydenAda_529
Crosswalks	NA
Metadata type	Administrative

aviary_id

Displayed?	No	
Display label	NA	
Definition	Computer-generated unique identifier for Aviary database.	
Required	No	
Repeatable	No	
Usage	Record the Aviary ID. ⚠ Aviary ID is generated after the Aviary import.	
Content standard or controlled vocabulary	Local	
Examples	137275	
Crosswalks	**Aviary**	aviary ID
	DPLA	NA
	Dublin Core	dcterms:identifier
	MARC	NA

	MODS	identifier[type='aviary-id']
	Islandora CSV	NA
Metadata type	Administrative	

avian_id

Displayed?	Yes	
Display label	Avian Identifier	
Definition	The ID number used to identify the resource in the Iowa State University • Avian Archives of Iowa Online database.	
Required	No	
Repeatable	No	
Usage	Record the avIAn ID.	
Content standard or controlled vocabulary	Local	
Examples	3114	
Crosswalks	**Aviary**	NA
	DPLA	NA
	Dublin Core	dcterms:identifier
	MARC	NA
	MODS	identifier[type='avian-id']
	Islandora CSV	avian_id
Metadata type	Administrative	

uid

Displayed?	No

Display label	NA	
Definition	Identifier assigned to AV items.	
Required	No	
Repeatable	No	
Usage	Record the assigned identifier. Populate for audiovisual objects only.	
Content standard or controlled vocabulary	Local	
Examples	AV205496	
Crosswalks	**Aviary**	Identifier
	DPLA	Identifier
	Dublin Core	dcterms:identifier
	MARC	NA
	MODS	identifier[@type='uid']
	Islandora CSV	uid
Metadata type	Administrative	

call_number

Displayed?	Yes
Display label	Call Number
Definition	Call number for the related resource from which the described resource is derived.
Required	No
Repeatable	No
Usage	Record the call number of the archival collection or rare book as it appears in the finding aid or bibliographic

	record. If the original resource is not part of any archival collection or is not a surrogate of a book, leave blank. Objects in the University Photos collection do not take the identifier for that collection, RS-PHOTO. Per SCUA, objects in University Photos should have the RS # for their associated collection, plus a letter designation for what the image is depicting (A = Individual, D = Group, and so on).	
Content standard or controlled vocabulary	LCC or Local	
Examples	TX715.B968. 1890 RS 26/02/52	
Crosswalks	**Aviary**	Relation
	DPLA	Collection
	Dublin Core	dcterms:relation
	MARC	NA
	MODS	relatedItem[@displayLabel='Collection']/identifier[@displayLabel='Call Number']
	Islandora CSV	archival_call_number
Metadata type	Administrative	

archival_collection & finding_aid_ark

Displayed?	Yes
Display label	1. Source 2. Finding Aid Permalink

Definition	1. Archival collection from which the described resource is derived. 2. The Archival Resource Key for the finding aid for the archival collection that contains the original resource.
Required	No
Repeatable	No
Usage	1. In `archival_collection`, record the title that appears in the collection's finding aid. If the original resource is not part of any archival collection, leave blank. 2. In `finding_aid_ark`, record the ark for the collection's finding aid.
Content standard or controlled vocabulary	DACS & ARK
Examples	1. John Vincent Atanasoff papers 2. https://n2t.net/ark:/87292/w9p206
Crosswalks	

	archival_collection	**finding_aid_ark**
Aviary	Relation	NA
DPLA	Collection	Collection
Dublin Core	dcterms:relation	dcterms:relation
MARC	773 $t	NA
MODS	relatedItem[@displayLabel='Collection']/titleInfo	relatedItem[@displayLabel='Collection']/identifier[@type='ark']
Islandora CSV	archival_collection	finding_aid_ark

Metadata type	`archival_collection` : Descriptive; Administrative `finding_aid_ark` : Administrative

archival_series_title

Displayed?	Yes	
Display label	Archival Series	
Definition	Title of the archival series to which the original resource belongs.	
Required	No	
Repeatable	No	
Usage	• Record the title of the series as it appears in the finding aid for the object's source collection, but do not include arrangement type (alphabetical or chronological), as physical arrangement does not always translate to a digital environment. • If the original resource is not part of an archival series, leave blank.	
Content standard or controlled vocabulary	DACS	
Examples	Series 2, Alaskan Reconstruction Committee, 1915-2011, undated	
Crosswalks	**Aviary**	Relation
	DPLA	NA
	Dublin Core	dcterms:relation
	MARC	NA
	MODS	relatedItem[@type='original']/relatedItem[@type='s

		eries']/titleInfo/title
	Islandora CSV	archival_series_title
Metadata type	Descriptive; Administrative	

folder_title

Displayed?	Yes	
Display label	Folder Title	
Definition	Title of the archival folder in which the original resource is contained.	
Required	No	
Repeatable	No	
Usage	Record the folder title as it appears in the finding aid for the object's source collection. If the original resource is not contained in an archival folder, leave blank.	
Content standard or controlled vocabulary	DACS	
Examples	Distinguished Service Award ceremony photographs, 1966	
Crosswalks	**Aviary**	NA
	DPLA	NA
	Dublin Core	dcterms:relation
	MARC	NA
	MODS	relatedItem[@type='original']/relatedItem[@type='series']/relatedItem[@type='constituent']/titleInfo/title

	Islandora CSV	folder_title
Metadata type	Descriptive; Administrative	

box

Displayed?	Yes	
Display label	Box	
Definition	Number of the archival box in which the original resource is contained.	
Required	No	
Repeatable	No	
Usage	Record the box number as it appears in the finding aid for the object's source collection. If the original resource is not contained in an archival box, leave blank.	
Content standard or controlled vocabulary	Local	
Examples	4	
Crosswalks	**Aviary**	NA
	DPLA	NA
	Dublin Core	dcterms:relation
	MARC	NA
	MODS	relatedItem[@type='original']/relatedItem[@type='constituent']/titleInfo/title
	Islandora CSV	box
Metadata type	Administrative	

folder_num

Displayed?	Yes	
Display label	Folder Number	
Definition	Number of the archival folder in which the original resource is contained.	
Required	No	
Repeatable	No	
Usage	Record the folder number as it appears in the finding aid for the object's source collection. If the original resource is not contained in an archival folder, leave blank.	
Content standard or controlled vocabulary	Local	
Examples	6	
Crosswalks	**Aviary**	NA
	DPLA	NA
	Dublin Core	dcterms:relation
	MARC	NA
	MODS	relatedItem[@type='original']/relatedItem[@type='constituent']/relatedItem[@type='constituent']/titleInfo/title
	Islandora CSV	folder
Metadata type	Administrative	

other_collection

Displayed?	Yes	
Display label	Source	
Definition	Resource, other than an archival collection, from which the described resource is derived.	
Required	No	
Repeatable	No	
Usage	Record the title that appears in the original resource.	
Content standard or controlled vocabulary	DACS	
Examples	Iowa cookbook collection	
Crosswalks	**Aviary**	Relation
	DPLA	Collection
	Dublin Core	dcterms:relation
	MARC	773 $t
	MODS	relatedItem[@displayLabel='Collection']/titleInfo
	Islandora CSV	NA
Metadata type	Descriptive; Administrative	

contributing_institution & contributing_institution_uri

Displayed?	Yes
Display label	Contributing Institution
Definition	An organization responsible for making the original resource available.
Required	Yes

Repeatable	No
Usage	1. For archival collections, use **Iowa State University. Special Collections and University Archives**. For non-SCUA collections, use **Iowa State University. Library**. Separate multiple values with semicolons. 2. Record a URI for each name in the corresponding URI field. Keep URIs in the same order as the values in the name field, separated by a semicolon.
Content standard or controlled vocabulary	LCNAF
Examples	1. Iowa State University. Special Collections and University Archives;Iowa State University. Library 2. http://id.loc.gov/authorities/names/no2021021777;http://id.loc.gov/authorities/names/n82160893
Crosswalks	

	contributing_institution	**contributing_institution_uri**
Aviary	Publisher	NA
DPLA	Data Provider	NA
Dublin Core	dcterms:publisher	NA
MARC	NA	NA
MODS	name/namePart[following-sibling::role/roleTerm='curator']	NA
Islandora CSV	contributing_institution	contributing_institution_valueURI

Metadata type	Descriptive; Administrative

personal_creator & personal_creator_uri

Displayed?	Yes
Display label	Creator (Person)
Definition	A person primarily responsible for making the resource.
Required	No
Repeatable	Yes
Usage	1. Use values from the LC Name Authority File to identify the personal creator(s) of the resource. • If a name cannot be found in LCNAF, use a locally authorized name from Iowa State University names or the preferred or official name. • For images of creative works (such as photographs of statues), the creators of both the photograph and the creative work may be included, if known. • If a personal creator cannot be determined, leave blank. • Separate multiple values with semicolons. 2. Record a URI for each name in the corresponding URI field. • Keep URIs in the same order as the values in the name field, separated by a semicolon. • If there are multiple values and a name lacks a URI, indicate its absence by a semicolon.
Content standard or controlled vocabulary	Metadata creation guidelines: Name elements (based on LCNAF) or ISULV
Examples	1. Carver, George Washington, 1864?-1943 2. http://id.loc.gov/authorities/names/n50034776
Crosswalks	

	personal_creator	**personal_creator_uri**
Aviary	Agent	NA

	DPLA	Creator	NA
	Dublin Core	dcterms:creator	NA
	MARC	100	NA
	MODS	name/namePart[following-sibling::role/roleTerm='creator']	NA
	Islandora CSV	personal_creator	personal_creator_valueURI
	IPTC	IPTC_Headline; IPTC_Description	NA
Metadata type	Descriptive		

creator_characteristic & creator_characteristic_uri

Displayed?	Yes
Display label	Creator Characteristic
Definition	Demographic or other identifying characteristics of the personal creator of the resource. May include occupation, gender, nationality, or ethnicity.
Required	No
Repeatable	Yes
Usage	1. Record one or more characteristics describing the personal creator. • Characteristics may include **occupation, gender, nationality, or ethnicity**. • Only populate `creator_characteristic` when relevant to the context or subject of the resource or collection. For example, identity may be pertinent in collections documenting social

	movements, cultural history, or underrepresented communities. • For Indigenous peoples, consider tribal affiliation from North American Indigenous peoples if known; otherwise, use general terms. • If a creator's characteristics cannot be determined, leave blank. • Separate multiple values with semicolons. ⚠ For nationality, gender, and ethnicity, do not make assumptions; record only when they are well-documented or self-identified. 2. Record LCDGT URIs in the corresponding URI field. Keep URIs in the same order as the values in the creator characteristic field, separated by a semicolon.
Content standard or controlled vocabulary	Library of Congress Demographic Group Terms (LCDGT)
Examples	1. Women;Writers;African Americans;Television producers 2. http://id.loc.gov/authorities/demographicTerms/dg2015060358;http://id.loc.gov/authorities/demographicTerms/dg2016060292;http://id.loc.gov/authorities/demographicTerms/dg2015060362;http://id.loc.gov/authorities/demographicTerms/dg2016060307

Crosswalks

	creator_characteristic	**creator_characteristic_uri**
Aviary	NA	NA
DPLA	NA	NA
Dublin Core	dcterms:description	NA

	MARC	386	NA
	MODS	note type="creator characteristics"	NA
	Islandora CSV	NA	NA
Metadata type	Descriptive		

corporate_creator & corporate_creator_uri

Displayed?	Yes
Display label	Creator (Organization)
Definition	An organization primarily responsible for making the resource.
Required	No
Repeatable	Yes
Usage	1. Use values from the LC Name Authority file to identify the corporate (non-personal) creator(s) of the resource. • If a name cannot be found in LCNAF, use a locally authorized name from Iowa State University names or the preferred or official name. • For images of creative works (such as photographs or statues), the creators of both the photograph and the creative work may be included, if known. • If a corporate creator cannot be determined, leave blank. • Separate multiple values with semicolons. 2. Record a URI for each name in the corresponding URI field. • Keep URIs in the same order as the values in the name field, separated by a semicolon.

	• If there are multiple values and a name lacks a URI, indicate its absence by a semicolon.
Content standard or controlled vocabulary	Metadata creation guidelines: Name elements (based on LCNAF) or ISULV
Examples	1. United States. Bureau of the Budget 2. http://id.loc.gov/authorities/names/n80126134
Crosswalks	

	corporate_creator	**corporate_creator_uri**
Aviary	Agent	NA
DPLA	Creator	NA
Dublin Core	dcterms:creator	NA
MARC	110	NA
MODS	name/namePart[following-sibling::role/roleTerm='creator']	NA
Islandora CSV	corporate_creator	corporate_creator_valueURI
IPTC	IPTC_Headline; IPTC_Description	NA

Metadata type	Descriptive

interviewee & interviewee_uri

Displayed?	Yes
Display label	Interviewee
Definition	An entity who was interviewed.

Required	No		
Repeatable	Yes		
Usage	Use this field for oral histories. See usage notes for personal_creator.		
Content standard or controlled vocabulary	Metadata creation guidelines: Name elements (based on LCNAF) or ISULV		
Examples	Nakata, Kenji		
Crosswalks		**interviewee**	**interviewee_uri**
	Aviary	Agent	NA
	DPLA	Contributor	NA
	Dublin Core	dcterms:contributor	NA
	MARC	700 or 710	NA
	MODS	name/namePart[following-sibling::role/roleTerm='interviewee']	NA
	Islandora CSV	interviewee	interviewee_valueURI
Metadata type	Descriptive		

interviewer & interviewer_uri

Displayed?	Yes
Display label	Interviewer
Definition	An entity responsible for conducting the interview which the resource records.

Required	No		
Repeatable	Yes		
Usage	Use this field for oral histories. See usage notes for personal_creator.		
Content standard or controlled vocabulary	Metadata creation guidelines: Name elements (based on LCNAF) or ISULV		
Examples	Martinez, Iris		
Crosswalks		**interviewer**	**interviewer_uri**
	Aviary	Agent	NA
	DPLA	Contributor	NA
	Dublin Core	dcterms:contributor	NA
	MARC	700 or 710	NA
	MODS	name/namePart[following-sibling::role/roleTerm='interviewer']	NA
	Islandora CSV	interviewer	interviewer_valueURI
Metadata type	Descriptive		

personal_contributor & personal_contributor_uri

Displayed?	Yes
Display label	Contributor (Person)
Definition	A person responsible for making contributions to the resource.

Required	No
Repeatable	Yes
Usage	See usage notes for personal_creator.
Content standard or controlled vocabulary	Metadata creation guidelines: Name elements (based on LCNAF) or ISULV
Examples	1. Farnham, George L. 2. https://digital.lib.iastate.edu/isulv/items/isun0084.html
Crosswalks	

	personal_contributor	**personal_contributor_uri**
Aviary	Agent	NA
DPLA	Contributor	NA
Dublin Core	dcterms:contributor	NA
MARC	700	NA
MODS	name/namePart[following-sibling::role/roleTerm='contributor']	NA
Islandora CSV	personal_contributor	personal_contributor_valueURI

Metadata type	Descriptive

corporate_contributor & corporate_contributor_uri

Displayed?	Yes
Display label	Contributor (Organization)

Definition	An organization responsible for making contributions to the resource.
Required	No
Repeatable	Yes
Usage	See usage note for corporate_creator. Also use this field to record named events that can be regarded as responsible agents (such as meetings, conferences, expositions, festivals, tournaments, etc.).
Content standard or controlled vocabulary	Metadata creation guidelines: Name elements (based on LCNAF) or ISULV
Examples	1. Iowa State University. Committee on Lectures;National Conference on Race and Ethnicity 2. http://id.loc.gov/authorities/names/no2021087854;http://id.loc.gov/authorities/names/no2019042055

Crosswalks

	corporate_contributor	**corporate_contributor_uri**
Aviary	Agent	NA
DPLA	Contributor	NA
Dublin Core	dcterms:contributor	NA
MARC	710	NA
MODS	name/namePart[following-sibling::role/roleTerm='contributor']	NA
Islandora CSV	corporate_contributor	corporate_contributor_valueURI

Metadata type	Descriptive

description

Displayed?	Yes	
Display label	Description	
Definition	An account of the resource. (DC)	
Required	No	
Repeatable	No	
Usage	Construct a brief description of the term following curator/selector preferences and local metadata creation guidelines. Also record general notes, Cataloging Cultural Objects (CCO) descriptions, table of contents, and brief annotations in this field. ⚠ Do not use semicolons as delimiters to separate multiple descriptions, as this field is not tokenized.	
Content standard or controlled vocabulary	Metadata creation guidelines: Description element	
Examples	Item from an archival collection of news clippings and promotional materials about multicultural student organizations at Iowa State University. The ISU Lecture Series comprises more than 3,000 audiovisual recordings in a multitude of formats dating back to 1958. This item was captioned by Rev.com in conformance with WCAG 2.1 AA accessibility guidelines.	
Crosswalks	**Aviary**	Description

	DPLA	Description
	Dublin Core	dcterms:description
	MARC	520
	MODS	abstract
	Islandora CSV	description
Metadata type	Descriptive	

disclaimer

Displayed?	Yes	
Display label	Disclaimer	
Definition	A note applied to a resource which may contain offensive content.	
Required	No	
Repeatable	No	
Usage	Use the text shown in the Examples row to caution users about sensitive content at the object level.	
Content standard or controlled vocabulary	Local	
Examples	Iowa State University Library collects, preserves, and provides access to materials for teaching, learning, and research from a broad range of sources and time periods. Some of these materials may be offensive or contain negative stereotypes. Their presence should be viewed and considered within their historical context. They do not represent the views of Iowa State University or the University Library.	
Crosswalks	**Aviary**	Description

	DPLA	Description
	Dublin Core	dcterms:description
	MARC	NA
	MODS	note[@type='Disclaimer']
	Islandora CSV	disclaimer
Metadata type	Descriptive	

language

Displayed?	Yes	
Display label	Language	
Definition	A language of the resource.	
Required	Yes	
Repeatable	Yes	
Usage	• Use the appropriate language code from ISU 639-3. For documents in English, this is **eng**. • For objects with text in multiple languages, record the code for each language, separated by semicolons. • Use **zxx** for non-textual objects.	
Content standard or controlled vocabulary	ISO 639-3 (SIL Global) http://id.loc.gov/vocabulary/iso639-3 (Library of Congress)	
Examples	eng; fra; zxx	
Crosswalks	**Aviary**	Language
	DPLA	Language
	Dublin Core	dcterms:language
	MARC	041 07 $a $2iso639-3

	MODS	language/languageTerm
	Islandora CSV	language
Metadata type	Descriptive	

chronological_subject

Displayed?	Yes	
Display label	Time Period	
Definition	Temporal characteristics of the resource.	
Required	No	
Repeatable	Yes	
Usage	Include the relevant decade or decades covered by the object. Style decades in numerals without apostrophes. Separate multiple decades with a semicolon.	
Content standard or controlled vocabulary	Metadata creation guidelines: Punctuation	
Examples	1990s; 2000s	
Crosswalks	**Aviary**	Coverage
	DPLA	Subject
	Dublin Core	dcterms:subject
	MARC	650
	MODS	subject/temporal
	Islandora CSV	chronological_subject
Metadata type	Descriptive	

personal_name_subject & personal_name_subject_uri

Displayed?	Yes

Display label	Subject (Person)
Definition	Person(s) discussed or portrayed in an object.
Required	No
Repeatable	Yes
Usage	1. Use values from the LC Name Authority File to identify people discussed or portrayed in a resource. • If a name cannot be found in LCNAF, use a locally authorized name from Iowa State University names or the preferred or official name. • Separate multiple values with semicolons. 2. Record a URI for each name in the corresponding URI field. • Keep URIs in the same order as the values in the name field, separated by a semicolon. • If there are multiple values and a name lacks a URI, indicate its absence by a semicolon.
Content standard or controlled vocabulary	Metadata creation guidelines: Name elements (based on LCNAF) or ISULV
Examples	1. Smith, Neal Edward, 1920-;Ink, Dwight, 1922- 2. http://id.loc.gov/authorities/names/n85185689;http://id.loc.gov/authorities/names/n2011008890

Crosswalks

	personal_name_subject	**personal_name_subject_uri**
Aviary	Subject	NA
DPLA	Subject	NA
Dublin Core	dcterms:subject	NA
MARC	600	NA

	MODS	subject/name[@type='personal']/namePart	NA
	Islandora CSV	personal_name_subject	personal_name_subject_valueURI
Metadata type	Descriptive		

corporate_name_subject & corporate_name_subject_uri

Displayed?	Yes
Display label	Subject (Organization)
Definition	Organizations or other non-personal named entities discussed or portrayed in an object.
Required	No
Repeatable	Yes
Usage	1. Use values from the LC Name Authority File to identify corporate names discussed or portrayed in a resource. • If a name cannot be found in LCNAF, use a locally authorized name from Iowa State University names or the preferred or official name. • Separate multiple values with semicolons. 2. Record a URI for each name in the corresponding URI field. • Keep URIs in the same order as the values in the name field, separated by a semicolon. • If there are multiple values and a name lacks a URI, indicate its absence by a semicolon. ⚠ Use this element to record **buildings** and other named entities in LCSH that are subjects of the resource. Even though named entities in LCSH cannot be access points in MARC (see

	https://www.loc.gov/aba/publications/FreeSHM/H0405.pdf), they can be agents in linked data.
Content standard or controlled vocabulary	Metadata creation guidelines: Name elements (based on LCNAF) or ISULV
Examples	1. Ames National Laboratory;U.S. Atomic Energy Commission 2. http://id.loc.gov/authorities/names/no2023140409;http://id.loc.gov/authorities/names/n78034861
Crosswalks	

	corporate_name_subject	**corporate_name_subject_uri**
Aviary	Subject	NA
DPLA	Subject	NA
Dublin Core	dcterms:subject	NA
MARC	610	NA
MODS	subject/name[@type='rorporate']/namePart	NA
Islandora CSV	corporate_name_subject	corporate_name_subject_valueURI

Metadata type	Descriptive

subject & subject_uri

Displayed?	Yes
Display label	Subject (Topic)
Definition	The topic of the resource.
Required	No

Repeatable	Yes
Usage	1. Use this field to indicate the "aboutness" of the resource using the FAST vocabulary. • Do not include names, places, or chronological, genre, or type information in `subject`. Rather, record this information in `personal_name_subject`, `corporate_name_subject`, `location`, `chronological_subject`, `genre`, or `type`. • Do not include genre terms that describe the nature of the resource, or what it *is* rather than what it is *about* (for example, **correspondence**). Record these in `genre`. • Separate multiple values with semicolons. 2. Record URIs in the corresponding URI field. Keep URIs in the same order as the values in the subject field, separated by a semicolon.
Content standard or controlled vocabulary	Metadata creation guidelines: Subject elements (FAST)
Examples	1. Women;Scientists 2. http://id.worldcat.org/fast/1176568;http://id.worldcat.org/fast/1108895
Crosswalks	

	subject	**subject_uri**
Aviary	Subject	NA
DPLA	Subject	NA
Dublin Core	dcterms:subject	NA
MARC	650	NA

	MODS	subject[@authority-'fast']/topic	NA
	Islandora CSV	topical_subject_fast; topical_subject_lcsh; topical_subject_local; birds_subject	topical_subject_fast_valueURI; topical_subject_lcsh_valueURI; topical_subject_local_valueURI; birds_subject_valueURI
Metadata type	Descriptive		

location & location_uri

Displayed?	Yes
Display label	Location
Definition	Geographic topic of a resource, spatial applicability of the resource, or jurisdiction under which the resource is relevant.
Required	No
Repeatable	Yes
Usage	1. Enter the geographic headings for the places depicted or discussed in an object or the object's place of origin. Separate multiple values with semicolons. 2. Record URIs in the corresponding URI field. Keep URIs in the same order as the values in the subject field, separated by a semicolon. IMPORTANT! Do not assign geographic subjects from more than one authority to the same object (e.g., FAST and Geonames). Doing so makes it

	difficult to match coordinates to the correct geographic term.
Content standard or controlled vocabulary	FAST Iowa State University geographic terms
Examples	1. Iowa--Ames 2. http://id.worldcat.org/fast/1207548
Crosswalks	

	location	**location_uri**
Aviary	Coverage	NA
DPLA	Place	NA
Dublin Core	dcterms:coverage	NA
MARC	651	NA
MODS	subject[@authority-'fast']/geographic	NA
Islandora CSV	geographic_subject_fast; geographic_subject_geonames; geographic_subject_lcsh; geographic_subject_local	geographic_subject_fast_valueURI; geographic_subject_geonames_valueURI; geographic_subject_lcsh_valueURI; geographic_subject_local_valueURI

Metadata type	Descriptive

latitude

Displayed?	Yes

Display label	Latitude	
Definition	Coordinates covered by the resource.	
Required	No	
Repeatable	Yes	
Usage	Use this field to record the latitude of a location identified in the `location` field. Record coordinates as decimal degrees (rather than degrees, minutes, seconds). IMPORTANT! Do not assign geographic subjects from more than one authority to the same object (e.g., FAST and Geonames). Doing so makes it difficult to match coordinates to the correct geographic term.	
Content standard or controlled vocabulary	GeoNames Iowa State University geographic terms	
Examples	43.30331	
Crosswalks	**Aviary**	NA
	DPLA	Place
	Dublin Core	dcterms:spatial
	MARC	NA
	MODS	subject/cartographics/coordinates
	Islandora CSV	coordinates
Metadata type	Descriptive	

longitude

Displayed?	Yes

Display label	Longitude	
Definition	Coordinates covered by the resource.	
Required	No	
Repeatable	Yes	
Usage	Use this field to record the longitude of a location identified in the `location` field. Record coordinates as decimal degrees (rather than degrees, minutes, seconds). IMPORTANT! Do not assign geographic subjects from more than one authority to the same object (e.g., FAST and Geonames). Doing so makes it difficult to match coordinates to the correct geographic term.	
Content standard or controlled vocabulary	GeoNames Iowa State University geographic terms	
Examples	-91.78571	
Crosswalks	**Aviary**	NA
	DPLA	Place
	Dublin Core	dcterms:spatial
	MARC	NA
	MODS	subject/cartographics/coordinates
	Islandora CSV	coordinates
Metadata type	Descriptive	

geodetic_datum

Displayed?	No

Display label	NA	
Definition	Method of representing the surface of a sphere or other shape on a plane.	
Required	Yes, if `latitude` and `longitude` are populated.	
Repeatable	No	
Usage	If coordinates are present, populate with constant value **WGS 84**.	
Content standard or controlled vocabulary	WGS 84	
Examples	WGS 84	
Crosswalks	**Aviary**	NA
	DPLA	NA
	Dublin Core	NA
	MARC	NA
	MODS	subject/cartographics/projection
	Islandora CSV	geodetic_datum
Metadata type	Descriptive; Administrative	

conservation_note

Displayed?	Yes
Display label	Conservation for Digitization
Definition	Conservation treatment done in preparation for digitization.
Required	No

Repeatable	No	
Usage	Add conservation treatment action from the selection spreadsheet. Conservator provides this information.	
Content standard or controlled vocabulary	Local	
Examples	removed staples paper repair	
Crosswalks	**Aviary**	NA
	DPLA	NA
	Dublin Core	dcterms:description
	MARC	583
	MODS	note type="conservation"
	Islandora CSV	NA
Metadata type	Descriptive; Administrarive	

accessibility_note & accessibility_uri

Displayed?	Yes
Display label	Accessibility note
Definition	Information about the accessibility features or limitations of a digital resource.
Required	No
Repeatable	Yes
Usage	1. Select terms from ISULV [Accessibility metadata terms]() to record the object's accessibility features or limitations. Separate multiple terms with semicolons.

	2. Record URIs from Accessibility metadata terms in the corresponding `accessibility_uri` field. Keep URIs in the same order as the values in the `accessibility` field, separated by a semicolon.
Content standard or controlled vocabulary	Accessibility metadata terms
Examples	1. Transcript—available;Captions—available 2. https://digital.lib.iastate.edu/isulv/items/access006.html;https://digital.lib.iastate.edu/isulv/items/access001.html
Crosswalks	

Aviary	Description
DPLA	Description
Dublin Core	dcterms:description
MARC	532
MODS	accessCondition type="accessibility"
Islandora CSV	NA

Metadata type	Descriptive

extent

Displayed?	Yes
Display label	Extent
Definition	The size or duration of the resource.
Required	No
Repeatable	Yes

Usage	• Use individual values for each aspect of extent recorded and separate them with semicolons.
	• For simple objects, enter “1” and the appropriate unit.
	• For multipage or compound objects, enter the number of child items and the appropriate unit.
	• For AV materials, use the HH:MM:SS format.
	• Include dimensions only if provided by the curator/selector and if relevant to the use of the collection.
	  ◦ When recording dimensions, use the metric system if possible.
	  ◦ Separate width and height by a lowercase **x**.
	  ◦ Indicate either the metric symbol (e.g., **cm**) or U.S. customary unit.
	⚠ Metric symbols such as **cm** are not abbreviations and are not followed by a period.	

Content standard or controlled vocabulary	RDA Carrier Extent Unit	
Examples	20 pages 1 photograph 00:05:22 10 x 25 cm	
Crosswalks	**Aviary**	Duration
	DPLA	Extent
	Dublin Core	dcterms:extent
	MARC	300 $a, 534 $e
	MODS	physicalDescription/extent
	Islandora CSV	extent
Metadata type	Descriptive; Structural	

medium & medium_uri

Displayed?	Yes
Display label	Medium
Definition	The material or physical carrier of the resource.
Required	No
Repeatable	Yes
Usage	1. Describe the physical medium of the **original** resource and not the digital surrogate. Record digital formats for born-digital objects only. Separate multiple values with semicolons. 2. Record URIs from vocab.getty.edu in the corresponding URI field. Keep URIs in the same order as literal values; separate multiple values with semicolons. Do not use genre terms in `medium`. Genre describes the nature, style, or function of a resource, not its physical characteristics. Record genre terms in `genre`.
Content standard or controlled vocabulary	Getty Vocabularies (see also the AAT hierarchies referring to physical form, material, or technique) Some digitized audiovisual materials in Aviary use the PBCore instantiationPhysical vocabularies.
Examples	1. VHS audiocassettes photographic prints 16mm film 2. http://vocab.getty.edu/aat/300264683 http://vocab.getty.edu/aat/300028661 http://vocab.getty.edu/aat/300127104 http://pbcore.org/pbcore-controlled-

	vocabularies/instantiationphysical-film-vocabulary/#16mmFilm		
Crosswalks		**medium**	**medium_uri**
	Aviary	Format	NA
	DPLA	Format	NA
	Dublin Core	dcterms:medium	NA
	MARC	654 $a $2aat	NA
	MODS	genre[@authority='aat' and @type='medium']	NA
	Islandora CSV	aat_type	aat_type_valueURI
Metadata type	Descriptive; Administrative		

genre & genre_uri

Displayed?	Yes
Display label	Genre
Definition	The nature or genre of the resource.
Required	No
Repeatable	Yes
Usage	1. Describe the nature, style, or function of a resource, not its physical characteristics. If choosing a narrow term, also add the broader term for faceting purposes. Separate multiple values with semicolons. 2. Record URIs from Getty Vocabularies in the corresponding URI field. Keep URIs in the same order as literal values; separate multiple values with semicolons.

	Do not use physical medium or format values in `genre`; record these in `medium`.
Content standard or controlled vocabulary	Getty Vocabularies (see also AAT hierarchies referring to genre or function) Some digitized audiovisual materials in Aviary use the PBCore AssetType vocabulary. Biased materials may be described with genre terms from the RBMS CVRMC Prejudicial works list. Apply these terms with caution; see Genre/form terms for guidance.
Examples	1. correspondence photographs Clip Prejudicial works 2. http://vocab.getty.edu/aat/300026877 http://vocab.getty.edu/aat/300046300 http://pbcore.org/pbcore-controlled-vocabularies/pbcoreassettype-vocabulary/#Clip http://id.loc.gov/vocabulary/rbmscv/cv00108

Crosswalks

	genre	genre_uri
Aviary	Type	NA
DPLA	Subtype	NA
Dublin Core	dcterms:type	NA
MARC	NA	NA
MODS	genre[@authority='aat' and @type='genre']	NA
Islandora CSV	aat_genre	aat_genre_valueURI

Metadata type	Descriptive

type

Displayed?	Yes	
Display label	Type	
Definition	The general nature of the resource according to the DCMI Type Vocabulary.	
Required	Yes	
Repeatable	Yes	

Usage	• Choose the DCMI Type term that describes the overall nature of the item as a human user would perceive it.
	  ◦ For example, even if you have a scanned image of a page of a letter, the type would be **Text**, not **Image**.
	  ◦ If the item is a textual object with an image (e.g., letter with illustration), the type can be both **Text** and **Image**, separated by a semicolon.
	• Use the "Label" form of the term, which includes a space between words, rather than the "Term Name" form.	

Content standard or controlled vocabulary	DCMI Metadata Terms (DCMI Type Vocabulary)	
Examples	Text Image Collection Moving Image Sound Text;Image	
Crosswalks	**Aviary**	Type
	DPLA	Type

	Dublin Core	dcterms:type
	MARC	655 _7 $a $2dct
	MODS	genre[@authority='dct']
	Islandora CSV	dcmi_type
Metadata type	Descriptive; Administrative	

format

Displayed?	Yes	
Display label	Format	
Definition	The file format of the resource.	
Required	Yes	
Repeatable	No	
Usage	Record the IANA Media Type of the access file.	
Content standard or controlled vocabulary	Media Types	
Examples	image/jpeg audio/mpeg video/mp4 video/vnd.youtube.yt application/pdf	
Crosswalks	**Aviary**	Format
	DPLA	File format
	Dublin Core	dcterms:format
	MARC	NA
	MODS	genre[@authority='imt']
	Islandora CSV	imt_type

Metadata type	Administrative

rights & rightsstatement

Displayed?	Yes
Display label	1. Rights 2. Standardized Rights
Definition	1. Locally preferred rights statement text that specifies the rights held in and over the resource. 2. Link to a standard rights statement or license deed for the resource.
Required	Yes
Repeatable	Yes
Usage	1. Verify rights assessment on the selection sheet or with the curator/selector. a. Choose the appropriate rights statement from the ISULV Iowa State University rights statements. b. Copy the text from the **Local rights statement** element. c. Paste this value in the `rights` field in the metadata creation sheet. 2. If applicable, add an access statement. a. Choose the appropriate access statement from Iowa State University rights statements. These all begin with **Access restricted** or **Access unrestricted**. b. Copy the text from the **Local rights statement** element. c. Paste this value in the `rights` field in the metadata creation sheet, separated from the rights statement by a semicolon. 3. Record the standard URI of the statement or the URL of the license deed.

	a. Refer to the rights statement you selected from Iowa State University rights statements. b. Copy the text from the **Standard rights statement URI** element. c. Paste this value in the `rightsstatement` field in the metadata creation sheet. ⚠ Do not record the ISULV URI (e.g., https://digital.lib.iastate.edu/isulv/items/rights011.html).
Content standard or controlled vocabulary	Iowa State University rights statements (based on Rights Statements and Licenses List - Creative Commons)
Examples	1. The Iowa State University Library believes that this item is in the public domain under the laws of the United States, but a determination was not made as to its copyright status under the copyright laws of other countries. The item may not be in the public domain under the laws of other countries. 2. http://rightsstatements.org/vocab/NoC-US/1.0/ (From No Copyright/Public Domain—United States)
Crosswalks	

	rights	**rightsstatement**
Aviary	Rights Statement	Rights Statement
DPLA	Rights Statement	Rights Statement
Dublin Core	dcterms:rights	dcterms:rights
MARC	540 $a	NA
MODS	accessCondition	accessCondition/@url

	Islandora CSV	rights_management	rights_management_valueURI
	IPTC	IPTC_Usage_Terms	IPTC_Usage_Terms
Metadata type	Administrative		

date

Displayed?	Yes
Display label	Date Created
Definition	The date of the creation of the original resource, not the digital surrogate.
Required	No
Repeatable	No
Usage	• Use the EDTF/ISO 8601 date format (YYYY-MM-DD). • Use YYYY/YYYY for time intervals. • Do not use abbreviations such as “ca.” or “n.d.” If date is unknown, leave blank. • Do not use XXXX if the year is unknown. • Do not use “. ./” OR “/..” to specify open start/end time intervals. • Use “?” for uncertain and “~” for approximate year. ⚠ Place the symbol **after** the year, not before (e.g., 1920? or 1860~).
Content standard or controlled vocabulary	Extended Date Time Format (EDTF) Specification (Library of Congress)
Examples	1960 1960-01-31 2021-09

	1960/1970 1913? 1998~	
Crosswalks	**Aviary**	Date
	DPLA	Date
	Dublin Core	dcterms:date
	MARC	260 $g or 260 $c if published
	MODS	originInfo/dateCreated
	Islandora CSV	date_original
	IPTC	IPTC_Description
Metadata type	Descriptive	

date_digital

Displayed?	No	
Display label	NA	
Definition	The date the item was digitized.	
Required	No	
Repeatable	No	
Usage	Use the EDTF/ISO 8601 date format (YYYY-MM-DD). If date is unknown, leave blank.	
Content standard or controlled vocabulary	Extended Date Time Format (EDTF) Specification (Library of Congress)	
Examples	2021-03-14	
Crosswalks	**Aviary**	Date
	DPLA	Date

	Dublin Core	dcterms:date
	MARC	033 ind1=0 ind2=0 $a
	MODS	originInfo/dateCaptured
	Islandora CSV	date_digital
Metadata type	Administrative	

publisher & publisher_uri

Displayed?	Yes
Display label	Publisher
Definition	An entity responsible for the publication of the digital surrogate or the original resource.
Required	No
Repeatable	Yes
Usage	1. Enter constant value of **Iowa State University. Library** followed by other publisher values (separated by semicolons), if applicable: a. Record the publisher of the original resource, typically a published book. b. If the work is unpublished or no publisher is known, record only **Iowa State University. Library**. ⚠ • Do not record *serial titles* or *curators* in the `publisher` field. • For articles and clippings, record the *serial title* in the object `title` field; see usage notes for title. • Record the institution responsible for making the original resource available in `contributing_institution`; see usage notes for contributing_institution.

	2. Record the URI for each name, if available, in the `publisher_uri` field. Keep URIs in the same order as literal values. Separate multiple values with semicolons.
Content standard or controlled vocabulary	Metadata creation guidelines: Name elements (based on LCNAF)
Examples	1. T.M. Sinclair & Co. 2. http://id.loc.gov/authorities/names/no2011188962

Crosswalks

	publisher	**publisher_uri**
Aviary	NA	NA
DPLA	Publisher	NA
Dublin Core	dcterms:publisher	NA
MARC	260 $b	NA
MODS	originInfo/publisher	NA
Islandora CSV	publisher	publisher_valueURI

Metadata type	Descriptive

issuance

Displayed?	Yes
Display label	Issuance
Definition	A term that designates how the resource is issued.
Required	No
Repeatable	No

Usage	Populate for serials only.	
Content standard or controlled vocabulary	MODS	
Examples	continuing	
Crosswalks	**Aviary**	NA
	DPLA	Description
	Dublin Core	dcterms:description
	MARC	Leader/07
	MODS	originInfo/issuance
	Islandora CSV	issuance
Metadata type	Descriptive	

issuance_start & issuance_end

Displayed?	Yes	
Display label	Beginning of Publication & End of Publication	
Definition	`issuance_start`: The date the resource was first issued. `issuance_end`: The date of final issuance of the resource.	
Required	No	
Repeatable	No	
Usage	Populate for serials only.	
Content standard or controlled vocabulary	EDTF/ISO 8601	
Examples	1894 1916	
Crosswalks	**Aviary**	NA

	DPLA	Date
	Dublin Core	dcterms:date
	MARC	008/07-10 008/11-14
	MODS	originInfo/dateIssued[@point='start'] originInfo/dateIssued[@point='end']
	Islandora CSV	issuance_start & issuance_end
Metadata type	Descriptive	

frequency

Displayed?	Yes	
Display label	Publication Frequency	
Definition	A statement of publication frequency in textual form.	
Required	No	
Repeatable	No	
Usage	Populate for serials only.	
Content standard or controlled vocabulary	marcfrequency	
Examples	Weekly Biweekly Monthly	
Crosswalks	**Aviary**	NA
	DPLA	Description
	Dublin Core	dcterms:description

	MARC	008/18
	MODS	originInfo/frequency
	Islandora CSV	frequency
Metadata type	Descriptive	

digital_collection & digital_collection_ark

Displayed?	Yes		
Display label	Digital Collection Title & Digital Collection Permalink		
Definition	1. The digital collection(s) the resource is a member of. 2. The Archival Resource Key for the digital collection(s) the object is part of.		
Required	Yes		
Repeatable	No		
Usage	1. Record the title of the digital collection as it appears in CollectionBuilder. 2. Record the ARK for the digital collection. **This value must be the same for every object in the collection.**		
Content standard or controlled vocabulary	1. Digital Collection Title and Description Guidelines 2. About ARKs		
Examples	1. George Washington Carver collection 2. https://n2t.net/ark:/87292/w9901zf8r		
Crosswalks		**digital_collection**	**digital_collection_ark**
	Aviary	Collection Title	NA
	DPLA	NA	Is Shown At

	Dublin Core	dcterms:relation	dcterms:relation
	MARC	NA	NA
	MODS	relatedItem[@displayLabel='Digital Collection']/titleInfo/title	relatedItem[displayLabel='Digital Collection']/identifier
	Islandora CSV	digital_collection	digital_collection_ark
	IPTC	IPTC_Keywords	NA
Metadata type	Descriptive; Administrative		

relation & relation_uri

Displayed?	Yes (URI is linked with the name)
Display label	Related Resource
Definition	1. The title of a related digital exhibit or collection. 2. Link to the related digital exhibit or collection.
Required	No
Repeatable	Yes
Usage	1. Record the title of a related exhibit or collection. 2. Record the ARK for the related exhibit or collection.
Content standard or controlled vocabulary	1. Digital Collection Title and Description Guidelines 2. About ARKs
Examples	1. Iowa Cookbook Collection 2. https://n2t.net/ark:/87292/w94b2xb69

Crosswalks		**digital_collection**	**digital_collection_ark**
	Aviary	Collection Title	NA
	DPLA	Relation	Relation
	Dublin Core	dcterms:relation	dcterms:relation
	MARC	NA	NA
	MODS	relatedItem[@type='isReferencedBy']/titleInfo/title	relatedItem[@type='isReferencedBy']/identifier[@type='ark']
	Islandora CSV	related_exhibit	related_exhibit_url
Metadata type	Descriptive; Administrative		

digital_origin

Displayed?	No
Display label	NA
Definition	The method by which the resource achieved digital form and the specific hardware/software used to create the digital object.
Required	No
Repeatable	No
Usage	Enter **reformatted digital** or **born digital** followed by a semicolon, space, and then **digitized with** and the name of the scanner used. Preservation services coordinator provides this information on the selection spreadsheet.
Content standard or	https://www.loc.gov/standards/mods/userguide/physicaldescription.html#digitalorigin and local names of

controlled vocabulary	scanning equipment	
Examples	Reformatted digital; Digitized with Plustek	
Crosswalks	**Aviary**	NA
	DPLA	NA
	Dublin Core	dcterms:description
	MARC	NA
	MODS	note[@type='hardware/software']
	Islandora CSV	digital_origin; hardware_software
Metadata type	Administrative	

staff_notes

Displayed?	No
Display label	NA
Definition	Notes about the object for staff use—for example, other identifiers for the object, decisions made, etc.
Required	No
Repeatable	No
Usage	• Record ARK for objects with multiple ARKs. • Document any significant changes made to objects for future reference.
Content standard or controlled vocabulary	Local
Examples	The Metadata Unit agreed to include the word "term" in the titles of directories from

	1906 to 1909, which lack covers, based on the assumption that these titles follow the same pattern as the previous issues.
Crosswalks	NA
Metadata type	Descriptive

CSV column headers

When creating metadata for new digital collections, copy the fields below and then paste them, transposed, as column headers in a new Google Sheet.

> This code snippet is excerpted from Metadata creation for Digital Collections in CollectionBuilder.

Column headers for Digital Collections in CollectionBuilder metadata CSVs

```
objectid
collectionid
display_template
parentid
sequence
pres_file
filename
object_location
image_alt_text
image_small
image_thumb
object_transcript
object_pdf
title
ark
aviary_id
avian_id
uid
call_number
archival_collection
other_collection
finding_aid_ark
archival_series_title
folder_title
box
folder_num
contributing_institution
contributing_institution_uri
personal_creator
personal_creator_uri
corporate_creator
corporate_creator_uri
interviewee
interviewee_uri
interviewer
interviewer_uri
personal_contributor
personal_contributor_uri
corporate_contributor
corporate_contributor_uri
description
disclaimer
language
chronological_subject
personal_name_subject
personal_name_subject_uri
corporate_name_subject
corporate_name_subject_uri
subject
subject_uri
location
location_uri
latitude
longitude
geodetic_datum
conservation_note
accessibility_note
accessibility_uri
```

```
extent
medium
medium_uri
genre
genre_uri
type
format
rights
rightsstatement
date
date_digital
publisher
publisher_uri
issuance
issuance_start
issuance_end
frequency
digital_collection
digital_collection_ark
relation
relation_uri
digital_origin
staff_notes
```

Resources

- CollectionBuilder metadata configuration (Google Sheets)
- File Naming Conventions for the Digital Projects Workflow
- Home, Digital Collections - Iowa State University Library
- Metadata creation for Digital Collections in CollectionBuilder (Metadata Services procedures)
- Metadata creation guidelines (local content standard)
- Metadata CSVs (Google Drive)

Page properties

Created by	@Heather Campbell
Managed by	@Hema Thulsidhos @Kelly Hyland
Last review date	Dec 4, 2025
Reviewed by	@Hema Thulsidhos @Kelly Hyland @Heather Campbell
Next review date	Dec 4, 2027