


MOTOTRBO portable radio accessories

Carry solutions

COMPATIBILITY	ACCESSORY		FEATURES			
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP / CLIP DIMENSION (INCHES)	SWIVEL / FIXED	D RINGS
 DP4000 EX Series	 2.5 inch belt clip for ATEX models	PMLN6086	Plastic	2.5		
	 2.5 inch replacement leather swivel belt loop	PMLN5610	Hard leather	2.5	Swivel	
 XPR 3000 XPR 3000e Series  XPR 7000 XPR 7000e Series	 Silent alert belt clip for use with IMPRES battery PMNN4488, clip only	PMLN7296	Plastic			
	 Spring action 2 inch belt clip	PMLN4651	Plastic	2		
	 Spring action 2.5 inch belt clip	PMLN7008	Plastic	2.5		
	 Replacement 2.5 inch swivel belt loop	PMLN5610	Hard leather	2.5	Swivel	
	 Replacement 3 inch leather swivel belt loop	PMLN5611	Hard leather	3	Swivel	
	 Replacement 2.5 inch leather swivel belt loop	PMLN5022	Hard leather	2.5	Swivel	
 XPR 6000 Series	 Replacement 3 inch leather swivel belt loop	PMLN5023	Hard leather	3	Swivel	
	 Spring action 2.5 inch belt clip	PMLN4652	Plastic	2.5		
	 Carry holder/holster for SL series radio with swivel belt loop	PMLN5956	Plastic		Swivel	
 SL 7000 SL 7000e Series	 Soft leather case with 1.5 inch quick release swivel belt clip	PMLN7040	Soft leather	1.5	Swivel	
SL 3500e SL 3500Max SL 7000 SL 7000e Series	 Nylon wrist strap for securely carrying motorola two-way radios	PMLN6074	Nylon			
SL 3500e SL 3500Max	 Flexible hand strap	PMLN7076	Nylon			

COMPATIBILITY	ACCESSORY		FEATURES
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	MATERIAL
 XPR 3000 XPR 3000e Series  XPR 6000 Series  XPR 7000 XPR 7000e Series	 Waterproof Bag with Large Strap for Securely Carrying Motorola Two-Way Radios	HLN9985	
	 1.75 inch wide leather belt	4200865599	Leather
	 Universal chest pack with radio holder, pen holder and velcro secured pouch	HLN6602	
	 Break-a-way chest pack with radio holder pen holder and velcro secured pouch	RLN4570	
	 Replacement strap for HLN6602 and RLN4570	1505596Z02	
	 Radio pack radio utility case	RLN4815	
	 Radio pack extension belt for waists larger than 40 inches	4280384F89	
	 Adjustable nylon carrying strap	NTN5243	Nylon
	 Leather radio strap	RLN6486	Leather
	 Leather radio strap - XL	RLN6487	Leather
DP4000 EX Series XPR 6000 Series XPR 3000 XPR 3000e Series XPR 7000 XPR 7000e Series	 Anti-sway strap for leather radio straps	RLN6488	Leather
	 Accessory connector dust cover	15012157001	Plastic
	 Accessory connector dust cover	1571477L01	Plastic
	 Accessory connector dust cover	PMLN6066	Plastic
XPR 3000 XPR 3000e Series XPR 7000 XPR 7000e Series	 Accessory connector dust cover	PMLN6066	Plastic
	 Accessory connector dust cover	15012157001	Plastic





MOTOTRBO portable radio accessories

Screen protectors

COMPATIBILITY	ACCESSORY	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER
 SL 7000 SL 7000e Series	 Screen protector, clear (single pack - qty 1)	AY000269A01
	 Screen protector, clear (single pack - qty 1)	AY000267A01

Antennas

Get the best possible reception wherever you operate. New stubby antennas for the xpr 7000 and xpr 3000 series radios offer superior performance over xpr 6000 series stubby antennas.

COMPATIBILITY	ACCESSORY		FEATURES				
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE
 XPR 6000 Series	 UHF/GPS combination folded monopole whip antenna for the 403-433 MHz Range	PMAE4018	UHF	403-433	•	14	Whip
	 UHF/GPS combination folded monopole whip antenna for the 430-470 MHz Range	PMAE4024	UHF	430-470	•	14	Whip
	 UHF/GPS combination folded monopole whip antenna for the 450-495 MHz Range	PMAE4050	UHF	450-495	•	14	Whip
	 UHF/GPS combination folded monopole whip antenna for the 495-527 MHz Range	PMAE4051	UHF	495-527	•	14	Whip
	 VHF/GPS combination helical whip antenna for the 136-147 MHz Range	PMAD4067	VHF	136-147	•	16	Helical
	 VHF/GPS combination helical whip antenna for the 147-160 MHz Range	PMAD4068	VHF	147-160	•	16	Helical
	 VHF/GPS combination helical whip antenna for the 160-174 MHz Range	PMAD4069	VHF	160-174	•	16	Helical
	 GPS/800/900 MHz combination helical antenna	PMAF4003	800/900 MHz	806-941	•	18	Helical
	 Whip antenna 806-870 MHz 1/2 wave	NAF5087	800/900 MHz	806-870		7	Whip
	 Whip antenna 896-941 MHz 1/2 wave	NAF5088	800/900 MHz	896-941		6.6	Whip




MOTOTRBO portable radio accessories

Antennas

Get the best possible reception wherever you operate. New stubby antennas for the XPR 7000 and XPR 3000 series radios offer superior performance over XPR 6000 Series stubby antennas.


COMPATIBILITY		ACCESSORY		FEATURES				
PORTABLE RADIOS		DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE
 XPR 6000 Series		UHF wideband flexible whip antenna for the 403-470 MHz range	PMAE4022	UHF	403-470		16	Whip
		UHF wideband flexible whip antenna for the 450-512 MHz range	PMAE4049	UHF	450-512		16	Whip
		VHF wideband flexible whip antenna for the 136-174 MHz range	PMAD4124/PMAD4088	VHF	136-174		21	Whip
		UHF/GPS combination stubby antenna for the 403-433 MHz range	PMAE4021	UHF	403-433	•	9	Stubby
		UHF/GPS combination stubby antenna for the 430-470 MHz range	PMAE4023	UHF	430-470	•	9	Stubby
		UHF/GPS combination stubby antenna for the 450-512 MHz range	PMAE4048	UHF	450-512	•	9	Stubby
		VHF stubby antenna for the 136-147 MHz range	PMAD4093	VHF	136-147		11	Stubby
		VHF stubby antenna for the 147-160 MHz range	PMAD4094	VHF	147-160		11	Stubby
		VHF stubby antenna for the 160-174 MHz range	PMAD4095	VHF	160-174		11	Stubby
		Whip 350-400 MHz + GPS Fld Mnp antenna 16.5cm	PMAD4112	VHF	350-400	•	16.5	Whip

COMPATIBILITY		ACCESSORY		FEATURES				
PORTABLE RADIOS		DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE
 XPR 3000 XPR 3000e Series XPR 7000 XPR 7000e Series		UHF/GPS combination wideband slim whip antenna (400-527 MHz)	PMAE4079	UHF	403-527	•	15	Whip
		VHF/GPS combination helical antenna (136-155 MHz)	PMAD4117	VHF	136-155	•	15	Helical
		VHF/GPS combination helical antenna (144-165 MHz)	PMAD4116	VHF	144-165	•	15	Helical
		VHF/GPS combination helical antenna (152-174 MHz)	PMAD4118	VHF	152-174	•	15	Helical
		UHF/GPS combination stubby antenna (400-450 MHz)	PMAE4069	UHF	403-450	•	9	Stubby
		UHF/GPS combination stubby antenna (440-490 MHz)	PMAE4070	UHF	440-490	•	11	Stubby
		UHF/GPS combination stubby antenna (470-527 MHz)	PMAE4071	UHF	470-527	•	11	Stubby
		VHF/GPS combination stubby antenna (136-148 MHz)	PMAD4119	VHF	136-148	•	9	Stubby
		VHF/GPS combination stubby antenna (146-160 MHz)	PMAD4120	VHF	146-160	•	9	Stubby
		VHF stubby antenna (320-360 MHz)	PMAD4135	VHF	320-360			Stubby
		VHF stubby antenna (300-337 MHz)	PMAD4137	VHF	300-337			Stubby



MOTOTRBO portable radio accessories

Antennas

COMPATIBILITY		ACCESSORY		FEATURES			
PORTABLE RADIOS		DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	LENGTH (CM)	TYPE
 DP4000 EX Series		UHF folded monopole whip antenna for ATEX radio (403-433 MHz)	PMAE4081	UHF	403-433		Whip
		UHF folded monopole whip antenna for ATEX radio (430-470 MHz)	PMAE4082	UHF	430-470		Whip
		UHF stubby antenna for ATEX radio (403-433 MHz)	PMAE4083	UHF	403-433		Stubby
		UHF stubby antenna for ATEX radio (430-470 MHz)	PMAE4084	UHF	430-470		Stubby
		UHF wideband whip antenna for ATEX radio (403-470 MHz)	PMAE4085	UHF	403-470		Whip
		VHF/GPS helical whip antenna for ATEX radio 136-147 MHz)	PMAD4126	VHF	136-147		Whip
		VHF/GPS helical whip antenna for ATEX radio (147-160 MHz)	PMAD4127	VHF	147-160		Whip
		VHF/GPS helical whip antenna for ATEX radio (160-174 MHz)	PMAD4128	VHF	160-174		Whip
		VHF stubby antenna for ATEX Radio (136-147 MHz)	PMAD4129	VHF	136-147	11	Stubby
		VHF stubby antenna for ATEX Radio (147-160 MHz)	PMAD4130	VHF	147-160	11	Stubby
		VHF stubby antenna for ATEX Radio (160-174 MHz)	PMAD4131	VHF	160-174	11	Stubby



MOTOTRBO portable radio accessories

Antennas

MOTOTRBO XPR 3000 and 7000 series have GPS antennas integrated inside the radio.

COMPATIBILITY	ACCESSORY		FEATURES			
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	LENGTH (CM)	TYPE
 DP4000 EX Series	 VHF wideband antenna for ATEX radio (136-174 MHz)	PMAD4132	VHF	136-174		Whip
	 VHF stubby antenna (160-174 MHz)	PMAD4121	VHF	160-174		Stubby
	VHF stubby antenna (350-380 MHz)	PMAD4136	VHF	350-380		Stubby
	VHF stubby antenna (360-400 MHz)	PMAD4133	VHF	360-400		Stubby
	VHF whip antenna (300-360 MHz)	PMAD4138	VHF	300-360		Whip
 XPR 3000 XPR 3000e Series XPR 7000 XPR 7000e Series	VHF whip antenna (350-400 MHz)	PMAD4139	VHF	350-400		Whip



MOTOTRBO portable radio accessories

Antennas

MOTOTRBO XPR 7000 and SL series have GPS antennas integrated inside the radio.

COMPATIBILITY	ACCESSORY		FEATURES				
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	LENGTH (CM)	TYPE	
 XPR 7000 XPR 7000e Series	 800 MHz flexible whip antenna (806-870 MHz)	PMAF4011	800/ 900 MHz	806-870	16.4	Whip	
	 900 MHz flexible whip antenna (896-941 MHz)	PMAF4012	800/ 900 MHz	896-941	14	Whip	
	 800/900 stubby antenna (806-870 MHz)	PMAF4009	800/ 900 MHz	806-870	12	Short whip	
	 800/900 stubby antenna (896-941 MHz)	PMAF4010	800/ 900 MHz	896-941	11.2	Short whip	
 SL 7000 SL 7000e Series		UHF antenna kit for the 403-425 MHz range	PMAE4078	UHF	403-425	1.9	Stubby
		UHF antenna kit for the 420-445 MHz range	PMAE4076	UHF	420-445	1.9	Stubby
		UHF antenna kit for the 438-470 MHz range	PMAE4077	UHF	438-470	1.9	Stubby
		UHF stubby antenna kit for the 450-490 MHz range	PMAE4091	UHF	450-490	1.9	Stubby
		UHF stubby antenna kit for the 480-527 MHz range	PMAE4092	UHF	480-527	1.9	Stubby
		Antenna kit for the 800 MHz range	PMAF4017	800/ 900 MHz	806-870	1.1	Stubby
		Antenna kit for the 900 MHz range	PMAF4018	800/ 900 MHz	896-941	0.5	Stubby



MOTOTRBO portable radio accessories

Antennas accessories

COMPATIBILITY	ACCESSORY	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER
 XPR 3000 XPR 3000e Series  XPR 7000 XPR 7000e Series	 Gray antenna ID bands (pack of 10pcs)	32012144001
	 Yellow antenna ID bands (pack of 10pcs)	32012144002
	 Green antenna ID bands (pack of 10pcs)	32012144003
	 Blue antenna ID bands (pack of 10pcs)	32012144004
	 Purple antenna ID bands (pack of 10pcs)	32012144005



MOTOTRBO portable radio accessories

Programming cables

COMPATIBILITY	ACCESSORY	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER
DP3000e Series XPR 3000 XPR 3000e Series	Programming Cable Slim Conn to DB25 and TTR	PMKN4116
 XPR 3000 XPR 3000e Series	Portable Programming Cable (USB) for XPR 3000 Series	PMKN4115
	 Programming, Test, and Alignment Cable for XPR 3000 Series	PMKN4117
 XPR 6000 Series	 Portable Programming Cable (USB) for XPR 6000/7000 Series	PMKN4012
	 Programming, Test, and Alignment Cable for XPR 6000/7000 Series	PMKN4013
 XPR 7000 XPR 7000e Series	 Portable Telemetry Cable	PMKN4040
	 Portable to RS232 DB25M Connector Cable	PMKN4071
XPR 7000 XPR 7000e Series	 Test Alignment, TTR and Programming Cable	PMKN4126
 SL 7000 SL 7000e Series	 Portable Programming Cable (micro USB) for SL series	25-124330-01R
	 Programming Cable, Micro USB, with Tuning Connector	30012055001





MOTOTRBO mobile radio accessories





MOTOTRBO mobile radios

Unrivaled voice and data on the go



XPR 5000 / XPR 5000e Series
The XPR 5000 series shares the same connector as the XPR 4000 series accessories enabling easy migration. This portfolio is enhanced with integrated Bluetooth®, giving more flexibility than ever before. Now your drivers can check on packages or walk around the loading dock and stay connected within 30 feet of their radio. A new IMPRES keypad microphone features a four-way navigation button that makes accessing critical features on the large color display, dialing phone numbers and sending text messages easy.

Integrated voice and data on the go



XPR 4000 Series
Handling dispatch for a delivery company or hauling freight across the country, accessories must meet challenging installation and operational requirements. XPR 4000 series mobile accessories are specifically designed for hassle-free communication in a vehicle, for dispatch-enabled communication, and for easy installation.



XPR 2500 Series
The XPR 2500 features a durable telco accessory connector that enables microphones, external speakers and vehicular solutions. Many of the XPR 2500 microphones feature Intelligent Audio. Intelligent Audio listens to sounds in the background and automatically raises or lowers your radio volume so you can always hear clearly. If you're driving an empty bus that quickly fills with chattering children – you will still be able to hear important communication without taking your hands off the wheel to adjust the radio volume.

MOTOTRBO mobile radio accessories

Microphones

Keypad microphones let you easily navigate menus on your XPR 4550 or XPR 5550, dial phone numbers and send text messages. The heavy-duty microphone is easy to use while wearing gloves and the telephone-style handset enables more discreet communication.

COMPATIBILITY	ACCESSORY		FEATURES	
MOBILE RADIOS	DESCRIPTION	PART NUMBER	MICROPHONE STYLE	IMPRES
 XPR 5000 XPR 5000e Series	 IMPRES keypad microphone with 4-way navigation button	RMN5127	Keypad + navigation	•
	 MOTOTRBO mobile handheld control head upgrade kit with 3M Straight cable	PMLN7131		
	 MOTOTRBO mobile handheld control head 5 meter straight extension cable	PMKN4174		
	MOTOTRBO mobile handheld control head upgrade kit without transceiver adaptor	PMLN7209		
	MOTOTRBO mobile handheld control head transceiver adaptor	PMLN7033		
XPR 4000 Series	 IMPRES keypad microphone	RMN5065	Keypad	•

COMPATIBILITY	ACCESSORY		FEATURES	
MOBILE RADIOS	DESCRIPTION	PART NUMBER	MICROPHONE STYLE	IMPRES
 XPR 5000 XPR 5000e Series	 Standard compact microphone	RMN5052	Compact	
	 IMPRES heavy-duty microphone	RMN5053	Heavy-Duty	•
	 IMPRES telephone style handset	HMN4098	Telephone style handset	•
	 IMPRES visor microphone	RMN5054	Visor	•
	 Desktop microphone	RMN5050	Desktop	
 XPR 4000 Series	 Compact microphone	PMMN4090	Compact	
	 Heavy-duty microphone	PMMN4091	Heavy-duty	
	 Keypad microphone	PMMN4089	Keypad	
	 Visor microphone	GMMN4065	Visor	
	 Telephone style handset with hang-up cup	PMLN6481	Telephone style handset	
	 Desktop microphone	PMMN4098	Desktop	





MOTOTRBO mobile radio accessories

Microphone accessories

COMPATIBILITY	ACCESSORY	
MOBILE RADIOS	DESCRIPTION	PART NUMBER
XPR 5000 XPR 5000e Series XPR 4000 Series XPR 2500 Series	 Microphone hang-up clip (requires installation)	HLN9073
	 Universal microphone hang-up clip (no installation required)	HLN9414
 XPR 5000 XPR 5000e Series	 10-foot mobile microphone extension cable	PMKN4033
	 20-foot mobile microphone extension cable	PMKN4034
 XPR 4000 Series	 Compact microphone replacement cable	3075336B07
	 Heavy duty keypad microphone replacement cable	3075336B10


How can I communicate safely in my vehicle?

The IMPRES Visor Microphone mounts to your vehicle's visor for safe, convenient communication. Press the external push-to-talk button on the steering wheel to converse without taking your hands off the wheel or your eyes off the road. IMPRES Audio compensates for the distance of the visor mic from your mouth so that your radio communications are loud and clear.

External push-to-talk (PTT)

Activate the PTT or emergency footswitch without having to use the mobile microphone. A simple push button PTT can be held in the hand or mounted in your vehicle for easy access, while the emergency footswitch lets you discreetly activate emergency hands-free when a critical situation arises.

COMPATIBILITY	ACCESSORY	
MOBILE RADIOS	DESCRIPTION	PART NUMBER
XPR 5000 XPR 5000e Series XPR 4000 Series	 Pushbutton push-to-talk to interface with your visor microphone	RLN5926
	 Emergency footswitch can be used with a visor microphone	RLN5929
 XPR 2500 Series	 Remote mount footswitch push-to-talk to interface with your visor microphone	RLN4856
	 Remote mount pushbutton push-to-talk to interface with your visor microphone	RLN4857
	 External PTT with Emergency footswitch	RLN4836
	 Gooseneck PTT	RLN4858A



Optimized for digital

Make sure to only use Motorola audio accessories with this digital symbol, it indicates these accessories have been optimized for performance in both digital and analog mode. All accessories with this symbol have been certified and approved for XPR™ 2500 mobile radios.





Long range wireless solutions

Designed for customers who depend on their high power mobile radio for system connection but must work outside of their vehicle. The long range wireless solution allows you to maintain critical communications even on remote job site.

Works up to 100 meters away line-of-sight from the mobile radio, keeping you in communication where you never thought possible.

MOTOTRBO mobile radio accessories

Long range wireless

The long range wireless remote speaker microphone (RSM) pairs instantly with touch pairing to the mobile microphone with Bluetooth gateway. Plug and play - Just attach the mobile gateway microphone to your radio, align the two devices where indicated by the blue dot and you are ready to go. Voice prompts will walk you through pairing quickly.

COMPATIBILITY	ACCESSORY		FEATURES													VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.				
MOBILE RADIOS	DESCRIPTION	PART NUMBER	WINDPORTING/ NOISE- CANCELING	VOLUME CONTROL	ORANGE PROGRAMMABLE BUTTON	AUDIO JACK (3.5MM)	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	DIMENSIONS (MM) H X L X D	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TOUCH / STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	IP RATING/ SUBMERSIBLE	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	PRIVATE SECURITY	EDUCATION (CAMPUSES)	
 XPR 5000 XPR 5000e Series  XPR 4000 Series	 Long range wireless kit with charger includes: long range wireless RSM; mobile microphone bluetooth gateway; vehicular charger RLN6551	Windporting					28	3	158	88 x 26 x 63	Enhanced operations critical	Touch	300	IP55						
	 Long range wireless kit includes: long range wireless RSM; mobile microphone bluetooth gateway RLN6552	Windporting					28	3	158	88 x 26 x 63	Enhanced operations critical	Touch	300	IP55						
	 Mobile microphone with bluetooth gateway PMMN4097										Enhanced operations critical	Touch	300	IP55						
	 Wireless RSM (remote speaker microphone) with battery and clip RLN6544	Windporting					28	3	158	88 x 26 x 63	Enhanced operations critical	Touch	300	IP55						
	 battery only PMNN4461						28	3												



MOTOTRBO mobile radio accessories

Long range wireless chargers and replacement parts

COMPATIBILITY	ACCESSORY		FEATURES		
MOBILE RADIOS	DESCRIPTION	PART NUMBER	CHARGE TIME (HOURS)	POWER SUPPLY	
 XPR 5000 XPR 5000e Series  XPR 4000 Series		Dual unit charger with power supply	PMLN7120	3	US/CAN
		Dual unit charger with power supply	PMLN7121	3	EU
		Dual unit charger with power supply	PMLN7122	3	UK
		Dual unit charger with power supply	PMLN7123	3	PRC
		Dual unit charger with power supply	PMLN7124	3	AU/NZ
		Dual unit charger with power supply	PMLN7125	3	BZL
		Dual unit charger with power supply	PMLN7126	3	AR
		Dual unit charger with power supply	PMLN7127	3	KOR
	Power supply for dual unit charger	25012022003		UK	
	Power supply for dual unit charger	25012022007		BZL	
	Power supply for dual unit charger	25012022009		KOR	
	Power supply for dual unit charger	25012022002		EU	
	Power supply for dual unit charger	25012022006		AU/NZ	
Power supply for dual unit charger	25012022008		AR		
Power supply for dual unit charger	25012022001		US/Japan Taiwan		
Power supply for dual unit charger	25012022004		PRC		

COMPATIBILITY	ACCESSORY	
MOBILE RADIOS	DESCRIPTION	PART NUMBER
 XPR 5000 XPR 5000e Series  XPR 4000 Series	 Vehicular charger with coil cord cigarette lighter plug	PMLN6716
	 Hang up clip, required for vehicular charger	HLN5391
	Swivel clip	PMLN6743
	 D ring swivel clip	420093120 01
	 Receive-only earpiece with comfort eartube	PMLN7560
	Clear EP7 hearing protectors [sonic defenders] ultra earplugs with comply™ foam eartip noise reduction = 28dB for RLN4941/PMLN7560 - small	RLN6511
	Clear EP7 hearing protectors [sonic defenders] ultra earplugs with comply™ foam eartip noise reduction = 28dB for RLN4941/PMLN7560 - medium	RLN6512
	Clear EP7 hearing protectors [sonic defenders] ultra earplugs with comply™ foam eartip noise reduction = 28dB for RLN4941/PMLN7560 - large	RLN6513
	 Receive-only earbud	AARLN4885

Maintain critical communications even on remote job sites

Situation

Keep in touch even on remote job sites when you depend on your high power mobile radio but have to work outside your vehicle. You are a utility worker and need to check the meter readings. You have to park your truck about 100 meters away from the utility box due to access restrictions, yet you stay connected to your radio with your Long Range Wireless Remote Speaker Microphone. You communicate key readings immediately to dispatch. Get your job done safely and more efficiently.

Solution

The Long Range Wireless Remote Speaker Microphone (RSM) pairs instantly with touch pairing to the mobile microphone with Bluetooth gateway. The Bluetooth microphone is compatible with MOTOTRBO XPR 4000 and XPR 5000 series mobile radios. The Long Range Wireless RSM works up to 100 meters away from the mobile radio, keeping you in communication where you never thought possible.





How do mobile wireless accessories help me?

Use your mobile radio like never before and freely move around your vehicle. This means a driver can sort through packages on the back of the delivery truck, a bus driver can check on students in the back of the bus, or a city worker can trim trees from a cherry picker and all can still remain connected to their mobile radio. And by removing the wired connection to a desktop mobile, a dispatcher can walk around the office and manage calls.

MOTOTRBO mobile radio accessories

Operations critical wireless bluetooth® accessories

this portfolio is a game changer for your business as you have the flexibility to leave your truck or walk away from your desk and still remain connected to your radio up to 30 feet away.

COMPATIBILITY	ACCESSORY		FEATURES											VERTICAL MARKETS: Recommendations based on typical use case for each of verticals isted.						
MOBILE RADIOS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	DIMENSIONS (MM) H X L X D	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TOUCH / STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	IP RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
 XPR 5000 XPR 5000e Series	 XBT operations critical wireless behind-the- neck headset	RLN6490	Dual-muff	Boom	On ear cup	22	7	429		Operations critical	Standard	30	IP54	•	•	•				
	 Xbt operations critical wireless headband style headset	RLN6491	Dual-muff	Boom	On ear cup	22	7	422		Operations critical	Standard	30	IP54	•	•	•				
	 Operations critical wireless earpiece with 12 inch cable	NNTN8125	Over-the-ear (CommPort™)	Directional, above the earpiece	On PTT pod	10	3	43	70 x 41 x 25	Operations critical	Standard	30	IP54	•	•	•		•	•	•
	 Operations critical wireless push-to-talk pod (with US charger)	NNTN8127	N/A	N/A	On PTT pod	10	3	43	70 x 41 x 25	Operations critical	Standard	30	IP54	•	•	•		•	•	•
	 Operations critical wireless push-to-talk pod without charger	NNTN8191	N/A	N/A	On PTT pod	10	3	43	70 x 41 x 25	Operations critical	Standard	30	IP54	•	•	•		•	•	•

Note: XPR5000/XPR5000e Series mobile radios have Bluetooth embedded in the radio.





MOTOTRBO mobile radio accessories

Operations critical wireless bluetooth® accessories

COMPATIBILITY	ACCESSORY		FEATURES												VERTICAL MARKETS: Recommendations based on typical use case for each of verticals isted.						
MOBILE RADIOS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	DIMENSIONS (MM) H X L X D	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TOUCH / STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	IP RATING	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
	 Bluetooth Accessory Kit with Flexible Earpiece, Bluetooth Pod and Charging Cradle with Power Supply (US plug)	RLN6500	Over-the-ear (swivel)	In-line	Radio only*	8		18	Without clip: 44 x 32 x 12 with clip: 44 x 32 x 16	Operations Critical	Standard	30			•	•	•		•	•	•
	 Bluetooth Accessory Kit with Flexible Earpiece, Bluetooth Pod and Charging Cradle	PMLN7181	Over-the-ear (swivel)	Boom	Radio only*	8		18	Without clip: 44 x 32 x 12 with clip: 44 x 32 x 16	Operations Critical	Standard	30			•	•	•		•	•	•
	 Bluetooth Accessory Kit with Flexible Earpiece, Bluetooth Pod and Charging Cradle With Power Supply (US plug)	RLN6556	Over-the-ear (swivel)	Boom	Radio only*	8		18	Without clip: 44 x 32 x 12 with clip: 44 x 32 x 16	Operations Critical	Standard	30			•	•	•		•	•	•
	 Operations Critical Wireless 1-Wire Surveillance Kit with Translucent Tube	PMLN7052	Clear rubber eartip	In-line	On pod (order separately)					Operations Critical and Enhanced Operations Critical					•	•	•		•	•	•
	 Operations Critical Wireless Earbud with 11.5 inch Cable	NNTN8294	Earbud	In-line	On pod (order separately)	10				Operations Critical and Enhanced Operations Critical					•	•	•		•	•	•
	 Operations Critical Wireless Earbud with 45 inch Cable	NNTN8295	Earbud	In-line	On pod (order separately)	10				Operations Critical and Enhanced Operations Critical					•	•	•		•	•	•
	 Swivel Earpiece with In-Line Microphone Multi-Pack (3 pack) for MOTOTRBO Bluetooth Accessory Kit	RLN6550	Over-the-ear (swivel)	Boom	Radio only*					Operations Critical					•	•	•		•	•	•
	 Flexible Fit Swivel arpiece with Boom Microphone Multi-Pack (3 pack) for MOTOTRBO Bluetooth Accessory Kit	PMLN7203	Over-the-ear (swivel)	Boom	Radio only*					Operations Critical					•	•	•		•	•	•

*Note: PTT on radio or with separate wireless PTT.





MOTOTRBO mobile radio accessories

Operations critical wireless replacement parts

COMPATIBILITY	ACCESSORY	
MOBILE RADIOS	DESCRIPTION	PART NUMBER
 XPR 5000 XPR 5000e Series	 Replacement wireless earpiece 12 inch cable for NNTN8125	NTN2572
	 Wireless earpiece maintenance kit with 10 silicone ear tubes, 10 microphone seal strips and 2 foam windscreens for comfort earpiece	NTN8821
	 Ear strap for comfort earpiece (pack of 10)	NTN8988
	 Eartube for comfort earpiece (pack of 10)	RLN5037
	 Replacement ear tips kit for wireless earbuds (20 small, 20 medium, 20 large and 10 clips)	NNTN8361
	 Swivel clip for operations critical and enhanced operations critical wireless pods	PMLN6246

COMPATIBILITY	ACCESSORY	
MOBILE RADIOS	DESCRIPTION	PART NUMBER
 XPR 5000 XPR 5000e Series	 Replacement or spare micro-USB plug-in charger for wireless pod (US plug)	PMPN4027
	 Replacement or spare micro-USB plug-in charger for wireless pod (AU/NZ)	PMPN4007
	 Replacement or spare micro-USB plug-in charger for wireless pod (EU/UK)	PMPN4006
	 Replacement or spare micro-USB plug-in charger for wireless pod (PRC)	PMPN4008
	 Replacement or spare micro-USB plug-in charger for wireless pod (ARG)	PMPN4016
	 Replacement or spare micro-USB plug-in charger for wireless pod (BRZL)	PMPN4023
	 Replacement or spare micro-USB plug-in charger for wireless pod (EU)	PMPN4028



MOTOTRBO mobile radio accessories

Control station accessories

Quickly and conveniently convert your radio into a base station. Ideal for transportation, manufacturing and public service operations that have dispatch requirements.

COMPATIBILITY	ACCESSORY	
MOBILE RADIOS	DESCRIPTION	PART NUMBER
 XPR 4000 Series	Power supply 14V 10 amp 117/240 VAC (1-25W)	HPN4008
	 Euro line cord PS power cable	NTN7374AR/ 3060665A05
XPR 5000 XPR 5000e Series	 Power cable (UK) (straight)	3002695B05
 XPR 5000 XPR 5000e Series  XPR 4000 Series	 Desktop tray with speaker	RSN4005
	 Desktop tray without speaker	GLN7318
	 Adapter cable for control station	HKN9088
	 Power supply, 25-60W, 1-60W cord included	HPN4007
	 Power supply cable for GPN6145	GKN6266
	UK line cord PS power cable	NTN7375AR/ 300212F02
	Argentina line cord PS power cable	3085801L01
	US line cord for GPN6145	NTN7373AR/ 3060665A04
	 Mini-UHF to PL259 antenna adapter cable	HKN9557



MOTOTRBO mobile radio accessories

Installation and mounting accessories

mount your radio in your vehicle without compromising safety. Trunnion kits give you the flexibility to mount the radio under your dash, in your dash, between the seats or on the floor. Remote mount kits allow the radio be mounted in the trunk when dash space is limited.

COMPATIBILITY	ACCESSORY	
MOBILE RADIOS	DESCRIPTION	PART NUMBER
 XPR 4000 Series	 Low profile trunnion kit keeps radio tucked up under dash (box)	RLN6077
XPR 5000 XPR 5000e Series XPR 2500 Series	 Low profile trunnion kit keeps radio tucked up under dash (box)	RLN6466
 XPR 4000 Series	 High profile trunnion kit with under dash or floor mount	RLN6078
XPR 5000 XPR 5000e Series XPR 2500 Series	 High profile trunnion kit with under dash or floor mount	RLN6467
 XPR 4000 Series	 Key lock trunnion kit provides extra protection from theft	RLN6079
XPR 5000 XPR 5000e Series XPR 2500 Series	 Key lock trunnion kit provides extra protection from theft	RLN6468
 XPR 4000 Series	 Direct in dashboard mounting kit	RLN5933
 XPR 5000 XPR 5000e Series	 Direct in dashboard mounting kit	RLN6465
 XPR 4000 Series	 MOTOTRBO Mobile Remote Mount Adapter Kit	PMLN5404
 XPR 5000 XPR 5000e Series	 MOTOTRBO mobile remote mount adapter kit	PMLN6404

COMPATIBILITY	ACCESSORY	
MOBILE RADIOS	DESCRIPTION	PART NUMBER
 XPR 2500 Series	 In-dash mounting kit - DIN	FTN6083
	 Power cable to battery - 10 foot, 15 amp 14 AWG	HKN4137
	 Power cable to battery - 10 foot, 20 amp 12 AWG	HKN4191
	 Power cable to battery - 20 foot, 20 amp 10 AWG	HKN4192
	 Ignition sense cable	HKN9327
Trunnion mounting screws		3012045001

EXTERNAL SPEAKERS

Boost audio at your control station on your desk or in your vehicle with external speakers. Different watt speakers can be customized to your environment.



COMPATIBILITY	ACCESSORY	
MOBILE RADIOS	DESCRIPTION	PART NUMBER
 XPR 5000 XPR 5000e Series	 13W external speaker	RSN4002
	 7.5W external speaker	RSN4003
 XPR 4000 Series	 5W external speaker	RSN4004
 XPR 2500 Series	 7.5W external speaker	HSN8145
	 13W external speaker	RSN4001
	 Speaker extension cable	GMKN4084



MOTOTRBO mobile radio accessories

Cables

COMPATIBILITY	ACCESSORY	
MOBILE RADIOS	DESCRIPTION	PART NUMBER
 XPR 4000 Series	 Mobile remote mount 5-Meter cable kit	PMKN4073
	 Mobile remote mount 3-meter cable kit	PMKN4074
 XPR 5000 XPR 5000e Series	 Mobile remote mount 5-meter cable kit	PMKN4144
	 Mobile remote mount 3-meter cable kit	PMKN4143
	 IMPRES mobile MAP non-PC adapter	PMKN4070
	 IMPRES mobile MMP non-PC adapter	PMKN4072
 XPR 5000 XPR 5000e Series  XPR 4000 Series	 Power cable to battery, 10 foot, 20 amp for 1 to 60W radios, 12 AWG	HKN4191
	 Power cable to battery, 20 foot, 20 amp for 1 to 60W radios, 10 AWG	HKN4192
	 Power cable to battery, 10 foot, 15 amp for 1 to 25W radios, 14 AWG	HKN4137
	 Ignition sense cable	RKN4136
	 Mobile and repeater rear accessory programming cable	PMKN4010
	 Mobile and repeater rear programming, test and alignment cable	PMKN4016
	 Mobile rear accessory connector universal cable	PMKN4018

COMPATIBILITY	ACCESSORY	
MOBILE RADIOS	DESCRIPTION	PART NUMBER
 XPR 5000 XPR 5000e Series  XPR 4000 Series	 Mobile front programming cable	HKN6184
	 Hardware kit for rear accessory connector	PMLN5072
 XPR 2500 Series		Mobile front programming cable PMKN4147
		Mobile rear accessory connector universal cable PMKN4151
		16 pin MAP connector housing (APAC only) 1580922V01
		Rear accessory connector seal with connector and pins GMBN1021
		Rear accessory connector USB programming cable PMLN4148
		16 Pin accessory connector kit HLN9457
		Hardware connection kit (pins and removal tool) APAC only HLN9491
		Connector extender, 20 pieces PMLN5620
		Gasket, cover, accessory connector 3202607Y01
		Mobile crimping tool 6680388A26
		Generic Option Board (APAC, EMEA, LACR) PMLN6544




MOTOTRBO mobile radio accessories

Antennas

A variety of antennas ensure the best possible reception wherever you operate. Choose from antennas with integrated GPS to standalone RF antennas.


COMPATIBILITY	ACCESSORY		FEATURES			
MOBILE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE

Combination GPS/UHF antennas

 XPR 5000 XPR 5000e Series  XPR 4000 Series		GPS/UHF combination 1/4 wave antenna for the 403-430 MHz range	PMAE4030	UHF	403-430		Through-hole
		GPS/UHF combination 1/4 wave antenna for the 450-470 MHz range	PMAE4031	UHF	450-470		Through-hole
		GPS/UHF combination antenna for the 406-420 MHz range, 3.5 dB gain	PMAE4032	UHF	406-420		Through-hole
		GPS/UHF combination antenna for the 450-470 MHz range, 3.5 dB gain	PMAE4033	UHF	450-470		Through-hole
		GPS/UHF combination antenna for the 450-470 MHz range, 5 dB gain	PMAE4034	UHF	450-470		Through-hole
		GPS/UHF combination antenna for the 403-527 MHz range, 2 dB gain	HAE6019	UHF	403-527		Through-hole
		GPS/UHF combination 1/4 wave antenna for the 470-527 MHz range	HAE6020	UHF	470-527		Through-hole
		GPS/UHF combination through-hole mount antenna for 470-494 MHz, 3.5 dB gain	HAE6024	UHF	470-494		Through-hole
		GPS/UHF combination through-hole mount antenna, 494-512 MHz, 3 dB gain	HAE6026	UHF	494-512		Through-hole
		Combination GPS/UHF 403-430 MHz, 1/4 wave, through-hole mount, BNC	PMAE4035	UHF	403-430		Through-hole
		Combination GPS/UHF 406-420 MHz, 3.5 dB gain, Through-hole mount, BNC	PMAE4036	UHF	406-420		Through-hole
		Combination GPS/UHF 450-470 MHz, 1/4 Wave, Through-Hole Mount, BNC	PMAE4037	UHF	450-470		Through-hole

COMPATIBILITY	ACCESSORY		FEATURES			
MOBILE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE

Combination GPS/UHF antennas

 XPR 5000 XPR 5000e Series  XPR 4000 Series		Combination GPS/UHF 450-470 MHz, 5 dB gain, through-hole mount, BNC	PMAE4038	UHF	450-470		Through-hole
		Combination GPS/UHF 470-494 MHz, 3.5 dB gain, through-hole mount, BNC	HAE6025	UHF	470-494		Through-hole
		Combination GPS/UHF 403-527 MHz, 2 dB gain, through-hole mount, BNC	HAE6017	UHF	403-527		Through-hole
		Combination GPS/UHF 470-527 MHz, 1/4 wave, through-hole mount, BNC	HAE6018	UHF	470-527		Through-hole
		Antenna, mobile, combination GPS/ GALILEO/QZSS/GLONASS, UHF 300-340 MHz, 1/4 wave, through-hole mount, BNC	PMAD4142	UHF	300-340		Through-hole
 XPR 5000 XPR 5000e Series		Antenna, mobile, combination GPS/ GALILEO/QZSS/GLONASS, UHF 320-360 MHz, 1/4 wave, through-hole mount, BNC	PMAD4143	UHF	320-360		Through-hole



MOTOTRBO mobile radio accessories

Antennas

COMPATIBILITY	ACCESSORY		FEATURES			
MOBILE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE

UHF antennas (RF only)

 XPR 5000 XPR 5000e Series  XPR 4000 Series  XPR 2500 Series		UHF wide area through-hole mount antenna for the 450-470 MHz range, 3.5 dB gain, mini-U	HAE4011	UHF	450-470	Through-hole
		UHF wide area through-hole mount antenna for the 403-527 MHz range 2 dB gain, mini-U	HAE6022	UHF	403-527	Through-hole
		UHF wide area through-hole mount antenna for the 445-470 MHz range, 5 dB gain, mini-U (with base)	RAE4004ARB	UHF	445-470	Through-hole
		UHF urban roof mount 1/4 wave antenna for the 403-430 MHz range, mini-U	PMAE4040	UHF	403-430	Roof mount
		UHF urban roof mount 1/4 wave antenna for the 450-470 MHz range, mini-U	PMAE4041	UHF	450-470	Roof mount
		UHF urban roof mount 1/4 wave antenna for the 470-512 MHz range, mini-U	HAE4004	UHF	470-512	Roof mount
		UHF, 403-430 MHz, 1/4 wave, through-hole mo, BNC	RAE4151	UHF	403-430	Through-hole
		UHF, 450-470 MHz, 1/4 wave, through-hole mount, BNC	RAE4152	UHF	450-470	Through-hole
		UHF, 450-470 MHz, 5 dB gain, through-hole mount, BNC	RAE4154	UHF	450-470	Through-hole
		UHF, 403-527 MHz, 2 dB gain, through-hole mount, BNC	HAE6021	UHF	403-527	Through-hole
 XPR 5000 XPR 5000e Series  XPR 4000 Series		UHF wide area through-hole mount antenna for the 470-494 MHz range, 3.5 dB gain	HAE4012	UHF	470-494	Through-hole
		UHF wide area roof mount antenna for the 494-512 MHz range, 3.5 dB gain	HAE4013	UHF	494-512	Through-hole

COMPATIBILITY	ACCESSORY		FEATURES			
MOBILE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE

UHF antennas (RF only)

 XPR 5000 XPR 5000e Series		UHF stubby through-hole mount antenna 410-430 MHz	RAE4163ARB	UHF	410-430	Through-hole
		UHF stubby through-hole mount antenna, 430-450 MHz	RAE4164ARB	UHF	430-450	Through-hole
		UHF stubby through-hole mount antenna, 450-470 MHz	RAE4168ARB	UHF	450-470	Through-hole
	 XPR 4000 Series		UHF antenna kit 450-470 MHz, 5.0 dB gain	PMAE4043	UHF	450-470
		UHF Antenna Kit 470-527 MHz, 1/4 wave, through-hole mount	HAE6030	UHF	470-527	Through-hole
		UHF Antenna Kit 403-527 MHz, 2 dB gain, through-hole mount	HAE6029	UHF	403-527	Through-hole
		UHF antenna kit 470-494 MHz, 3 dB gain, through-hole mount	HAE6028	UHF	470-494	Through-hole
 XPR 5000 XPR 5000e Series		UHF/GPS antenna, 350-400 MHz 1/4 wave	PMAD4102	300/400	350-400	Through-hole
		UHF antenna, 300-340 MHz, 1/4 wave, BNC	PMAD4140	300/400	300-340	Through-hole
		UHF mobile antenna, 320-360 MHz, 1/4 wave, BNC	PMAD4141	300/400	320-360	Through-hole



MOTOTRBO mobile radio accessories


Antennas

COMPATIBILITY	ACCESSORY		FEATURES			
MOBILE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE

Combination GPS/VHF antennas


 XPR 5000 XPR 5000e Series  XPR 4000 Series		GPS/VHF Combination Through-Hole Mount 1/4 Wave Antenna for the 136-144 MHz Range	RAD4214	VHF	136-144		Through-Hole
		GPS/VHF Combination Through-Hole Mount 1/4 Wave Antenna for the 146-150.8 MHz Range	RAD4215	VHF	146-150.8		Through-Hole
		GPS/VHF Through-Hole Mount 1/4 Wave Antenna for the 150.8-162 MHz Range	RAD4216	VHF	150.8-162		Through-Hole
		GPS/VHF Through-Hole Mount 1/4 Wave Antenna for the 162-174 MHz Range	RAD4217	VHF	162-174		Through-Hole
		GPS/VHF Through-Hole Mount Antenna for the 146-172 MHz Range, 3 dB Gain	RAD4218	VHF	146-172		Through-Hole
		Combination GPS/VHF 136-144 MHz, 1/4 Wave, Through-Hole Mount, BNC	RAD4219	VHF	136-144		Through-Hole
		Combination GPS/VHF 146-150.8 MHz, 1/4 Wave, Through-Hole Mount, BNC	RAD4220	VHF	146-150.8		Through-Hole
		Combination GPS/VHF 150.8-162 MHz, 1/4 Wave, Through-Hole Mount, BNC	RAD4221	VHF	150.8-162		Through-Hole
		Combination GPS/VHF 162-174 MHz, 1/4 Wave, Through-Hole Mount, BNC	RAD4222	VHF	162-174		Through-Hole

VHF antennas (RF only)

 XPR 5000 XPR 5000e Series  XPR 4000 Series  XPR 2500 Series		VHF Urban Roof Mount 1/4 Wave Antenna for the 136-144 MHz Range, Mini-U	HAD4006	VHF	136-144		Roof Mount
		VHF Urban Roof Mount 1/4 Wave Antenna for the 146-150.8 MHz Range, Mini-U	HAD4007	VHF	146-150.8		Roof Mount
		VHF Urban Roof Mount 1/4 Wave Antenna for the 150.8-162 MHz Range, Mini-U	HAD4008	VHF	150.8-162		Roof Mount
		VHF Urban Roof Mount 1/4 Wave Antenna for the 162-174 MHz Range, Mini-U	HAD4009	VHF	162-174		Roof Mount

COMPATIBILITY	ACCESSORY		FEATURES			
MOBILE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE

VHF antennas (RF only)

 XPR 5000 XPR 5000e Series  XPR 4000 Series  XPR 2500 Series		VHF Wide Area Through-Hole Mount Antenna for the 132-174 MHz Range 3 dB Gain, Mini-U	HAD4022	VHF	132-174		Through-Hole
		VHF, 136-144 MHz, 1/4 Wave, Through-Hole Mount, BNC	RAD4198	VHF	136-144		Through-Hole
		VHF, 146-150.8 MHz, 1/4 Wave, Through-Hole Mount, BNC	RAD4199	VHF	146-150.8		Through-Hole
		VHF, 150.8-162 MHz, 1/4 Wave, Through-Hole Mount, BNC	RAD4200	VHF	150.8-162		Through-Hole
		VHF, 162-174 MHz, 1/4 Wave, Through-Hole Mount, BNC	RAD4201	VHF	162-174		Through-Hole
 XPR 5000 XPR 5000e Series  XPR 4000 Series		VHF Antenna Kit 162-174 MHz, 1/4 Wave	RAD4223	VHF	162-174		Through-Hole
		VHF Antenna Kit 146-150.8 MHz, 1/4 Wave	RAD4225	VHF	146-150.8		Through-Hole
		VHF Antenna Kit 136-144 MHz, 1/4 Wave	RAD4226	VHF	136-144		Through-Hole
		VHF Antenna Kit 146-172 MHz, 3.0 dB Gain	RAD4227	VHF	146-172		Through-Hole




MOTOTRBO mobile radio accessories

Antennas

COMPATIBILITY	ACCESSORY		FEATURES			
MOBILE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE


Standalone GPS antennas

 XPR 5000 XPR 5000e Series  XPR 4000 Series		Fixed mount GPS active antenna	PMAN4000	N/A	N/A		Fixed
		Glass mount GPS active antenna	PMAN4001	N/A	N/A		Glass
		Magnetic mount GPS active antenna	PMAN4002	N/A	N/A		Magnetic
		Fixed mount GPS active antenna	PMAN4008	N/A	N/A		Fixed
		Glass mount GPS active antenna	PMAN4009	N/A	N/A		Glass
		Magnetic mount GPS active antenna	PMAN4010	N/A	N/A		Magnetic

Combination GPS/800/900 antennas


 XPR 5000 XPR 5000e Series  XPR 4000 Series		GPS/800/900 MHz 1/4 wave through-hole mount combination antenna for the 806-941 MHz range	HAF4029	800/900	806-941		Through-hole
		GPS/800/900 MHz through-hole mount combination antenna for the 806-941 MHz range, 3 dB gain	HAF4030	800/900	806-941		Through-hole
		GPS/800/900 MHz stubby antenna for the 806-941 MHz range	HAF4032	800/900	806-941		Through-hole
		GPS/800/900 MHz through-hole mount antenna for the 806-941 MHz range, 5 dB gain	HAF4033	800/900	806-941		Through-hole

800/900 VHF antennas (RF only)

 XPR 5000 XPR 5000e Series		Wide area through-hole mount stubby antenna for the 806-941 MHz range, 3 dB gain	HAF4013	800/900	806-941		Through-hole
		Urban through-hole mount 1/4 wave antenna for the 806-941 MHz range	HAF4025	800/900	806-941		Through-hole
 XPR 4000 Series		Urban through-hole mount 1/4 wave antenna for the 806-941 MHz range	HAF4026	800/900	a806-941		Through-hole

COMPATIBILITY	ACCESSORY		FEATURES			
MOBILE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE

800/900 VHF antennas (RF only)

 XPR 5000 XPR 5000e Series  XPR 4000 Series		Wide area through-hole mount antenna for the 806-941 MHz range, 5 dB gain	HAF4027	800/900	450-470		Through-hole
		Kit, combination GPS+RF, base only, through-hole mount, BNC	PMAN4003	N/A	N/A		Through-hole
		Kit, combination GPS+RF, base only, through-hole mount, Mini-U	PMAN4004	N/A	N/A		Through-hole

Antenna accessories

COMPATIBILITY	ACCESSORY		
MOBILE RADIOS	DESCRIPTION		PART NUMBER
XPR 5000 XPR 5000e Series		Mobile mini-U antenna adapter, 8-foot cable	HKN9088
		PL259/mini-U antenna adapter, 8-foot cable	HKN9557



Glossary

Frequency band

Most antennas only cover a portion of a frequency band. Our wideband UHF and VHF antennas offer coverage across the entire band, enhancing your communication flexibility.

IMPRES

Get the most out of every battery and eliminate the surprise of “low battery alerts”. IMPRES chargers tell you exactly how much capacity is in an IMPRES battery before you attach it to your radio and exactly when an IMPRES battery has reached the end of service life. **IMPRES Battery Fleet Management is now over the air capable with XPR 7000 and XPR 3000 radios (must use MOTOTRBO software update 2.4 or greater).**

IMPRES audio (Motorola Solutions exclusive)

Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you’re speaking into the accessory.

IMPRES batteries and chargers

Get the most out of every battery and eliminate the surprise of “low battery alerts”. IMPRES chargers tell you exactly how much capacity is in an IMPRES battery before you attach it to your radio and exactly when an IMPRES battery has reached the end of service life.

Integrated GPS

To support GPS capability in the radio, the GPS antenna is integrated into the RF antenna. (The XPR 3000/XPR 3000e Series radios do not have GPS capability, but use these antennas.)

Intelligent audio (Motorola exclusive)

Set your volume once. Depend on your accessory to listen for changes in background noise, adjusting the volume automatically so you hear every call.

Intrinsic safety rating

Motorola-approved accessories are a critical part of the overall radio system certified by a recognized testing organization as intrinsically safe. Non-Motorola approved accessories may not be certified for MOTOTRBO and if used, could result in equipment that is NOT approved or unsafe in a hazardous environment. ****Note:** UL = For more information on which accessories are approved by Underwriters’ Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.

IP rating

International Protection (IP) is a global standard for rating dust and water protection. The first digit IP5x or IP6x represents increased levels of dust protection. The second digit, IPx7 or IPx8 represents increased levels of water protection.

- **IPx7** represents withstanding submersion in 1 meter of fresh water for 30 minutes.
- **IPx8** represents heating accessory to 27°C higher than the water temperature for 2 hours then immediately immersing it to a depth of 1 meter for another 2 hours.
- **IPx8+Rugged** represents exceeding industry specs by heating accessory to 27°C higher than the water temperature for 2 hours then immediately immersing it to a depth of 2 meters for another 4 hours.

Material

Choose from comfortable and flexible nylon cases, rugged, durable hard leather cases or carry holsters.

Microphone noise suppression

Multi Mic Noise Suppression: Five integrated microphones and Adaptive Audio Engine automatically change the level of noise suppression, microphone gain, Windporting and speaker equalization to produce clear and loud audio in any environment.

Dual Mic Noise Suppression:

Dual-microphone design tracks your voice so that you can keep your eye on what’s in front of you while speaking. A digital signal processor (DSP) algorithm helps suppress background noise so you can be heard clearly regardless of the noise around you.

Windporting (Motorola Exclusive):

Windporting reduces the effect of wind and other outdoor noises on your microphone performance and prevents water from clogging the microphone and distorting your transmission.

Noise-cancelling microphones negate crowd or machinery noise so your voice comes through loud and clear anytime you speak directly into the microphone.

Operations critical / enhanced operations critical

This Bluetooth® solution specifically for businesses features simple pairing, high quality audio and fast push-to-talk to ensure every word is transmitted. Enhanced Operations Critical Wireless has all this, plus instant pairing with just a touch of the accessory to the radio’s Bluetooth adapter, and intrinsically safe certification for hazardous environments. This means multiple workers on shifts who need grab-and-go device can all pair at the same time without connecting to the wrong radio.

Signal noise rating

Signal-to-noise ratio (often abbreviated SNR or S/N) is a measure used in science and engineering that compares the level of a desired signal to the level of background noise. It is defined as the ratio of signal power to the noise power, often expressed in decibels.

Swivel or fixed loop

Secure to a belt loop and the case swings freely from side to side. The swivel latch system also allows the radio and case to be removed from the belt loop by simply inverting, lifting it up and out of the belt loop. Fixed loops provide a sturdy attachment to your belt.





For more information on Motorola accessories, visit motorolasolutions.com/mototrbo or contact your Motorola Solutions Sales Representative.



Motorola Solutions, Inc. 500 West Monroe Street, Chicago, IL 60661 U.S.A. motorolasolutions.com

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. © 2026 Motorola Solutions, Inc. All rights reserved. 01-2026 [JM]