

MOTOTRBO R7 & Ion radio accessories

Surveillance accessory replacement kits

ACCESSORY		FEATURES		
DESCRIPTION	PART NUMBER	EARPIECE TYPE	COMPATIBLE EARPIECES	
 Replacement quick disconnect translucent tube with clear rubber eartip	PMLN8092	Clear rubber eartip	PMLN8120 PMLN8341	PMLN8342 PMLN8343
 Replacement rubber eartip, small (5 per pack)	PMLN8068	Black rubber eartip	PMLN8295	
 Replacement rubber eartip, medium (5 per pack)	PMLN8069			
 Replacement rubber eartip, large (5 per pack)	PMLN8070			
 Replacement rubber sleeve, small (25 per pack)	PMLN8363	Black rubber sleeve clear rubber eartip	PMLN8337	
 Replacement rubber sleeve, medium (25 per pack)	PMLN8364			
 Replacement rubber sleeve, large (25 per pack)	PMLN8365			

Remote speaker microphones replacement kits

COMPATIBILITY	ACCESSORY	
RSMS	DESCRIPTION	PART NUMBER
RM780 RM760 RM730	 Replacement coil cord kit for PMMN4128, PMMN4131, PMMN4140	PMKN4232
	 Low profile swivel clip for PMMN4128, PMMN4131, PMMN4140	PMLN8121
	 Replacement dust cover (10 per pack) for PMMN4128, PMMN4140	PMLN8122
	 Replacement dust cover (10 per pack) for PMMN4131	PMLN8253





Headsets

COMPATIBILITY	ACCESSORY		FEATURES									VERTICAL MARKETS: Recommendations based on typical use case for each verticals listed.						
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	HEADSET TYPE	EARPIECE STYLE	IMPRES	INTELLIGENT AUDIO	NOISE REDUCTION RATING	MICROPHONE	PTT	WEIGHT	HAZLOC CAPABLE**	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
R7 Ion	 Heavy duty behind-the-head headset with noise-canceling boom microphone IP54 (see user guide for replacement parts)	PMLN8085	Behind-the-head	Dual-muff	•	•	24 dB	Boom	On ear cup	Heavy duty	UL	•	•	•	•			
	 Heavy duty over-the-head headset with noise-canceling boom microphone IP54 (see user guide for replacement parts)	PMLN8086	Over-the-head	Dual-muff	•	•	24 dB	Boom	On ear cup	Heavy duty	UL	•	•	•	•			

**HazLoc Details: For more information on which accessories are approved by Underwriters’ Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.

3M Peltor headsets

the 3M Peltor CH-3 series is designed for industrial users working in high noise environments.

COMPATIBILITY	ACCESSORY		FEATURES							VERTICAL MARKETS: Recommendations based on typical use case for each vertical listed.						
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	HEADSET TYPE	CONNECTOR TYPE	SPEAKER	NOISE REDUCTION RATING (NRR)	MICROPHONE	PTT (MOTOTRBO)	HAZLOC CAPABLE**	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)

PTT adapter configurations

R7 Ion	 CH-3 Series over-the-head headset with nexus connector (see user guide for replacement parts) 3M-Peltor Model #: MT74H52A-110-34A	PMLN8265 ¹	Over-the-head	Nexus	Dual-ear	26 dB	Boom	Requires PTT Adapter PMLN8297		•	•	•	•			
	 CH-3 Series neckband headset with nexus connector (see user guide for replacement parts) 3M-Peltor Model #: MT74H52A-110-34B	PMLN8266 ¹	Neckband	Nexus	Dual-ear	24 dB	Boom	Requires PTT Adapter PMLN8297		•	•	•	•			
	 CH-3 Series hard hat attached with Nexus Connector (hat not included) (see user guide for replacement parts) 3M-Peltor Model #: MT74H52P3E-110-34A	PMLN8267 ¹	Hard hat attached	Nexus	Dual-ear	24 dB	Boom	Requires PTT Adapter PMLN8297		•	•	•	•			
	 PTT nexus adapter (requires headset - options listed above) 3M-Peltor Model #: FL40114-34	PMLN8297 ¹	N/A	N/A	N/A	N/A	N/A	N/A		•	•	•	•			

¹ Requires Ion radio with software version M-Ion.2022.03 and beyond.



MOTOTRBO R7 & Ion radio accessories

Batteries

Slim, high capacity batteries, powered by new lithium cells. Our batteries are uniquely designed and rigorously tested, not compromising on quality.

COMPATIBILITY	ACCESSORY		FEATURES							
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES*	CHEMISTRY	TYPICAL CAPACITY (mAh)	DIMENSIONS (MM) H X L X D	WEIGHT (GRAMS)	HAZLOC CAPABLE**	IP RATING	OPERATING TEMPERATURE (DISCHARGE)
R7	 IMPRES Li-Ion 2200mAh IP68 Slim Battery	PMNN4807		Li-Ion	2200	116 x 55 x 17	118		IP66, IP68	-20°C to +60°C
	 IMPRES Li-Ion 2850mAh IP68 Slim Battery	PMNN4809		Li-Ion	2850	116 x 55 x 17	135		IP66, IP68	-20°C to +60°C
	 IMPRES Li-Ion 3200mAh IP68 TIA4950 Battery	PMNN4810		Li-Ion	3200	116 x 55 x 23	168	UL	IP66, IP68	-20°C to +60°C
	 IMPRES Li-Ion 3200mAh IP68 Battery	PMNN4603		Li-Ion	3200	116 x 55 x 23	168		IP66, IP68	-20°C to +60°C

* MOTOTRBO R7 IMPRES batteries comes with self-calibration feature when used with IMPRES Single-Unit Charger and IMPRES 2 Multi-Unit Fast Charger (SW ver V2.01 and above) listed under Charging Solutions for MOTOTRBO R7.

** HAZLOC details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL- approved MOTOTRBO portable.

Powered by IMPRES™ 2 batteries augmented with energy management intelligence, MOTOTRBO Ion extends your lifeline a full shift or beyond.

COMPATIBILITY	ACCESSORY		FEATURES							
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES 2*	CHEMISTRY	TYPICAL CAPACITY (mAh)	DIMENSIONS (MM) H X L X D	WEIGHT (GRAMS)	HAZLOC CAPABLE*	IP RATING	OPERATING TEMPERATURE (DISCHARGE)
Ion	 IMPRES 2 Li-Ion 2820mAh IP68 slim battery	PMNN4803		Li-Ion	2820	114 x 69 x 16	145		IP68	-20°C to +60°C
	 IMPRES 2 Li-Ion 2900mAh IP68 TIA4950 battery	PMNN4804		Li-Ion	2900	114 x 69 x 24	171	UL	IP68	-20°C to +60°C
	 IMPRES 2 Li-Ion 4400mAh IP68 TIA4950 battery	PMNN4805		Li-Ion	4400	114 x 69 x 27	211	UL	IP68	-20°C to +60°C

* HAZLOC details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL- approved MOTOTRBO portable.

Extended battery life. Built to last.

You face challenges every day. Battery life shouldn't be one of them. IMPRES 2 batteries, when combined with an impres 2 charger, deliver up to 60% more charging cycles than traditional lithium ion batteries, so they're on the job longer. Which means you can stock fewer spares, and replace fewer batteries.



What is IMPRES self-calibration?



IMPRES batteries with self calibration feature can be identified through this logo on the battery label. These batteries do not require long hours of IMPRES calibration or recondition process, when charged with:

- IMPRES Single Unit Charger



- IMPRES 2 Multi Unit Charger (SW ver V2.01* and above)




* If the R7 IMPRES battery is initially inserted into the charger with older software, it will begin the initialization process with a solid yellow indication. Do not remove the battery from the charger until the charger indicates solid green. This process may take up to 8 hours.

How do IMPRES batteries and chargers save money?

They reduce the number of spare batteries you would need to buy and increase the time before you need replacements. Only IMPRES batteries can be charged 150 additional times versus a standard battery – a 43% increase in charge cycles. If you charge radios two to three times a week, you will get more than an extra year out of every IMPRES battery.


Only IMPRES batteries can be charged **150 times more** than standard batteries and last 43% longer



Charging solutions

Choose from a variety of solutions including single-unit, multi-unit, travel and in-vehicle chargers and be confident your radio is charged and ready to go the moment you need it.

COMPATIBILITY		ACCESSORY			FEATURES				
PORTABLE RADIOS		DESCRIPTION		PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS
R7		IMPRES Single-Unit Charger	US/CAN Plug	PMPN4576A	•	Li-Ion, NiMh	120 VAC	51 x 88 x 94	1
			ARG Plug	PMPN4573A	•	Li-Ion, NiMh	240 VAC	51 x 88 x 94	1
			BRZ Plug	PMPN4575A	•	Li-Ion, NiMh	100-240 VAC	51 x 88 x 94	1
			UK Plug	PMPN4572A	•	Li-Ion, NiMh	240 VAC	51 x 88 x 94	1
			EURO Plug	PMPN4577A	•	Li-Ion, NiMh	240 VAC	51 x 88 x 94	1
			AU/NZ Plug	PMPN4571A	•	Li-Ion, NiMh	240 VAC	51 x 88 x 94	1
			JAP Plug	PMPN4578A	•	Li-Ion, NiMh	100-240 VAC	51 x 88 x 94	1
			KOR Plug	PMPN4574A	•	Li-Ion, NiMh	240 VAC	51 x 88 x 94	1
			CHN Plug	PMPN4579A	•	Li-Ion, NiMh	240 VAC	51 x 88 x 94	1
			INDIA Plug	PMPN4582A	•	Li-Ion, NiMh	100-240 VAC	51 x 88 x 94	1



Charge a single battery or while it is attached to your radio.

COMPATIBILITY		ACCESSORY			FEATURES				
PORTABLE RADIOS		DESCRIPTION		PART NUMBER	IMPRES 2	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS
Ion		IMPRES 2, Single-Unit Charger	US Plug	PMPN4524	•	Li-Ion, NiMh	120 VAC	52 x 88 x 94	1
			ARG Plug	PMPN4512	•	Li-Ion, NiMh	240 VAC	52 x 88 x 94	1
			BRZ Plug	PMPN4515	•	Li-Ion, NiMh	240 VAC	52 x 88 x 94	1
			UK Plug	PMPN4510	•	Li-Ion, NiMh	240 VAC	52 x 88 x 94	1
			EURO Plug	PMPN4525	•	Li-Ion, NiMh	240 VAC	52 x 88 x 94	1
			AU/NZ Plug	PMPN4511	•	Li-Ion, NiMh	240 VAC	52 x 88 x 94	1
			JAP Plug	PMPN4609	•	Li-Ion, NiMh	100-240 VAC	52 x 88 x 94	1
			KOR Plug	PMPN4514	•	Li-Ion, NiMh	240 VAC	52 x 88 x 94	1
			INDIA Plug	PMPN4641	•	Li-Ion, NiMh	240 VAC	52 x 88 x 94	1

IMPRES 2
single unit chargers

- IMPRES 2 charging algorithms increase charge cycles up to 60% over non-IMPRES
- California Energy Commission (CEC) energy efficiency compliant
- Plug included in kit



MOTOTRBO R7 & Ion radio accessories

Charging solutions

Charge up to 6 R7 or Ion radios or batteries simultaneously with our IMPRES 2 multi-unit fast charger.

COMPATIBILITY		ACCESSORY		FEATURES				
PORTABLE RADIOS		DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS
R7 R5		IMPRES 2 multi-unit fast charger with 1 display* US/CAN plug	PMPN4284	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
		UK plug	PMPN4290	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
		EURO plug	PMPN4289	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
		AU/NZ plug	PMPN4293	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
		ARG plug	PMPN4291	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
		BZL plug	PMPN4292	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
		JAP plug	PMPN4295	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
		KOR plug	PMPN4294	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
		CHN plug	PMPN4296	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
		TW plug	PMPN4462	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
R7 R5 Ion		Interchangeable charging pocket	AS000129A01	*Charger Software version should be upgraded to v2.02. Chargers can be updated to the latest software version using the MSI Charger Reprogrammer Installation Software . An installation guide is included in the software download package.				
		Wall mount bracket for IMPRES 2 multi-unit charger	BR000272A01					

COMPATIBILITY		ACCESSORY		FEATURES				
PORTABLE RADIOS		DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS
Ion		IMPRES 2 Multi-Unit Fast Charger with 1 Display* US Plug	PMPN4498	•	Li-Ion, NiMh	100-240 VAC	170 x 445 x 116	6
		UK Plug	PMPN4516	•	Li-Ion, NiMh	100-240 VAC	170 x 445 x 116	6
		EURO Plug	PMPN4499	•	Li-Ion, NiMh	100-240 VAC	170 x 445 x 116	6
		AU/NZ Plug	PMPN4517	•	Li-Ion, NiMh	100-240 VAC	170 x 445 x 116	6
		ARG Plug	PMPN4518	•	Li-Ion, NiMh	100-240 VAC	170 x 445 x 116	6
		BZL Plug	PMPN4521	•	Li-Ion, NiMh	100-240 VAC	170 x 445 x 116	6
		JAP Plug	PMPN4295	•	Li-Ion, NiMh	100-240 VAC	170 x 445 x 116	6
		KOR Plug	PMPN4520	•	Li-Ion, NiMh	100-240 VAC	170 x 445 x 116	6
		INDIA Plug	PMPN4642	•	Li-Ion, NiMh	100-240 VAC	170 x 445 x 116	6
		Interchangeable Charging Pocket for Ion	AS000180A01					



MOTOTRBO R7
IMPRES 2 multi-unit fast charger



MOTOTRBO ION
IMPRES 2 multi-unit fast charger





MOTOTRBO R7 & Ion radio accessories

Charging solutions
single-unit charger replacement kits

COMPATIBILITY	ACCESSORY		FEATURES
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	POWER SOURCE
R7 R5 Ion	Replacement power supply for IMPRES single-unit charger US/CAN plug	PS000577A01	120 VAC
	ARG plug	PS000576A05	240 VAC
	BRZ plug	PS000576A08	100-240 VAC
	UK plug	PS000576A03	240 VAC
	EURO plug	PS000576A02	240 VAC
	AU/NZ plug	PS000576A04	240 VAC
	JAP plug	PS000577A01	100-240 VAC
	KOR plug	PS000576A07	240 VAC
	CHN plug	PS000576A06	240 VAC
	INDIA plug	PS000576A09	100-240 VAC
	BRZ plug	PS000576A08	240 VAC
Ion	INDIA plug	PS000576A09	240 VAC

Charging solutions
multi-unit charger replacement kits

COMPATIBILITY	ACCESSORY		FEATURES
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	CABLE LENGTH (MM)
R7 Ion	Replacement power supply, 100-240 VAC without power cord	PS000242A01	n/a
	Power cord for IMPRES 2 multi-unit charger, US/CAN plug	3087791G01	2300
	UK plug	3087791G07	2300
	EURO plug	3087791G04	2300
	AU/NZ plug	3087791G10	2300
	BZL plug	3087791G22	2300
	JAP plug	3087791G20	2300
	KOR plug	3087791G16	2300
	CHN plug	CB000199A01	2500
	TW plug	CB000805A01	2500
R7 Ion	ARG plug	3087791G13	2300



MOTOTRBO R7 & Ion radio accessories

Vehicle charging solutions

COMPATIBILITY			FEATURES				
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS
Ion	 IMPRES single-unit rapid rate vehicular charger, heavy-duty permanent mount	NNTN7616	•	Li-Ion, NiMh	12 VDC (hardwire)	200 x 83 x 97	1
	 IMPRES 2 charging cradle with mounting kit	PMPN4607	•	Li-Ion	12 VDC cigarette lighter adapter	75 x 45 x 133	1
	 Replacement cigarette lighter adapter	PS000514A01					
	 Replacement strap	HW003289A01					

IMPRES 2 vehicle charging cradle

The IMPRES 2 charging cradle allows you to communicate efficiently, while your MOTOTRBO Ion radio is securely mounted in your vehicle. The cradle is mounted using a compatible RAM mount (comes with RAM Mounts' Drill Down Adapter) enabling safer driving. This charging cradle was designed to give you full access to radio functions including the front screen, camera, push-to-talk, buttons and knobs.



MOTOTRBO portable radio accessories

IMPRES battery management tools

With the unique IMPRES Battery Fleet Management systems, efficiently manage your batteries with real-time data not available with other manufacturers’ batteries. Our easy-to-use software applications show you if there is enough capacity for a full shift, alert you to low capacity batteries, prevent downtime and eliminate throwing batteries out prematurely.


COMPATIBILITY	ACCESSORY	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER
 R7	IMPRES battery fleet management entitlement ID (EID), NA/CAN	HKVN4036
	IMPRES battery fleet management entitlement ID (EID), EMEA	HKVN4037
	IMPRES battery fleet management entitlement ID (EID), LA	HKVN4038
	IMPRES battery fleet management entitlement ID (EID), Asia	HKVN4039

For details on the 3 BFM on-prem configurations and how to order the Entitlement ID, view the [Ordering and Deployment Guide](#). The IMPRES Battery Fleet Management Software is available to download from Motorola Solutions’ internal [MyView](#) portal.

Scan QR code to view the IMPRES Battery Fleet Management brochure:



IMPRES battery fleet management version 4.0



MOTOTRBO R7 radio accessories

Carry solutions

Secure your R7 radio with a variety of attachment options including high quality leather cases and belt clips.

COMPATIBILITY		ACCESSORY		FEATURES				
PORTABLE RADIOS		DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP / CLIP DIMENSION (INCHES)	SWIVEL / FIXED	DISPLAY / NON- DISPLAY	D - RINGS
R7		Hard leather case with 2.5 inch swivel belt loop (display model)	PMLN8300	Hard leather	2.5	Swivel	Display	*
		Hard leather case with 3 inch fixed belt loop (display model)	PMLN8299	Hard leather	3	Swivel	Display	*
		Hard leather case with 3 inch fixed belt loop (display model)	PMLN8301	Hard leather	3	Fixed	Display	*
		Hard leather case with 2.5 inch swivel belt loop (non-display model)	PMLN8303	Hard leather	2.5	Swivel	Non-display	*
		Hard leather case with 3 inch swivel belt loop (non-display model)	PMLN8302	Hard leather	3	Swivel	Non-display	*
		Hard leather case with 3 inch Fixed Belt Loop (non-display model)	PMLN8304	Hard leather	3	Fixed	Non-display	*
		Replacement 2.5 inch swivel belt loop	PMLN5610	Hard leather	2.5	Swivel	Display/non display	
		Replacement 3 inch leather swivel belt loop	PMLN5611	Hard leather	3	Swivel	Display/non display	
		Spring action 2 inch belt clip	PMLN4651	Plastic	2		Display/non display	
		Spring action 2.5 inch belt clip	PMLN7008	Plastic	2.5		Display/non display	

Leather carry cases

Carrying cases are available in sizes designed to fit your radio and battery while allowing clear audio transmissions. This leather case with 3-inch fixed belt loop is designed to work with the R7 non display radio. The D - rings allow the cases to be attached to a radio carrying strap

PMLN8304
(Radio is sold separately)




Programming cables

COMPATIBILITY		ACCESSORY	
PORTABLE RADIOS		DESCRIPTION	PART NUMBER
R7		Mini GCAI Interface cable connects the radio to your computer through the USB port. Allows full rate data transfer such as audio recordings from the device to the computer.	PMKN4265

COMPATIBILITY		ACCESSORY		FEATURES
PORTABLE RADIOS		DESCRIPTION	PART NUMBER	MATERIAL
R7		Waterproof bag with large strap for securely carrying motorola two-way radios	HLN9985	
		Universal chest pack with radio holder, pen holder and velcro secured pouch	HLN6602	
		Adjustable nylon carrying strap	NTN5243	Nylon
		Leather radio strap	RLN6486	Leather
		Leather radio strap - XL	RLN6487	Leather
		Anti-sway strap for leather radio straps	RLN6488	Leather
		Nylon wrist strap for securely carrying motorola two-way radios	PMLN6074	Nylon
		Mini GCAI Dust Cover Whenever, accessory is not in use, users are advised to install dust cover	PMHN4429	Plastic

Screen protectors

Protect your radio screen from scratches with our clear screen protector.

COMPATIBILITY		ACCESSORY	
PORTABLE RADIOS		DESCRIPTION	PART NUMBER
R7		Screen Protector, Clear (single pack - Qty 1)	AY000808A01
		Screen Protector, Clear (bulk pack - Qty 10)	AY000808A02
		Screen Protector, Clear (bulk pack - Qty 50)	AY000808A03



MOTOTRBO R7 radio accessories

Carry solutions

Choose from plastic carry cases and belt clips, all designed for easy yet secure access to the MOTOTRBO Ion radio when wearing it on the waist or hip - so your team can stay hands free and focused on the task ahead.

COMPATIBILITY	ACCESSORY		FEATURES		
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP / CLIP DIMENSION (INCHES)	SWIVEL / FIXED
Ion	 Plastic Carry Case with 2.5in Fixed-Angle Spring-Action Belt Clip	PMLN8126	Plastic	2.5	Fixed
	 Plastic Carry Case with 2.5in Hard Leather Swivel Belt Loop	PMLN8127	Plastic	2.5	Swivel
	 Replacement 2in Fixed Angle Spring-Action Belt Clip	PMLN4651	Plastic	2	Fixed
	 Replacement 2.5in Fixed Angle Spring-Action Belt Clip	PMLN7008	Plastic	2.5	Fixed
	 Replacement 2.5in Hard Leather Swivel Belt Loop	PMLN5407	Leather	2.5	Swivel
	 Replacement 3in Hard Leather Swivel Belt Loop	PMLN5409	Leather	3	Swivel

Programming cables

COMPATIBILITY	ACCESSORY	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER
Ion	 Mini GCAI Interface cable connects the radio to your computer through the USB port. Allows full rate data transfer such as audio recordings from the device to the computer.	PMKN4265
	 UL Certified Programming/Data Cable	PMKN4230



Carry case with 2.5" fixed belt clip (radio sold separately)

MOTOTRBO ION plastic carry case

The lightweight, plastic carry cases simplify one handed device access without compromising device security so your hands are free and information is within reach. A quick connect 2.5 in fixed belt clip or swivel belt loop also allows you to easily disconnect and quickly retrieve your radio when needed. The swivel belt loops enable rotation of the radio to a comfortable position, while belt clips will hold your MOTOTRBO Ion securely on your waist.

Key features

- Secure retention allows simple one hand device access
- Design protects MOTOTRBO Ion's touch screen by keeping it facing in on the belt
- Built-in audio ports enable you to leave your radio in the case for audio applications without degrading device transmit and receive performance
- Accommodates connection of all compatible audio accessories



Carry case with 2.5in swivel belt loop (radio sold separately)



MOTOTRBO R7 & ION portable radio accessories

Antennas

Motorola Solutions’ redesigned antennas provide convenience without compromising performance. Shorter and more compliant conforming to the user than other MOTOTRBO antennas, MOTOTRBO Ion antennas are comfortable to wear and easier to use without snagging on clothing.

COMPATIBILITY	ACCESSORY		FEATURES			
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	LENGTH (CM)	TYPE
R7 Ion	 UHF SHORT stubby antenna (400-450 MHz)	AN000350A01	UHF	400-450	6	Short stubby
	 UHF SHORT stubby antenna (400-527 MHz)	AN000351A01	UHF	440-490	6	Short stubby
	 UHF stubby wideband (400-527 MHz)	AN000348A01	UHF	400-527	9	Stubby
Ion	 8/900 whip antenna (806-941 MHz)	AN000415A01	800/900	806-941	14	Whip

Antennas accessories

COMPATIBILITY	ACCESSORY	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER
R7 Ion	 Gray antenna ID bands (pack of 10pcs)	32012144001
	 Yellow antenna ID bands (pack of 10pcs)	32012144002
	 Green antenna ID bands (pack of 10pcs)	32012144003
	 Blue antenna ID bands (pack of 10pcs)	32012144004
	 Purple antenna ID bands (pack of 10pcs)	32012144005

COMPATIBILITY	ACCESSORY		FEATURES				
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	LENGTH (CM)	TYPE	
R7		UHF/GPS combination wideband slim whip antenna (400-527 MHz)	PMAE4079	UHF	403-527	15	Whip
		VHF/GPS combination helical antenna (136-155 MHz)	PMAD4117	VHF	136-155	15	Helical
		VHF/GPS combination helical antenna (144-165 MHz)	PMAD4116	VHF	144-165	15	Helical
		VHF/GPS combination helical antenna (152-174 MHz)	PMAD4118	VHF	152-174	15	Helical
		VHF/GPS combination wideband slim whip antenna (400-527 MHz)	PMAD4147	VHF	136-174	20	Whip
		UHF/GPS combination stubby antenna (400-450 MHz)	PMAE4069	UHF	403-450	9	Stubby
		UHF/GPS combination stubby antenna (440-490 MHz)	PMAE4070	UHF	440-490	9	Stubby
		UHF/GPS combination stubby antenna (470-527 MHz)	PMAE4071	UHF	470-527	9	Stubby
		VHF/GPS combination stubby antenna (136-148 MHz)	PMAD4119	VHF	136-148	9	Stubby
		VHF/GPS combination stubby antenna (146-160 MHz)	PMAD4120	VHF	146-160	9	Stubby
		VHF stubby antenna (160-174 MHz)	PMAD4121	VHF	403-433	9	Stubby
		800 MHz flexible whip antenna (806-870 MHz)	PMAF4011	800/ 900 MHz	806-870	16.4	Whip
		900 MHz flexible whip antenna (896-941 MHz)	PMAF4012	800/ 900 MHz	896-941	14	Whip
		800/900 stubby antenna (806-870 MHz)	PMAF4009	800/ 900 MHz	806-870	12	Short whip
		800/900 stubby antenna (896-941 MHz)	PMAF4010	800/ 900 MHz	896-941	11.2	Short whip





MOTOTRBO portable radio accessories



Operations critical performance focused on durability and flexibility to keep you connected, productive and safe on the job

MOTOTRBO™ radios are already best-in-class, but to help you work at your best, you need enhancements targeted to your specific workplace. Motorola Solutions has developed an expansive line of accessories, with unique features designed to optimize the performance of your radio in your work environment.

Motorola’s exclusive energy and audio features are made for operation critical jobs

IMPRES™ batteries and chargers: your battery, safer, smarter, powered for longer
Eliminate the guesswork and get more from every battery. Maximize every charge and eliminate the surprise of “low battery alerts” with IMPRES Audio solutions. IMPRES chargers tell you exactly how much capacity is in an IMPRES battery before you attach it to your radio and exactly when an IMPRES battery has reached the end of service life. Enjoy 43% longer battery life from IMPRES over non-IMPRES batteries – without spending time and effort on maintenance or record keeping. With IMPRES Battery Fleet Management Software, you can check the status of 25 or 25,000 batteries at a glance, from one computer, giving you the power to manage your complex power solutions.

IMPRES™ audio
Make sure every word is heard regardless of the level or direction you’re speaking into the accessory. Eliminate repeating yourself with clear audio every time from Motorola exclusive IMPRES Audio technology. Whether you need to talk loudly or quietly, into or away from the accessory, IMPRES Audio lowers the loud talker level and raises the soft talker level automatically so listeners do not have to adjust the volume depending on who is talking. Policing a busy airport, fixing equipment on a noisy production floor or assisting guests in a quiet hotel, IMPRES Audio promises a high quality communication experience.

Flexible and customizable: accessorize your device to maximize comfort and usability

Operations critical wireless: your radio, unleashed
Work with your radio like never before. Place your radio on a desk or cart, in a purse, medical bag or backpack and converse seamlessly with your wireless earpiece up to 30 feet away from your radio. Put your wireless PTT where you want to – on a clipboard, steering wheel or coat pocket – without wires getting in the way. Motorola Bluetooth enabled radios allow both an Operations Critical Wireless PTT and audio accessory to be connected and used at the same time. And Operations Critical Wireless accessories last up to 10 hours – up to 3 times the battery life of commercial Bluetooth® headsets.



Motorola solutions exclusive audio features that ensure your message is heard in the most demanding work conditions

IMPRES™ Audio: i hear you, however you speak
ensure your voice is heard clearer, crisper, and louder regardless of level or direction you’re speaking into the accessory.

Intelligent audio: your calls, always at the perfect volume
set your volume once and depend on your accessory to listen for changes in background noise, adjusting the volume automatically so you hear every call.

Dual microphone audio: I hear you, even when you can’t hear yourself
virtually block out all background noise in demanding and extreme noise environments so you can always communicate clearly.

Windporting and noise-canceling audio: i hear you, not the wind
reduce the effect of wind and other outdoor noises so your messages are always heard clearly.



What are the benefits of the industrial noise-canceling (Inc) remote speaker microphone?

Suppresses high noise so you hear clearly – The dual-microphone design suppresses background noise so your message gets through. The large 1-watt speaker delivers the loudest, clearest audio available – up to 25% more than other MOTOTRBO RSMs.

Wear it while you work and communicate freely – Best practices is always to speak directly into your RSM. This is especially important in high noise environments. In moderate noise environments the INC RSM allows you to clip the RSM to your shoulder or lapel and talk freely with a touch of the prominent push-to-talk button.

Easy to clean dirt, grit and debris – Debris and fine particles can clog remote speaker microphones and reduce the quality of your voice transmissions. With the INC RSM, simply vacuum out the speaker grill (when dry), then brush out the debris using soapy water, rinse and you are ready to go.

> [Experience Dual-Microphone Noise Suppression](#)

Which microphone is right for me?

Windporting – for outdoor, demanding weather, high winds, rain (keep on the shoulder or in front of your mouth).

> hear the difference windporting makes

Industrial noise-canceling (dual microphone noise suppression)
– loud, industrial, outdoor, rain, dusty/dirty environments. To optimize its noise suppression capabilities, hold the RSM 1" directly in front of your mouth or turn your head toward the RSM on your shoulder and speak into the closest microphone on the RSM; also washable.

Noise-canceling – noisy, indoor environments. To optimize its noise reduction capabilities, hold the microphone in the correct use position directly in front of your mouth, facing the source of the noise (as shown in photo).

MOTOTRBO portable radio accessories

Remote speaker microphones

Our robust portfolio of remote speaker microphones and secondary audio accessories are engineered to give you clearer communications even in loud environments. All remote speaker microphones are built with top quality materials including durable Kevlar® cables that survive tough working conditions.

COMPATIBILITY	ACCESSORY		FEATURES									VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.						
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	WINDPORTING, NOISE-CANCELING OR DUAL MIC. NOISE SUPPRESSION	VOLUME CONTROL (HIGH/LOW)	PROGRAMMABLE/ ORANGE BUTTON	AUDIO JACK (3.5 MM)	IP RATING	HAZLOC CAPABLE**	DIMENSIONS (MM) H X L X D	TRANSPORT- ATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
XPR 6000 Series	 Windporting Remote Speaker Microphone, small (IP54)	PMMN4024		•	Windporting				IP54	UL	Small 55 x 60 x 27 (without clip)	•	•	•		•	•	•
	 IMPRES Windporting Remote Speaker Microphone, small (IP54)	PMMN4025	•	•	Windporting				IP54	UL	Small 55 x 60 x 27 (without clip)	•	•	•		•	•	•

**HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.



MOTOTRBO portable radio accessories

Remote speaker microphones

Our robust portfolio of Remote Speaker Microphones and secondary audio accessories are engineered to give you clearer communications even in loud environments. All remote speaker microphones are built with top quality materials including durable Kevlar® cables that survive tough working conditions.

COMPATIBILITY		ACCESSORY		FEATURES									VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.							
PORTABLE RADIOS		DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	WINDPORTING, NOISE-CANCELING OR DUAL MIC. NOISE SUPPRESSION	VOLUME CONTROL (HIGH/LOW)	PROGRAMMABLE/ ORANGE BUTTON	AUDIO JACK (3.5 MM)	IP RATING	HAZLOC CAPABLE**	DIMENSIONS (MM) H X L X D	TRANSPORT-ATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)	
 XPR 6000 Series		Windporting Remote Speaker Microphone, small, submersible (IP57)	PMMN4040			Windporting					UL	Small 55 x 60 x 27 (without clip)								
		IMPRES Windporting Remote Speaker Microphone, large, submersible (IP57)	PMMN4046			Windporting					UL	Large 60 x 78 x 28 (without clip)								
		IMPRES Noise-Canceling Remote Speaker Microphone, large (IP54)	PMMN4050			Noise-Canceling					UL	Large 60 x 78 x 28 (without clip)								
		IMPRES Industrial Noise-Canceling (INC) Dual Mic. Noise Suppression Remote Speaker Microphone, submersible (IP57)	NNTN8382			Dual Mic. Noise Suppression						UL	Large 60 x 78 x 28 (without clip)							
		IMPRES Industrial Noise-Canceling (INC) Dual Mic. Noise Suppression Remote Speaker Microphone (IP54)	NNTN8383			Dual Mic. Noise Suppression					UL	Large 60 x 78 x 28 (without clip)								
 DP4000 EX Series		IMPRES Windporting Remote Speaker Microphone (IP64)	PMMN4067			Windporting					ATEX	Large 60 x 78 x 28 (without clip)								
		IMPRES ATEX Active Noise-Canceling Remote Speaker Microphone with Large front PTT and Side PTT (IP67)	PMMN4094			Noise-Canceling				Nexus and 3.5mm locking		ATEX	Large 68 x 94 x 29 (without clip)							
		IMPRES ATEX Omni Remote Speaker Microphone with Large front PTT and side PTT (IP67)	PMMN4110			Windporting			Nexus and 3.5mm locking		ATEX	Large 68 x 94 x 29 (without clip)								
 XPR 7000e Series		IMPRES Active Noise-Canceling Remote Speaker Microphone with Large front PTT and Side PTT (IP67)	PMMN4102			Noise-Canceling			Nexus and 3.5mm locking		UL	Large 68 x 94 x 29 (without clip)								
		IMPRES Omni Remote Speaker Microphone with Large front PTT and Side PTT (IP67)	PMMN4113			Windporting				Nexus and 3.5mm locking		UL	Large 68 x 94 x 29 (without clip)							
		IMPRES Windporting Remote Speaker Microphone, large, submersible (IP68)	PMMN4099			Windporting					UL	Large 60 x 78 x 28 (without clip)								

**HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.





MOTOTRBO portable radio accessories

Remote speaker microphones

Our robust portfolio of Remote Speaker Microphones and secondary audio accessories are engineered to give you clearer communications even in loud environments. All remote speaker microphones are built with top quality materials including durable Kevlar® cables that survive tough working conditions.

COMPATIBILITY	ACCESSORY		FEATURES									VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.						
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	WINDPORTING, NOISE-CANCELING OR DUAL MIC. NOISE SUPPRESSION	VOLUME CONTROL (HIGH/LOW)	PROGRAMMABLE BUTTON	AUDIO JACK (3.5 MM)	IP RATING	HAZLOC CAPABLE**	DIMENSIONS (MM) H X L X D	TRANSPORT-ATION AND LOGISTICS	MANUFACT-URING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
 DP3000e Series  XPR 3000 Series XPR 3000e Series	 IMPRES noise-canceling remote speaker microphone, large (IP54)	PMMN4071	•		Noise-canceling				IP54	UL	Large 60 x 78 x 28 (without clip)		•				•	•
	 IMPRES windporting remote speaker microphone, small (IP55)	PMMN4073	•		Windporting				IP55	UL	Small 55 x 60 x 27 (without clip)	•		•		•	•	•
	 Windporting remote speaker microphone, small, submersible (IP57)	PMMN4075		•	Windporting				IP57	UL	Small 55 x 60 x 27 (without clip)	•		•		•		
	 Windporting remote speaker microphone, small (IP54)	PMMN4076		•	Windporting				IP54	UL	Small 55 x 60 x 27 (without clip)	•		•		•	•	•
	 Windporting remote speaker microphone, small (IP67)	PMMN4108	•	•	Windporting				IP67		Large 60 x 78 x 28 (without clip)	•	•			•	•	•
SL Series	 RM250 wired remote speaker microphone, large (IP67)	PMMN4125		•	Windporting				IP67		Large 58 x 84 x 24 (without clip)	•	•			•	•	•

**HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.





MOTOTRBO portable radio accessories

Remote speaker microphones accessories with standard 3.5MM jack

These earpieces give you the flexibility to receive radio communications more discreetly.

COMPATIBILITY	ACCESSORY			FEATURES	
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	HAZLOC CAPABLE**
 AUDIO JACK (3.5 MM)		Receive-Only Covered Earbud with Coiled Cord	AARLN4885/ MDRLN4885	Foam Covered Earbud	UL
 DP3000e Series		Receive-Only Earpiece with Translucent Tube and Rubber Eartip	RLN4941/ MDRLN4941	Clear Rubber Eartip	UL
 XPR 3000 XPR 3000e Series		Receive-Only Earpiece with Translucent Tube and Rubber Eartip	PMLN7560	Clear Rubber Eartip	
 XPR 6000 Series		Receive-Only Flexible Earpiece	WADN4190	Over-the-Ear	UL
 XPR 7000 XPR 7000e Series		Receive-Only D-Shell Earpiece	PMLN4620	Over-the-Ear	UL
		D-Shell Adjustable Earpiece	PMLN7396	Over-the-Ear	
 XPR 6000 Series		Replacement Coil Cord Kit for PMMN4024 and PMMN4040	RLN6074		
		Replacement Coil Cord Kit for PMMN4025, PMMN4046 and PMMN4050	RLN6075		
 DP4000 EX Series XPR 7000e Series		Translucent Tube (RX only) for PMMN4094, PMMN4110, PMMN4102 and PMMN4113	PMLN7188	Clear Rubber Eartip	ATEX

**HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.

Remote speaker microphone accessories with threaded 3.5MM jack

COMPATIBILITY	ACCESSORY		FEATURES	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	HAZLOC CAPABLE**
 REMOTE SPEAKER MICROPHONE  XPR 6000 Series  XPR 7000 XPR 7000e Series	 One-wire Flexible Ear Receiver, Black. Compatible with NNTN8383 only	BDN6719	Over-the-Ear	UL
	 One-wire Earpiece, Black. Compatible with NNTN8383 only	BDN6726	Over-the-Ear	UL

**HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.

