

Catalog

Fire exit



MOTOTRBO two-way radio accessories

Unleash the power
of your radio



Table of contents

MOTOTRBO R7 & Ion portable radio accessories	2	MOTOTRBO portable radio accessories	17	MOTOTRBO mobile radio accessories	57
MOTOTRBO R5 radio accessories	3	Remote speaker microphones (RSM)	19	Microphones	59
Remote speaker microphones (RSM)	4	Remote speaker microphones accessories with standard 3.5mm jack	22	Microphone accessories	60
Operations critical wireless bluetooth accessories	4	Remote speaker microphones accessories with threaded 3.5mm	22	External push-to-talk (PTT)	60
Surveillance accessories and earpieces	5	Public safety microphone antennas	23	Long range wireless mobile accessory kits	61
Remote speaker microphones accessories with standard 3.5mm jack	5	Public safety microphones	24	Long range wireless chargers and replacement parts	62
Surveillance accessory replacement kits	6	Surveillance accessories and earpieces	25	Operations critical wireless bluetooth® accessories	63
Remote speaker microphones replacement kits	6	Surveillance accessory replacement kits	27	Operations critical wireless replacement parts	65
Headsets	7	Earpieces	29	Control station accessories	66
3M Peltor headsets	7	Mag One™ earpieces	29	Installation and mounting accessories	67
Ptt adapter configurations	7	Headsets	30	External speakers	67
Batteries	8	Tactical headsets	31	Cables	68
Charging solutions (single unit)	9	Mag one™ headsets	31	Antennas	69
Charging solutions (multi-unit)	10	Heavy duty headsets	32	Antenna accessories	72
Charging solutions replacement kits	11	Audio accessory adapters	32		
Vehicle charging solutions	12	3M Peltor headsets	33	Glossary	73
Impres battery management tools	13	PTT adapter configurations	33		
Carry solutions	14	3M Peltor headsets – RSM configurations	34		
Programming cables	14	Headset replacement parts	34		
Screen protectors	14	Hearing protection accessories	34		
Antennas	16	Operations critical wireless bluetooth® accessories	35		
Antennas accessories	16	Enhanced operations critical wireless	38		
		Operations critical wireless completely discreet kit	38		
		Operations critical wireless replacement parts	39		
		Motorola original® two-way radio batteries	40		
		Charger solutions	43		
		IMPRES battery management tools	46		
		Carry solutions	47		
		Screen protectors	50		
		Antennas	50		
		Antenna accessories	55		
		Programming cables	56		





MOTOTRBO R5 portable radio accessories

MOTOTRBO R5 accessories

Remote Speaker Microphones

MOTOTRBO R5 connects teams, helping boost efficiency and safety with clear, loud audio that cuts through background noise and intuitive status indications and controls so workers can focus on their tasks, all in a tough, compact device that’s built to last. The RM560 and RM530 features the AI trained noise suppression feature which minimizes the background noise for clearer communication. This is a compact and durable windporting remote speaker microphone.

COMPATIBILITY	ACCESSORY		FEATURES												
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	AI-TRAINED SUPPRESSION	WINDPORTING, NOISE-CANCELING OR DUAL MIC. NOISE SUPPRESSION	FULL DUPLEX WITH ION (for telephony call)	SYSTEM VOLUME CONTROL (STEPS)	PROGRAMMABLE BUTTON	Emergency	AUDIO JACK (3.5 MM)	IP RATING	HAZLOC CAPABLE**	WORK WHEN WET	DIMENSIONS (MM) H X W X D
 R5	 RM560 IMPRES windporting remote speaker, large (IP67)	PMMN4170	•	•	•	Windporting with Noise Suppression				•	•	IP67	UL	•	Large 61*85*26 (without clip)
	 RM530 IMPRES windporting remote speaker, small (IP67)	PMMN4171	•	•	•	Windporting with Noise Suppression				•	•	IP67	UL		Small 59*78*22 (without clip)

Remote speaker microphones replacement kits and optional 3.5mm earpieces

COMPATIBILITY	ACCESSORY	
RSMS	DESCRIPTION	PART NUMBER
 RM560  RM530	 Low profile swivel clip	PMLN8121
	 Replacement dust cover (10 per pack)	PMLN8122
	 Receive-only loud audio earpiece with translucent tube, 3.5mm jack	PMLN8120
	 Receive-only loud audio earpiece with translucent tube, 3.5mm jack	PMLN8652

**HazLoc Details: For more information on which accessories are approved by Underwriters’ Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.



MOTOTRBO R5 accessories

Remote speaker microphones

Our robust portfolio of Remote Speaker Microphones and secondary audio accessories are engineered to give you clearer communications even in loud environments. All remote speaker microphones are built with top quality materials including durable Kevlar® cables that survive tough working conditions.

[illegible]

Operations critical wireless Bluetooth® accessories

COMPATIBILITY	ACCESSORY		FEATURES												
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	FULL DUPLEX WITH Ion (for telephony call)	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	DIMENSIONS (MM) H X L X D	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TOUCH / STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	IP RATING	HAZLOG CAPABLE**
 R5	 WM500 Wireless Remote Speaker Microphone (compatible with PMLN7560 3.5mm earpiece)	PMMN4127	N/A	Omni directional, Windporting	 (With Ion only)	On Microphone	18	2	128	80 x 57.5 x 24.5	Operations Critical	standard	30	IP67	N/A

****HazLoc Details:** For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.

MOTOTRBO R5 accessories

WP300 Wireless Bluetooth PTT POD

WP300 enables instant, intuitive and efficient Push-to-Talk communication, giving users the flexibility to radio call functionalities when paired with the MOTOTRBO devices

WP300 works as remote PTT POD device or as audio device when earpiece is attached. Provides wireless control even if radio is out of reach.

*WP300 is not offer in EMEA due to R5 do not offer Bluetooth model in EMEA

COMPATIBILITY	ACCESSORY		FEATURES										
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	PTT	EMERGENCY BUTTON	VOLUME CONTROL (HIGH/LOW)	Programmable Button	AUDIO JACK (3.5mm)	NFC	TOUCH / STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	IP RATING	TALK TIME (HOURS) 5/5/90 DUTY CYCLE
 R5	 WP300 Wireless Bluetooth PTT POD PMLN8298 ¹			•	•	•	Call Button/ Multifunctional Button (MFB)	•	•	Standard Pairing	30m	IP67 (Pod alone with dust cover)	18 hours
	 WP300 Wireless Bluetooth PTT POD with Surveillance Earpiece PMLN8401 ¹		Clear rubber eartip	•	•	•	Call Button/ Multifunctional Button (MFB)	•	•	Standard Pairing	30m	IP67 (Pod alone with dust cover)	18 hours

¹ Requires R5 radio with software version R02.25.02.1000 and beyond.

WP300 OVERVIEW



The QR barcode above can be used for users to scan and access the “Accessory Manager” App from the Google Play Store to upgrade the WP300 firmware to the latest version. (The Apple App Store version will be available in a future release) .

COMPATIBILITY	ACCESSORY		FEATURES	
WP300 OPTIONAL PARTS (EARPIECES)				
ACCESSORY	DESCRIPTION		PART NUMBER	EARPIECE TYPE
WP300		Surveillance Earpiece with Translucent Tube	PMLN8190	Clear rubber eartip
		Swivel Earpiece with Eartip, Short Cord	PMLN8125	Over the ear
		Swivel Earpiece with Eartip, Long Cord	PMLN8077	Over the ear
WP300 OPTIONAL PARTS (MOUNTING ACCESSORY)				
WP300		Vehicle Mount Option	PMLN8332	
WP300 REPLACEMENT PARTS				
WP300		Swivel Clip	PMLN6246	
		Replacement eartip (5 per pack), Small	PMLN8068	
		Replacement eartip (5 per pack), Medium	PMLN8069	
		Replacement eartip (5 per pack), Large	PMLN8070	
		Replacement translucent tube	PMLN8092	




Vehicle Mount option allows direct attachment to the steering wheel, motorcycle/bicycle handlebar. The hand does not have to leave the steering wheel or handlebar while pressing the PTT Button



MOTOTRBO R5 accessories

Surveillance accessories and earpieces

COMPATIBILITY	ACCESSORY		FEATURES								VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.							
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	AI-TRAINED SUPPRESSION	INTELLIGENT AUDIO	EARPIECE TYPE	MICROPHONE	PTT	PROGRAMMABLE BUTTON	HAZLOC CAPABLE**	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
 R5		IMPRES 2-Wire Surveillance Kit with Translucent Tube, Black	PMLN7269ANS				Clear rubber eartip											
		2-Wire Surveillance Kit with Translucent Tube, Beige	PMLN7270				Clear rubber eartip											
		IMPRES 3-Wire Surveillance Kit with Quick Disconnect Translucent Tube, Black	PMLN6754				Clear rubber eartip											
		IMPRES 3-Wire Surveillance Kit with Quick Disconnect Translucent Tube, Beige	PMLN6755				Clear rubber eartip											
		Mag One earbud with in-line Microphone and Push-to-Talk	PMLN5733				Earbud	In-line Microphone	In-line PTT									
		Mag One Swivel Earpiece in-line Microphone and Push-to-Talk	PMLN5727				Over-the ear	In-line Microphone	In-line PTT		UL							
		Mag One Earset with Boom Microphone and In-Line Push-To-Talk	PMLN5732				Earset	Boom	In-line PTT									
		Adjustable D-style earpiece with in-line microphone and Push-t-talk	PMLN6757				Adjustable D-Style	In-line Microphone	In-line PTT									

**HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.



MOTOTRBO R5 accessories

Remote speaker microphones accessories with standard 3.5MM jack

These earpieces give you the flexibility to receive radio communications more discreetly.

COMPATIBILITY	ACCESSORY		FEATURES		
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	HAZLOC CAPABLE**	COMPATIBLE EARPIECES
R5	 Receive-Only Covered Earbud with Coiled Cord	AARLN4885/ MDRLN4885	Foam Covered Earbud	UL	
	 Receive-Only Earpiece with Translucent Tube and Rubber Eartip	RLN4941/ MDRLN4941	Clear Rubber Eartip	UL	
	 Receive-Only Earpiece with Translucent Tube and Rubber Eartip	PMLN7560	Clear Rubber Eartip		
	 Receive-Only Flexible Earpiece	WADN4190	Over-the-Ear	UL	
	 Receive-Only D-Shell Earpiece	PMLN4620	Over-the-Ear	UL	
	 D-Shell Adjustable Earpiece	PMLN7396	Over-the-Ear		
	 Replacement quick disconnect translucent tube with 1 clear rubber eartip (replacement for PMLN5724/26)	HKLN4608	Clear rubber eartip		PMLN5724 PMLN5726
	 Low noise kit with translucent tube and 1 clear rubber eartip Note: for high noise kit solution combine low noise kit and 5080384f72 replacement foam plugs	RLN6242	Clear rubber eartip		PMLN6123 PMLN6124 PMLN6125 PMLN6126 PLMN6127 PMLN6128 PMLN6129 PMLN6130 NNTN8459 RLN4941 PMLN7269 PMLN7270 PMLN6754 PMLN6755 PMLN7157 PMLN7158 PMLN7560
	 Replacement standard clear rubber eartip. Pack of 50	RLN6282	Clear rubber eartip		PMLN5111 PMLN5112 PMLN6123 PMLN6124 PMLN6125 PMLN6126 PLMN6127 PMLN6128 PMLN6129 PMLN6130 NNTN8459 RLN5882 RLN5883 RLN4941 PMLN7269 PMLN7270 PMLN6754 PMLN6755 PMLN7157 PMLN7158 PMLN7560 PMLN7188
	 Replacement foam plugs for RLN6242. Noise reduction = 24 dB. Pack of 50 pairs	5080384F72	Foam eartip		

**HazLoc Details: For more information on which accessories are approved by Underwriters’ Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.



MOTOTRBO portable radio accessories

Surveillance accessory replacement kits

COMPATIBILITY	ACCESSORY		FEATURES	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KITS
R5	Small custom earpiece - right ear	RLN4760	Custom earpiece	RLN6242
	 Medium custom earpiece - right ear	RLN4761	Custom earpiece	
	Large custom earpiece - right ear	RLN4762	Custom earpiece	
	Small custom earpiece - left ear	RLN4763	Custom earpiece	
	 Medium custom earpiece - left ear	RLN4764	Custom earpiece	
	Large custom earpiece - left ear	RLN4765	Custom earpiece	
	Clear EP7-small hearing protectors [sonic defenders] ultra earplugs noise reduction =28 dB	RLN6511	Comply™ foam eartip	RLN5313 RLN5314 RLN4941 NNTN8459 RLN5882 RLN5883 PMLN6123 PMLN6124 PMLN6125 PMLN6126 PMLN6127 PMLN6128 PMLN6129 PMLN6130 PMLN7269 PMLN7270 PMLN6754 PMLN6755 PMLN7157 PMLN7158 PMLN7560 RLN6242
	 Clear EP7-medium hearing protectors [sonic defenders] ultra earplugs noise reduction =28 dB	RLN6512	Comply™ foam eartip	
	Clear EP7-large hearing protectors [sonic defenders] ultra earplugs noise reduction =28 dB	RLN6513	Comply™ foam eartip	

Optimized for digital

Make sure to only use Motorola approved and certified MOTOTRBO audio accessories, as these accessories have been optimized for performance in both digital and analog modes. You may experience chopper noise if Motorola digital approved accessories are not used.

> [See what Chopper Noise sounds like](#)





MOTOTRBO R5 accessories

Headsets

COMPATIBILITY	ACCESSORY		FEATURES									VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.							
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	HEADSET TYPE	EARPIECE STYLE	IMPRES	INTELLIGENT AUDIO	NOISE REDUCTION RATING	MICROPHONE	PTT	WEIGHT	HAZLOC CAPABLE**	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)	
R5	 Lightweight over-the-head headset single muff with in-line push-to-talk and boom microphone	PMLN6635	Over-the-head	Single-ear				Boom	In-line	Lightweight	UL			•	•		•	•	•
	 Heavy duty behind-the-head headset with noise-canceling boom microphone (see user guide for replacement parts)	PMLN6760	Behind-the-head	Dual-muff		•	24 dB	Boom	On ear cup	Heavy duty		•	•	•	•				
	 Heavy duty behind-the-head headset with noise-canceling boom microphone	PMLN6763	Behind-the-head	Dual-muff		•	24 dB	Boom	On ear cup	Heavy duty	UL	•	•	•	•				
	 Heavy duty over-the-head headset with noise-canceling boom microphone (see user guide for replacement parts)	PMLN7464	Over-the-head	Dual-muff		•	24 dB	Boom	On ear cup	Heavy duty		•	•	•	•				
	 Heavy duty over-the-head headset with noise-canceling boom microphone (see user guide for replacement parts)	PMLN7465	Over-the-head	Dual-muff		•	24 dB	Boom	On ear cup	Heavy duty	UL	•	•	•	•				
	 Mag one ultra-lite behind-the-head headset (replacement parts: 6104000k01 – windscreen; 4204005k01 – clothing clip)	PMLN6761	Behind-the-head	Single-ear		•		Boom	In-line	Ultra lightweight				•	•		•	•	•
	 Impres temple transducer with boom microphone and in-line push-to-talk	PMLN6759	Behind-the-head	Bone conduction		•	•		Boom	In-line	Lightweight		•	•	•		•	•	•

**HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.



MOTOTRBO R5 accessories

Carry solutions

Secure your R5 radio with a variety of attachment options including high quality leather cases and belt clips.

COMPATIBILITY	ACCESSORY		FEATURES				
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP / CLIP DIMENSION (INCHES)	SWIVEL / FIXED	DISPLAY / NON- DISPLAY	D - RINGS
R5	 Hard leather case with 3 inch fixed belt loop (display model)	PMLN8662	Hard leather	3	Swivel	Display	*
	 Hard leather case with 3 inch fixed belt loop (display model)	PMLN8663	Hard leather	3	Fixed	Display	*
	 Nylon case with 3 inch fixed belt loop (display model)	PMLN8664	Nylon	3	Fixed	Display	*
	 Hard leather case with 3 inch swivel belt loop (non-display model)	PMLN8665	Hard leather	3	Swivel	Non-display	*
	 Hard leather case with 3 inch Fixed Belt Loop (non-display model)	PMLN8666	Hard leather	3	Fixed	Non-display	*
	 Nylon case with 3 inch Fixed Belt Loop (non-display model)	PMLN8667	Nylon	3	Fixed	Non-display	
	 Replacement 2.5 inch swivel belt loop	PMLN5610	Hard leather	2.5	Swivel	Display/non display	
	 Replacement 3 inch leather swivel belt loop	PMLN5611	Hard leather	3	Swivel	Display/non display	
	 Spring action 2 inch belt clip	PMLN4651	Plastic	2		Display/non display	
	 Spring action 2.5 inch belt clip	PMLN7008	Plastic	2.5		Display/non display	

Programming cables and Miscellaneous accessories

COMPATIBILITY	ACCESSORY	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER
R5	 Portable Programming Cable (USB)	PMKN4115
	 Programming, Test, and Alignment Cable	PMKN4117
	 Dust Cover	0104058J40

COMPATIBILITY	ACCESSORY		FEATURES
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	MATERIAL
R5	 Waterproof bag with large strap for securely carrying motorola two-way radios	HLN9985	
	 Adjustable nylon carrying strap	NTN5243	Nylon
	 Leather radio strap	RLN6486	Leather
	 Leather radio strap - XL	RLN6487	Leather
	 Anti-sway strap for leather radio straps	RLN6488	Leather

COMPATIBILITY	ACCESSORY	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER
R5	 NFC KIT	PMLN8671
	 RFID TAG KIT (EU)	PMLN8672
	 RFID TAG KIT (US)	PMLN8673



MOTOTRBO R5 Antennas

COMPATIBILITY	ACCESSORY	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER
R5	 Gray antenna ID bands (pack of 10pcs)	32012144001
	 Yellow antenna ID bands (pack of 10pcs)	32012144002
	 Green antenna ID bands (pack of 10pcs)	32012144003
	 Blue antenna ID bands (pack of 10pcs)	32012144004
	 Purple antenna ID bands (pack of 10pcs)	32012144005

COMPATIBILITY	ACCESSORY		FEATURES				
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	LENGTH (CM)	TYPE
R5		UHF/GPS combination wideband slim whip antenna (400-527 MHz)	PMAE4079	UHF	403-527	15	Whip
		VHF/GPS combination helical antenna (136-155 MHz)	PMAD4117	VHF	136-155	15	Helical
		VHF/GPS combination helical antenna (144-165 MHz)	PMAD4116	VHF	144-165	15	Helical
		VHF/GPS combination helical antenna (152-174 MHz)	PMAD4118	VHF	152-174	15	Helical
		VHF/GPS combination wideband slim whip antenna (400-527 MHz)	PMAD4147	VHF	136-174	20	Whip
		UHF/GPS combination stubby antenna (400-450 MHz)	PMAE4069	UHF	403-450	9	Stubby
		UHF/GPS combination stubby antenna (440-490 MHz)	PMAE4070	UHF	440-490	9	Stubby
		UHF/GPS combination stubby antenna (470-527 MHz)	PMAE4071	UHF	470-527	9	Stubby
		VHF/GPS combination stubby antenna (136-148 MHz)	PMAD4119	VHF	136-148	9	Stubby
		VHF/GPS combination stubby antenna (146-160 MHz)	PMAD4120	VHF	146-160	9	Stubby
		VHF stubby antenna (160-174 MHz)	PMAD4121	VHF	403-433	9	Stubby
		UHF stubby wideband (400-527 MHz)	AN000348A01	UHF	400-527	9	Stubby



MOTOTRBO R5 accessories

Multi-Unit Chargers

COMPATIBILITY	ACCESSORY		FEATURES				
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS
 R5	IMPRES Multi-Unit Charger	PMPN4283		Li-Ion, NiMh	100-240 VAC	117 x 445 x 170	6
	IMPRES Multi-Unit Charger, US/NA Plug	PMPN4284		Li-Ion, NiMh	100-240 VAC	117 x 445 x 170	6
	IMPRES Multi-Unit Charger, EU Plug	PMPN4289		Li-Ion, NiMh	100-240 VAC	117 x 445 x 170	6
	IMPRES Multi-Unit Charger, UK/HK Plug	PMPN4290		Li-Ion, NiMh	100-240 VAC	117 x 445 x 170	6
	IMPRES Multi-Unit Charger, ARG Plug	PMPN4291		Li-Ion, NiMh	100-240 VAC	117 x 445 x 170	6
	IMPRES Multi-Unit Charger, BZ Plug	PMPN4292		Li-Ion, NiMh	100-240 VAC	117 x 445 x 170	6
	IMPRES Multi-Unit Charger, AUS/NZ Plug	PMPN4293		Li-Ion, NiMh	100-240 VAC	117 x 445 x 170	6
	IMPRES Multi-Unit Charger, KOR Plug	PMPN4294		Li-Ion, NiMh	100-240 VAC	117 x 445 x 170	6
	IMPRES Multi-Unit Charger, JP Plug	PMPN4295		Li-Ion, NiMh	100-240 VAC	117 x 445 x 170	6
	IMPRES Multi-Unit Charger, CN Plug	PMPN4296		Li-Ion, NiMh	100-240 VAC	117 x 445 x 170	6
	IMPRES Multi-Unit Charger, TW Plug	PMPN4462		Li-Ion, NiMh	100-240 VAC	117 x 445 x 170	6
	IMPRES Multi-Unit Charger, BIS Plug	PMPN4610		Li-Ion, NiMh	100-240 VAC	117 x 445 x 170	6



MOTOTRBO R5 accessories

Single-Unit Chargers

COMPATIBILITY	ACCESSORY		FEATURES				
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS
 R5	Single-Unit Charger Base Only	NNTN8117		Li-Ion, NiMh		26 x 115 x 114	1
	Single Unit Charger, 1.25A, China Plug	NNTN8224		Li-Ion, NiMh	230 VAC	26 x 115 x 114	1
	Single Unit Charger, 1.25A, US/NA Plug	NNTN8226		Li-Ion, NiMh	115 VAC	26 x 115 x 114	1
	Single-Unit Charger with Power Supply, Switch-Mode 21W, EU Plug	NNTN8273		Li-Ion, NiMh	240 VAC	26 x 115 x 114	1
	Single-Unit Charger with Power Supply, Switch-Mode 21W, UK/HK Plug	NNTN8274		Li-Ion, NiMh	240 VAC	26 x 115 x 114	1
	IMPRES Single-Unit Charger Base Only	PMPN4527		Li-Ion, NiMh		51 x 88 x 94	1
	IMPRES Single-Unit Charger, UK/HK Plug	PMPN4572		Li-Ion, NiMh	240 VAC	51 x 88 x 94	1
	IMPRES Single-Unit Charger, US/NA/TW Plug	PMPN4576		Li-Ion, NiMh	120 VAC	51 x 88 x 94	1
	IMPRES Single-Unit Charger, EU Plug	PMPN4577		Li-Ion, NiMh	240 VAC	51 x 88 x 94	1
	IMPRES Single-Unit Charger, JP Plug	PMPN4578		Li-Ion, NiMh	100- 240 VAC	51 x 88 x 94	1
	IMPRES Single-Unit Charger. CH Plug	PMPN4579		Li-Ion, NiMh	240 VAC	51 x 88 x 94	1
	IMPRES Single-Unit Charger, India Plug	PMPN4582		Li-Ion, NiMh	100- 240 VAC	51 x 88 x 94	1
	IMPRES Single-Unit Charger, KOR Plug	PMPN4574		Li-Ion, NiMh	240 VAC	51 x 88 x 94	1
	Single-Unit Charger, 1.25A, EU/EA Plug	NNTN8292		Li-Ion, NiMh	230 VAC	26 x 115 x 114	1
	IMPRES Single-Unit Charger, AUS/NZ Plug	PMPN4571		Li-Ion, NiMh	240 VAC	51 x 88 x 94	1
	IMPRES Single-Unit Charger Base Only	NNTN8117ASP01		Li-Ion, NiMh		47 x 114 x 115	1

MOTOTRBO R5 accessories

Vehicle Charging Solutions

COMPATIBILITY	ACCESSORY		FEATURES				
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS
 R 5		IMPRES Vehicular Charger Kit	NNTN7616		Li-Ion, NiMh	Hard wired to the vehicle battery	133 x 88 x 88

Replacement Power Supply Units - Single Unit Chargers

COMPATIBILITY	ACCESSORY		FEATURES	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	POWER SOURCE	
 R5		Power Supply Adaptor, AC/DC, 14.5V/1.15A, US/NA/TW/JP Plug	PS000577A01	120 VAC
		Power Supply Adaptor, AC/DC Fixed Blade,14.5V/1.15A, US/NA Plug	PS000576A21	120 VAC
		Power Supply Adaptor, AC/DC Fixed Blade, 14.5V/1.15A, EU Plug	PS000576A02	100-240 VAC
		Power Supply Adaptor, AC/DC Fixed Blade, 14.5V/1.15A, UK/HK Plug	PS000576A03	100-240 VAC
		Power Supply Adaptor, AC/DC Fixed Blade, 14.5V/1.15A, AUS/NZ	PS000576A04	N/A
		Power Supply Adaptor, AC/DC Fixed Blade, 14.5V/1.15A, ARG Plug	PS000576A05	N/A
		Power Supply Adaptor, AC/DC Fixed Blade, 14.5V/1.15A, CH Plug	PS000576A06	N/A
		Power Supply Adaptor, AC/DC Fixed Blade, 14.5V/1.15A, KOR Plug	PS000576A07	N/A
		Power Supply Adaptor, AC/DC Fixed Blade, 14.5V/1.15A, BRZ Plug	PS000576A08	N/A
		Power Supply Adaptor, AC/DC Fixed Blade, 14.5V/1.15A, India Plug	PS000576A09	N/A



MOTOTRBO R5 accessories

Batteries

COMPATIBILITY	ACCESSORY		FEATURES							
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	TYPICAL CAPACITY (mAh)	DIMENSIONS (MM) H X L X D	WEIGHT (GRAMS)	HAZLOC CAPABLE**	IP RATING	OPERATING TEMPERATURE (DISCHARGE)
 R5	 Li-Ion IP67 2400 mAh (EMEA AND APAC ONLY)	PMNN4878		Li-Ion	2400	122 x 55 x 24	144		IP67	-20°C to 60°C
	 IMPRES Slim Li-Ion IP67 2200 mAh	PMNN4888		Li-Ion	2200	122 x 55 x 18	120		IP67	-20°C to 60°C
	 IMPRES High Capacity Li-Ion IP67 3200 mAh	PMNN4889		Li-Ion	3200	122 x 55 x 24	148		IP67	-20°C to 60°C
	 IMPRES UL High Capacity Li-Ion IP67 3200 mAh	PMNN4890		Li-Ion	3200	122 x 55 x 24	162	UL	IP67	-20°C to 60°C

**HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.





MOTOTRBO R7 & MOTOTRBO Ion portable radio accessories

MOTOTRBO R7 & Ion radio accessories

Remote Speaker Microphones

The MOTOTRBO Ion has a re-engineered accessory port that adds more robustness and longevity when connected to remote speaker microphones and other compatible accessories.

COMPATIBILITY		ACCESSORY		FEATURES									
PORTABLE RADIOS		DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	WINDPORTING, NOISE-CANCELING OR DUAL MIC. NOISE SUPPRESSION	FULL DUPLEX WITH ION (for telephony call)	SYSTEM VOLUME CONTROL (STEPS)	PROGRAMMABLE BUTTON	AUDIO JACK (3.5 MM)	IP RATING	HAZLOC CAPABLE**	DIMENSIONS (MM) H X W X D
R7 Ion		 RM780 IMPRES windporting remote speaker microphone, large, work-when-wet, IP68	PMMN4128	•	•	Windporting with noise suppression	•2	•	2 programmable + 1 emergency	•	IP68	UL	Large 77 x 58 x 25 (without clip)
		 RM760 IMPRES windporting remote speaker microphone, large basic, work-when-wet, IP68	PMMN4140 ¹	•	•	Windporting with noise suppression	•2			•	IP68	UL	Large 77 x 58 x 25 (without clip)
		 RM730 IMPRES windporting remote speaker microphone, small, IP68	PMMN4131 ¹	•	•	Windporting with noise suppression	•2		Emergency	•	IP68	UL	Small 70 x 55 x 22 (without clip)

New GCAI Mini Connector
Compact wired accessory connector



Operations critical wireless Bluetooth® accessories

COMPATIBILITY	ACCESSORY		FEATURES													
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	FULL DUPLEX WITH Ion (for telephony call)	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	DIMENSIONS (MM) H X L X D	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TOUCH / STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	IP RATING	HAZLOC CAPABLE**	
R7 Ion	 WM500 Wireless Remote Speaker Microphone (compatible with PMLN7560 3.5mm earpiece) (Requires minimum firmware of R04.00.00)	PMMN4127	N/A	Omni directional, Windporting	 (With Ion only)	On Microphone	18	2	128	80 x 57.5 x 24.5	Operations Critical	standard	30	IP67	N/A	
Ion	 Operation critical wireless bluetooth earpiece with PTT	PMLN8123	Over-the-ear (swivel)	Boom	 (With Ion only)	On Boom Mic	8	3	23	107 x 72 x 26	Operations Critical	standard	30	N/A	N/A	

Verify the firmware on the WM500 RSM and update the firmware to R04.00.00 by downloading the Accessory Manager App, found in the Google Play Store or Apple App store.



Scan QR Code to
download the Accessory
Manager Application

Loud and Clear Audio

When pairing a RM780, RM760, or RM730 remote speaker microphone with the R7 radio, the enhanced single input noise cancelling feature will suppress the background noise for clearer communication.

Innovative audio technology enables you to hear and be heard over crowd noise, machinery and blaring sirens. Motorola Solutions’ wind and water shielding technology ensures audio is loud and clear.

Rugged and dependable, the RM series remote speaker microphones are IP68 rated for use in harsh environments and weather. The RM780 and RM760 also meet the work-when-wet requirements having enhanced water drainage and top quality materials to ensure you get the best audio experience.



Intelligent audio: your calls, always at the perfect volume

Set your volume once and depend on your accessory to listen for changes in background noise, adjusting the volume automatically.



RM780 RSM

**HazLoc Details: For more information on which accessories are approved by Underwriters’ Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.
¹ Requires ION radio with software version M-Ion.2022.03 and beyond.
² RSMs above require to use PMLN8120 3.5mm earpiece in order to operate a telephony call when connecting to Ion radio.



MOTOTRBO R7 Radio Accessories

Remote Speaker Microphones

The NS750 IMPRES Remote Speaker Microphone (RSM) is built for frontline workers in tough, loud, mission critical environments. It is built with windporting microphones that cancel the mechanical effects that wind has on the microphone. With additional advantage of an omnidirectional microphone is its able to capture noise from every direction. Smart audio switching allows audio to be easily switched between the RSM audio and the secondary earpiece or headset.

COMPATIBILITY	ACCESSORY		FEATURES									
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	WINDPORTING, NOISE-CANCELING OR DUAL MIC. NOISE SUPPRESSION	SMART AUDIO SWITCHING (RSM <-> NEXUS)	Work-When-Wet	PROGRAMMABLE BUTTON	AUDIO JACK (3.5 MM)	IP RATING	HAZLOC CAPABLE**	DIMENSIONS (MM) H X W X D
R7	 NS750 IMPRES™ Omni-Directional Remote Speaker Microphone with Large Front PTT and Side PTT*	PMMN4150 (long cable) PMMN4151 (short cable)	•	•	Windporting with noise suppression	•	•	1 programmable + 1 emergency	•	IP68	UL	94 x 68 x 45 (without clip)
	 NS750 IMPRES™ Omni-Directional Remote Speaker Microphone with Large Front PTT and Side PTT	PMMN4150_BLK (long cable) PMMN4151_BLK (short cable)	•	•	Windporting with noise suppression	•	•	1 programmable + 1 emergency	•	IP68	UL	94 x 68 x 45 (without clip)

NS750 Remote Speaker Microphone Secondary Audio Accessories

COMPATIBILITY	ACCESSORY		FEATURES			
REMOTE SPEAKER MICROPHONE	DESCRIPTION	PART NUMBER	AUDIO JACK (3.5 MM)	NEXUS CONNECTOR	Transmit/Receive	HAZLOC CAPABLE**
NS750	 Earpiece with Translucent Tube and Eartip	PMLN7188	•		Transmit only	UL
	 Savox HC-1 helmet communications headset with bone mic and single speaker	GMMN4585		•	Transmit & Receive	
	 Savox HC-2 helmet communications headset with bone mic and dual speaker	GMMN4584		•	Transmit & Receive	
	 Over The Head Headset with Nexus Connector	PMLN8265		•	Transmit & Receive	
	 Backend Headset with Nexus Connector	PMLN8266		•	Transmit & Receive	
	 Hard Hat Attached with Nexus Connector	PMLN8267		•	Transmit & Receive	

*Available in EMEA only
**HazLoc Details: For more information on which accessories are approved by Underwriters’ Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.

ADD-ON ACCESSORIES & REPLACEMENT PARTS

FOR THE COLOR IDENTIFICATION LABEL
Further organise your devices across your workforce with the NS750’s colour identification labels, making it easier to separate and understand various teams, functions or roles.

	PMLN8466: (Red, 10 pcs/pack)
	PMLN8468: (Yellow, 10 pcs/pack)
	PMLN8465: (Blue, 10 pcs/pack)
	PMLN8469: (Silver 10 pcs/pack)
	PMLN8464: (Green, 10 pcs/pack)
	PMLN8523: (Orange 10 pcs/pack)
	0104068J78 Replacement Swivel Clip



The NS750 RSM is designed for ease of use featuring dual textured push-to-talk (PTT) buttons and optional colour identification labels to go over the front PTT button to help identify various teams and their responsibilities. With this RSM, you can communicate with clarity and ease across the frontline to efficiently and effectively get the job done.



MOTOTRBO R7 accessories

WP300 Wireless Bluetooth PTT POD

WP300 enables instant, intuitive and efficient Push-to Talk communication, giving users the flexibility to radio call functionalities when paired with the MOTOTRBO devices WP300 works as a remote PTT POD device or as an audio device when an earpiece is attached. It also provides wireless control even if radio is out of reach.

COMPATIBILITY	ACCESSORY		FEATURES											
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	PTT	EMERGENCY BUTTON	VOLUME CONTROL (HIGH/LOW)	Programmable Button	AUDIO JACK (3.5mm)	NFC	TOUCH / STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	IP RATING	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	
R7	 WP300 Wireless Bluetooth PTT POD PMLN8298 ¹			•	•	•	Call Button/ Multifunctional Button (MFB)	•	•	Standard Pairing	30m	IP67 (Pod alone with dust cover)	18 hours	
	 WP300 Wireless Bluetooth PTT POD with Surveillance Earpiece PMLN8401 ¹		Clear rubber eartip	•	•	•	Call Button/ Multifunctional Button (MFB)	•	•	Standard Pairing	30m	IP67 (Pod alone with dust cover)	18 hours	

¹ Requires R7 radio with software version R02.25.02.1000 and beyond.



The QR barcode above can be used for users to scan and access the “Accessory Manager” App from the Google Play Store to upgrade the WP300 firmware to the latest version. (The Apple App Store version will be available in a future release) .


WP300 OVERVIEW

COMPATIBILITY	ACCESSORY		FEATURES	
WP300 OPTIONAL PARTS (EARPIECES)				
ACCESSORY	DESCRIPTION		PART NUMBER	EARPIECE TYPE
WP300		Surveillance Earpiece with Translucent Tube	PMLN8190	Clear rubber eartip
		Swivel Earpiece with Eartip, Short Cord	PMLN8125	Over the ear
		Swivel Earpiece with Eartip, Long Cord	PMLN8077	Over the ear
WP300 OPTIONAL PARTS (MOUNTING ACCESSORY)				
WP300		Vehicle Mount Option	PMLN8332	
WP300 REPLACEMENT PARTS				
WP300		Swivel Clip	PMLN6246	
		Replacement eartip (5 per pack), Small	PMLN8068	
		Replacement eartip (5 per pack), Medium	PMLN8069	
		Replacement eartip (5 per pack), Large	PMLN8070	
		Replacement translucent tube	PMLN8092	



MOTOTRBO R7 & Ion radio accessories

Surveillance accessories and earpieces

COMPATIBILITY		ACCESSORY		FEATURES								VERTICAL MARKETS: Recommendations based on typical use case for each vertical listed.						
PORTABLE RADIOS		DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	FULL DUPLEX WITH Ion (for telephony calls)	EARPIECE TYPE	MICROPHONE	PTT	PROGRAMMABLE BUTTON	HAZLOC CAPABLE**	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (campuses)
R7 Ion		 IMPRES™ 1-wire surveillance kit with translucent tube, extra loud audio, black	PMLN8341	•	•	• (With Ion only)	Clear rubber eartip				UL	•	•	•		•	•	•
		 IMPRES™ 2-wire surveillance kit with translucent tube, extra loud audio, black	PMLN8342	•	•	• (With Ion only)	Clear rubber eartip				UL	•	•	•		•	•	•
		 IMPRES™ 3-wire surveillance kit with translucent tube, extra loud audio, black	PMLN8343	•	•	• (With Ion only)	Clear rubber eartip				UL	•	•	•		•	•	•
		 IMPRES™ 2-wire swivel earhook with removable eartip, loud audio, black	PMLN8295 ¹	•	•	• (With Ion only)	Removable black rubber eartip				UL	•	•	•		•	•	•
		 IMPRES™ 1-wire single earbud with removable earhook, loud audio, black	PMLN8337 ¹	•	•	• (With Ion only)	Single earbud					•	•	•		•	•	•
R7		 IMPRES™ 1-wire surveillance kit with translucent tube, loud audio, black	PMLN8644	•	•		Translucent tube					•	•	•		•	•	•
		 IMPRES™ 2-wire surveillance kit with translucent tube, loud audio, black	PMLN8645	•	•		Translucent tube					•	•	•		•	•	•
		 IMPRES™ 3-wire surveillance kit with translucent tube, loud audio, black	PMLN8646	•	•		Translucent tube					•	•	•		•	•	•

¹ Requires Ion radio with software version M-Ion.2022.03 and beyond.

Remote speaker microphones accessories with standard 3.5mm jack

these earpieces give you the flexibility to receive radio communications more discreetly.

COMPATIBILITY		ACCESSORY		FEATURES	
RSMS		DESCRIPTION	PART NUMBER	EARPIECE TYPE	HAZLOC CAPABLE**
RM780 RM760 RM730		 Receive-only earpiece with translucent tube, loud audio (for PMMN4128, PMMN4140 & PMMN4131)	PMLN8120	Clear rubber eartip	UL
		 Receive-only earpiece with translucent tube and rubber eartip (for PMMN4127)	PMLN7560	Clear rubber eartip	
WM500					

**HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.

