

LocalMart / GreenMart Complete Schema & Module Reference

Use this as your UI design blueprint. Every model = a screen or component.

Modules Overview

Module	What it handles	Key Screens
identity	Auth, OTP, sessions	Login, OTP verify, user profile
store	Store CRUD, hours	Store list, store detail, hours editor
store-catalog	Store approval workflow	Approval queue, review store
catalog	Categories, products, variants	Category tree, product list, product detail
inventory	Stock levels, adjustments	Inventory table, stock adjustment
order	Cart → Checkout → Order	Cart, checkout, order list, order detail
fulfillment	Takeaway / delivery	Fulfillment status
payment	Razorpay, settlements	Payment history, settlement report
commission	Rules engine	Commission rules list, rule editor
billing	Invoices, fee plans	Invoice list, billing config
ratings	Reviews, moderation	Review list, moderation queue
delivery-fleet	Riders (Phase 2)	Rider list, assignment
notification	FCM, SMS, email	Notification logs, templates
merchandising	Sales, carousels, themes	Banner editor, sale editor, theme config
admin / admin-ops	Approval queue, ops	Admin dashboard, ops tools
search	Meilisearch (stubbed)	Search bar
platform-config	Cities, zones, settings	City/zone editor, platform settings

All Models & Fields

§ 1 Geography & Platform Config

City

Field	Type	Notes
id	UUID	PK
name	String	City name
state	String	
country	String	Default: "India"
timezone	String	Default: "Asia/Kolkata"
status	CityStatus	PLANNED / PILOT / ACTIVE / PAUSED / INACTIVE
launchDate	Date?	
currencyCode	String	Default: "INR"
defaultCommissionPercent	Decimal?	
isDeliveryFleetEnabled	Boolean	

Zone

Field	Type	Notes
id	UUID	PK
cityId	UUID	FK → City
name	String	
code	String	Unique per city

Field	Type	Notes
colorHex	String?	For map display
isActive	Boolean	
defaultCommissionPercent	Decimal?	
storeCount	Int	Cached count

CommissionRule

Field	Type	Notes
id	UUID	PK
cityId	UUID?	Scope: city-level
zoneId	UUID?	Scope: zone-level
categoryId	UUID?	Scope: category-level
storeId	UUID?	Scope: store-level
commissionPercent	Decimal	
effectiveFrom	DateTime	
effectiveTo	DateTime?	
reason	String?	

PlatformFeePlan

Field	Type	Notes
id	UUID	PK
cityId	UUID?	
name	String	Plan display name
planType	PlatformFeePlanType	FLAT_MONTHLY / COMMISSION_BASED / HYBRID
monthlyFee	Decimal?	
setupFee	Decimal?	
billingFrequency	BillingFrequency	MONTHLY / QUARTERLY
isActive	Boolean	
effectiveFrom / effectiveTo	Date	

PlatformSetting

Field	Type	Notes
key	String	Unique key
value	Json	Any JSON value
description	String?	

StoreBilling (per store billing config)

Field	Type	Notes
storeId	UUID	Unique FK 'Store'
platformFeePlanId	UUID	FK 'PlatformFeePlan'
gstNumber	String?	
gstRegistered	Boolean	
panNumber	String?	
billingCycleDay	Int	1-28
billingEmail	String?	
invoicePrefix	String?	
autoDebitConsent	Boolean	
payoutAccountId	UUID?	FK 'PayoutAccount'

ðŸ“„ Invoice (Platform billing Store)

Field	Type	Notes
invoiceNumber	String	Unique
periodStart / periodEnd	Date	Billing period
commissionTotal	Decimal	
platformFeeTotal	Decimal	
cgstAmount / sgstAmount / igstAmount	Decimal	GST breakdown
netPayable	Decimal	
status	InvoiceStatus	DRAFT / ISSUED / PAID / OVERDUE / WAIVED
dueDate	Date	
pdfUrl	String?	

Â§ 2 â€” Identity & Access

ðŸ‘¤ User

Field	Type	Notes
id	UUID	PK
phoneNumber	String	Unique, login identifier
name	String?	
email	String?	
role	UserRole	CUSTOMER / STORE_OWNER / DELIVERY_PARTNER / ADMIN
authProvider	AuthProvider	PHONE_OTP / GOOGLE
isBlocked	Boolean	
blockedReason	String?	

ðŸª StoreOwner (extends User)

Field	Type	Notes
userId	UUID	Unique FK â†’ User
kycStatus	KycStatus	NOT_STARTED / PENDING / VERIFIED / REJECTED
verifiedAt	DateTime?	

ðŸª AdminUser (extends User)

Field	Type	Notes
userId	UUID	Unique FK â†’ User
adminRole	AdminRole	SUPER_ADMIN / OPS / SUPPORT / FINANCE
permissions	Json?	Custom permission overrides
isActive	Boolean	

ðŸ“± Device

Field	Type	Notes
userId	UUID	FK â†’ User
pushToken	String?	FCM token
platform	DevicePlatform	IOS / ANDROID / WEB
lastActiveAt	DateTime?	
isActive	Boolean	

ðŸ”“ Session (append-only)

Field	Type	Notes
userId	UUID	
deviceId	UUID?	
refreshTokenHash	String	
issuedAt / expiresAt	DateTime	
revokedAt	DateTime?	
ipAddress	String?	

ðŸ“Ž Document

Field	Type	Notes
ownerType	DocumentOwnerType	STORE_OWNER / STORE / DELIVERY_PARTNER / ADMIN
ownerId	UUID	
docType	DocType	PAN / GST_CERTIFICATE / SHOP_LICENSE / AADHAAR / BANK_PROOF / VEHICLE_RC / DRIVING_LICENSE / PROFILE_PHOTO / OTHER
fileUrl	String	S3/R2 URL
verificationStatus	DocumentVerificationStatus	PENDING / VERIFIED / REJECTED
rejectionReason	String?	
expiresAt	Date?	

ðŸ’³ PayoutAccount

Field	Type	Notes
ownerType	PayoutAccountOwnerType	STORE / DELIVERY_PARTNER
ownerId	UUID	
accountType	PayoutAccountType	BANK / UPI
accountHolderName	String?	
accountNumberMasked	String?	
ifscCode	String?	
upiVpa	String?	
isPrimary	Boolean	
verificationStatus	PayoutVerificationStatus	PENDING / VERIFIED / FAILED

Â§ 3 â€” Store & Catalog

ðŸ–Œ Store

Field	Type	Notes
ownerUserId	UUID	FK â†’ User
cityId / zoneId	UUID	Location
storeCode	String	Unique code
name	String	Store display name
description	String?	
businessCategoryId	UUID	FK â†’ Category (top-level)
address	String	
status	StoreStatus	DRAFT / PENDING / LIVE / SUSPENDED / REJECTED
rejectionReason	String?	
onboardingSource	OnboardingSource	SELF_SERVE / ASSISTED_FIELD_AGENT
photos	Json?	Array of image URLs
takeawayEnabled	Boolean	
deliveryEnabled	Boolean	
deliveryRadiusKm	Decimal?	
deliveryFee	Decimal?	
avgPrepTimeMinutes	Int?	

Field	Type	Notes
isTemporarilyPaused	Boolean	
effectiveCommissionPercent	Decimal?	Cached commission

ðŸ“• StoreOperatingHour

Field	Type	Notes
storeId	UUID	
dayOfWeek	Int	0=Sun, 1=Mon ... 6=Sat
openTime / closeTime	String?	"HH:MM" format
isClosed	Boolean	

ðŸ““... StoreHourException

Field	Type	Notes
storeId	UUID	
exceptionDate	Date	Specific date override
isClosed	Boolean	
openTime / closeTime	String?	
reason	String?	Holiday, etc.

ðŸ““, Category (hierarchical tree)

Field	Type	Notes
parentCategoryId	UUID?	Null = root/vertical
name	String	
iconUrl	String?	
translations	Json?	i18n
sortOrder	Int	Display order
isActive	Boolean	

ðŸ““! Product

Field	Type	Notes
storeId / categoryId	UUID	FK
name	String	
description	String?	
sku	String?	
basePrice	Decimal	
isService	Boolean	Physical vs service
hsnCode	String?	Tax code
gstRatePercent	Decimal	Default 0
minOrderQty	Int	Default 1
images	Json?	Array of URLs
attributes	Json?	Custom attributes
isActive	Boolean	
effectiveSalePrice	Decimal?	Computed sale price
saleBadgeText	String?	e.g. "20% OFF"

ðŸ“”€ ProductVariant

Field	Type	Notes
productId	UUID	FK â†’ Product
variantName	String	e.g. "500ml", "Red-L"
sku	String?	
priceOverride	Decimal?	Override base price
isActive	Boolean	

Â§ 4 â€” Inventory

ðŸ“Š Inventory

Field	Type	Notes
productVariantId	UUID	Unique FK
quantity	Int	Available stock
reservedQuantity	Int	Held for active orders
lowStockThreshold	Int	Alert trigger
autoDisableAtZero	Boolean	Auto-hide when 0

ðŸ“Š InventoryAdjustment (append-only)

Field	Type	Notes
inventoryId	UUID	
changeQty	Int	+/- delta
previousQty / newQty	Int	Before/after
reason	InventoryAdjustmentReason	SALE / RESTOCK / MANUAL / CORRECTION / ORDER_CANCELLED_RELEASE
relatedOrderId	UUID?	Linked order if SALE

Â§ 5 â€” Cart & Orders

ðŸ›’ Cart

Field	Type	Notes
customerId	UUID	FK â†’ User
storeId	UUID	One cart per store
status	CartStatus	ACTIVE / CONVERTED / ABANDONED

ðŸ›’ CartItem

Field	Type	Notes
cartId / productVariantId	UUID	
quantity	Int	
priceAtAdd	Decimal	Locked price

ðŸ“ˆ Order

Field	Type	Notes
orderNumber	String	Unique human-readable
channel	OrderChannel	APP / POS
customerId	UUID?	Null for POS walk-in
recordedByUserId	UUID?	POS staff member
storeId / cityId / zoneId	UUID	

Field	Type	Notes
fulfillmentType	FulfillmentType	TAKEAWAY / STORE_DELIVERY / PLATFORM_DELIVERY
status	OrderStatus	PLACED â†’ ACCEPTED â†’ PREPARING â†’ READY_FOR_PICKUP â†’ OUT_FOR_DELIVERY â†’ COMPLETED / CANCELLED
subtotal / deliveryFee / totalAmount	Decimal	
commissionPercent / commissionAmount	Decimal	Snapshot at order time
paymentMethod	PaymentMethod	UPI / CARD / COD / PAY_AT_PICKUP
placedAt / acceptedAt / readyAt / completedAt	DateTime?	Timestamps per stage
cancelledReason	String?	

ðŸ“„ SalesInvoice (Store â†’ Customer)

Field	Type	Notes
orderId	UUID	Unique, 1-to-1 with Order
invoiceNumber	String	Unique
gstAmount	Decimal	
totalAmount	Decimal	
pdfUrl	String?	
issuedAt	DateTime	

ðŸ“„ Refund

Field	Type	Notes
orderId	UUID	
paymentId	UUID?	
amount	Decimal	
reason	String	
status	RefundStatus	INITIATED / PROCESSING / COMPLETED / FAILED
gatewayRefundId	String?	

Â§ 6 â€” Payments & Settlements

ðŸ“³ Payment (append-only)

Field	Type	Notes
orderId	UUID	
gatewayPaymentId	String?	Razorpay ID
amount	Decimal	
status	PaymentStatus	INITIATED / SUCCESS / FAILED / REFUNDED
method	PaymentGatewayMethod	UPI / CARD / COD
gatewayResponse	Json?	Raw gateway payload

ðŸ“¡ Settlement

Field	Type	Notes
storeId	UUID	
periodStart / periodEnd	Date	Settlement window
grossSales	Decimal	
commissionDeducted	Decimal	
platformFeeDeducted	Decimal	
netPayable	Decimal	Amount to pay store

Field	Type	Notes
payoutAccountId	UUID	PENDING / INITIATED / COMPLETED / FAILED Bank/UPI ref
payoutStatus	PayoutStatus	
payoutReference	String?	

7
 Ratings & Reviews

Review

Field	Type	Notes
orderId	UUID	1 review per order
storeId / customerId	UUID	
rating	Int	1–5 stars
reviewText	String?	
images	Json?	
storeReplyText	String?	Store's reply
isFlagged	Boolean	Reported by user
moderationStatus	ModerationStatus	NONE / PENDING / APPROVED / REJECTED

8
 Delivery Fleet (Phase 2)

DeliveryPartner

Field	Type	Notes
userId	UUID	Unique FK to User
zoneId	UUID?	Assigned zone
vehicleType	VehicleType	BIKE / SCOOTER / BICYCLE / ON_FOOT
vehicleNumber	String?	
kycStatus	KycStatus	
status	DeliveryPartnerStatus	PENDING / ACTIVE / INACTIVE / SUSPENDED
ratingAvg	Decimal?	
totalDeliveries	Int	

DeliveryAssignment

Field	Type	Notes
orderId	UUID	Unique
deliveryPartnerId	UUID	
assignedAt / pickedUpAt / deliveredAt	DateTime?	
distanceKm	Decimal?	
payoutAmount	Decimal?	Rider's cut
riderRating	Int?	1–5

9
 Notifications

NotificationTemplate

Field	Type	Notes
eventKey	String	e.g. "ORDER_PLACED"
channel	NotificationChannel	PUSH / SMS / EMAIL
language	String	Default "en"

Field	Type	Notes
templateBody	String	Handlebars/mustache template

ðŸ“¬ NotificationLog (append-only)

Field	Type	Notes
userId	UUID	Recipient
templateId	UUID	
channel	NotificationChannel	
status	NotificationStatus	SENT / FAILED
relatedEntityType / relatedEntityId	String/UUID?	e.g. Order ID

ðŸ”” NotificationPreference

Field	Type	Notes
userId	UUID	
channel	NotificationChannel	
category	NotificationCategory	ORDER_UPDATES / LOW_STOCK / BILLING / MARKETING
isEnabled	Boolean	User opt-in/out

Â§ 10 â€” Admin / Ops

â€¦ StoreApprovalQueue

Field	Type	Notes
storeId	UUID	
submittedAt	DateTime	
reviewedByAdminId	UUID?	
decision	ApprovalDecision	PENDING / APPROVED / REJECTED
decisionReason	String?	Admin's note
resubmissionCount	Int	How many retries
reviewedAt	DateTime?	

ðŸ“¬ AuditLog (append-only)

Field	Type	Notes
actorUserId	UUID?	Who did it
action	String	e.g. "STORE_APPROVED"
entityType	String	e.g. "Store"
entityId	UUID	What entity
before / after	Json?	Diff snapshot

Â§ 11 â€” Merchandising & Content

ðŸŽ¬ Campaign

Field	Type	Notes
name	String	Campaign name
startsAt / endsAt	DateTime?	
isActive	Boolean	

ðŸ“Œ Sale (Discount rules)

Field	Type	Notes
productId? / storeId? / categoryId?	UUID?	Scope (one of these)
discountType	DiscountType	PERCENT / FLAT_AMOUNT
discountValue	Decimal	e.g. 20 (for 20%)
maxDiscountAmount	Decimal?	Cap for % discounts
initiatedByRole	SaleInitiatedByRole	STORE_OWNER / ADMIN
campaignId	UUID?	
startsAt / endsAt	DateTime	Active window

ðŸ“Œ Carousel (Banner sliders)

Field	Type	Notes
name	String	
placement	CarouselPlacement	APP_HOME_TOP / APP_HOME_MID / WEB_HOME_HERO / STORE_LISTING_TOP / CATEGORY_PAGE_TOP
platform	CarouselPlatform	APP / WEB / BOTH
cityId / zoneId	UUID?	Geo-targeted
campaignId	UUID?	
displayOrder	Int	
autoplayIntervalSeconds	Int?	
startsAt / endsAt	DateTime?	

ðŸ“Œ CarouselSlide

Field	Type	Notes
carouselId	UUID	
imageUrl	String	Banner image
title / subtitle	String?	Overlay text
ctaLabel	String?	Button label
linkType	CarouselSlideLinkType	PRODUCT / CATEGORY / STORE / SALE / EXTERNAL_URL / NONE
linkTargetId	UUID?	ID of linked entity
externalUrl	String?	External link
sortOrder	Int	

ðŸ“Œ Theme

Field	Type	Notes
name	String	
platform	CarouselPlatform	
cityId	UUID?	City-specific theme
isDefault	Boolean	
primaryColorHex / secondaryColorHex / accentColorHex	String?	Brand colors
logoUrl / splashImageUrl / backgroundImageUrl	String?	Assets
campaignId	UUID?	Campaign-linked theme
startsAt / endsAt	DateTime?	

ðŸ“Œ All Enums Quick Reference

Enum	Values
UserRole	CUSTOMER, STORE_OWNER, DELIVERY_PARTNER, ADMIN

Enum	Values
AuthProvider	PHONE_OTP, GOOGLE
KycStatus	NOT_STARTED, PENDING, VERIFIED, REJECTED
AdminRole	SUPER_ADMIN, OPS, SUPPORT, FINANCE
StoreStatus	DRAFT, PENDING, LIVE, SUSPENDED, REJECTED
OrderStatus	PLACED, ACCEPTED, REJECTED, PREPARING, READY_FOR_PICKUP, OUT_FOR_DELIVERY, COMPLETED, CANCELLED
OrderChannel	APP, POS
FulfillmentType	TAKEAWAY, STORE_DELIVERY, PLATFORM_DELIVERY
PaymentMethod	UPI, CARD, COD, PAY_AT_PICKUP
PaymentStatus	INITIATED, SUCCESS, FAILED, REFUNDED
RefundStatus	INITIATED, PROCESSING, COMPLETED, FAILED
InvoiceStatus	DRAFT, ISSUED, PAID, OVERDUE, WAIVED
CartStatus	ACTIVE, CONVERTED, ABANDONED
DiscountType	PERCENT, FLAT_AMOUNT
DocType	PAN, GST_CERTIFICATE, SHOP_LICENSE, AADHAAR, BANK_PROOF, VEHICLE_RC, DRIVING_LICENSE, PROFILE_PHOTO, OTHER
ModerationStatus	NONE, PENDING, APPROVED, REJECTED
CarouselPlacement	APP_HOME_TOP, APP_HOME_MID, WEB_HOME_HERO, STORE_LISTING_TOP, CATEGORY_PAGE_TOP
NotificationChannel	PUSH, SMS, EMAIL
NotificationCategory	ORDER_UPDATES, LOW_STOCK, BILLING, MARKETING

👤–🏠 Suggested UI Screens to Build

Customer-Facing Website (store-web)

1. **Home Page** – Hero carousel + category grid + store listings
2. **Store Listing Page** – Filter by city/zone/category, search
3. **Store Detail Page** – Info, hours, products list
4. **Product Detail** – Variants, price, add to cart
5. **Cart Page** – Items, totals, checkout CTA
6. **Checkout Page** – Address, payment method selection
7. **Order Tracking Page** – Status timeline
8. **Order History** – Past orders
9. **Profile Page** – Name, phone, preferences

Admin Dashboard (admin-web)

1. **Dashboard** – KPI cards: stores, orders, revenue, pending approvals
2. **Store Approval Queue** – List + detail + approve/reject actions
3. **Store Management** – All stores, filter by status/city/zone
4. **User Management** – All users by role
5. **Category Manager** – Tree view, add/edit categories
6. **Commission Rules** – Rules table + rule editor
7. **Fee Plans** – Plan list + creator
8. **Invoice Management** – Invoice list, status filter
9. **Settlement Management** – Settlement list + payout actions
10. **Review Moderation** – Flagged reviews, moderate action
11. **Carousel/Banner Manager** – Placement manager + slide editor
12. **Campaign Manager** – Campaign list + sale rules
13. **Theme Manager** – Color/logo config per city
14. **Notification Templates** – Template editor
15. **Audit Logs** – Searchable activity log
16. **City & Zone Manager** – City list, zone editor
17. **Platform Settings** – Key-value config editor