



API VO



Versions of DMPRoadmap APIs

Currently there are two versions: V0 and V1



| | V0 | V1 |
|---------------------|--|---|
| Purpose | Provides organisational administrators with access to the full text of all of their user's plans | Complies with the RDA Common Standard Metadata schema v1.0 . This schema is a recommendation for the transfer of DMP metadata between systems |
| Endpoints | Plans, Guidance, Templates, Departments and Statistics | Heartbeat, Authenticate, Plans, Templates |
| Requirements | API Access token | API Access token and authentication token |
| Example | GET /api/v0/plans?created_after=2019-01-01 GET /api/v0/departments/users | GET /api/v1/plans/123 GET /api/v1/templates |

<https://github.com/DMPRoadmap/roadmap/wiki/API-V0-Documentation>
<https://github.com/DMPRoadmap/roadmap/wiki/API-Documentation-V1>



How to use the API?

Two methods: RESTED (Firefox extension), command line



How to use API V0 with RESTED and command line

End of result when you run /api/v0/plans



Request

GET https://dmponline.dcc.ac.uk/api/v0/plans/ Send request

Headers ▾

Content-Type application/json

Authorization Token bHiUsjJNwmdq9f9MNUACtg

+ Add header

Basic auth

Response (0.511s) - https://dmponline.dcc.ac.uk/api/v0/plans/

200 OK

Headers >

The response size exceeds 20 KB. Syntax highlighting has been disabled for performance reasons. This value is configurable in the options menu.

```
[ { "id": 12069, "title": "My plan (Horizon 2020 DMP)", "grant_number": null, "last_updated": "2017-06-23 08:23:02 UTC", "creation_date": "2016-08-12 15:09:19 UTC", "test_plan": false, "template": { } } ]
```

Token not Bearer.
API Access token not Authentication token

RESTED has a limited size for results
which can be changed in the settings



Command to run:

```
curl -k -v -H "Accept: application/json" -H "Authorization: Bearer bHiUsjJNwmdq9f9MNUAUctg" https://dmponline.dcc.ac.uk//api/v0/plans
```

End of result when you run /api/v0/plans



- DMPonline usage statistics: <https://dmponline.dcc.ac.uk/usage>
- Dr Christopher Tibbs from Exeter (for usage stats using python script):
https://www.youtube.com/watch?v=oWfPfim_kkg
- Joaquim Phillipson from Stockholm: <https://www.youtube.com/watch?v=jFKLV0VTV-g>
- V0 is used to prefill information and create storage requirements
- Assign users to right department using V0
- Monitor plans to anticipate requests for feedback
- Based on popularity of the template, admins can add more guidance.
- Use it to transfer DMP metadata between systems (using V1 which complies with the required standard)