



API V0



Versions of DMPRoadmap APIs

Currently there are two versions: V0 and V1

APIs | V0 and V1



	V0	V1
Purpose	Provides organisational administrators with access to the full text of all of their user's plans	Complies with the RDA Common Standard Metadata schema v1.0 . This schema is a recommendation for the transfer of DMP metadata between systems
Endpoints	Plans, Guidance, Templates, Departments and Statistics	Heartbeat, Authenticate, Plans, Templates
Requirements	API Access token	API Access token and authentication token
Example	GET /api/v0/plans?created_after=2019-01-01 GET /api/v0/departments/users	GET /api/v1/plans/123 GET /api/v1/templates

<https://github.com/DMPRoadmap/roadmap/wiki/API-V0-Documentation>

<https://github.com/DMPRoadmap/roadmap/wiki/API-Documentation-V1>



How to use the API?

Two methods: RESTED (Firefox extension), command line



How to use API V0 with RESTED and command line



End of result when you run /api/v0/plans

The screenshot displays the RESTED web interface. The 'Request' section at the top shows a GET request to the URL `https://dmponline.dcc.ac.uk/api/v0/plans/`. The 'Headers' section below it contains two entries: 'Content-Type' with the value 'application/json' and 'Authorization' with the value 'Token bHiUsjJNwmdq9f9MNUActg'. A blue 'Send request' button is located to the right of the URL field. Below the request section, the 'Response' section shows a status of '200 OK' and a message indicating that the response size exceeds 20 KB, so syntax highlighting is disabled. The response body is a JSON object:

```
[ { "id": 12069, "title": "My plan (Horizon 2020 DMP)", "grant_number": null, "last_updated": "2017-06-23 08:23:02 UTC", "creation_date": "2016-08-12 15:09:19 UTC", "test_plan": false, "template": {
```

Token not Bearer.
API Access token not Authentication token

RESTED has a limited size for results
which can be changed in the settings



Command to run:

```
curl -k -v -H "Accept: application/json" -H "Authorization: Bearer bHiUsjJNwmdq9f9MNUACtg" https://dmponline.dcc.ac.uk//api/v0/plans
```

End of result when you run /api/v0/plans

```
    },
    {
      "theme": "Metadata & documentation"
    }
  ],
  "answered": true,
  "answer": {
    "text": "<p>dasdas</p>"
  }
}
]
}
]
}
]
}
* Connection #0 to host dmponline.dcc.ac.uk left intact
```



- DMPonline usage statistics: <https://dmponline.dcc.ac.uk/usage>
- Dr Christopher Tibbs from Exeter (for usage stats using python script): https://www.youtube.com/watch?v=oWfPfim_kkg
- Joaquim Phillipson from Stockholm: <https://www.youtube.com/watch?v=jFKLV0VTV-g>
- V0 is used to prefill information and create storage requirements
- Assign users to right department using V0
- Monitor plans to anticipate requests for feedback
- Based on popularity of the template, admins can add more guidance.
- Use it to transfer DMP metadata between systems (using V1 which complies with the required standard)