

APIs Versions



Versions of DMPRoadmap APIs

Currently there are two versions: V0 and V1

APIs V0 and V1

	١
(000)	
	į
1	

	V0	V1
Purpose	Provides organisational administrators with access to the full text of all of their user's plans	Complies with the RDA Common Standard Metadata schema v1.0. This schema is a recommendation for the transfer of DMP metadata between systems
Endpoints	Plans, Guidance, Templates, Departments and Statistics	Heartbeat, Authenticate, Plans, Templates
Requirements	API Access token	API Access token and authentication token
Example	GET /api/v0/plans?created_after=2019-01-01 GET /api/v0/departments/users	GET /api/v1/plans/123 GET /api/v1/templates

https://github.com/DMPRoadmap/roadmap/wiki/API-V0-Documentationhttps://github.com/DMPRoadmap/roadmap/wiki/API-Documentation-V1

APIs Ways to use



How to use the API?

Two methods: RESTED (Firefox extension), command line


APIs Up next



How to use API VO with RESTED and command line

End of result when you run /api/v0/plans







Command to run:

curl -k -v -H "Accept: application/json" -H "Authorization: Bearer bHiUsjJNwmdq9f9MNUACtg" https://dmponline.dcc.ac.uk//api/v0/plans

End of result when you run /api/v0/plans