A. General Information					
1	Project Name	Jefferson Murrieta Bldg B			
2	Run Title	Title 24 Multi Family Compliance			
3	Project Location	Corner of Murrieta Hot Spring Road & Jefferson Road			
4	City	Murrieta	**5**	Standards Version	Compliance 2022
6	Zip code	92562	**7**	Compliance Software (version)	CBECC 2022.3.2 (1369)
8	Climate Zone	10	**9**	Building Orientation (deg)	0
10	Building Type(s)	• High-Rise Residential	**11**	Weather File	RIVERSIDE_STYP20.epw
12	Project Scope	• New complete scope	**13**	Number of Dwelling Units	50
14	Total Conditioned Floor Area in Scope (ft^2)	48159.6	**15**	Total # of hotel/motel rooms	0
16	Total Unconditioned Floor Area (ft^2)	15878.1	**17**	Fuel Type	None
18	Nonresidential Conditioned Floor Area	0	**19**	Total # of Stories (Habitable Above Grade)	4
20	Residential Conditioned Floor Area	48159.6			

B. PROJECT SUMMARY

Table B shows which building components are included in the performance calculation. If indicated as not included, the project must show compliance prescriptively if within the permit application.

Building Components Complying via Performance						**Building Components Complying Prescriptively**	
Envelope (See Table G)	Nonres	Not Included	Solar Thermal Water Heating (See Table I3)	☐	Performance	The following building components are ONLY eligible for prescriptive compliance and should be documented on the NRCC form listed if within the scope of the permit application (i.e. compliance will not be shown on the NRCC-PRF-E).	
	MultiFam	Performance		☒	Not Included		
Mechanical (See Table H)	Nonres	Not Included	Covered Process: Commercial Kitchens (see Table J)	☐	Performance	Indoor Lighting (Unconditioned) 140.6 & 170.2(e)	NRCC-LTI-E is required
	MultiFam	Performance		☒	Not Included	Outdoor Lighting 140.7 & 170.2(e)	NRCC-LTO-E is required
Domestic Hot Water (See Table I)	Nonres	Not Included	Covered Process: Laboratory Exhaust (see Table J)	☐	Performance	Sign Lighting 140.8 & 170.2(e)	NRCC-LTS-E is required
	MultiFam	Performance		☒	Not Included	**Building Components Complying with Mandatory Measures**	
Lighting (Indoor Conditioned, see Table K)	Nonres	Not Included	Photovoltaics (see Table F)	☒	Performance	Electrical power systems, commissioning, solar ready, elevator and escalator requirements are mandatory and should be documented on the NRCC form listed if applicable (i.e. compliance will not be shown on the NRCC-PRF-E.)	
	MultiFam	Performance		☐	Not Included	Electrical Power Distribution 110.11	NRCC-ELC-E is required
			Battery (see Table F)	☐	Performance	Commissioning 120.8	NRCC-CXR-E is required
				☒	Not Included	Solar and Battery 110.10	NRCC-SAB-E is required

C1. COMPLIANCE SUMMARY			
COMPLIES[3]			
	Time Dependent Valuaton (TDV)		**Source Energy Use**
	Efficiency[1] (kBtu/ft² - yr)	**Total[2] (kBtu/ft² - yr)**	**Total[2] (kBtu/ft² - yr)**
Standard Design	80.48	-4.99	2.19
Proposed Design	70.92	-53.24	1.66
Compliance Margins	**9.56**	**48.25**	**0.53**
	Pass	**Pass**	**Pass**

[1] Efficiency measures include improvements like a better building envelope and more efficient equipment

[2] Compliance Totals include efficiency, photovoltaics and batteries

[3] New Construction, Complete Addition Scope: Building complies when all efficiency and total compliance margins are greater than or equal to zero and unmet load hour limits are not exceeded

Existing, Addition and Alteration Scope: Building complies when efficiency compliance margin is greater than or equal to zero and unmet load hour limits are not exceeded

C2. TDV ENERGY COMPLIANCE RESULTS FOR PERFORMANCE COMPONENTS (Annual TDV Energy Use, kBtu/ft^2 - yr)			
COMPLIES[2]			
Energy Component	**Standard Design (TDV)**	**Proposed Design (TDV)**	**Compliance Margin (TDV)[1]**
Space Heating	1.49	1.42	0.07
Space Cooling	21.21	18.78	2.43
Indoor Fans	10.46	7.12	3.34
Heat Rejection	0	0	0
Pumps & Misc.	0.33	0.32	0.01
Domestic Hot Water	23.15	19.44	3.71
Indoor Lighting	23.84	23.84	0
Flexibility	---	---	---
EFFICIENCY COMPLIANCE TOTAL	**80.48**	**70.92**	**9.56 (11.9%)**
Photovoltaics	-77.24	-124.16	46.92
Batteries	-8.23	---	-8.23
TOTAL COMPLIANCE	**-4.99**	**-53.24**	**48.25 (0%)**

[1] *Notes: This number in parenthesis following the Compliance Margin in column 4, represents the Percent Better than Standard.*

C3. TDV ENERGY RESULTS FOR NON-REGULATED COMPONENTS[1]			
Non-Regulated Energy Component	**Standard Design (TDV)**	**Proposed Design (TDV)**	**Compliance Margin (TDV)[1]**
Receptacle	45.45	45.45	---
Process	46.3	46.27	0.03
Other Ltg	8.38	8.38	---
Process Motors	7.24	7.24	---
TOTAL (TOTAL COMPLIANCE + NON-REGULATED COMPONENTS)	**102.38**	**54.1**	**48.28 (47.2%)**
[1] *Notes: This table is not used for Energy Code Compliance.*			

C4. SOURCE ENERGY COMPLIANCE RESULTS FOR PERFORMANCE COMPONENTS (Annual SOURCE Energy Use, kBtu/ft² /yr)

COMPLIES[2]

Energy Component	Standard Design (SOURCE)	Proposed Design (SOURCE)	Compliance Margin (SOURCE)[1]
Space Heating	0.21	0.2	0.01
Space Cooling	1.06	0.95	0.11
Indoor Fans	0.82	0.5	0.32
Heat Rejection	0	0	0
Pumps & Misc.	0.05	0.05	0
Domestic Hot Water	2.13	1.76	0.37
Indoor Lighting	2.26	2.26	0
Flexibility	---	---	---
EFFICIENCY COMPLIANCE TOTAL	**6.53**	**5.72**	**0.81 (12.4%)**
Photovoltaics	-2.53	-4.06	1.53
Batteries	-1.81	---	-1.81
TOTAL COMPLIANCE	**2.19**	**1.66**	**0.53 (24.2%)**

[1] *Notes: This number in parenthesis following the Compliance Margin in column 4, represents the Percent Better than Standard.*

C5. SOURCE ENERGY RESULTS FOR NON-REGULATED COMPONENTS[1]

Non-Regulated Energy Component	Standard Design (SOURCE)	Proposed Design (SOURCE)	Compliance Margin (SOURCE)[1]
Receptacle	4.45	4.45	---
Process	3.88	3.87	0.01
Other Ltg	0.87	0.87	---
Process Motors	0.69	0.69	---
TOTAL (TOTAL COMPLIANCE + NON-REGULATED COMPONENTS)	**12.08**	**11.54**	**0.54 (4.5%)**

[1] *Notes: This table is not used for Energy Code Compliance.*

C6. 'ABOVE CODE' QUALIFICATIONS

☐ This project is pursuing CalGreen Tier 1 ☐ This project is pursuing CalGreen Tier 2

C7. ENERGY USE SUMMARY

Energy Component	Standard Design Site (MWh)	Proposed Design Site (MWh)	Margin (MWh)	Standard Design Site (MBtu)	Proposed Design Site (MBtu)	Margin (MBtu)
Space Heating	2.5	2.4	0.1	---	---	---
Space Cooling	26.4	22.9	3.5	---	---	---
Indoor Fans	16.6	10.3	6.3	---	---	---
Heat Rejection	---	---	---	---	---	---
Pumps & Misc.	0.5	0.5	0	---	---	---
Domestic Hot Water	43.1	37.6	5.5	---	---	---
Indoor Lighting	43.2	43.2	0	---	---	---
Flexibility	---	---	---	---	---	---
EFFICIENCY TOTAL	**132.3**	**116.9**	**15.4**	**0**	**0**	**0**
Photovoltaics	-181.5	-291.8	110.3	---	---	---
Batteries	3	---	---	---	---	---
ENERGY USE SUBTOTAL	**-46.2**	**-174.9**	**128.7**	**0**	**0**	**0**
Receptacle	79.2	79.2	0	---	---	---
Process	84.7	84.7	0	---	---	---
Other Ltg	13.5	13.5	0	---	---	---
Process Motors	13.1	13.1	0	---	---	---
ENERGY USE TOTAL	**144.3**	**15.6**	**128.7**	**0**	**0**	**0**

C8. ENERGY USE INTENSITY (EUI)				
	Standard Design (kBtu/ft^2 / yr)	Proposed Design (kBtu/ft^2 / yr)	Margin (kBtu/ft^2 / yr)	Margin Percentage
GROSS EUI[1]	17.36	16.38	0.98	5.65
NET EUI[1]	7.69	0.83	6.86	89.21

[1] *Notes: Gross EUI is Energy Use Total (not including PV)/Total Building Area. Net EUI is Energy Use Total (including PV)/Total Building Area.*

D2. MULTIFAMILY REQUIRED SPECIAL FEATURES

- IAQ Ventilation System: as low as 0.07 W/CFM
- Cool roof
- Non-standard duct location (any location other than attic)
- Central Heat Pump Water Heater
- Multifamily: Recirculating with no control (continuous pumping)

F1. REQUIRED PV SYSTEMS

01	02	03	04	05	06	07	08	09	10	11	12
DC System Size (kWdc)	Exception[1]	Module Type	Array Type	Power Electronics	CFI	Azimuth (deg)	Tilt Input	Array Angle (deg)	Tilt: (x in 12)	Inverter Eff. (%)	Annual Solar Access (%)
171.1		Standard (14-17%)	Fixed	none	true	150-270	n/a	n/a	<=7:12	96	98

[1]*See Table D1 for any PV exceptions used.*

F1B. PV BATTERY BUILDING TYPE(S)		
01	02	03
Building Occupancy Type* (From Table 140.10-A/B and 170.2-U/V)	Conditioned Floor Area (ft^2)	Unconditioned Floor Area (ft^2)
Grocery	0	0
High-Rise Multifamily	48159.6	10170.9
Office, Financial Institutions, Unleased Tenant Space	0	0
Retail	0	0
School	0	0
Warehouse	0	0
Auditorium, Convention Center, Hotel/Motel, Library, Medical Office Building/Clinic, Restaurant, Theater	0	0
None	0	5707.17
**Building Occupancy Types are defined in Section 100.1 of the Energy Code*		

F3. DWELLING UNIT INFORMATION

01	02	03	04
Dwelling Unit Name	**Dwelling Unit Type**	**Zone**	**Zone Group Multiplier**
DwellingUnit 1-(1/1)	P2.0 (S1)	P2.0 (S1)_L1	1
DwellingUnit 2-(1/1)	P1.0(S1)	P1.0 (S1)_L1	1
DwellingUnit 3-(1/1)	P2.0(S2)	P2.0 (S2)_L1	1
DwellingUnit 4-(1/1)	P1.0(S22)	P1.0 (S2)_L1	1
DwellingUnit 5-(1/1)	P2.0(S3)	P2.0 (S3)_L1	1
DwellingUnit 6-(1/1)	P1.0(S1)	P1.0 (S3)_L1	1
DwellingUnit 7-(1/1)	P2.0 (S4)	P2.0 (S4)_L1	1
DwellingUnit 8-(1/1)	P3.0 (S1)	P3.0 (S1)_L1	1
DwellingUnit 9-(1/1)	P2.0 (S1)	P2.0 (S1)_L2	1
DwellingUnit 10-(1/1)	P1.0(S1)	P1.0 (S1)_L2	1
DwellingUnit 11-(1/1)	P2.0(S2)	P2.0 (S2)_L2	1
DwellingUnit 12-(1/1)	P1.0(S22)	P1.0 (S2)_L2	1
DwellingUnit 13-(1/1)	P2.0(S3)	P2.0 (S3)_L2	1
DwellingUnit 14-(1/1)	P1.0(S1)	P1.0 (S3)_L2	1
DwellingUnit 15-(1/1)	P2.0 (S4)	P2.0 (S4)_L2	1
DwellingUnit 16-(1/1)	P3.0 (S1)	P3.0 (S1)_L2	1
DwellingUnit 17-(1/1)	P2.1(N1)	P2.1 (N1)_L2	1
DwellingUnit 18-(1/1)	P2.1 (N2)	P2.1 (N2)_L2	1
DwellingUnit 19-(1/1)	P2.1 (N3)	P2.1 (N3)_L2	1
DwellingUnit 20-(1/1)	P1.1(N1-1)	P1.1 (N1)_L2	1
DwellingUnit 21-(1/1)	P1.1(N1)	P2.1 (N4)_L2	1
DwellingUnit 22-(1/1)	P2.1(N5)	P2.1 (N5)_L2	1
DwellingUnit 23-(1/1)	P2.0 (S1)	P2.0 (S1)_L3	1
DwellingUnit 24-(1/1)	P1.0(S1)	P1.0 (S1)_L3	1
DwellingUnit 25-(1/1)	P2.0(S2)	P2.0 (S2)_L3	1
DwellingUnit 26-(1/1)	P1.0(S22)	P1.0 (S2)_L3	1

F3. DWELLING UNIT INFORMATION

01	02	03	04
Dwelling Unit Name	**Dwelling Unit Type**	**Zone**	**Zone Group Multiplier**
DwellingUnit 27-(1/1)	P2.0(S3)	P2.0 (S3)_L3	1
DwellingUnit 28-(1/1)	P1.0(S1)	P1.0 (S3)_L3	1
DwellingUnit 29-(1/1)	P2.0 (S4)	P2.0 (S4)_L3	1
DwellingUnit 30-(1/1)	P3.0 (S1)	P3.0 (S1)_L3	1
DwellingUnit 31-(1/1)	P2.1(N1)	P2.1 (N1)_L3	1
DwellingUnit 32-(1/1)	P2.1 (N2)	P2.1 (N2)_L3	1
DwellingUnit 33-(1/1)	P2.1 (N3)	P2.1 (N3)_L3	1
DwellingUnit 34-(1/1)	P1.1(N1-1)	P1.1 (N1)_L3	1
DwellingUnit 35-(1/1)	P1.1(N1)	P2.1 (N4)_L3	1
DwellingUnit 36-(1/1)	P2.1(N5)	P2.1 (N5)_L3	1
DwellingUnit 37-(1/1)	P2.0 (S1)	P2.0 (S1)_L4	1
DwellingUnit 38-(1/1)	P1.0(S1)	P1.0 (S1)_L4	1
DwellingUnit 39-(1/1)	P2.0(S2)	P2.0 (S2)_L4	1
DwellingUnit 40-(1/1)	P1.0(S22)	P1.0 (S2)_L4	1
DwellingUnit 41-(1/1)	P2.0(S3)	P2.0 (S3)_L4	1
DwellingUnit 42-(1/1)	P1.0(S1)	P1.0 (S3)_L4	1
DwellingUnit 43-(1/1)	P2.0 (S4)	P2.0 (S4)_L4	1
DwellingUnit 44-(1/1)	P3.0 (S1)	P3.0 (S1)_L4	1
DwellingUnit 45-(1/1)	P2.1(N1)	P2.1 (N1)_L4	1
DwellingUnit 46-(1/1)	P2.1 (N2)	P2.1 (N2)_L4	1
DwellingUnit 47-(1/1)	P2.1 (N3)	P2.1 (N3)_L4	1
DwellingUnit 48-(1/1)	P1.1(N1-1)	P1.1 (N1)_L4	1
DwellingUnit 49-(1/1)	P1.1(N1)	P2.1 (N4)_L4	1
DwellingUnit 50-(1/1)	P2.1(N5)	P2.1 (N5)_L4	1

F4. DWELLING UNIT TYPES						
01	02	03	04	05	06	07
Name	CFA (ft^2)	Number of Bedrooms	Number in Building	Space Conditioning Systems Assigned	DHW System Name	IAQ Vent Fan Name
P2.0 (S1)	1019.58	2	4	P2.0 (S1) | :VFC-2:ResidentialDistributionSystem 1:VFC-2 Fan:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
P1.0(S1)	725.028	1	8	P1.0(S1) | :VFC-1 / 1.5:ResidentialDistributionSystem 1:VFC 1 / 1.5:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
P2.0(S2)	1042.19	2	4	P2.0(S2) | :VFC-2:ResidentialDistributionSystem 1:VFC-2 Fan:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
P1.0(S22)	716.861	1	4	P1.0(S22) | :VFC-1 / 1.5:ResidentialDistributionSystem 1:VFC 1 / 1.5:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
P2.0(S3)	1018.42	2	4	P2.0(S3) | :VFC-2:ResidentialDistributionSystem 1:VFC-2 Fan:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
P2.0 (S4)	1035.72	2	4	P2.0 (S4) | :VFC-2:ResidentialDistributionSystem 1:VFC-2 Fan:2:3	ResidentialDHWSystem 1	Individual IAQ Fans

F4. DWELLING UNIT TYPES

01	02	03	04	05	06	07
Name	CFA (ft^2)	Number of Bedrooms	Number in Building	Space Conditioning Systems Assigned	DHW System Name	IAQ Vent Fan Name
P3.0 (S1)	1305.89	3	4	P3.0 (S1) | :VFC-3:ResidentialDistributionSystem 1:VFC - 2.5:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
P2.1(N1)	985.924	2	3	P2.1(N1) | :VFC-2:ResidentialDistributionSystem 1:VFC-2 Fan:2:3	ResidentialDHWSystem 1	Minimum Exhaust IAQ Fan
P2.1 (N2)	1011.31	2	3	P2.1 (N2) | :VFC-2:ResidentialDistributionSystem 1:VFC-2 Fan:2:3	ResidentialDHWSystem 1	Minimum Exhaust IAQ Fan
P2.1 (N3)	999.534	2	3	P2.1 (N3) | :VFC-2:ResidentialDistributionSystem 1:VFC-2 Fan:2:3	ResidentialDHWSystem 1	Minimum Exhaust IAQ Fan
P1.1(N1-1)	841.042	1	3	P1.1(N1-1) | :VFC-1 / 1.5:ResidentialDistributionSystem 1:VFC 1 / 1.5:2:3	ResidentialDHWSystem 1	Minimum Exhaust IAQ Fan
P1.1(N1)	987.954	1	3	P1.1(N1) | :VFC-1 / 1.5:ResidentialDistributionSystem 1:VFC 1 / 1.5:2:3	ResidentialDHWSystem 1	Minimum Exhaust IAQ Fan

F4. DWELLING UNIT TYPES						
01	02	03	04	05	06	07
Name	CFA (ft^2)	Number of Bedrooms	Number in Building	Space Conditioning Systems Assigned	DHW System Name	IAQ Vent Fan Name
P2.1(N5)	989.685	2	3	P2.1(N5) | :VFC-2:ResidentialDistributionSystem 1:VFC-2 Fan:2:3	ResidentialDHWSystem 1	Minimum Exhaust IAQ Fan

G1. ENVELOPE GENERAL INFORMATION (conditioned spaces only)			
01	02	03	04
Opaque Surfaces & Orientation	Total Gross Surface Area (ft^2)	Total Fenestration Area (ft^2)	Window to Wall Ratio (%)
North-Facing[1]	7670.17	1356.25	17.68
East-Facing[2]	4885.36	32.29	0.66
South-Facing[3]	10606.8	2303.48	21.72
West-Facing[4]	5082.03	172.22	3.39
Total	**28244.4**	**3864.25**	**13.68**
Roof	13405	0	0

Notes

[1]North-Facing is oriented to within 45 degrees of true north, including 4500'00" east of north (NE), but excluding 4500'00" west of north (NW),

[2]East-Facing is oriented to within 45 degrees of true east, including 4500'00" south of east (SE), but excluding 4500'00" north of east (NE),

[3]South-Facing is oriented to within 45 degrees of true south, including 4500'00" west of south (SW), but excluding 4500'00" east of south (SE),

[4]West-Facing is oriented to within 45 degrees of true west, including 4500'00" north of west (NW), but excluding 4500'00" south of west (SW),

G2B. ROOFING PRODUCT SUMMARY (MULTIFAMILY AND COMMON AREAS)

01	02	03	04	05	06
Name	Roof Pitch	Roof Rise (x in 12)	Aged Solar Reflectance	Thermal Emittance	SRI
Roof : GARAGE (RIGHT)_L1	Low slope	0	0.1	0.85	N/A
Roof : CORRIDOR_L1	Low slope	0	0.1	0.85	N/A
Roof : GARAGE (LEFT)_L1	Low slope	0	0.1	0.85	N/A
ResidentialCathedralCeiling 4-15	Low slope	0	0.65	0.85	N/A
ResidentialCathedralCeiling 4	Low slope	0	0.65	0.85	N/A
ResidentialCathedralCeiling 4-2	Low slope	0	0.65	0.85	N/A
ResidentialCathedralCeiling 4-3	Low slope	0	0.65	0.85	N/A
ResidentialCathedralCeiling 4-4	Low slope	0	0.65	0.85	N/A
ResidentialCathedralCeiling 4-5	Low slope	0	0.65	0.85	N/A
ResidentialCathedralCeiling 4-6	Low slope	0	0.65	0.85	N/A
ResidentialCathedralCeiling 4-7	Low slope	0	0.65	0.85	N/A
ResidentialCathedralCeiling 4-8	Low slope	0	0.65	0.85	N/A
ResidentialCathedralCeiling 4-15-2	Low slope	0	0.65	0.85	N/A
ResidentialCathedralCeiling 4-9	Low slope	0	0.65	0.85	N/A
ResidentialCathedralCeiling 4-10	Low slope	0	0.65	0.85	N/A

G2B. ROOFING PRODUCT SUMMARY (MULTIFAMILY AND COMMON AREAS)					
01	02	03	04	05	06
Name	Roof Pitch	Roof Rise (x in 12)	Aged Solar Reflectance	Thermal Emittance	SRI
ResidentialCathedralCeiling 4-11	Low slope	0	0.65	0.85	N/A
ResidentialCathedralCeiling 4-12	Low slope	0	0.65	0.85	N/A
ResidentialCathedralCeiling 4-13	Low slope	0	0.65	0.85	N/A
ResidentialCathedralCeiling 4-14	Low slope	0	0.65	0.85	N/A
ResidentialCathedralCeiling 4-15-3	Low slope	0	0.65	0.85	N/A

G5. OPAQUE SURFACE ASSEMBLY SUMMARY

01	02	03	04	05	06		07	08	09	10
Surface Name	Construction Type	Area (ft^2)	Framing Type	Cavity R-Value	Continuous R-Value		Units	Value	Description of Assembly Layers	Status[1]
					Interior	Exterior				
Ext Wall Cons	Exterior Walls	31,754.4	Wood Framed Wall	21	0	0	U-factor	0.0687	Inside Finish: Gypsum Board Cavity / Frame: R-21 / 2x6 Exterior Finish: Synthetic Stucco	N
Interior Floor Cons	Interior Floors	47,637.8	Wood Framed Floor	19	0	0	U-factor	0.0441	Floor Surface: Carpeted Floor Deck: Wood Siding/sheathing/decking Cavity / Frame: R-19 / 2x12 Ceiling Below Finish: Gypsum Board	N
Roof Cons	Cathedral Ceilings	16,401.4	Wood Framed Ceiling	49	0	0	U-factor	0.0235	Roofing: Light Roof (Asphalt Shingle) Roof Deck: Wood Siding/sheathing/decking Cavity / Frame: R-49 / 2x12 Inside Finish: Gypsum Board	N
Interior Wall Cons	Interior Walls	17,665	Wood Framed Wall	19	0	0	U-factor	0.067	Inside Finish: Gypsum Board Cavity / Frame: R-19 / 2x6 Other Side Finish: Gypsum Board	
T24-IntZB-Wall Cons	Interior Walls	71,346.6	Wood Framed Wall	0	0	0	U-factor	0.2773	Inside Finish: Gypsum Board Cavity / Frame: no insul. / 2x4 Other Side Finish: Gypsum Board	
T24-IntZB-Clg Cons	Interior Ceiling	218.82	Wood Framed Ceiling	0	0	0	U-factor	0.1957	Floor Surface: Carpeted Floor Deck: Wood Siding/sheathing/decking Cavity / Frame: no insul. / 2x12 Ceiling Below Finish: Gypsum Board	N

[1] *Status: N - New, A - Altered, E - Existing*

G5. OPAQUE SURFACE ASSEMBLY SUMMARY

01	02	03	04	05	06		07	08	09	10
Surface Name	Construction Type	Area (ft²)	Framing Type	Cavity R-Value	Continuous R-Value		Units	Value	Description of Assembly Layers	Status[1]
					Interior	Exterior				
T24-IntZB-Flr Cons	Interior Floors	266.19	Wood Framed Floor	0	0	0	U-factor	0.1957	Floor Surface: Carpeted Floor Deck: Wood Siding/sheathing/decking Cavity / Frame: no insul. / 2x12 Ceiling Below Finish: Gypsum Board	N
Garage Ext Wall	Exterior Walls	2,911.67	Wood Framed Wall	0	0	0	U-factor	0.3609	Inside Finish: Gypsum Board Cavity / Frame: no insul. / 2x4 Exterior Finish: 3 Coat Stucco	N

[1] *Status: N - New, A - Altered, E - Existing*

G6B. OPAQUE DOOR SUMMARY (MULTIFAMILY AND COMMON AREAS)

01	02	03	04
Name	Area (ft^2)	Overall U-factor	Status[1]
ResidentialDoor 1	20	0.2	N
ResidentialDoor 1 2	20	0.2	N
ResidentialDoor 1 3	20	0.2	N
ResidentialDoor 1 4	20	0.2	N
ResidentialDoor 1 5	20	0.2	N
ResidentialDoor 1 6	20	0.2	N
ResidentialDoor 1 7	20	0.2	N
ResidentialDoor 1 8	20	0.2	N
ResidentialDoor 1 9	20	0.2	N
ResidentialDoor 1 10	20	0.2	N
ResidentialDoor 1 11	20	0.2	N
ResidentialDoor 1 12	20	0.2	N
ResidentialDoor 1 13	20	0.2	N
ResidentialDoor 1 14	20	0.2	N
ResidentialDoor 1 15	20	0.2	N
ResidentialDoor 1 16	20	0.2	N
ResidentialDoor 1 17	20	0.2	N
ResidentialDoor 1 18	20	0.2	N
ResidentialDoor 1 19	20	0.2	N
ResidentialDoor 1 20	20	0.2	N
ResidentialDoor 1 21	20	0.2	N
ResidentialDoor 1 22	20	0.2	N
ResidentialDoor 1 23	20	0.2	N
ResidentialDoor 1 24	20	0.2	N

[1] *Status: N - New, A - Altered, E - Existing*

G6B. OPAQUE DOOR SUMMARY (MULTIFAMILY AND COMMON AREAS)

01	02	03	04
Name	Area (ft^2)	Overall U-factor	Status[1]
ResidentialDoor 1 25	20	0.2	N
ResidentialDoor 1 26	20	0.2	N
ResidentialDoor 1 27	20	0.2	N
ResidentialDoor 1 28	20	0.2	N
ResidentialDoor 1 29	20	0.2	N
ResidentialDoor 1 30	20	0.2	N
ResidentialDoor 1 31	20	0.2	N
ResidentialDoor 1 32	20	0.2	N
ResidentialDoor 1 33	20	0.2	N
ResidentialDoor 1 34	20	0.2	N
ResidentialDoor 1 35	20	0.2	N
ResidentialDoor 1 36	20	0.2	N
ResidentialDoor 1 37	20	0.2	N
ResidentialDoor 1 38	20	0.2	N
ResidentialDoor 1 39	20	0.2	N
ResidentialDoor 1 40	20	0.2	N
ResidentialDoor 1 41	20	0.2	N
ResidentialDoor 1 42	20	0.2	N
ResidentialDoor 1 43	20	0.2	N
ResidentialDoor 1 44	20	0.2	N
ResidentialDoor 1 45	20	0.2	N
ResidentialDoor 1 46	20	0.2	N
ResidentialDoor 1 47	20	0.2	N
ResidentialDoor 1 48	20	0.2	N
ResidentialDoor 1 49	20	0.2	N

[1] *Status: N - New, A - Altered, E - Existing*

G6B. OPAQUE DOOR SUMMARY (MULTIFAMILY AND COMMON AREAS)			
01	02	03	04
Name	Area (ft^2)	Overall U-factor	Status[1]
ResidentialDoor 1 50	20	0.2	N
[1] *Status: N - New, A - Altered, E - Existing*			

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)

01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	**Fenestration Type/ Product Type / Frame Type**	**Parent Surface**	**Azimuth**	**Multiplier**	**Area (ft^2)**	**Overall U-factor**	**U-factor Source**	**Overall SHGC**	**SHGC Source**	**Overall VT**	**Exterior Shading**	**Status[1]**
Window : STAIR (LEFT)_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : STAIR (LEFT)_L1	180	1	21.53	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P2.0 (S1)_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : P2.0 (S1)_L1	180	1	86.11	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P1.0 (S1)_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : P1.0 (S1)_L1	180	1	53.82	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P2.0 (S2)_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : P2.0 (S2)_L1	180	1	86.11	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P2.0 (S2)_L1 2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : P1.0 (S2)_L1 2	180	1	53.82	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P2.0 (S3)_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : P2.0 (S3)_L1	180	1	86.11	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P1.0 (S3)_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : P1.0 (S3)_L1	180	1	53.82	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N

[1] Status: N - New, A - Altered, E - Existing

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)

01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	**Fenestration Type/ Product Type / Frame Type**	**Parent Surface**	**Azimuth**	**Multiplier**	**Area (ft^2)**	**Overall U-factor**	**U-factor Source**	**Overall SHGC**	**SHGC Source**	**Overall VT**	**Exterior Shading**	**Status[1]**
Window : P2.0 (S4)_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : P2.0 (S4)_L1	180	1	86.11	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P3.0 (S1)_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right) : P3.0 (S1)_L1	270	1	43.06	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P3.0 (S1)_L1 2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : P3.0 (S1)_L1	180	1	64.58	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : STAIR (LEFT)_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : STAIR (LEFT)_L2	180	1	21.53	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P2.0 (S1)_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : P2.0 (S1)_L2	180	1	86.11	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P1.0 (S1)_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : P1.0 (S1)_L2	180	1	53.82	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P2.0 (S2)_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : P2.0 (S2)_L2	180	1	86.11	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N

[1] Status: N - New, A - Altered, E - Existing

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)

01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status[1]
Window : P1.0 (S2)_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : P1.0 (S2)_L2	180	1	53.82	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P2.0 (S3)_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : P2.0 (S3)_L2	180	1	86.11	0.27	NFRC	0.21	NFRC	N/A	None	N
Window : P1.0 (S3)_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : P1.0 (S3)_L2	180	1	53.82	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P2.0 (S4)_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : P2.0 (S4)_L2	180	1	86.11	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P3.0 (S1)_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right) : P3.0 (S1)_L2	270	1	43.06	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P3.0 (S1)_L2 2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : P3.0 (S1)_L2	180	1	64.58	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P2.1 (N1)_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back) : P2.1 (N1)_L2	0	1	75.35	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N

[1] Status: N - New, A - Altered, E - Existing

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)

01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	**Fenestration Type/ Product Type / Frame Type**	**Parent Surface**	**Azimuth**	**Multiplier**	**Area (ft^2)**	**Overall U-factor**	**U-factor Source**	**Overall SHGC**	**SHGC Source**	**Overall VT**	**Exterior Shading**	**Status[1]**
Window : P2.1 (N1)_L2 2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left) : P2.1 (N1)_L2	90	1	10.76	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P2.1 (N2)_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back) : P2.1 (N2)_L2	0	1	75.35	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P2.1 (N3)_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back) : P2.1 (N3)_L2	0	1	75.35	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P1.1 (N1)_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back) : P1.1 (N1)_L2	0	1	75.35	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P2.1 (N4)_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back) : P2.1 (N4)_L2	0	1	75.35	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P2.1 (N5)_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back) : P2.1 (N5)_L2	0	1	75.35	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : STAIR (LEFT)_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : STAIR (LEFT)_L3	180	1	21.53	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N

[1] Status: N - New, A - Altered, E - Existing

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)

01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft^2)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status[1]
Window : P2.0 (S1)_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : P2.0 (S1)_L3	180	1	86.11	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P1.0 (S1)_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : P1.0 (S1)_L3	180	1	53.82	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P2.0 (S2)_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : P2.0 (S2)_L3	180	1	86.11	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P1.0 (S2)_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : P1.0 (S2)_L3	180	1	53.82	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P2.0 (S3)_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : P2.0 (S3)_L3	180	1	86.11	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P1.0 (S3)_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : P1.0 (S3)_L3	180	1	53.82	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P2.0 (S4)_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : P2.0 (S4)_L3	180	1	86.11	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N

[1] Status: N - New, A - Altered, E - Existing

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)

01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	**Fenestration Type/ Product Type / Frame Type**	**Parent Surface**	**Azimuth**	**Multiplier**	**Area (ft²)**	**Overall U-factor**	**U-factor Source**	**Overall SHGC**	**SHGC Source**	**Overall VT**	**Exterior Shading**	**Status[1]**
Window : P3.0 (S1)_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right) : P3.0 (S1)_L3	270	1	43.06	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P3.0 (S1)_L3 2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : P3.0 (S1)_L3	180	1	64.58	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P2.1 (N1)_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back) : P2.1 (N1)_L3	0	1	75.35	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P2.1 (N1)_L3 2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left) : P2.1 (N1)_L3	90	1	10.76	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P2.1 (N2)_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back) : P2.1 (N2)_L3	0	1	75.35	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P2.1 (N3)_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back) : P2.1 (N3)_L3	0	1	75.35	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P1.1 (N1)_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back) : P1.1 (N1)_L3	0	1	75.35	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N

[1] Status: N - New, A - Altered, E - Existing

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)

01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft^2)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status[1]
Window : P2.1 (N4)_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back) : P2.1 (N4)_L3	0	1	75.35	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P2.1 (N5)_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back) : P2.1 (N5)_L3	0	1	75.35	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : STAIR (LEFT)_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : STAIR (LEFT)_L4	180	1	21.53	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P2.0 (S1)_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : P2.0 (S1)_L4	180	1	86.11	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P1.0 (S1)_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : P1.0 (S1)_L4	180	1	53.82	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P2.0 (S2)_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : P2.0 (S2)_L4	180	1	86.11	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P1.0 (S2)_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : P1.0 (S2)_L4	180	1	53.82	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N

[1] Status: N - New, A - Altered, E - Existing

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)

01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft^2)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status[1]
Window : P2.0 (S3)_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : P2.0 (S3)_L4	180	1	86.11	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P1.0 (S3)_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : P1.0 (S3)_L4	180	1	53.82	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P2.0 (S4)_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : P2.0 (S4)_L4	180	1	86.11	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P3.0 (S1)_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right) : P3.0 (S1)_L4	270	1	43.06	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P3.0 (S1)_L4 2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front) : P3.0 (S1)_L4	180	1	64.58	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P2.1 (N1)_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back) : P2.1 (N1)_L4	0	1	75.35	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P2.1 (N1)_L4 2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left) : P2.1 (N1)_L4	90	1	10.76	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N

[1] Status: N - New, A - Altered, E - Existing

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)

01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft^2)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status[1]
Window : P2.1 (N2)_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back) : P2.1 (N2)_L4	0	1	75.35	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P2.1 (N3)_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back) : P2.1 (N3)_L4	0	1	75.35	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P1.1 (N1)_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back) : P1.1 (N1)_L4	0	1	75.35	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P2.1 (N4)_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back) : P2.1 (N4)_L4	0	1	75.35	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window : P2.1 (N5)_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back) : P2.1 (N5)_L4	0	1	75.35	0.27	NFRC	0.21	NFRC	N/A	Standard bug screens	N

[1] Status: N - New, A - Altered, E - Existing

H2. DWELLING UNIT HVAC HEATING AND COOLING SYSTEMS

01	02	03	04	05	06	07	08	09	10	11	12	13
						Heating				Cooling		
Dwelling Unit Type	Equipment Name	Equipment Type	Quantity	Air Distribution System Name	Fan System name	Heat Output at 47	Heat Output at 17	Efficiency Unit	Efficiency	Total Cooling Output	Efficiency Unit	Efficiency
P2.0 (S1)	VFC-2	Central split HP N/A	4	ResidentialDistributionSystem 1	VFC-2 Fan	22,600	14,700	HSPF2	7.8	N/A	EER2 SEER2	12.48 15.5
P1.0(S1)	VFC-1 / 1.5	Central split HP N/A	8	ResidentialDistributionSystem 1	VFC 1 / 1.5	16,800	12,768	HSPF2	7.8	N/A	EER2 SEER2	12.48 15.2
P2.0(S2)	VFC-2	Central split HP N/A	4	ResidentialDistributionSystem 1	VFC-2 Fan	22,600	14,700	HSPF2	7.8	N/A	EER2 SEER2	12.48 15.5
P1.0(S22)	VFC-1 / 1.5	Central split HP N/A	4	ResidentialDistributionSystem 1	VFC 1 / 1.5	16,800	12,768	HSPF2	7.8	N/A	EER2 SEER2	12.48 15.2
P2.0(S3)	VFC-2	Central split HP N/A	4	ResidentialDistributionSystem 1	VFC-2 Fan	22,600	14,700	HSPF2	7.8	N/A	EER2 SEER2	12.48 15.5
P2.0 (S4)	VFC-2	Central split HP N/A	4	ResidentialDistributionSystem 1	VFC-2 Fan	22,600	14,700	HSPF2	7.8	N/A	EER2 SEER2	12.48 15.5
P3.0 (S1)	VFC-3	Central split HP N/A	4	ResidentialDistributionSystem 1	VFC - 2.5	29,000	18,900	HSPF2	8.1	N/A	EER2 SEER2	12.48 15.2
P2.1(N1)	VFC-2	Central split HP N/A	3	ResidentialDistributionSystem 1	VFC-2 Fan	22,600	14,700	HSPF2	7.8	N/A	EER2 SEER2	12.48 15.5
P2.1 (N2)	VFC-2	Central split HP N/A	3	ResidentialDistributionSystem 1	VFC-2 Fan	22,600	14,700	HSPF2	7.8	N/A	EER2 SEER2	12.48 15.5

H2. DWELLING UNIT HVAC HEATING AND COOLING SYSTEMS

01	02	03	04	05	06	07	08	09	10	11	12	13
						Heating				Cooling		
Dwelling Unit Type	Equipment Name	Equipment Type	Quantity	Air Distribution System Name	Fan System name	Heat Output at 47	Heat Output at 17	Efficiency Unit	Efficiency	Total Cooling Output	Efficiency Unit	Efficiency
P2.1 (N3)	VFC-2	Central split HP N/A	3	ResidentialDistributionSystem 1	VFC-2 Fan	22,600	14,700	HSPF2	7.8	N/A	EER2 SEER2	12.48 15.5
P1.1(N1-1)	VFC-1 / 1.5	Central split HP N/A	3	ResidentialDistributionSystem 1	VFC 1 / 1.5	16,800	12,768	HSPF2	7.8	N/A	EER2 SEER2	12.48 15.2
P1.1(N1)	VFC-1 / 1.5	Central split HP N/A	3	ResidentialDistributionSystem 1	VFC 1 / 1.5	16,800	12,768	HSPF2	7.8	N/A	EER2 SEER2	12.48 15.2
P2.1(N5)	VFC-2	Central split HP N/A	3	ResidentialDistributionSystem 1	VFC-2 Fan	22,600	14,700	HSPF2	7.8	N/A	EER2 SEER2	12.48 15.5

H3a. MULTIFAMILY / COMMON USE AREA FAN SYSTEMS SUMMARY

01	02	03	04	05
Name	Type	Power	Power Units	Status
VFC 1 / 1.5	Fixed speed	0.45	W/cfm	N/A
VFC-2 Fan	Fixed speed	0.45	W/cfm	N/A
VFC - 2.5	Fixed speed	0.45	W/cfm	N/A

H3b. MULTIFAMILY / COMMON USE AREA IAQ FAN SYSTEMS SUMMARY

01	02	03	04	05	06
Name	Type	Airflow (CFM)	Power	Power Units	Status
Res_IAQ_60	Exhaust	60	0.08	W/cfm	N/A
Corridor_L01_IAQ	Exhaust	331.9	0.45	W/cfm	N/A
Corridor_L02_IAQ	Exhaust	344	0.45	W/cfm	N/A
Corridor_L03_IAQ	Exhaust	344.1	0.45	W/cfm	N/A
Res_IAQ_40	Exhaust	40	0.09	W/cfm	N/A
Res_IAQ_70	Exhaust	70	0.07	W/cfm	N/A

H4. MULTIFAMILY HVAC DISTRIBUTION

01	02	03	04	05	06	07	08
Name	Type	Duct Ins. R-value Supply	Duct Ins. R-value Return	Duct Location Supply	Duct Location Return	Verified Duct Design Surface Area	
						Supply	Return
ResidentialDistributionSystem 1	Conditioned space-entirely (Non-Verified)	R-4.2	R-4.2	Conditioned Zone	Conditioned Zone	n/a	n/a

H9. NONRESIDENTIAL / COMMON USE AREA & HOTEL/MOTEL VENTILATION

01	02	03	04	05	06	07
Zone Name	Mechanical Ventilation				Conditioned Area (sf)	DCV or Occupant Sensor Controls, or Both
	Ventilation Function	# of People	Supply OA CFM	Exhaust CFM		
STAIR (LEFT)_L3	Residential - Common corridors	0.88	60	60	175.5	N/A
STAIR (RIGHT)_L3	Residential - Common corridors	0.91	60	60	182.84	N/A

H10. MULTIFAMILY DWELLING UNIT TYPE CENTRAL / INDIVIDUAL VENTILATION												
01	02	03	04	05	06	07	08	09	10	11	12	13
Dwelling Unit Type	IAQ Option	Central Fan (If applicable)					Individual Fan (if applicable)					
		IAQ Fan Type Type	Supply Airflow CFM	Supply Fan Efficacy W/CFM	Exhaust CFM	Exhaust Fan Efficacy W/CFM	IAQ Fan Type	Count	Airflow CFM	Fan Efficacy W/CFM	Recovery Efficiency SRE	Recovery Efficiency ASRE
P2.0 (S1)	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	60	0.08	N/A	N/A
P1.0(S1)	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	40	0.09	N/A	N/A
P2.0(S2)	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	60	0.08	N/A	N/A
P1.0(S22)	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	40	0.09	N/A	N/A
P2.0(S3)	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	60	0.08	N/A	N/A
P2.0 (S4)	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	60	0.08	N/A	N/A
P3.0 (S1)	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	70	0.07	N/A	N/A
P2.1(N1)	Minimum Exhaust IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	52.08	N/A	N/A	N/A
P2.1 (N2)	Minimum Exhaust IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	52.84	N/A	N/A	N/A
P2.1 (N3)	Minimum Exhaust IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	52.49	N/A	N/A	N/A
P1.1(N1-1)	Minimum Exhaust IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	40.23	N/A	N/A	N/A
P1.1(N1)	Minimum Exhaust IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	44.64	N/A	N/A	N/A
P2.1(N5)	Minimum Exhaust IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	52.19	N/A	N/A	N/A

I2. MULTI-FAMILY WATER HEATING SYSTEM DETAIL

01	02	03	04	05	06	07	08
System Name	**Configuration**	**Type**	**Qty in System**	**Dwelling Unit Distribution Type**	**Water Heater Name**	**Solar Heating System**	**Is Compact Distribution**
ResidentialDHWSystem 1	Domestic Hot Water (DHW)	Central	1	Standard Distribution System	ResidentialDHWSystem 1 - heater	N/A	N/A

I3. MULTIFAMILY & HOTEL/MOTEL WATER HEATER EQUIPMENT SUMMARY - CHPWH

01	02	03	04	05	06	07	08
Name	**Brand/Model**	**Number of Compressors**	**Primary Tank Volume (gal)**	**Tank Count**	**Tank R-value**	**Tank Location**	**Air Source**
ResidentialDHWSystem 1		5	2495	5	16	Outside	Outside

I5. RECIRCULATION LOOPS

01	02	03	04	05	06
Water Heating System Name	**Number of Recirculation Loops**	**Loop Insulation Thickness (in)**	**Recirculation Loop Location**	**Recirculation Pump Power**	**Recirculation Pump Power Units**
ResidentialDHWSystem 1	1	1.5	Conditioned	29	Watts

K1. INDOOR CONDITIONED LIGHTING GENERAL INFO

01	02	03	04	05	06
Occupancy Type[1]	Conditioned Floor Area[2] (ft^2)	Installed Lighting Power (Watts)	Lighting Control Credits (Watts)	Additional (Custom) Allowance	
				Area Category Footnotes (Watts)	Area Category Footnotes (Watts)
Stairwell	358.34	215	0	0	0
Building Totals:	**358.34**	**215**	**0**	**0**	**0**

[1]*See Table 140.6-C*
[2]*See NRCC-LTI--E for unconditioned spaces*
[3]*Lighting information for existing spaces modeled is not included in this table*

K4. INDOOR CONDITIONED LIGHTING MANDATORY LIGHTING CONTROL

See NRCC-LTI-E for mandatory controls

L. DECLARATION OF REQUIRED CERTIFICATES OF INSTALLATION

Selections made by Documentation Author indicate which Certificates of Installation must be submitted for the features to be recognized for compliance. These documents must be retained and provided to the building inspector during construction and can be found online

Building Component	Form/Title
Envelope	NRCI-ENV-E - Envelope (for all buildings)
Mechanical	NRCI-MCH-E - For all buildings with Mechanical Systems
Plumbing	NRCI-PLB-E - For all buildings with Plumbing Systems
	NRCI-SAB-E - Solar Water Heating, PV and Battery Storage Systems
Indoor Lighting	NRCI-LTI-E - Indoor Lighting (for all buildings)
Covered Process	NRCI-PRC-E - Covered Processes

M. DECLARATION OF REQUIRED CERTIFICATES OF ACCEPTANCE

Selections made by Documentation Author indicate which Certificates of Acceptance must be submitted for the features to be recognized for compliance. These documents must be provided to the building inspector during construction and must be completed through an Acceptance Test Technician Certification Provider (ATTCP).

Building Component	Form/Title & System Name(s)
Envelope	NRCA-ENV-02-F - NRFC label verification for fenestration
Mechanical	NRCA-MCH-03-A - Constant Volume Single Zone HVAC
	VFC-2, VFC-1 / 1.5 and VFC-3.
Mechanical	NRCA-MCH-20-A Multifamily Ventilation
	Res_IAQ_60, Res_IAQ_40 and Res_IAQ_70.
Mechanical	NRCA-MCH-21-A Multifamily Envelope
	Dwelling Units

N. DECLARATION OF REQUIRED CERTIFICATES OF VERIFICATION

Selections made by Documentation Author indicate which Certificates of Verification must be submitted for the features to be recognized for compliance. These documents must be retained and provided to the building inspector during construction and can be found online

Building Component	Form/Title
Mechanical	NRCV-MCH-24 Enclosure Air Leakage
Mechanical	NRCV-MCH-27 Indoor Air Quality & Mechanical Ventilation
Mechanical	NRCV-MCH-32 Local Mechanical Exhaust

Documentation Author's Declaration Statement

1. I certify that this Certificate of Compliance documentation is accurate and complete.	
Documentation Author Name:	Documentation Author Signature:
Company:	Signature Date:
Address:	CEA/HERS Certification Identification (if applicable):
City/State/Zip: ,	Phone:

Responsible Person's Declaration statement

I certify the following under penalty of perjury, under the laws of the State of California:

1. The information provided on this Certificate of Compliance is true and correct.
2. I am eligible under Division 3 of the Business and Professions Code to accept responsibility for the building design or system design identified on this Certificate of Compliance (responsible designer)
3. The energy features and performance specifications, materials, components, and manufactured devices for the building design or system design identified on this Certificate of Compliance conform to the requirements of Title 24, Part 1 and Part 6 of the California Code of Regulations.
4. The building design features or system design features identified on this Certificate of Compliance are consistent with the information provided on other applicable compliance documents, worksheets, calculations, plans and specifications submitted to the enforcement agency for approval with this building permit application.
5. I understand that a registered copy of this Certificate of Compliance shall be made available with the building permit(s) issued for the building, and made available to the enforcement agency for all applicable inspections, and I will take the necessary steps to accomplish this requirement.
6. I understand that a registered copy of this Certificate of Compliance is required to be included with the documentation the builder provides to the building owner at occupancy, and I will take the necessary steps to accomplish these requirements.

Responsible Designer Name:	Responsible Designer Signature:	
Company:		
Address:	Date Signed:	
City/State/Zip: ,	License #:	
Phone:	Title:	Scope: