

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD		NRCC-PRF-E
Nonresidential Performance Compliance Method		(Page 1 of 148)
Project Name:	Del Amo Circle - LEED	Date Prepared: 2024-12-11

A. General Information					
1	Project Name	Del Amo Circle - LEED			
2	Run Title	Title 24 High Rise Compliance			
3	Project Location	DEL AMO CIRCLE DRIVE			
4	City	Torrance	5	Standards Version	Compliance 2022
6	Zip code	90503	7	Compliance Software (version)	CBECC 2022.3.1 (1343)
8	Climate Zone	6	9	Building Orientation (deg)	360
10	Building Type(s)	• High-Rise Residential	11	Weather File	TORRANCE-MUNI-AP_STYP20.epw
12	Project Scope	• New complete scope	13	Number of Dwelling Units	200
14	Total Conditioned Floor Area in Scope (ft²)	184131	15	Total # of hotel/motel rooms	0
16	Total Unconditioned Floor Area (ft²)	200013	17	Fuel Type	Natural gas
18	Nonresidential Conditioned Floor Area	0	19	Total # of Stories (Habitable Above Grade)	15
20	Residential Conditioned Floor Area	184131			

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 2 of 148)

B. PROJECT SUMMARY							
Table B shows which building components are included in the performance calculation. If indicated as not included, the project must show compliance prescriptively if within the permit application.							
Building Components Complying via Performance					Building Components Complying Prescriptively		
Envelope (See Table G)	Nonres	Not Included	Solar Thermal Water Heating (See Table I3)	☒	Performance	The following building components are ONLY eligible for prescriptive compliance and should be documented on the NRCC form listed if within the scope of the permit application (i.e. compliance will not be shown on the NRCC-PRF-E).	
	MultiFam	Performance		☐	Not Included		
Mechanical (See Table H)	Nonres	Not Included	Covered Process: Commercial Kitchens (see Table J)	☐	Performance	Indoor Lighting (Unconditioned) 140.6 & 170.2(e)	NRCC-LTI-E is required
	MultiFam	Performance		☒	Not Included	Outdoor Lighting 140.7 & 170.2(e)	NRCC-LTO-E is required
Domestic Hot Water (See Table I)	Nonres	Not Included	Covered Process: Laboratory Exhaust (see Table J)	☐	Performance	Sign Lighting 140.8 & 170.2(e)	NRCC-LTS-E is required
	MultiFam	Performance		☒	Not Included	Building Components Complying with Mandatory Measures	
Lighting (Indoor Conditioned, see Table K)	Nonres	Not Included	Photovoltaics (see Table F)	☒	Performance	Electrical power systems, commissioning, solar ready, elevator and escalator requirements are mandatory and should be documented on the NRCC form listed if applicable (i.e. compliance will not be shown on the NRCC-PRF-E.)	
	MultiFam	Performance		☐	Not Included	Electrical Power Distribution 110.11	NRCC-ELC-E is required
			Battery (see Table F)	☐	Performance	Commissioning 120.8	NRCC-CXR-E is required
				☒	Not Included	Solar and Battery 110.10	NRCC-SAB-E is required

C1. COMPLIANCE SUMMARY			
COMPLIES ³			
	Time Dependent Valuaton (TDV)		Source Energy Use
	Efficiency ¹ (kBtu/ft² - yr)	Total ² (kBtu/ft² - yr)	Total ² (kBtu/ft² - yr)
Standard Design	106.02	45.97	11.94
Proposed Design	96.39	39.83	11.31
Compliance Margins	9.63	6.14	0.63
	Pass	Pass	Pass
¹ Efficiency measures include improvements like a better building envelope and more efficient equipment ² Compliance Totals include efficiency, photovoltaics and batteries ³ New Construction, Complete Addition Scope: Building complies when all efficiency and total compliance margins are greater than or equal to zero and unmet load hour limits are not exceeded Existing, Addition and Alteration Scope: Building complies when efficiency compliance margin is greater than or equal to zero and unmet load hour limits are not exceeded			

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 4 of 148)

C2. TDV ENERGY COMPLIANCE RESULTS FOR PERFORMANCE COMPONENTS (Annual TDV Energy Use, kBtu/ft² - yr)			
COMPLIES²			
Energy Component	Standard Design (TDV)	Proposed Design (TDV)	Compliance Margin (TDV)¹
Space Heating	1.04	4.71	-3.67
Space Cooling	15.89	16.18	-0.29
Indoor Fans	14.58	10.41	4.17
Heat Rejection	0	0	0
Pumps & Misc.	0.15	0.18	-0.03
Domestic Hot Water	34.76	34.95	-0.19
Indoor Lighting	39.6	29.96	9.64
Flexibility	---	---	---
EFFICIENCY COMPLIANCE TOTAL	106.02	96.39	9.63 (9.1%)
Photovoltaics	-60.04	-56.56	-3.48
Batteries	-0.01	---	-0.01
TOTAL COMPLIANCE	45.97	39.83	6.14 (13.4%)
¹ Notes: This number in parenthesis following the Compliance Margin in column 4, represents the Percent Better than Standard.			

C3. TDV ENERGY RESULTS FOR NON-REGULATED COMPONENTS ¹			
Non-Regulated Energy Component	Standard Design (TDV)	Proposed Design (TDV)	Compliance Margin (TDV) ¹
Receptacle	50.17	50.17	---
Process	101.89	101.89	---
Other Ltg	8.67	8.67	---
Process Motors	55.74	55.74	---
TOTAL (TOTAL COMPLIANCE + NON-REGULATED COMPONENTS)	262.44	256.3	6.14 (2.3%)
¹ Notes: This table is not used for Energy Code Compliance.			

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 6 of 148)

C4. SOURCE ENERGY COMPLIANCE RESULTS FOR PERFORMANCE COMPONENTS (Annual SOURCE Energy Use, kBtu/ft² /yr)			
COMPLIES²			
Energy Component	Standard Design (SOURCE)	Proposed Design (SOURCE)	Compliance Margin (SOURCE)¹
Space Heating	0.14	0.58	-0.44
Space Cooling	0.57	0.57	0
Indoor Fans	1.19	0.78	0.41
Heat Rejection	0	0	0
Pumps & Misc.	0.02	0.02	0
Domestic Hot Water	8.47	8.54	-0.07
Indoor Lighting	3.55	2.7	0.85
Flexibility	---	---	---
EFFICIENCY COMPLIANCE TOTAL	13.94	13.19	0.75 (5.4%)
Photovoltaics	-2	-1.88	-0.12
Batteries	0	---	---
TOTAL COMPLIANCE	11.94	11.31	0.63 (5.3%)
¹ Notes: This number in parenthesis following the Compliance Margin in column 4, represents the Percent Better than Standard.			

C5. SOURCE ENERGY RESULTS FOR NON-REGULATED COMPONENTS ¹			
Non-Regulated Energy Component	Standard Design (SOURCE)	Proposed Design (SOURCE)	Compliance Margin (SOURCE) ¹
Receptacle	4.71	4.71	---
Process	7.25	7.25	---
Other Ltg	0.86	0.86	---
Process Motors	5.24	5.24	---
TOTAL (TOTAL COMPLIANCE + NON-REGULATED COMPONENTS)	30	29.37	0.63 (2.1%)
¹ Notes: This table is not used for Energy Code Compliance.			

C6. 'ABOVE CODE' QUALIFICATIONS	
☐ This project is pursuing CalGreen Tier 1	☐ This project is pursuing CalGreen Tier 2

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 8 of 148)

C7. ENERGY USE SUMMARY						
Energy Component	Standard Design Site (MWh)	Proposed Design Site (MWh)	Margin (MWh)	Standard Design Site (MBtu)	Proposed Design Site (MBtu)	Margin (MBtu)
Space Heating	6.4	29.3	-22.9	---	---	---
Space Cooling	67.8	66.3	1.5	---	---	---
Indoor Fans	91.3	61	30.3	---	---	---
Heat Rejection	---	---	---	---	---	---
Pumps & Misc.	0.9	1.1	-0.2	---	---	---
Domestic Hot Water	1.5	1	0.5	1801.9	1817.4	-15.5
Indoor Lighting	270.5	204.8	65.7	---	---	---
Flexibility	---	---	---	---	---	---
EFFICIENCY TOTAL	438.4	363.5	74.9	1801.9	1817.4	-15.5
Photovoltaics	-547.8	-516	-31.8	---	---	---
Batteries	0	---	---	---	---	---
ENERGY USE SUBTOTAL	-109.4	-152.5	43.1	1801.9	1817.4	-15.5
Receptacle	328.4	328.4	0	---	---	---
Process	754.8	754.8	0	---	---	---
Other Ltg	51.2	51.2	0	---	---	---
Process Motors	380.6	380.6	0	---	---	---
ENERGY USE TOTAL	1405.6	1362.5	43.1	1801.9	1817.4	-15.5

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 9 of 148)

C8. ENERGY USE INTENSITY (EUI)				
	Standard Design (kBtu/ft² / yr)	Proposed Design (kBtu/ft² / yr)	Margin (kBtu/ft² / yr)	Margin Percentage
GROSS EUI ¹	22.04	21.42	0.62	2.81
NET EUI ¹	17.18	16.83	0.35	2.04
¹ Notes: Gross EUI is Energy Use Total (not including PV)/Total Building Area. Net EUI is Energy Use Total (including PV)/Total Building Area.				

D1. EXCEPTIONAL CONDITIONS
Required minimum PV capacity limited by SARA.

D2. MULTIFAMILY REQUIRED SPECIAL FEATURES
- IAQ Ventilation System: as low as 0.1 W/CFM - Cool roof - Non-standard duct location (any location other than attic) - Multifamily: Recirculating with no control (continuous pumping)

E1. HERS VERIFICATION SUMMARY
The following is a summary of the features that must be field-verified by a certified HERS Rater as a condition for meeting the modeled energy performance for this computer analysis. Additional detail is provided in the building tables below. Registered LMCIs and LMCVs are required to be completed in the HERS Registry.
Building-level Verifications: - Indoor air quality ventilation - Enclosure air leakage for each dwelling unit - Kitchen range hood Cooling System Verifications: - Minimum Airflow - Verified EER - Verified SEER - Verified Refrigerant Charge - Fan Efficacy Watts/CFM Heating System Verifications: - Verified heat pump rated heating capacity HVAC Distribution System Verifications: - Duct leakage testing - Ducts located entirely in conditioned space confirmed by duct leakage testing Domestic Hot Water System Verifications: -- None --

F1. REQUIRED PV SYSTEMS											
01	02	03	04	05	06	07	08	09	10	11	12
DC System Size (kWdc)	Exception ¹	Module Type	Array Type	Power Electronics	CFI	Azimuth (deg)	Tilt Input	Array Angle (deg)	Tilt: (x in 12)	Inverter Eff. (%)	Annual Solar Access (%)
300		Premium (~18-20%)	Fixed	Microinverters	true	150-270	n/a	n/a	<=7:12	96	98
¹ See Table D1 for any PV exceptions used.											

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 11 of 148)

F1B. PV BATTERY BUILDING TYPE(S)		
01	02	03
Building Occupancy Type* (From Table 140.10-A/B and 170.2-U/V)	Conditioned Floor Area (ft²)	Unconditioned Floor Area (ft²)
Grocery	0	0
High-Rise Multifamily	177563	28080.1
Office, Financial Institutions, Unleased Tenant Space	3563.02	1589.43
Retail	0	0
School	0	0
Warehouse	0	0
Auditorium, Convention Center, Hotel/Motel, Library, Medical Office Building/Clinic, Restaurant, Theater	2879.75	13989.9
None	124.999	156353
<i>*Building Occupancy Types are defined in Section 100.1 of the Energy Code</i>		

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 12 of 148)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 1-(1/7)	DU-A1	A1_L01	1
DwellingUnit 1-(2/7)	DU-A1	A1_L01	1
DwellingUnit 1-(3/7)	DU-A1	A1_L01	1
DwellingUnit 1-(4/7)	DU-A1	A1_L01	1
DwellingUnit 1-(5/7)	DU-A1	A1_L01	1
DwellingUnit 1-(6/7)	DU-A1	A1_L01	1
DwellingUnit 1-(7/7)	DU-A1	A1_L01	1
DwellingUnit 2-(1/3)	DU-A2	A2_L01	1
DwellingUnit 2-(2/3)	DU-A2	A2_L01	1
DwellingUnit 2-(3/3)	DU-A2	A2_L01	1
DwellingUnit 3-(1/1)	DU-A2.1	A2.1_L01	1
DwellingUnit 4-(1/1)	DU-A4	A4_L01	1
DwellingUnit 5-(1/1)	DU-A5	A5_L01	1
DwellingUnit 6-(1/1)	DU-B1	B1_L01	1
DwellingUnit 7-(1/2)	DU-B3.1	B3.1_L01	1
DwellingUnit 7-(2/2)	DU-B3.1	B3.1_L01	1
DwellingUnit 8-(1/1)	DU-B3.2	B3.2_L01	1
DwellingUnit 9-(1/2)	DU-B3.3	B3.3_L01	1
DwellingUnit 9-(2/2)	DU-B3.3	B3.3_L01	1
DwellingUnit 10-(1/3)	DU-B4	B4_L01	1
DwellingUnit 10-(2/3)	DU-B4	B4_L01	1
DwellingUnit 10-(3/3)	DU-B4	B4_L01	1
DwellingUnit 11-(1/4)	DU-B5	B5_L01	1
DwellingUnit 11-(2/4)	DU-B5	B5_L01	1
DwellingUnit 11-(3/4)	DU-B5	B5_L01	1
DwellingUnit 11-(4/4)	DU-B5	B5_L01	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 13 of 148)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 12-(1/1)	DU-B5.1	B5.1_L01	1
DwellingUnit 13-(1/5)	DU-S2	S2_L01	1
DwellingUnit 13-(2/5)	DU-S2	S2_L01	1
DwellingUnit 13-(3/5)	DU-S2	S2_L01	1
DwellingUnit 13-(4/5)	DU-S2	S2_L01	1
DwellingUnit 13-(5/5)	DU-S2	S2_L01	1
DwellingUnit 14-(1/1)	DU-S2.1	S2.1_L01	1
DwellingUnit 15-(1/2)	DU-S3	S3_L01	1
DwellingUnit 15-(2/2)	DU-S3	S3_L01	1
DwellingUnit 16-(1/1)	DU-S4	S4_L01	1
DwellingUnit 17-(1/7)	DU-A1	A1_L02	1
DwellingUnit 17-(2/7)	DU-A1	A1_L02	1
DwellingUnit 17-(3/7)	DU-A1	A1_L02	1
DwellingUnit 17-(4/7)	DU-A1	A1_L02	1
DwellingUnit 17-(5/7)	DU-A1	A1_L02	1
DwellingUnit 17-(6/7)	DU-A1	A1_L02	1
DwellingUnit 17-(7/7)	DU-A1	A1_L02	1
DwellingUnit 18-(1/5)	DU-A2	A2_L02	1
DwellingUnit 18-(2/5)	DU-A2	A2_L02	1
DwellingUnit 18-(3/5)	DU-A2	A2_L02	1
DwellingUnit 18-(4/5)	DU-A2	A2_L02	1
DwellingUnit 18-(5/5)	DU-A2	A2_L02	1
DwellingUnit 19-(1/1)	DU-A2.1	A2.1_L02	1
DwellingUnit 20-(1/1)	DU-B1	B1_L02	1
DwellingUnit 21-(1/1)	DU-B2	B2_L02	1
DwellingUnit 22-(1/2)	DU-B3	B3_L02	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 14 of 148)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 22-(2/2)	DU-B3	B3_L02	1
DwellingUnit 23-(1/2)	DU-B3.1	B3.1_L02	1
DwellingUnit 23-(2/2)	DU-B3.1	B3.1_L02	1
DwellingUnit 24-(1/1)	DU-B3.2	B3.2_L02	1
DwellingUnit 25-(1/2)	DU-B3.3	B3.3_L02	1
DwellingUnit 25-(2/2)	DU-B3.3	B3.3_L02	1
DwellingUnit 26-(1/1)	DU-B3.4	B3.4_L02	1
DwellingUnit 27-(1/4)	DU-B4	B4_L02	1
DwellingUnit 27-(2/4)	DU-B4	B4_L02	1
DwellingUnit 27-(3/4)	DU-B4	B4_L02	1
DwellingUnit 27-(4/4)	DU-B4	B4_L02	1
DwellingUnit 28-(1/1)	DU-B4.1	B4.1_L02	1
DwellingUnit 29-(1/4)	DU-B5	B5_L02	1
DwellingUnit 29-(2/4)	DU-B5	B5_L02	1
DwellingUnit 29-(3/4)	DU-B5	B5_L02	1
DwellingUnit 29-(4/4)	DU-B5	B5_L02	1
DwellingUnit 30-(1/1)	DU-B5.1	B5.1_L02	1
DwellingUnit 31-(1/1)	DU-B5.2	B5.2_L02	1
DwellingUnit 32-(1/1)	DU-S1	S1_L02	1
DwellingUnit 33-(1/5)	DU-S2	S2_L02	1
DwellingUnit 33-(2/5)	DU-S2	S2_L02	1
DwellingUnit 33-(3/5)	DU-S2	S2_L02	1
DwellingUnit 33-(4/5)	DU-S2	S2_L02	1
DwellingUnit 33-(5/5)	DU-S2	S2_L02	1
DwellingUnit 34-(1/1)	DU-S2.1	S2.1_L02	1
DwellingUnit 35-(1/7)	DU-A1	A1_L03	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 15 of 148)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 35-(2/7)	DU-A1	A1_L03	1
DwellingUnit 35-(3/7)	DU-A1	A1_L03	1
DwellingUnit 35-(4/7)	DU-A1	A1_L03	1
DwellingUnit 35-(5/7)	DU-A1	A1_L03	1
DwellingUnit 35-(6/7)	DU-A1	A1_L03	1
DwellingUnit 35-(7/7)	DU-A1	A1_L03	1
DwellingUnit 36-(1/5)	DU-A2	A2_L03	1
DwellingUnit 36-(2/5)	DU-A2	A2_L03	1
DwellingUnit 36-(3/5)	DU-A2	A2_L03	1
DwellingUnit 36-(4/5)	DU-A2	A2_L03	1
DwellingUnit 36-(5/5)	DU-A2	A2_L03	1
DwellingUnit 37-(1/1)	DU-A2.1	A2.1_L03	1
DwellingUnit 38-(1/1)	DU-B1	B1_L03	1
DwellingUnit 39-(1/1)	DU-B2	B2_L03	1
DwellingUnit 40-(1/2)	DU-B3	B3_L03	1
DwellingUnit 40-(2/2)	DU-B3	B3_L03	1
DwellingUnit 41-(1/2)	DU-B3.1	B3.1_L03	1
DwellingUnit 41-(2/2)	DU-B3.1	B3.1_L03	1
DwellingUnit 42-(1/1)	DU-B3.2	B3.2_L03	1
DwellingUnit 43-(1/2)	DU-B3.3	B3.3_L03	1
DwellingUnit 43-(2/2)	DU-B3.3	B3.3_L03	1
DwellingUnit 44-(1/1)	DU-B3.4	B3.4_L03	1
DwellingUnit 45-(1/4)	DU-B4	B4_L03	1
DwellingUnit 45-(2/4)	DU-B4	B4_L03	1
DwellingUnit 45-(3/4)	DU-B4	B4_L03	1
DwellingUnit 45-(4/4)	DU-B4	B4_L03	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 16 of 148)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 46-(1/1)	DU-B4.1	B4.1_L03	1
DwellingUnit 47-(1/4)	DU-B5	B5_L03	1
DwellingUnit 47-(2/4)	DU-B5	B5_L03	1
DwellingUnit 47-(3/4)	DU-B5	B5_L03	1
DwellingUnit 47-(4/4)	DU-B5	B5_L03	1
DwellingUnit 48-(1/1)	DU-B5.1	B5.1_L03	1
DwellingUnit 49-(1/1)	DU-B5.2	B5.2_L03	1
DwellingUnit 50-(1/1)	DU-S1	S1_L03	1
DwellingUnit 51-(1/5)	DU-S2	S2_L03	1
DwellingUnit 51-(2/5)	DU-S2	S2_L03	1
DwellingUnit 51-(3/5)	DU-S2	S2_L03	1
DwellingUnit 51-(4/5)	DU-S2	S2_L03	1
DwellingUnit 51-(5/5)	DU-S2	S2_L03	1
DwellingUnit 52-(1/1)	DU-S2.1	S2.1 7_L03	1
DwellingUnit 53-(1/7)	DU-A1	A1_L04	1
DwellingUnit 53-(2/7)	DU-A1	A1_L04	1
DwellingUnit 53-(3/7)	DU-A1	A1_L04	1
DwellingUnit 53-(4/7)	DU-A1	A1_L04	1
DwellingUnit 53-(5/7)	DU-A1	A1_L04	1
DwellingUnit 53-(6/7)	DU-A1	A1_L04	1
DwellingUnit 53-(7/7)	DU-A1	A1_L04	1
DwellingUnit 54-(1/5)	DU-A2	A2_L04	1
DwellingUnit 54-(2/5)	DU-A2	A2_L04	1
DwellingUnit 54-(3/5)	DU-A2	A2_L04	1
DwellingUnit 54-(4/5)	DU-A2	A2_L04	1
DwellingUnit 54-(5/5)	DU-A2	A2_L04	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 17 of 148)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 55-(1/1)	DU-A2.1	A2.1_L04	1
DwellingUnit 56-(1/1)	DU-B1	B1_L04	1
DwellingUnit 57-(1/1)	DU-B2	B2_L04	1
DwellingUnit 58-(1/2)	DU-B3	B3_L04	1
DwellingUnit 58-(2/2)	DU-B3	B3_L04	1
DwellingUnit 59-(1/2)	DU-B3.1	B3.1_L04	1
DwellingUnit 59-(2/2)	DU-B3.1	B3.1_L04	1
DwellingUnit 60-(1/1)	DU-B3.2	B3.2_L04	1
DwellingUnit 61-(1/2)	DU-B3.3	B3.3_L04	1
DwellingUnit 61-(2/2)	DU-B3.3	B3.3_L04	1
DwellingUnit 62-(1/1)	DU-B3.4	B3.4_L04	1
DwellingUnit 63-(1/4)	DU-B4	B4_L04	1
DwellingUnit 63-(2/4)	DU-B4	B4_L04	1
DwellingUnit 63-(3/4)	DU-B4	B4_L04	1
DwellingUnit 63-(4/4)	DU-B4	B4_L04	1
DwellingUnit 64-(1/1)	DU-B4.1	B4.1 26_L04	1
DwellingUnit 65-(1/4)	DU-B5	B5_L04	1
DwellingUnit 65-(2/4)	DU-B5	B5_L04	1
DwellingUnit 65-(3/4)	DU-B5	B5_L04	1
DwellingUnit 65-(4/4)	DU-B5	B5_L04	1
DwellingUnit 66-(1/1)	DU-B5.1	B5.1_L04	1
DwellingUnit 67-(1/1)	DU-B5.2	B5.2_L04	1
DwellingUnit 68-(1/1)	DU-S1	S1_L04	1
DwellingUnit 69-(1/5)	DU-S2	S2_L04	1
DwellingUnit 69-(2/5)	DU-S2	S2_L04	1
DwellingUnit 69-(3/5)	DU-S2	S2_L04	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 18 of 148)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 69-(4/5)	DU-S2	S2_L04	1
DwellingUnit 69-(5/5)	DU-S2	S2_L04	1
DwellingUnit 70-(1/1)	DU-S2.1	S2.1 41_L04	1
DwellingUnit 71-(1/7)	DU-A1	A1_L05	1
DwellingUnit 71-(2/7)	DU-A1	A1_L05	1
DwellingUnit 71-(3/7)	DU-A1	A1_L05	1
DwellingUnit 71-(4/7)	DU-A1	A1_L05	1
DwellingUnit 71-(5/7)	DU-A1	A1_L05	1
DwellingUnit 71-(6/7)	DU-A1	A1_L05	1
DwellingUnit 71-(7/7)	DU-A1	A1_L05	1
DwellingUnit 72-(1/5)	DU-A2	A2_L05	1
DwellingUnit 72-(2/5)	DU-A2	A2_L05	1
DwellingUnit 72-(3/5)	DU-A2	A2_L05	1
DwellingUnit 72-(4/5)	DU-A2	A2_L05	1
DwellingUnit 72-(5/5)	DU-A2	A2_L05	1
DwellingUnit 73-(1/1)	DU-A2.1	A2.1_L05	1
DwellingUnit 74-(1/1)	DU-B1	B1_L05	1
DwellingUnit 75-(1/1)	DU-B2	B2_L05	1
DwellingUnit 76-(1/2)	DU-B3	B3_L05	1
DwellingUnit 76-(2/2)	DU-B3	B3_L05	1
DwellingUnit 77-(1/2)	DU-B3.1	B3.1_L05	1
DwellingUnit 77-(2/2)	DU-B3.1	B3.1_L05	1
DwellingUnit 78-(1/1)	DU-B3.2	B3.2_L05	1
DwellingUnit 79-(1/2)	DU-B3.3	B3.3_L05	1
DwellingUnit 79-(2/2)	DU-B3.3	B3.3_L05	1
DwellingUnit 80-(1/1)	DU-B3.4	B3.4_L05	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 19 of 148)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 81-(1/4)	DU-B4	B4_L05	1
DwellingUnit 81-(2/4)	DU-B4	B4_L05	1
DwellingUnit 81-(3/4)	DU-B4	B4_L05	1
DwellingUnit 81-(4/4)	DU-B4	B4_L05	1
DwellingUnit 82-(1/1)	DU-B4.1	B4.1_L05	1
DwellingUnit 83-(1/4)	DU-B5	B5_L05	1
DwellingUnit 83-(2/4)	DU-B5	B5_L05	1
DwellingUnit 83-(3/4)	DU-B5	B5_L05	1
DwellingUnit 83-(4/4)	DU-B5	B5_L05	1
DwellingUnit 84-(1/1)	DU-B5.1	B5.1_L05	1
DwellingUnit 85-(1/1)	DU-B5.2	B5.2_L05	1
DwellingUnit 86-(1/1)	DU-S1	S1_L05	1
DwellingUnit 87-(1/5)	DU-S2	S2_L05	1
DwellingUnit 87-(2/5)	DU-S2	S2_L05	1
DwellingUnit 87-(3/5)	DU-S2	S2_L05	1
DwellingUnit 87-(4/5)	DU-S2	S2_L05	1
DwellingUnit 87-(5/5)	DU-S2	S2_L05	1
DwellingUnit 88-(1/1)	DU-S2.1	S2.1_L05	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 20 of 148)

F4. DWELLING UNIT TYPES						
01	02	03	04	05	06	07
Name	CFA (ft²)	Number of Bedrooms	Number in Building	Space Conditioning Systems Assigned	DHW System Name	IAQ Vent Fan Name
DU-S1	633	1	4	DU-S1 :HP- 1:ResidentialDistributionSystem 1:FC-1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
DU-S2	679	1	25	DU-S2 :HP- 1:ResidentialDistributionSystem 1:FC-1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
DU-S2.1	662	1	5	DU-S2.1 :HP- 1:ResidentialDistributionSystem 1:FC-1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
DU-S3	680	1	2	DU-S3 :HP- 1:ResidentialDistributionSystem 1:FC-1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
DU-S4	634	1	1	DU-S4 :HP- 1:ResidentialDistributionSystem 1:FC-1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
DU-A1	795	1	35	DU-A1 :HP- 1:ResidentialDistributionSystem 1:FC-1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
DU-A2	781	1	23	DU-A2 :HP- 1:ResidentialDistributionSystem 1:FC-1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 21 of 148)

F4. DWELLING UNIT TYPES						
01	02	03	04	05	06	07
Name	CFA (ft ²)	Number of Bedrooms	Number in Building	Space Conditioning Systems Assigned	DHW System Name	IAQ Vent Fan Name
DU-A2.1	777	1	5	DU-A2.1 :HP- 1:ResidentialDistributionSystem 1:FC-1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
DU-A4	764	1	1	DU-A4 :HP- 1:ResidentialDistributionSystem 1:FC-1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
DU-A5	763	1	1	DU-A5 :HP- 1:ResidentialDistributionSystem 1:FC-1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
DU-B1	1088	2	5	DU-B1 :HP- 2:ResidentialDistributionSystem 1:FC-2:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
DU-B2	1118	2	4	DU-B2 :HP- 2:ResidentialDistributionSystem 1:FC-2:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
DU-B3	1040	2	8	DU-B3 :HP- 2:ResidentialDistributionSystem 1:FC-2:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
DU-B3.1	1036	2	10	DU-B3.1 :HP- 2:ResidentialDistributionSystem 1:FC-2:2:3	ResidentialDHWSystem 1	Individual IAQ Fans

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 22 of 148)

F4. DWELLING UNIT TYPES						
01	02	03	04	05	06	07
Name	CFA (ft²)	Number of Bedrooms	Number in Building	Space Conditioning Systems Assigned	DHW System Name	IAQ Vent Fan Name
DU-B3.2	1031	2	5	DU-B3.2 :HP- 2:ResidentialDistributionSystem 1:FC-2:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
DU-B3.3	1037	2	10	DU-B3.3 :HP- 2:ResidentialDistributionSystem 1:FC-2:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
DU-B3.4	1036	2	4	DU-B3.4 :HP- 2:ResidentialDistributionSystem 1:FC-2:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
DU-B4	1077	2	19	DU-B4 :HP- 2:ResidentialDistributionSystem 1:FC-2:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
DU-B4.1	1096	2	4	DU-B4.1 :HP- 2:ResidentialDistributionSystem 1:FC-2:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
DU-B5	938	2	20	DU-B5 :HP- 2:ResidentialDistributionSystem 1:FC-2:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
DU-B5.1	914	2	5	DU-B5.1 :HP- 2:ResidentialDistributionSystem 1:FC-2:2:3	ResidentialDHWSystem 1	Individual IAQ Fans

F4. DWELLING UNIT TYPES						
01	02	03	04	05	06	07
Name	CFA (ft ²)	Number of Bedrooms	Number in Building	Space Conditioning Systems Assigned	DHW System Name	IAQ Vent Fan Name
DU-B5.2	944	2	4	DU-B5.2 :HP-2:ResidentialDistributionSystem 1:FC-2:2:3	ResidentialDHWSystem 1	Individual IAQ Fans

G1. ENVELOPE GENERAL INFORMATION (conditioned spaces only)			
01	02	03	04
Opaque Surfaces & Orientation	Total Gross Surface Area (ft ²)	Total Fenestration Area (ft ²)	Window to Wall Ratio (%)
North-Facing ¹	14762.1	7038.53	47.68
East-Facing ²	15271	5372.27	35.18
South-Facing ³	25419.4	12921.9	50.83
West-Facing ⁴	23929.1	10865.6	45.41
Total	79381.6	36198.3	45.6
Roof	39528.4	0	0
Notes ¹ North-Facing is oriented to within 45 degrees of true north, including 45 00'00" east of north (NE), but excluding 45 00'00" west of north (NW), ² East-Facing is oriented to within 45 degrees of true east, including 45 00'00" south of east (SE), but excluding 45 00'00" north of east (NE), ³ South-Facing is oriented to within 45 degrees of true south, including 45 00'00" west of south (SW), but excluding 45 00'00" east of south (SE), ⁴ West-Facing is oriented to within 45 degrees of true west, including 45 00'00" north of west (NW), but excluding 45 00'00" south of west (SW),			

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 24 of 148)

G2B. ROOFING PRODUCT SUMMARY (MULTIFAMILY AND COMMON AREAS)					
01	02	03	04	05	06
Name	Roof Pitch	Roof Rise (x in 12)	Aged Solar Reflectance	Thermal Emittance	SRI
Roof (Front 1) : FIRE PUMP_B1	Low slope	0.5	0.65	0.85	N/A
Roof (Front 1) : Move-In_B1	Low slope	0.5	0.65	0.85	N/A
Roof (Front 1) : MPOE_B1	Low slope	0.5	0.65	0.85	N/A
Roof (Front 1) : Passage_B1	Low slope	0.5	0.65	0.85	N/A
Roof (Front 1) : PET SPA_B1	Low slope	0.5	0.65	0.85	N/A
Roof (Front 1) : Co Work-Lobby_B1	Low slope	0.5	0.65	0.85	N/A
Roof (Front 1) : Leasing_B1	Low slope	0.5	0.65	0.85	N/A
Roof (Front 1) : Mail_B1	Low slope	0.5	0.65	0.85	N/A
Roof (Front 1) : Electrical 3_L01	Low slope	0.5	0.65	0.85	N/A
Roof (Front 1) : Storage 2_L01	Low slope	0.5	0.65	0.85	N/A
Roof (Front 1) : Corridor_L01	Low slope	0.5	0.65	0.85	N/A
Roof (Front 1) : A1_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 2) : A1_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 3) : A1_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 4) : A1_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 5) : A1_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 6) : A1_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 7) : A1_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : A2_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 2) : A2_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 3) : A2_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 4) : A2_L05	Low slope	0	0.1	0.85	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 25 of 148)

G2B. ROOFING PRODUCT SUMMARY (MULTIFAMILY AND COMMON AREAS)					
01	02	03	04	05	06
Name	Roof Pitch	Roof Rise (x in 12)	Aged Solar Reflectance	Thermal Emittance	SRI
Roof (Front 5) : A2_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : A2.1_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : B1_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : B2_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : B3_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 2) : B3_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : B3.1_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 2) : B3.1_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : B3.2_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : B3.3_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 2) : B3.3_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : B3.4_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : B4_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 2) : B4_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 3) : B4_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 4) : B4_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : B4.1_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : B5_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 2) : B5_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 3) : B5_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 4) : B5_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : B5.1_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : B5.2_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : S1_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : S2_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 2) : S2_L05	Low slope	0	0.1	0.85	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 26 of 148)

G2B. ROOFING PRODUCT SUMMARY (MULTIFAMILY AND COMMON AREAS)					
01	02	03	04	05	06
Name	Roof Pitch	Roof Rise (x in 12)	Aged Solar Reflectance	Thermal Emittance	SRI
Roof (Front 3) : S2_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 4) : S2_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 5) : S2_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : S2.1_L05	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : Corridor_L05	Low slope	0.5	0.65	0.85	N/A
Roof (Front 2) : Corridor_L05	Low slope	0.5	0.65	0.85	N/A
Roof (Front 3) : Corridor_L05	Low slope	0.5	0.65	0.85	N/A
Roof (Front 4) : Corridor_L05	Low slope	0.5	0.65	0.85	N/A
Roof (Front 1) : Elevator 1_L05	Low slope	0.5	0.65	0.85	N/A
Roof (Front 1) : IDF 1_L05	Low slope	0.5	0.65	0.85	N/A
Roof (Front 1) : IDF 2_L05	Low slope	0.5	0.65	0.85	N/A
Roof (Front 1) : Stair 1_L05	Low slope	0.5	0.65	0.85	N/A
Roof (Front 1) : IDF 3_L05	Low slope	0.5	0.65	0.85	N/A
Roof (Front 1) : Storage A-B_L05	Low slope	0.5	0.65	0.85	N/A
Roof (Front 1) : Storage C_L05	Low slope	0.5	0.65	0.85	N/A
Roof (Front 1) : Storage D-E-F-G_L05	Low slope	0.5	0.65	0.85	N/A
Roof (Front 1) : Storage I-J_L05	Low slope	0.5	0.65	0.85	N/A
Roof (Front 1) : Storage H_L05	Low slope	0.5	0.65	0.85	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 27 of 148)

G2B. ROOFING PRODUCT SUMMARY (MULTIFAMILY AND COMMON AREAS)					
01	02	03	04	05	06
Name	Roof Pitch	Roof Rise (x in 12)	Aged Solar Reflectance	Thermal Emittance	SRI
Roof (Front 1) : Trash_B1	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : Elev 1_L06	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : Elev 2_L06	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : Exhaust Room_L06	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : Parking Stair 2_L06	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : Vest. 2_L06	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : Parking Area_L06	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : Club Room_L07	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : Fitness Room_L07	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : Parking Stair 1_L07	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : Resroom_L07	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : Trash Room_L07	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : Women Resroom_L07	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : Vest. 3_L07	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : Parking Stair 3_L07	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : Vest. 1_L07	Low slope	0	0.1	0.85	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 28 of 148)

G5. OPAQUE SURFACE ASSEMBLY SUMMARY										
01	02	03	04	05	06		07	08	09	10
Surface Name	Construction Type	Area (ft²)	Framing Type	Cavity R-Value	Continuous R-Value		Units	Value	Description of Assembly Layers	Status ¹
					Interior	Exterior				
Ext Wall Cons	Exterior Walls	121,720	Wood Framed Wall	21	0	0	U-factor	0.0687	Inside Finish: Gypsum Board Cavity / Frame: R-21 / 2x6 Exterior Finish: Synthetic Stucco	N
Interior Floor Cons	Interior Floors	329,034	Wood Framed Floor	19	0	0	U-factor	0.0441	Floor Surface: Carpeted Floor Deck: Wood Siding/sheathing/decking Cavity / Frame: R-19 / 2x12 Ceiling Below Finish: Gypsum Board	N
Interior Wall Cons	Interior Walls	151,347	Wood Framed Wall	0	0	0	U-factor	0.2773	Inside Finish: Gypsum Board Cavity / Frame: no insul. / 2x4 Other Side Finish: Gypsum Board	
Roof Cons	Cathedral Ceilings	74,800.9	Wood Framed Ceiling	37	0	0	U-factor	0.0291	Roofing: Light Roof (Asphalt Shingle) Roof Deck: Wood Siding/sheathing/decking Cavity / Frame: R-38 in 11-1/4 in. (R-37) / 2x12 Inside Finish: Gypsum Board	N
Interior Concrete Wall	Interior Walls	150,000	Concrete / ICF / Brick	0	0	0	U-factor	0.3611	Inside Finish: Gypsum Board Mass Layer: 6 in. Concrete Other Side Finish: Gypsum Board	
Garage Ext Wall	Exterior Walls	40,083.2	Wood Framed Wall	0	0	0	U-factor	0.3609	Inside Finish: Gypsum Board Cavity / Frame: no insul. / 2x4 Exterior Finish: 3 Coat Stucco	N
¹ Status: N - New, A - Altered, E - Existing										

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 29 of 148)

G6B. OPAQUE DOOR SUMMARY (MULTIFAMILY AND COMMON AREAS)			
01	02	03	04
Name	Area (ft²)	Overall U-factor	Status¹
Door (Back 1) : DAS_L01	21	0.2	N
Door (Front 1) : Elevator Cont_L01	21	0.2	N
Door (Right 1) : IDF 1_L01	21	0.2	N
Door (Front 1) : Storage 4_L01	21	0.2	N
Door (Front 1) : Corridor_L01	21	0.2	N
Door (Front 2) : Corridor_L01	21	0.2	N
Door (Front 3) : Corridor_L01	21	0.2	N
Door (Front 4) : Corridor_L01	21	0.2	N
Door (Front 5) : Corridor_L01	21	0.2	N
Door (Front 6) : Corridor_L01	21	0.2	N
Door (Left 1) : Corridor_L01	21	0.2	N
Door (Back 1) : Corridor_L01	21	0.2	N
Door (Back 2) : Corridor_L01	21	0.2	N
Door (Back 3) : Corridor_L01	21	0.2	N
Door (Back 4) : Corridor_L01	21	0.2	N
Door (Back 5) : Corridor_L01	21	0.2	N
Door (Back 6) : Corridor_L01	21	0.2	N
Door (Back 7) : Corridor_L01	21	0.2	N
Door (Back 8) : Corridor_L01	21	0.2	N
Door (Back 9) : Corridor_L01	21	0.2	N
Door (Back 10) : Corridor_L01	21	0.2	N
Door (Back 11) : Corridor_L01	21	0.2	N
Door (Back 12) : Corridor_L01	21	0.2	N
Door (Back 13) : Corridor_L01	21	0.2	N
¹ Status: N - New, A - Altered, E - Existing			

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 30 of 148)

G6B. OPAQUE DOOR SUMMARY (MULTIFAMILY AND COMMON AREAS)			
01	02	03	04
Name	Area (ft²)	Overall U-factor	Status¹
Door (Back 14) : Corridor_L01	21	0.2	N
Door (Back 15) : Corridor_L01	21	0.2	N
Door (Right 1) : Corridor_L01	21	0.2	N
Door (Right 2) : Corridor_L01	21	0.2	N
Door (Right 3) : Corridor_L01	21	0.2	N
Door (Right 4) : Corridor_L01	21	0.2	N
Door (Back 1) : A1_L02	21	0.2	N
Door (Back 1) : B3.3_L02	21	0.2	N
Door (Front 1) : Parking Stair 1_B2	30	0.2	N
Door (Front 1) : Parking Stair 1_B1	30	0.2	N
Door (Back 1) : Parking Stair 2_B1	21	0.2	N
Door (Front 1) : Parking Stair 1_L01	30	0.2	N
Door (Back 1) : Parking Stair 2_L01	21	0.2	N
Door (Front 1) : Parking Stair 1_L02	30	0.2	N
Door (Back 1) : Parking Stair 2_L02	21	0.2	N
Door (Front 1) : Parking Stair 1_L03	30	0.2	N
Door (Back 1) : Parking Stair 2_L03	21	0.2	N
Door (Front 1) : Parking Stair 1_L04	30	0.2	N
Door (Back 1) : Parking Stair 2_L04	21	0.2	N
Door (Front 1) : Parking Stair 1_L05	30	0.2	N
Door (Back 1) : Parking Stair 2_L05	21	0.2	N
Door (Front 1) : Parking Stair 1_L06	30	0.2	N
Door (Back 1) : Parking Stair 2_L06	21	0.2	N
Door (Left 1) : Fitness Room_L07	21	0.2	N
¹ Status: N - New, A - Altered, E - Existing			

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 31 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 1) : Move-In_B1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Move-In_B1	90	1	32.29	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 2) : Move-In_B1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Move-In_B1	90	1	21.53	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : Co Work-Lobby_B1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Co Work-Lobby_B1	90	1	37.67	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 2) : Co Work-Lobby_B1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Co Work-Lobby_B1	90	1	22.6	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 3) : Co Work-Lobby_B1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Co Work-Lobby_B1	90	1	92.57	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 4) : Co Work-Lobby_B1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Co Work-Lobby_B1	90	1	57.05	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 5) : Co Work-Lobby_B1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Co Work-Lobby_B1	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 32 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 6) : Co Work-Lobby_B1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Co Work-Lobby_B1	90	1	67.81	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 7) : Co Work-Lobby_B1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Co Work-Lobby_B1	90	1	41.98	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : Leasing_B1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Leasing_B1	90	1	55.97	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 2) : Leasing_B1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Leasing_B1	90	1	45.21	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 3) : Leasing_B1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Leasing_B1	90	1	57.05	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 4) : Leasing_B1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Leasing_B1	90	1	71.04	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 5) : Leasing_B1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Leasing_B1	90	1	50.59	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 33 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 1) : Mail_B1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Mail_B1	90	1	83.96	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 2) : Mail_B1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Mail_B1	90	1	58.13	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 3) : Mail_B1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Mail_B1	90	1	35.52	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 4) : Mail_B1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Mail_B1	90	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A1_L01	0	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : A1_L01	0	1	35.52	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 3) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : A1_L01	0	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 34 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 4) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : A1_L01	0	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A1_L01	90	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A1_L01	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 3) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A1_L01	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 4) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A1_L01	90	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 5) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : A1_L01	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A1_L01	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 35 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A1_L01	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : A1_L01	180	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 4) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : A1_L01	180	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 5) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : A1_L01	180	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 6) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : A1_L01	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 7) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : A1_L01	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A1_L01	270	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 36 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 2) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A1_L01	270	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 3) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A1_L01	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 4) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : A1_L01	270	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 5) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : A1_L01	270	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 6) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : A1_L01	270	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 7) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : A1_L01	270	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 8) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : A1_L01	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 37 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 1) : A2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A2_L01	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : A2_L01	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A2_L01	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A2_L01	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : A2_L01	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A2_L01	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A2_L01	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 38 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 3) : A2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : A2_L01	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A2.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A2.1_L01	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A2.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A2.1_L01	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A2.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A2.1_L01	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A4_L01	0	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A4_L01	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 3) : A4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A4_L01	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 39 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : A4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A4_L01	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A4_L01	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A5_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A5_L01	90	1	31.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A5_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A5_L01	90	1	31.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A5_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A5_L01	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A5_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A5_L01	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : A5_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A5_L01	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 40 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 1) : B1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B1_L01	0	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B1_L01	180	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B1_L01	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B1_L01	270	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B1_L01	270	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B3.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.1_L01	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B3.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.1_L01	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 41 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 3) : B3.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B3.1_L01	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B3.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3.1_L01	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B3.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B3.1_L01	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B3.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B3.1_L01	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B3.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3.1_L01	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B3.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3.1_L01	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B3.2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B3.2_L01	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 42 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 2) : B3.2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B3.2_L01	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B3.2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3.2_L01	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B3.3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.3_L01	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B3.3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B3.3_L01	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B3.3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B3.3_L01	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B3.3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B3.3_L01	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B3.3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B3.3_L01	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 43 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 3) : B3.3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B3.3_L01	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B3.3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B3.3_L01	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B4_L01	0	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B4_L01	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B4_L01	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B4_L01	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B4_L01	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 44 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 3) : B4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B4_L01	180	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 4) : B4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B4_L01	180	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 5) : B4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : B4_L01	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 6) : B4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : B4_L01	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B4_L01	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B4_L01	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B4_L01	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 45 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 4) : B4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B4_L01	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 5) : B4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : B4_L01	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 6) : B4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : B4_L01	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 7) : B4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : B4_L01	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 8) : B4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : B4_L01	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 9) : B4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : B4_L01	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B5_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B5_L01	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 46 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : B5_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B5_L01	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B5_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B5_L01	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 4) : B5_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B5_L01	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 5) : B5_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B5_L01	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 6) : B5_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : B5_L01	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 7) : B5_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : B5_L01	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 8) : B5_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : B5_L01	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 47 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 9) : B5_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : B5_L01	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 10) : B5_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : B5_L01	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 11) : B5_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : B5_L01	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 12) : B5_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 8) : B5_L01	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B5.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B5.1_L01	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B5.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B5.1_L01	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B5.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B5.1_L01	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 48 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 1) : S2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : S2_L01	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : S2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : S2_L01	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : S2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : S2_L01	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 4) : S2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : S2_L01	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 5) : S2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : S2_L01	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 6) : S2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : S2_L01	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 7) : S2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : S2_L01	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 49 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 8) : S2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : S2_L01	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 9) : S2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : S2_L01	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 10) : S2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : S2_L01	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : S2.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : S2.1_L01	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : S2.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : S2.1_L01	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : S3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : S3_L01	0	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : S3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : S3_L01	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 50 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : S3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : S3_L01	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : S3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : S3_L01	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 3) : S3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : S3_L01	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 4) : S3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : S3_L01	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : S4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : S4_L01	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : S4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : S4_L01	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : S4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : S4_L01	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 51 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : Stair 1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : Stair 1_L01	270	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : Mechanical Equipment_L 01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Mechanical Equipment_L 01	90	1	40.9	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : Corridor_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 14) : Corridor_L01	0	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : Corridor_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 8) : Corridor_L01	180	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A1_L02	0	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A1_L02	0	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 3) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : A1_L02	0	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 52 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 4) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : A1_L02	0	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A1_L02	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A1_L02	90	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 3) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A1_L02	90	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 4) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A1_L02	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 5) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : A1_L02	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A1_L02	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 53 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A1_L02	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : A1_L02	180	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 4) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : A1_L02	180	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 5) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : A1_L02	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 6) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : A1_L02	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 7) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : A1_L02	180	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A1_L02	270	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 54 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 2) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A1_L02	270	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 3) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : A1_L02	270	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 4) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : A1_L02	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 5) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : A1_L02	270	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 6) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : A1_L02	270	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 7) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : A1_L02	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 8) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 7) : A1_L02	270	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 55 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 1) : A2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A2_L02	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A2_L02	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 3) : A2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : A2_L02	0	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A2_L02	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A2_L02	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 3) : A2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : A2_L02	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 4) : A2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : A2_L02	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 56 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 5) : A2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : A2_L02	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 6) : A2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : A2_L02	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A2_L02	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A2_L02	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : A2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : A2_L02	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 4) : A2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : A2_L02	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 5) : A2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : A2_L02	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 57 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : A2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : A2_L02	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A2.1_L02	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A2.1_L02	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A2.1_L02	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B1_L02	0	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B1_L02	180	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B1_L02	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 58 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : B1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B1_L02	270	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B1_L02	270	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B2_L02	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B2_L02	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B2_L02	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3_L02	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3_L02	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 59 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 3) : B3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B3_L02	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B3_L02	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B3_L02	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B3_L02	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3_L02	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3_L02	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B3.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.1_L02	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 60 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 2) : B3.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.1_L02	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B3.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B3.1_L02	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B3.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3.1_L02	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B3.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B3.1_L02	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B3.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B3.1_L02	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B3.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3.1_L02	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B3.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3.1_L02	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 61 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : B3.2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B3.2_L02	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B3.2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B3.2_L02	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B3.2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3.2_L02	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B3.3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.3_L02	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B3.3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B3.3_L02	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B3.3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B3.3_L02	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B3.3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B3.3_L02	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 62 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : B3.3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B3.3_L02	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B3.3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B3.3_L02	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B3.3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3.3_L02	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B3.4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.4_L02	0	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B3.4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B3.4_L02	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B3.4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3.4_L02	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B3.4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3.4_L02	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 63 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 1) : B4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B4_L02	0	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B4_L02	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B4_L02	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 4) : B4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : B4_L02	0	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 5) : B4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : B4_L02	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 6) : B4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : B4_L02	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B4_L02	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 64 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : B4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B4_L02	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B4_L02	180	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 4) : B4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B4_L02	180	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 5) : B4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : B4_L02	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 6) : B4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : B4_L02	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B4_L02	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B4_L02	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 65 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 3) : B4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B4_L02	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 4) : B4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B4_L02	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 5) : B4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B4_L02	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 6) : B4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : B4_L02	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 7) : B4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : B4_L02	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 8) : B4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : B4_L02	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 9) : B4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : B4_L02	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 66 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 10) : B4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 7) : B4_L02	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 11) : B4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 7) : B4_L02	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 12) : B4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 8) : B4_L02	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B4.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B4.1_L02	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B4.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B4.1_L02	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B4.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B4.1_L02	0	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B4.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B4.1_L02	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 67 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 2) : B4.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B4.1_L02	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B4.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B4.1_L02	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B5_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B5_L02	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B5_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B5_L02	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B5_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B5_L02	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 4) : B5_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B5_L02	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 5) : B5_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B5_L02	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 68 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 6) : B5_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : B5_L02	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 7) : B5_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : B5_L02	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 8) : B5_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : B5_L02	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 9) : B5_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : B5_L02	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 10) : B5_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : B5_L02	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 11) : B5_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : B5_L02	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 12) : B5_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 8) : B5_L02	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 69 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 1) : B5.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B5.1_L02	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B5.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B5.1_L02	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B5.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B5.1_L02	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B5.2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B5.2_L02	90	1	31.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B5.2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B5.2_L02	90	1	31.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B5.2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B5.2_L02	90	1	31.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B5.2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B5.2_L02	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 70 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : B5.2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B5.2_L02	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B5.2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B5.2_L02	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : S1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : S1_L02	0	1	27.99	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : S1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : S1_L02	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : S2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : S2_L02	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : S2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : S2_L02	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : S2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : S2_L02	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 71 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 4) : S2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : S2_L02	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 5) : S2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : S2_L02	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 6) : S2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : S2_L02	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 7) : S2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : S2_L02	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 8) : S2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : S2_L02	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 9) : S2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : S2_L02	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 10) : S2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : S2_L02	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 72 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 1) : S2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : S2.1_L02	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : S2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : S2.1_L02	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : Corridor_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : Corridor_L02	90	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : Stair 1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : Stair 1_L02	270	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A1_L03	0	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A1_L03	0	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 3) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : A1_L03	0	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 73 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 4) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : A1_L03	0	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A1_L03	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A1_L03	90	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 3) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A1_L03	90	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 4) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A1_L03	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 5) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : A1_L03	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A1_L03	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 74 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A1_L03	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : A1_L03	180	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 4) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : A1_L03	180	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 5) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : A1_L03	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 6) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : A1_L03	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 7) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : A1_L03	180	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A1_L03	270	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 75 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 2) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A1_L03	270	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 3) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A1_L03	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 4) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : A1_L03	270	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 5) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : A1_L03	270	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 6) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : A1_L03	270	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 7) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : A1_L03	270	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 8) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : A1_L03	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 76 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 1) : A2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A2_L03	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A2_L03	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 3) : A2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : A2_L03	0	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A2_L03	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A2_L03	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 3) : A2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : A2_L03	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 4) : A2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : A2_L03	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 77 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 5) : A2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : A2_L03	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 6) : A2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : A2_L03	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A2_L03	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A2_L03	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : A2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : A2_L03	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 4) : A2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : A2_L03	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 5) : A2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : A2_L03	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 78 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : A2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A2_L03	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A2.1_L03	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A2.1_L03	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A2.1_L03	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B1_L03	0	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B1_L03	180	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B1_L03	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 79 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : B1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B1_L03	270	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B1_L03	270	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B2_L03	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B2_L03	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B2_L03	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3_L03	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3_L03	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 80 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 3) : B3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B3_L03	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B3_L03	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B3_L03	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B3_L03	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3_L03	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3_L03	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B3.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.1_L03	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 81 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 2) : B3.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.1_L03	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B3.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B3.1_L03	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B3.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3.1_L03	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B3.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B3.1_L03	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B3.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B3.1_L03	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B3.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3.1_L03	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B3.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3.1_L03	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 82 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : B3.2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B3.2_L03	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B3.2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B3.2_L03	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B3.2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3.2_L03	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B3.3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.3_L03	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B3.3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B3.3_L03	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B3.3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B3.3_L03	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B3.3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B3.3_L03	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 83 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : B3.3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B3.3_L03	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B3.3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B3.3_L03	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B3.3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3.3_L03	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B3.4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.4_L03	0	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B3.4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B3.4_L03	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B3.4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3.4_L03	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B3.4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3.4_L03	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 84 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 1) : B4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B4_L03	0	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B4_L03	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B4_L03	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 4) : B4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : B4_L03	0	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 5) : B4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : B4_L03	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 6) : B4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : B4_L03	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B4_L03	180	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 85 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : B4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B4_L03	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B4_L03	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 4) : B4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B4_L03	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 5) : B4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B4_L03	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 6) : B4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : B4_L03	180	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B4_L03	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B4_L03	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 86 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 3) : B4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B4_L03	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 4) : B4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B4_L03	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 5) : B4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B4_L03	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 6) : B4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : B4_L03	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 7) : B4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : B4_L03	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 8) : B4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : B4_L03	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 9) : B4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : B4_L03	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 87 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 10) : B4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 7) : B4_L03	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 11) : B4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 8) : B4_L03	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 12) : B4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 8) : B4_L03	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B4.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B4.1_L03	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B4.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B4.1_L03	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B4.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B4.1_L03	0	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B4.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B4.1_L03	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 88 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 2) : B4.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B4.1_L03	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B4.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B4.1_L03	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B5_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B5_L03	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B5_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B5_L03	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B5_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B5_L03	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 4) : B5_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B5_L03	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 5) : B5_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B5_L03	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 89 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 6) : B5_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : B5_L03	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 7) : B5_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : B5_L03	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 8) : B5_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : B5_L03	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 9) : B5_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : B5_L03	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 10) : B5_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : B5_L03	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 11) : B5_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : B5_L03	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 12) : B5_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 8) : B5_L03	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 90 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 1) : B5.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B5.1_L03	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B5.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B5.1_L03	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B5.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B5.1_L03	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B5.2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B5.2_L03	90	1	31.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B5.2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B5.2_L03	90	1	31.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B5.2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B5.2_L03	90	1	31.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B5.2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B5.2_L03	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 91 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : B5.2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B5.2_L03	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B5.2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B5.2_L03	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : S1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : S1_L03	0	1	27.99	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : S1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : S1_L03	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : S2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : S2_L03	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : S2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : S2_L03	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : S2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : S2_L03	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 92 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 4) : S2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : S2_L03	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 5) : S2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : S2_L03	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 6) : S2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : S2_L03	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 7) : S2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : S2_L03	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 8) : S2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : S2_L03	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 9) : S2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : S2_L03	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 10) : S2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : S2_L03	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 93 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 1) : S2.1 7_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : S2.1 7_L03	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : S2.1 7_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : S2.1 7_L03	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : Corridor_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : Corridor_L03	90	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : Stair 1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : Stair 1_L03	270	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A1_L04	0	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A1_L04	0	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 3) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : A1_L04	0	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 94 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 4) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : A1_L04	0	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A1_L04	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A1_L04	90	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 3) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A1_L04	90	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 4) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A1_L04	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 5) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : A1_L04	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A1_L04	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 95 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A1_L04	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : A1_L04	180	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 4) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : A1_L04	180	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 5) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : A1_L04	180	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 6) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : A1_L04	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 7) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : A1_L04	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A1_L04	270	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 96 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 2) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A1_L04	270	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 3) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : A1_L04	270	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 4) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : A1_L04	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 5) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : A1_L04	270	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 6) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : A1_L04	270	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 7) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : A1_L04	270	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 8) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : A1_L04	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 97 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 1) : A2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A2_L04	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A2_L04	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 3) : A2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : A2_L04	0	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A2_L04	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A2_L04	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 3) : A2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : A2_L04	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 4) : A2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : A2_L04	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 98 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 5) : A2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : A2_L04	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 6) : A2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : A2_L04	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A2_L04	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A2_L04	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : A2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : A2_L04	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 4) : A2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : A2_L04	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 5) : A2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : A2_L04	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 99 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : A2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A2_L04	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A2.1_L04	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A2.1_L04	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A2.1_L04	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B1_L04	0	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B1_L04	180	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B1_L04	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 100 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : B1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B1_L04	270	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B1_L04	270	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B2_L04	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B2_L04	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B2_L04	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3_L04	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3_L04	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 101 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 3) : B3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B3_L04	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B3_L04	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B3_L04	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B3_L04	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3_L04	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3_L04	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B3.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.1_L04	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 102 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 2) : B3.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.1_L04	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B3.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B3.1_L04	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B3.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3.1_L04	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B3.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B3.1_L04	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B3.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B3.1_L04	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B3.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3.1_L04	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B3.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3.1_L04	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 103 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : B3.2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B3.2_L04	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B3.2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B3.2_L04	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B3.2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3.2_L04	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B3.3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.3_L04	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B3.3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B3.3_L04	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B3.3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B3.3_L04	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B3.3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B3.3_L04	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 104 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : B3.3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B3.3_L04	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B3.3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B3.3_L04	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B3.3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3.3_L04	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B3.4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.4_L04	0	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B3.4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B3.4_L04	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B3.4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3.4_L04	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B3.4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3.4_L04	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 105 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 1) : B4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B4_L04	0	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B4_L04	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B4_L04	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 4) : B4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : B4_L04	0	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 5) : B4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : B4_L04	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 6) : B4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : B4_L04	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B4_L04	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 106 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : B4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B4_L04	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B4_L04	180	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 4) : B4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B4_L04	180	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 5) : B4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : B4_L04	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 6) : B4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : B4_L04	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B4_L04	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B4_L04	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 107 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 3) : B4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B4_L04	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 4) : B4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B4_L04	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 5) : B4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : B4_L04	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 6) : B4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : B4_L04	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 7) : B4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : B4_L04	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 8) : B4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : B4_L04	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 9) : B4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : B4_L04	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 108 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 10) : B4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 7) : B4_L04	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 11) : B4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 7) : B4_L04	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 12) : B4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 8) : B4_L04	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B4.1 26_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B4.1 26_L04	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B4.1 26_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B4.1 26_L04	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B4.1 26_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B4.1 26_L04	0	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B4.1 26_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B4.1 26_L04	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 109 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 2) : B4.1 26_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B4.1 26_L04	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B4.1 26_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B4.1 26_L04	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B5_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B5_L04	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B5_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B5_L04	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B5_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B5_L04	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 4) : B5_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B5_L04	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 5) : B5_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B5_L04	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 110 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 6) : B5_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : B5_L04	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 7) : B5_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : B5_L04	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 8) : B5_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : B5_L04	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 9) : B5_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : B5_L04	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 10) : B5_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : B5_L04	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 11) : B5_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : B5_L04	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 12) : B5_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 8) : B5_L04	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 111 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 1) : B5.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B5.1_L04	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B5.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B5.1_L04	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B5.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B5.1_L04	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B5.2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B5.2_L04	90	1	31.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B5.2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B5.2_L04	90	1	31.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B5.2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B5.2_L04	90	1	31.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B5.2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B5.2_L04	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 112 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : B5.2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B5.2_L04	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B5.2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B5.2_L04	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : S1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : S1_L04	0	1	27.99	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : S1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : S1_L04	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : S2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : S2_L04	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : S2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : S2_L04	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : S2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : S2_L04	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 113 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 4) : S2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : S2_L04	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 5) : S2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : S2_L04	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 6) : S2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : S2_L04	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 7) : S2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : S2_L04	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 8) : S2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : S2_L04	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 9) : S2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : S2_L04	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 10) : S2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : S2_L04	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 114 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 1) : S2.1 41_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : S2.1 41_L04	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : S2.1 41_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : S2.1 41_L04	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : Corridor_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : Corridor_L04	90	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : Stair 1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : Stair 1_L04	270	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A1_L05	0	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : A1_L05	0	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 3) : A1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : A1_L05	0	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 115 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 4) : A1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : A1_L05	0	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A1_L05	90	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A1_L05	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 3) : A1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A1_L05	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 4) : A1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A1_L05	90	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 5) : A1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : A1_L05	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A1_L05	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 116 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : A1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A1_L05	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : A1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : A1_L05	180	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 4) : A1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : A1_L05	180	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 5) : A1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : A1_L05	180	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 6) : A1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : A1_L05	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 7) : A1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : A1_L05	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A1_L05	270	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 117 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 2) : A1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A1_L05	270	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 3) : A1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A1_L05	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 4) : A1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : A1_L05	270	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 5) : A1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : A1_L05	270	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 6) : A1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : A1_L05	270	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 7) : A1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : A1_L05	270	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 8) : A1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : A1_L05	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 118 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 1) : A2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A2_L05	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A2_L05	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 3) : A2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : A2_L05	0	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A2_L05	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A2_L05	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 3) : A2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : A2_L05	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 4) : A2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : A2_L05	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 119 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 5) : A2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : A2_L05	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 6) : A2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : A2_L05	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A2_L05	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : A2_L05	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : A2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : A2_L05	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 4) : A2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : A2_L05	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 5) : A2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : A2_L05	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 120 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : A2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A2_L05	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A2.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A2.1_L05	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A2.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A2.1_L05	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A2.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A2.1_L05	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B1_L05	0	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B1_L05	180	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B1_L05	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 121 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : B1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B1_L05	270	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B1_L05	270	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B2_L05	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B2_L05	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B2_L05	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3_L05	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3_L05	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 122 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 3) : B3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B3_L05	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B3_L05	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B3_L05	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B3_L05	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3_L05	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3_L05	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B3.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.1_L05	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 123 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 2) : B3.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.1_L05	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B3.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B3.1_L05	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B3.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3.1_L05	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B3.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B3.1_L05	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B3.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B3.1_L05	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B3.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3.1_L05	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B3.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3.1_L05	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 124 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : B3.2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B3.2_L05	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B3.2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B3.2_L05	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B3.2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3.2_L05	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B3.3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.3_L05	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B3.3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B3.3_L05	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B3.3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B3.3_L05	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B3.3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B3.3_L05	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 125 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : B3.3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B3.3_L05	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B3.3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B3.3_L05	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B3.3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3.3_L05	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B3.4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.4_L05	0	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B3.4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B3.4_L05	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B3.4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3.4_L05	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B3.4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3.4_L05	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 126 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 1) : B4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B4_L05	0	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B4_L05	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B4_L05	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 4) : B4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : B4_L05	0	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 5) : B4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : B4_L05	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 6) : B4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : B4_L05	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B4_L05	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 127 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : B4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B4_L05	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B4_L05	180	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 4) : B4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B4_L05	180	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 5) : B4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : B4_L05	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 6) : B4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : B4_L05	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B4_L05	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B4_L05	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 128 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 3) : B4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B4_L05	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 4) : B4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B4_L05	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 5) : B4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B4_L05	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 6) : B4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : B4_L05	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 7) : B4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : B4_L05	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 8) : B4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : B4_L05	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 9) : B4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : B4_L05	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 129 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 10) : B4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 7) : B4_L05	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 11) : B4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 7) : B4_L05	270	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 12) : B4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 8) : B4_L05	270	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B4.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B4.1_L05	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B4.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B4.1_L05	0	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B4.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B4.1_L05	0	1	46.28	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B4.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B4.1_L05	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 130 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 2) : B4.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B4.1_L05	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B4.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B4.1_L05	90	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B5_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B5_L05	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B5_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B5_L05	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B5_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B5_L05	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 4) : B5_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B5_L05	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 5) : B5_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B5_L05	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 131 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 6) : B5_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : B5_L05	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 7) : B5_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : B5_L05	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 8) : B5_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : B5_L05	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 9) : B5_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : B5_L05	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 10) : B5_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : B5_L05	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 11) : B5_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : B5_L05	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 12) : B5_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 8) : B5_L05	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 132 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 1) : B5.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B5.1_L05	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B5.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B5.1_L05	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B5.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B5.1_L05	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B5.2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B5.2_L05	90	1	31.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B5.2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B5.2_L05	90	1	31.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B5.2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B5.2_L05	90	1	31.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B5.2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B5.2_L05	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 133 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : B5.2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B5.2_L05	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B5.2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B5.2_L05	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 1) : S1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : S1_L05	0	1	27.99	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : S1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : S1_L05	90	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : S2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : S2_L05	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : S2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : S2_L05	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : S2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : S2_L05	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 134 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 4) : S2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : S2_L05	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 5) : S2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : S2_L05	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 6) : S2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : S2_L05	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 7) : S2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : S2_L05	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 8) : S2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : S2_L05	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 9) : S2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : S2_L05	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 10) : S2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : S2_L05	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 135 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 1) : S2.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : S2.1_L05	180	1	36	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : S2.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : S2.1_L05	180	1	17.22	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Left 1) : Corridor_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : Corridor_L05	90	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : Stair 1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : Stair 1_L05	270	1	23.68	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 1) : Club Room_L07	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : Club Room_L07	270	1	92.57	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 2) : Club Room_L07	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : Club Room_L07	270	1	92.57	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Right 3) : Club Room_L07	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : Club Room_L07	270	1	92.57	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 136 of 148)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 1) : Fitness Room_L07	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : Fitness Room_L07	0	1	57.05	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 2) : Fitness Room_L07	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : Fitness Room_L07	0	1	57.05	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Front 3) : Fitness Room_L07	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : Fitness Room_L07	0	1	57.05	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 1) : Fitness Room_L07	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : Fitness Room_L07	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 2) : Fitness Room_L07	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : Fitness Room_L07	180	1	77.5	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
Window (Back 3) : Fitness Room_L07	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : Fitness Room_L07	180	1	67.81	0.28	NFRC	0.22	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 137 of 148)

H2. DWELLING UNIT HVAC HEATING AND COOLING SYSTEMS												
01	02	03	04	05	06	07	08	09	10	11	12	13
Dwelling Unit Type	Equipment Name	Equipment Type	Quantity	Air Distribution System Name	Fan System name	Heating				Cooling		
						Heat Output at 47	Heat Output at 17	Efficiency Unit	Efficiency	Total Cooling Output	Efficiency Unit	Efficiency
DU-S1	HP-1	Central split HP N/A	4	ResidentialDistributionSystem 1	FC-1	17,100	17,100	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3
DU-S2	HP-1	Central split HP N/A	25	ResidentialDistributionSystem 1	FC-1	17,100	17,100	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3
DU-S2.1	HP-1	Central split HP N/A	5	ResidentialDistributionSystem 1	FC-1	17,100	17,100	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3
DU-S3	HP-1	Central split HP N/A	2	ResidentialDistributionSystem 1	FC-1	17,100	17,100	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3
DU-S4	HP-1	Central split HP N/A	1	ResidentialDistributionSystem 1	FC-1	17,100	17,100	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3
DU-A1	HP-1	Central split HP N/A	35	ResidentialDistributionSystem 1	FC-1	17,100	17,100	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3
DU-A2	HP-1	Central split HP N/A	23	ResidentialDistributionSystem 1	FC-1	17,100	17,100	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3
DU-A2.1	HP-1	Central split HP N/A	5	ResidentialDistributionSystem 1	FC-1	17,100	17,100	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3
DU-A4	HP-1	Central split HP N/A	1	ResidentialDistributionSystem 1	FC-1	17,100	17,100	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD											NRCC-PRF-E	
Nonresidential Performance Compliance Method											(Page 138 of 148)	

H2. DWELLING UNIT HVAC HEATING AND COOLING SYSTEMS												
01	02	03	04	05	06	07	08	09	10	11	12	13
Dwelling Unit Type	Equipment Name	Equipment Type	Quantity	Air Distribution System Name	Fan System name	Heating				Cooling		
						Heat Output at 47	Heat Output at 17	Efficiency Unit	Efficiency	Total Cooling Output	Efficiency Unit	Efficiency
DU-A5	HP-1	Central split HP N/A	1	ResidentialDistributionSystem 1	FC-1	17,100	17,100	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3
DU-B1	HP-2	Central split HP N/A	5	ResidentialDistributionSystem 1	FC-2	22,800	23,200	HSPF2	7.5	N/A	EER2 SEER2	12 14.3
DU-B2	HP-2	Central split HP N/A	4	ResidentialDistributionSystem 1	FC-2	22,800	23,200	HSPF2	7.5	N/A	EER2 SEER2	12 14.3
DU-B3	HP-2	Central split HP N/A	8	ResidentialDistributionSystem 1	FC-2	22,800	23,200	HSPF2	7.5	N/A	EER2 SEER2	12 14.3
DU-B3.1	HP-2	Central split HP N/A	10	ResidentialDistributionSystem 1	FC-2	22,800	23,200	HSPF2	7.5	N/A	EER2 SEER2	12 14.3
DU-B3.2	HP-2	Central split HP N/A	5	ResidentialDistributionSystem 1	FC-2	22,800	23,200	HSPF2	7.5	N/A	EER2 SEER2	12 14.3
DU-B3.3	HP-2	Central split HP N/A	10	ResidentialDistributionSystem 1	FC-2	22,800	23,200	HSPF2	7.5	N/A	EER2 SEER2	12 14.3
DU-B3.4	HP-2	Central split HP N/A	4	ResidentialDistributionSystem 1	FC-2	22,800	23,200	HSPF2	7.5	N/A	EER2 SEER2	12 14.3
DU-B4	HP-2	Central split HP N/A	19	ResidentialDistributionSystem 1	FC-2	22,800	23,200	HSPF2	7.5	N/A	EER2 SEER2	12 14.3

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD											NRCC-PRF-E	
Nonresidential Performance Compliance Method											(Page 139 of 148)	

H2. DWELLING UNIT HVAC HEATING AND COOLING SYSTEMS												
01	02	03	04	05	06	07	08	09	10	11	12	13
Dwelling Unit Type	Equipment Name	Equipment Type	Quantity	Air Distribution System Name	Fan System name	Heating				Cooling		
						Heat Output at 47	Heat Output at 17	Efficiency Unit	Efficiency	Total Cooling Output	Efficiency Unit	Efficiency
DU-B4.1	HP-2	Central split HP N/A	4	ResidentialDistributionSystem 1	FC-2	22,800	23,200	HSPF2	7.5	N/A	EER2 SEER2	12 14.3
DU-B5	HP-2	Central split HP N/A	20	ResidentialDistributionSystem 1	FC-2	22,800	23,200	HSPF2	7.5	N/A	EER2 SEER2	12 14.3
DU-B5.1	HP-2	Central split HP N/A	5	ResidentialDistributionSystem 1	FC-2	22,800	23,200	HSPF2	7.5	N/A	EER2 SEER2	12 14.3
DU-B5.2	HP-2	Central split HP N/A	4	ResidentialDistributionSystem 1	FC-2	22,800	23,200	HSPF2	7.5	N/A	EER2 SEER2	12 14.3

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 140 of 148)

H2b. Common Area HVAC Heating and Cooling Systems												
01	02	03	04	05	06	07	08	09	10	11	12	13
HVAC System Name	Equipment Name	Equipment Type	Quantity	Air Distribution System Name	Fan System name	Heating				Cooling		
						Heat Output at 47	Heat Output at 17	Efficiency Unit	Efficiency	Total Cooling Output	Efficiency Unit	Efficiency
MCF-2_PET SPA_B1	MCU-2	Heat pump heating cooling	1	ResidentialDistributionSystem 1	MFC-3	29,000	24,500	HSPF	12	N/A	EER SEER	13 21.5
FC-5_Leasing_B1	HP-5	Heat pump heating cooling	1	ResidentialDistributionSystem 1	FC-5	42,000	40,000	HSPF2	7.5	N/A	EER2 SEER2	12 14.3
FC-3_Office_B1	HP-3	Heat pump heating cooling	1	ResidentialDistributionSystem 1	FC-3	17,100	17,100	HSPF2	7.5	N/A	EER2 SEER2	12 14.3
FC-6_Co Work-Lobby_L01	HP-6	Heat pump heating cooling	1	ResidentialDistributionSystem 1	FC-6	55,000	57,000	HSPF2	7.5	N/A	EER2 SEER2	12 14.3
FC-3_Zoom and Meeting_B1	HP-3	Heat pump heating cooling	1	ResidentialDistributionSystem 1	FC-3	17,100	17,100	HSPF2	7.5	N/A	EER2 SEER2	12 14.3
FC-4_Mail_B1	HP-4	Heat pump heating cooling	1	ResidentialDistributionSystem 1	FC-4	33,000	34,000	HSPF2	7.5	N/A	EER2 SEER2	12 14.3
HP-1_Club Room_L07	HP-1 (Parking)	Heat pump heating cooling	1	ResidentialDistributionSystem 1	FC-1 (Parking)	52,500	59,500	HSPF2	7.5	N/A	EER2 SEER2	12.48 16
HP-1_Fitness_L07	HP-1 (Parking)	Heat pump heating cooling	2	ResidentialDistributionSystem 1	FC-1 (Parking)	105,000	119,000	HSPF2	7.5	N/A	EER2 SEER2	12.48 16

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 141 of 148)

H3a. MULTIFAMILY / COMMON USE AREA FAN SYSTEMS SUMMARY				
01	02	03	04	05
Name	Type	Power	Power Units	Status
FC-1	Fixed speed	0.45	W/cfm	N/A
FC-2	Fixed speed	0.47	W/cfm	N/A
MFC-3	Fixed speed	0.45	W/cfm	N/A
FC-5	Fixed speed	0.45	W/cfm	N/A
FC-3	Fixed speed	0.45	W/cfm	N/A
FC-6	Fixed speed	0.45	W/cfm	N/A
FC-4	Fixed speed	0.45	W/cfm	N/A
FC-1 (Parking)	Fixed speed	0.45	W/cfm	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 142 of 148)

H3b. MULTIFAMILY / COMMON USE AREA IAQ FAN SYSTEMS SUMMARY					
01	02	03	04	05	06
Name	Type	Airflow (CFM)	Power	Power Units	Status
EF-4 (FIRE PUMP)	Exhaust	600	0.38	W/cfm	N/A
EF-1 (35CFM)	Exhaust	35.4	0.1	W/cfm	N/A
EF-1 (40CFM)	Exhaust	40	0.1	W/cfm	N/A
EF-1 (30CFM)	Exhaust	30	0.1	W/cfm	N/A
SF-3	Supply	100	0.65	W/cfm	N/A
EF-5 PET SPA (250CMF)	Exhaust	250	0.66	W/cfm	N/A
SF-5	Supply	200	0.33	W/cfm	N/A
EF-6 (RESTROOM)	Exhaust	100	0.87	W/cfm	N/A
Co Work-Lobby_B1-IAQFan	Supply	500	0.28	W/cfm	N/A
Mail_B1-IAQFan (350CFM)	Supply	350	0.31	W/cfm	N/A
Office - Elec_B1-IAQFan (200CFM)	Supply	200	0.42	W/cfm	N/A
SF-1 CORRIDOR (200CFM)	Supply	200	0.37	W/cfm	N/A
SF-2 CORRIDOR (500CFM)	Supply	500	0.3	W/cfm	N/A
EF-3 CORRIDOR (430CFM)	Exhaust	430	0.12	W/cfm	N/A
EF-2 CORRIDOR (350CFM)	Exhaust	350	0.15	W/cfm	N/A
SF-4 STAIR (2500CFM)	Supply	2500	0.3	W/cfm	N/A
SF-4 STAIR (200CFM)	Supply	200	0.3	W/cfm	N/A
SF-1_Parking Stair (2500CFM)	Supply	2500	0.35	W/cfm	N/A
SF-1_Parking Vest.(200CFM)	Supply	200	0.35	W/cfm	N/A
EF-4_Parking Trash(850CFM)	Exhaust	850	0.15	W/cfm	N/A
EF-4_Parking Trash (50CFM)	Exhaust	50	0.15	W/cfm	N/A
Cub Room_IAQ (425CFM)	Supply	425	0.33	W/cfm	N/A
Club Room_IAQ (200CFM)	Supply	200	0.33	W/cfm	N/A
Fitness_IAQ (500CFM)	Supply	500	0.33	W/cfm	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 143 of 148)

H3b. MULTIFAMILY / COMMON USE AREA IAQ FAN SYSTEMS SUMMARY					
01	02	03	04	05	06
Name	Type	Airflow (CFM)	Power	Power Units	Status
Fitness_IAQ (650CFM)	Exhaust	650	0.33	W/cfm	N/A
Fitness_IAQ (600CFM)	Supply	600	0.33	W/cfm	N/A
EF-7 (Parking)	Exhaust	600	0.38	W/cfm	N/A
EF-6 Restroom (Parking)	Exhaust	300	0.1	W/cfm	N/A
EF-5 Restroom (Parking)	Exhaust	100	0.1	W/cfm	N/A
Mail_B1_IAQFan (150CFM)	Supply	150	0.3	W/cfm	N/A
Leasing_IAQ (383CFM)	Supply	383	0.25	W/cfm	N/A
Leasing_IAQ (200CFM)	Supply	200	0.25	W/cfm	N/A

H4. MULTIFAMILY HVAC DISTRIBUTION							
01	02	03	04	05	06	07	08
Name	Type	Duct Ins. R-value Supply	Duct Ins. R-value Return	Duct Location Supply	Duct Location Return	Verified Duct Design Surface Area	
						Supply	Return
ResidentialDistributionSystem 1	Conditioned space-entirely (Non-Verified)	R-4.2	R-4.2	Conditioned Zone	Conditioned Zone	n/a	n/a

H9. NONRESIDENTIAL / COMMON USE AREA & HOTEL/MOTEL VENTILATION						
01	02	03	04	05	06	07
Zone Name	Mechanical Ventilation				Conditioned Area (sf)	DCV or Occupant Sensor Controls, or Both
	Ventilation Function	# of People	Supply OA CFM	Exhaust CFM		
MPOE_B1	NA	0	0	0	91.91	N/A
PET SPA_B1	Misc - All others	0.62	250	250	125	N/A
Co Work-Lobby_B1	Misc - All others	33.73	2000	0	1011.73	N/A
Leasing_B1	Misc - All others	22.97	583	0	689.16	N/A
Zoom and Meeting_B1	Office - Office space	1.95	400	0	389.08	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 144 of 148)

H9. NONRESIDENTIAL / COMMON USE AREA & HOTEL/MOTEL VENTILATION						
01	02	03	04	05	06	07
Zone Name	Mechanical Ventilation				Conditioned Area (sf)	DCV or Occupant Sensor Controls, or Both
	Ventilation Function	# of People	Supply OA CFM	Exhaust CFM		
Mail_B1	Misc - All others	32.03	1200	0	960.9	N/A
Office - Elec_B1	Office - Office space	2.1	400	0	420.24	N/A
Mechanical Equipment_L01	NA	0	0	0	1338.36	N/A
Elev Mach_L06	General - Unoccupied	0.23	0	0	150.1	N/A
Club Room_L07	Misc - All others	40.17	1900	0	1205.15	N/A
Fitness Room_L07	Sports/Entertainment - Gym, sports arena (play area)	15.25	2600	1900	1524.5	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 145 of 148)

H10. MULTIFAMILY DWELLING UNIT TYPE CENTRAL / INDIVIDUAL VENTILATION												
01	02	03	04	05	06	07	08	09	10	11	12	13
Dwelling Unit Type	IAQ Option	Central Fan (If applicable)					Individual Fan (if applicable)					
		IAQ Fan Type Type	Supply Airflow CFM	Supply Fan Efficacy W/CFM	Exhaust CFM	Exhaust Fan Efficacy W/CFM	IAQ Fan Type	Count	Airflow CFM	Fan Efficacy W/CFM	Recovery Efficiency SRE	Recovery Efficiency ASRE
DU-S1	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	35.4	0.1	N/A	N/A
DU-S2	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	35.4	0.1	N/A	N/A
DU-S2.1	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	35.4	0.1	N/A	N/A
DU-S3	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	35.4	0.1	N/A	N/A
DU-S4	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	35.4	0.1	N/A	N/A
DU-A1	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	40	0.1	N/A	N/A
DU-A2	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	40	0.1	N/A	N/A
DU-A2.1	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	40	0.1	N/A	N/A
DU-A4	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	40	0.1	N/A	N/A
DU-A5	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	40	0.1	N/A	N/A
DU-B1	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	2	60	0.1	N/A	N/A
DU-B2	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	2	60	0.1	N/A	N/A
DU-B3	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	2	60	0.1	N/A	N/A
DU-B3.1	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	2	60	0.1	N/A	N/A
DU-B3.2	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	2	60	0.1	N/A	N/A
DU-B3.3	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	2	60	0.1	N/A	N/A
DU-B3.4	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	2	60	0.1	N/A	N/A
DU-B4	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	2	60	0.1	N/A	N/A
DU-B4.1	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	2	60	0.1	N/A	N/A
DU-B5	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	2	60	0.1	N/A	N/A
DU-B5.1	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	2	60	0.1	N/A	N/A
DU-B5.2	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	2	60	0.1	N/A	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 146 of 148)

11. WATER HEATER EQUIPMENT SUMMARY													
01	02	03	04	05	06	07	08	09	10	11	12	13	14
Name	Heater Element Type	Tank Type	Qty	Tank Vol (gal)	Rated Input	Rated Input Unit	Efficiency	Efficiency Unit	Tank Insulation R-value Int/Ext	Standby Loss Fraction	1st Hr. Rating or Flow Rate (gal)	Heat Pump Type	Tank Location or Ambient Condition
WH-1	Natural Gas	Commercial Instantaneous (TE)	1	119	N/A	N/A	0.96	TE	N/A	N/A	N/A	N/A	N/A
WH-2	Natural Gas	Commercial Instantaneous (TE)	1	119	N/A	N/A	0.95	TE	N/A	N/A	N/A	N/A	N/A

12. MULTI-FAMILY WATER HEATING SYSTEM DETAIL							
01	02	03	04	05	06	07	08
System Name	Configuration	Type	Qty in System	Dwelling Unit Distribution Type	Water Heater Name	Solar Heating System	Is Compact Distribution
ResidentialDHWSystem 1	Domestic Hot Water (DHW)	Central	2	Standard Distribution System	WH-1	N/A	N/A
ResidentialDHWSystem 2	Domestic Hot Water (DHW)	Central	3	Standard Distribution System	WH-2	N/A	N/A

15. RECIRCULATION LOOPS					
01	02	03	04	05	06
Water Heating System Name	Number of Recirculation Loops	Loop Insulation Thickness (in)	Recirculation Loop Location	Recirculation Pump Power	Recirculation Pump Power Units
ResidentialDHWSystem 1	1	1.5	Conditioned	104	Watts
ResidentialDHWSystem 2	1	1.5	Conditioned	5.84	Watts

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 147 of 148)

L. DECLARATION OF REQUIRED CERTIFICATES OF INSTALLATION	
Selections made by Documentation Author indicate which Certificates of Installation must be submitted for the features to be recognized for compliance. These documents must be retained and provided to the building inspector during construction and can be found online	
Building Component	Form/Title
Envelope	NRCI-ENV-E - Envelope (for all buildings)
Plumbing	NRCI-PLB-E - For all buildings with Plumbing Systems
	NRCI-SAB-E - Solar Water Heating, PV and Battery Storage Systems
Indoor Lighting	NRCI-LTI-E - Indoor Lighting (for all buildings)

M. DECLARATION OF REQUIRED CERTIFICATES OF ACCEPTANCE	
Selections made by Documentation Author indicate which Certificates of Acceptance must be submitted for the features to be recognized for compliance. These documents must be provided to the building inspector during construction and must be completed through an Acceptance Test Technician Certification Provider (ATTCP).	
Building Component	Form/Title & System Name(s)
Envelope	NRCA-ENV-02-F - NRFC label verification for fenestration

N. DECLARATION OF REQUIRED CERTIFICATES OF VERIFICATION	
Selections made by Documentation Author indicate which Certificates of Verification must be submitted for the features to be recognized for compliance. These documents must be retained and provided to the building inspector during construction and can be found online	
There are no Certificates of Verification applicable to this project	

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 148 of 148)

Documentation Author's Declaration Statement

1. I certify that this Certificate of Compliance documentation is accurate and complete.	
Documentation Author Name:	Documentation Author Signature:
Company: VCA Green	Signature Date:
Address: 1845 West Oranewood Ave Suite 310	CEA/HERS Certification Identification (if applicable):
City/State/Zip: Orange, CA 92868	Phone:

Responsible Person's Declaration statement

I certify the following under penalty of perjury, under the laws of the State of California:		
1. The information provided on this Certificate of Compliance is true and correct. 2. I am eligible under Division 3 of the Business and Professions Code to accept responsibility for the building design or system design identified on this Certificate of Compliance (responsible designer) 3. The energy features and performance specifications, materials, components, and manufactured devices for the building design or system design identified on this Certificate of Compliance conform to the requirements of Title 24, Part 1 and Part 6 of the California Code of Regulations. 4. The building design features or system design features identified on this Certificate of Compliance are consistent with the information provided on other applicable compliance documents, worksheets, calculations, plans and specifications submitted to the enforcement agency for approval with this building permit application. 5. I understand that a registered copy of this Certificate of Compliance shall be made available with the building permit(s) issued for the building, and made available to the enforcement agency for all applicable inspections, and I will take the necessary steps to accomplish this requirement. 6. I understand that a registered copy of this Certificate of Compliance is required to be included with the documentation the builder provides to the building owner at occupancy, and I will take the necessary steps to accomplish these requirements.		
Responsible Designer Name:	Responsible Designer Signature:	
Company:		
Address:	Date Signed:	
City/State/Zip: ,	License #:	
Phone:	Title:	Scope: