

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD		LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method		(Page 1 of 40)
Project Name:	Euclid_Building C	Date Prepared: 2025-04-18

A. General Information					
1	Project Name	Euclid_Building C			
2	Run Title	Euclid_Building C			
3	Project Location	2530 South Euclid Avenue			
4	City	Ontario	5	Standards Version	Compliance 2022
6	Zip code	91762	7	Compliance Software (version)	CBECC 2022.3.1 (1343)
8	Climate Zone	10	9	Building Orientation (deg)	270
10	Building Type(s)	• Multifamily 3 stories	11	Weather File	ONTARIO_STYP20.epw
12	Project Scope	• New complete scope	13	Number of Dwelling Units	32
14	Total Conditioned Floor Area in Scope (ft²)	27792.4	15	Total # of hotel/motel rooms	0
16	Total Unconditioned Floor Area (ft²)	9137.27	17	Fuel Type	Natural gas
18	Nonresidential Conditioned Floor Area	0	19	Total # of Stories (Habitable Above Grade)	3
20	Residential Conditioned Floor Area	27792.4			

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 2 of 40)

B. PROJECT SUMMARY							
Table B shows which building components are included in the performance calculation. If indicated as not included, the project must show compliance prescriptively if within the permit application.							
Building Components Complying via Performance					Building Components Complying Prescriptively		
Envelope (See Table G)	Nonres	Not Included	Solar Thermal Water Heating (See Table I3)	☐	Performance	The following building components are ONLY eligible for prescriptive compliance and should be documented on the LMCC form listed if within the scope of the permit application (i.e. compliance will not be shown on the LMCC-PRF-E).	
	MultiFam	Performance		☒	Not Included		
Mechanical (See Table H)	Nonres	Not Included	Covered Process: Commercial Kitchens (see Table J)	☐	Performance	Indoor Lighting (Unconditioned) 140.6 & 170.2(e)	LMCC-LTI-01E is required
	MultiFam	Performance		☒	Not Included	Outdoor Lighting 140.7 & 170.2(e)	LMCC-LTO-01E is required
Domestic Hot Water (See Table I)	Nonres	Not Included	Covered Process: Laboratory Exhaust (see Table J)	☐	Performance	Sign Lighting 140.8 & 170.2(e)	LMCC-LTS-01E is required
	MultiFam	Performance		☒	Not Included	Building Components Complying with Mandatory Measures	
Lighting (Indoor Conditioned, see Table K)	Nonres	Not Included	Photovoltaics (see Table F)	☒	Performance	Electrical power systems, commissioning, solar ready, elevator and escalator requirements are mandatory and should be documented on the LMCC form listed if applicable (i.e. compliance will not be shown on the LMCC-PRF-E.)	
	MultiFam	Performance		☐	Not Included	Electrical Power Distribution 110.11	LMCC-ELC-01E is required
			Battery (see Table F)	☐	Performance	Commissioning 120.8	LMCC-CXR-01E is required
				☒	Not Included	Solar and Battery 110.10	LMCC-SAB-01E is required

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 3 of 40)

C1. COMPLIANCE SUMMARY			
COMPLIES ³			
	Time Dependent Valuation (TDV)		Source Energy Use
	Efficiency ¹ (kBtu/ft ² - yr)	Total ² (kBtu/ft ² - yr)	Total ² (kBtu/ft ² - yr)
Standard Design	75.78	-2.66	8.17
Proposed Design	73.85	-23.85	7.84
Compliance Margins	1.93	21.19	0.33
	Pass	Pass	Pass
¹ Efficiency measures include improvements like a better building envelope and more efficient equipment ² Compliance Totals include efficiency, photovoltaics and batteries ³ New Construction, Complete Addition Scope: Building complies when all efficiency and total compliance margins are greater than or equal to zero and unmet load hour limits are not exceeded Existing, Addition and Alteration Scope: Building complies when efficiency compliance margin is greater than or equal to zero and unmet load hour limits are not exceeded			

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 4 of 40)

C2. TDV ENERGY COMPLIANCE RESULTS FOR PERFORMANCE COMPONENTS (Annual TDV Energy Use, kBtu/ft² - yr)			
COMPLIES²			
Energy Component	Standard Design (TDV)	Proposed Design (TDV)	Compliance Margin (TDV)¹
Space Heating	0.71	2.07	-1.36
Space Cooling	26.09	23.35	2.74
Indoor Fans	10.96	8.59	2.37
Heat Rejection	0	0	0
Pumps & Misc.	0.29	0.28	0.01
Domestic Hot Water	34.41	36.24	-1.83
Indoor Lighting	3.32	3.32	0
Flexibility	---	---	---
EFFICIENCY COMPLIANCE TOTAL	75.78	73.85	1.93 (2.5%)
Photovoltaics	-78.44	-97.7	19.26
Batteries	---	---	---
TOTAL COMPLIANCE	-2.66	-23.85	21.19 (0%)
¹ Notes: This number in parenthesis following the Compliance Margin in column 4, represents the Percent Better than Standard.			

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 5 of 40)

C3. TDV ENERGY RESULTS FOR NON-REGULATED COMPONENTS¹			
Non-Regulated Energy Component	Standard Design (TDV)	Proposed Design (TDV)	Compliance Margin (TDV)¹
Receptacle	46.77	46.77	---
Process	49.03	48.83	0.2
Other Ltg	8.75	8.75	---
Process Motors	11.43	11.43	---
TOTAL (TOTAL COMPLIANCE + NON-REGULATED COMPONENTS)	113.32	91.93	21.39 (18.9%)
¹ Notes: This table is not used for Energy Code Compliance.			

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 6 of 40)

C4. SOURCE ENERGY COMPLIANCE RESULTS FOR PERFORMANCE COMPONENTS (Annual SOURCE Energy Use, kBtu/ft² /yr)			
COMPLIES²			
Energy Component	Standard Design (SOURCE)	Proposed Design (SOURCE)	Compliance Margin (SOURCE)¹
Space Heating	0.1	0.29	-0.19
Space Cooling	1.22	1.04	0.18
Indoor Fans	0.8	0.59	0.21
Heat Rejection	0	0	0
Pumps & Misc.	0.04	0.04	0
Domestic Hot Water	8.28	8.78	-0.5
Indoor Lighting	0.29	0.29	0
Flexibility	---	---	---
EFFICIENCY COMPLIANCE TOTAL	10.73	11.03	-0.3 (-2.8%)
Photovoltaics	-2.56	-3.19	0.63
Batteries	---	---	---
TOTAL COMPLIANCE	8.17	7.84	0.33 (4%)
¹ Notes: This number in parenthesis following the Compliance Margin in column 4, represents the Percent Better than Standard.			

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 7 of 40)

C5. SOURCE ENERGY RESULTS FOR NON-REGULATED COMPONENTS¹			
Non-Regulated Energy Component	Standard Design (SOURCE)	Proposed Design (SOURCE)	Compliance Margin (SOURCE)¹
Receptacle	4.57	4.57	---
Process	4.12	4.09	0.03
Other Ltg	0.9	0.9	---
Process Motors	1.09	1.09	---
TOTAL (TOTAL COMPLIANCE + NON-REGULATED COMPONENTS)	18.85	18.49	0.36 (1.9%)
¹ Notes: This table is not used for Energy Code Compliance.			

C6. 'ABOVE CODE' QUALIFICATIONS	
☐ This project is pursuing CalGreen Tier 1	☐ This project is pursuing CalGreen Tier 2

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 8 of 40)

C7. ENERGY USE SUMMARY						
Energy Component	Standard Design Site (MWh)	Proposed Design Site (MWh)	Margin (MWh)	Standard Design Site (MBtu)	Proposed Design Site (MBtu)	Margin (MBtu)
Space Heating	0.7	2	-1.3	---	---	---
Space Cooling	19	15.5	3.5	---	---	---
Indoor Fans	9.9	7.1	2.8	---	---	---
Heat Rejection	---	---	---	---	---	---
Pumps & Misc.	0.3	0.3	0	---	---	---
Domestic Hot Water	0.7	0.5	0.2	264.7	281.1	-16.4
Indoor Lighting	3.5	3.5	0	---	---	---
Flexibility	---	---	---	---	---	---
EFFICIENCY TOTAL	34.1	28.9	5.2	264.7	281.1	-16.4
Photovoltaics	-106.1	-132.2	26.1	---	---	---
Batteries	---	---	---	---	---	---
ENERGY USE SUBTOTAL	-72	-103.3	31.3	264.7	281.1	-16.4
Receptacle	47	47	0	---	---	---
Process	51.7	51.4	0.3	---	---	---
Other Ltg	8.1	8.1	0	---	---	---
Process Motors	12	12	0	---	---	---
ENERGY USE TOTAL	46.8	15.2	31.6	264.7	281.1	-16.4

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 9 of 40)

C8. ENERGY USE INTENSITY (EUI)				
	Standard Design (kBtu/ft ² / yr)	Proposed Design (kBtu/ft ² / yr)	Margin (kBtu/ft ² / yr)	Margin Percentage
GROSS EUI ¹	21.29	21.23	0.06	0.28
NET EUI ¹	11.49	9.02	2.47	21.5
¹ Notes: Gross EUI is Energy Use Total (not including PV)/Total Building Area. Net EUI is Energy Use Total (including PV)/Total Building Area.				

D2. MULTIFAMILY REQUIRED SPECIAL FEATURES
• IAQ Ventilation System: as low as 0.076 W/CFM • Cool roof • Ceiling has high level of insulation • Multifamily: Recirculating with no control (continuous pumping)

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 10 of 40)

E1. HERS VERIFICATION SUMMARY
The following is a summary of the features that must be field-verified by a certified HERS Rater as a condition for meeting the modeled energy performance for this computer analysis. Additional detail is provided in the building tables below. Registered LMCIs and LMCVs are required to be completed in the HERS Registry. Building-level Verifications: - Indoor air quality ventilation - Enclosure air leakage for each dwelling unit - Kitchen range hood Cooling System Verifications: - Minimum Airflow - Verified EER - Verified SEER - Verified Refrigerant Charge - Fan Efficacy Watts/CFM Heating System Verifications: - Verified heat pump rated heating capacity HVAC Distribution System Verifications: - Duct leakage testing Domestic Hot Water System Verifications: -- None --

F1. REQUIRED PV SYSTEMS											
01	02	03	04	05	06	07	08	09	10	11	12
DC System Size (kWdc)	Exception¹	Module Type	Array Type	Power Electronics	CFI	Azimuth (deg)	Tilt Input	Array Angle (deg)	Tilt: (x in 12)	Inverter Eff. (%)	Annual Solar Access (%)
77.6		Premium (~18-20%)	Fixed	none	true	150-270	N/A	N/A	<=7:12	96	98
¹ See Table D1 for any PV exceptions used.											

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 11 of 40)

F1B. PV BATTERY BUILDING TYPE(S)		
01	02	03
Building Occupancy Type* (From Table 140.10-A/B and 170.2-U/V)	Conditioned Floor Area (ft²)	Unconditioned Floor Area (ft²)
Grocery	0	0
High-Rise Multifamily	0	0
Office, Financial Institutions, Unleased Tenant Space	0	0
Retail	0	0
School	0	0
Warehouse	0	0
Auditorium, Convention Center, Hotel/Motel, Library, Medical Office Building/Clinic, Restaurant, Theater	24.4146	3940.18
None	0	5197.09
<i>*Building Occupancy Types are defined in Section 100.1 of the Energy Code</i>		

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 12 of 40)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
A3_West Facing_L01-(1/2)	DU_A3	Res_West Facing_L01	1
A3_West Facing_L01-(2/2)	DU_A3	Res_West Facing_L01	1
A5_West Facing_L01-(1/3)	DU_A5	Res_West Facing_L01	1
A5_West Facing_L01-(2/3)	DU_A5	Res_West Facing_L01	1
A5_West Facing_L01-(3/3)	DU_A5	Res_West Facing_L01	1
S1_West Facing_L01-(1/3)	DU_S1	Res_West Facing_L01	1
S1_West Facing_L01-(2/3)	DU_S1	Res_West Facing_L01	1
S1_West Facing_L01-(3/3)	DU_S1	Res_West Facing_L01	1
A3_West Facing_L02-(1/2)	DU_A3	Res_West Facing_L02	1
A3_West Facing_L02-(2/2)	DU_A3	Res_West Facing_L02	1
A5_West Facing_L02-(1/3)	DU_A5	Res_West Facing_L02	1
A5_West Facing_L02-(2/3)	DU_A5	Res_West Facing_L02	1
A5_West Facing_L02-(3/3)	DU_A5	Res_West Facing_L02	1
A6_West Facing_L02-(1/1)	DU_A6	Res_West Facing_L02	1
B5_East Facing_L02-(1/3)	DU_B5	Res_East Facing_L02	1
B5_East Facing_L02-(2/3)	DU_B5	Res_East Facing_L02	1
B5_East Facing_L02-(3/3)	DU_B5	Res_East Facing_L02	1
B6_East Facing_L02-(1/3)	DU_B6	Res_East Facing_L02	1
B6_East Facing_L02-(2/3)	DU_B6	Res_East Facing_L02	1
B6_East Facing_L02-(3/3)	DU_B6	Res_East Facing_L02	1
A3_West Facing_L03-(1/2)	DU_A3	Res_West Facing_L03	1
A3_West Facing_L03-(2/2)	DU_A3	Res_West Facing_L03	1
A5_West Facing_L03-(1/3)	DU_A5	Res_West Facing_L03	1
A5_West Facing_L03-(2/3)	DU_A5	Res_West Facing_L03	1
A5_West Facing_L03-(3/3)	DU_A5	Res_West Facing_L03	1
A6_West Facing_L03-(1/1)	DU_A6	Res_West Facing_L03	1

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 13 of 40)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
B5_East Facing_L03-(1/3)	DU_B5	Res_East Facing_L03	1
B5_East Facing_L03-(2/3)	DU_B5	Res_East Facing_L03	1
B5_East Facing_L03-(3/3)	DU_B5	Res_East Facing_L03	1
B6_East Facing_L03-(1/3)	DU_B6	Res_East Facing_L03	1
B6_East Facing_L03-(2/3)	DU_B6	Res_East Facing_L03	1
B6_East Facing_L03-(3/3)	DU_B6	Res_East Facing_L03	1

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 14 of 40)

F4. DWELLING UNIT TYPES						
01	02	03	04	05	06	07
Name	CFA (ft ²)	Number of Bedrooms	Number in Building	Space Conditioning Systems Assigned	DHW System Name	IAQ Vent Fan Name
DU_S1	618	1	3	DU_S1 :HP/FC1:ResidentialDistributionSystem 1:HP/FC-2 Fan:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
DU_A3	817	1	6	DU_A3 :HP/FC1:ResidentialDistributionSystem 1:HP/FC-2 Fan:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
DU_A5	668	1	9	DU_A5 :HP/FC1:ResidentialDistributionSystem 1:HP/FC-2 Fan:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
DU_A6	1080	1	2	DU_A6 :HP/FC2:ResidentialDistributionSystem 1:HP/FC-2 Fan:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
DU_B6	1165	2	6	DU_B6 :HP/FC3:ResidentialDistributionSystem 1:HP/FC-3 Fan:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
DU_B5	975	2	6	DU_B5 :HP/FC2:ResidentialDistributionSystem 1:HP/FC-2 Fan:2:3	ResidentialDHWSystem 1	Individual IAQ Fans

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 15 of 40)

G1. ENVELOPE GENERAL INFORMATION (conditioned spaces only)			
01	02	03	04
Opaque Surfaces & Orientation	Total Gross Surface Area (ft ²)	Total Fenestration Area (ft ²)	Window to Wall Ratio (%)
North-Facing ¹	2168.58	387.5	17.87
East-Facing ²	4808.17	1490.35	31
South-Facing ³	2405.75	374.58	15.57
West-Facing ⁴	4027.03	1144.2	28.41
Total	13409.5	3396.64	25.33
Roof	0	0	0
Notes ¹ North-Facing is oriented to within 45 degrees of true north, including 45 00'00" east of north (NE), but excluding 45 00'00" west of north (NW), ² East-Facing is oriented to within 45 degrees of true east, including 45 00'00" south of east (SE), but excluding 45 00'00" north of east (NE), ³ South-Facing is oriented to within 45 degrees of true south, including 45 00'00" west of south (SW), but excluding 45 00'00" east of south (SE), ⁴ West-Facing is oriented to within 45 degrees of true west, including 45 00'00" north of west (NW), but excluding 45 00'00" south of west (SW),			

G2B. ROOFING PRODUCT SUMMARY (MULTIFAMILY AND COMMON AREAS)					
01	02	03	04	05	06
Name	Roof Pitch	Roof Rise (x in 12)	Aged Solar Reflectance	Thermal Emittance	SRI
ResidentialAttic	Low slope	0.5	0.65	0.85	N/A

G3. ATTIC			
01	02	03	04
Name	Construction	Type	Radiant Barrier
ResidentialAttic	Asphalt Shingle Roof	Ventilated	Yes

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD								LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method								(Page 16 of 40)

G5. OPAQUE SURFACE ASSEMBLY SUMMARY										
01	02	03	04	05	06		07	08	09	10
Surface Name	Construction Type	Area (ft²)	Framing Type	Cavity R-Value	Continuous R-Value		Units	Value	Description of Assembly Layers	Status¹
					Interior	Exterior				
Ext Wall Cons	Exterior Walls	14,774.2	Wood Framed Wall	21	0	0	U-factor	0.0687	Inside Finish: Gypsum Board Cavity / Frame: R-21 / 2x6 Exterior Finish: Synthetic Stucco	N
Ceiling Below Attic Cons	Ceilings (below attic)	12,527	Wood Framed Ceiling	49	0	0	U-factor	0.0198	Over Ceiling Joists: R-39.9 insul. Cavity / Frame: R-9.1 / 2x4 Btm Chrd Inside Finish: Gypsum Board	N
Asphalt Shingle Roof	Attic Roofs	11,298	Wood Framed Ceiling	0	0	0	U-factor	0.6436	Roofing: Light Roof (Asphalt Shingle) Roof Deck: Wood Siding/sheathing/decking Cavity / Frame: no insul. / 2x4 Top Chrd	N
T24-IntZB-Wall Cons	Interior Walls	29,634	Wood Framed Wall	0	0	0	U-factor	0.2773	Inside Finish: Gypsum Board Cavity / Frame: no insul. / 2x4 Other Side Finish: Gypsum Board	
T24-IntZB-Clg Cons	Interior Ceiling	12,280.9	Wood Framed Ceiling	0	0	0	U-factor	0.1957	Floor Surface: Carpeted Floor Deck: Wood Siding/sheathing/decking Cavity / Frame: no insul. / 2x12 Ceiling Below Finish: Gypsum Board	N
T24-IntZB-Flr Cons	Interior Floors	12,360.4	Wood Framed Floor	0	0	0	U-factor	0.1957	Floor Surface: Carpeted Floor Deck: Wood Siding/sheathing/decking Cavity / Frame: no insul. / 2x12 Ceiling Below Finish: Gypsum Board	N
Garage Ext Wall	Exterior Walls	3,176.38	Wood Framed Wall	0	0	0	U-factor	0.3609	Inside Finish: Gypsum Board Cavity / Frame: no insul. / 2x4 Exterior Finish: 3 Coat Stucco	N
¹ Status: N - New, A - Altered, E - Existing										

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 17 of 40)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 1) : Res_West Facing_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : Res_West Facing_L01	90	1	20	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 2) : Res_West Facing_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : Res_West Facing_L01	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 3) : Res_West Facing_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : Res_West Facing_L01	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 4) : Res_West Facing_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : Res_West Facing_L01	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 5) : Res_West Facing_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : Res_West Facing_L01	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 6) : Res_West Facing_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : Res_West Facing_L01	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 7) : Res_West Facing_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 8) : Res_West Facing_L01	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 18 of 40)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 8) : Res_West Facing_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 9) : Res_West Facing_L01	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 9) : Res_West Facing_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 11) : Res_West Facing_L01	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Right 1) : Res_West Facing_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : Res_West Facing_L01	180	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Left 1) : Res_West Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : Res_West Facing_L02	0	1	30.14	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Left 2) : Res_West Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 7) : Res_West Facing_L02	0	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Left 3) : Res_West Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 8) : Res_West Facing_L02	0	1	23.68	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Left 4) : Res_West Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 8) : Res_West Facing_L02	0	1	16.15	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 19 of 40)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 1) : Res_West Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : Res_West Facing_L02	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 2) : Res_West Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : Res_West Facing_L02	90	1	16.15	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 3) : Res_West Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : Res_West Facing_L02	90	1	16.15	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 4) : Res_West Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : Res_West Facing_L02	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 5) : Res_West Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : Res_West Facing_L02	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 6) : Res_West Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : Res_West Facing_L02	90	1	16.15	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 7) : Res_West Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : Res_West Facing_L02	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 20 of 40)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 8) : Res_West Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : Res_West Facing_L02	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 9) : Res_West Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : Res_West Facing_L02	90	1	16.15	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 10) : Res_West Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : Res_West Facing_L02	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 11) : Res_West Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 8) : Res_West Facing_L02	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 12) : Res_West Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 8) : Res_West Facing_L02	90	1	16.15	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 13) : Res_West Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 9) : Res_West Facing_L02	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 14) : Res_West Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 10) : Res_West Facing_L02	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 21 of 40)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 15) : Res_West Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 10) : Res_West Facing_L02	90	1	16.15	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 16) : Res_West Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 11) : Res_West Facing_L02	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 17) : Res_West Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 12) : Res_West Facing_L02	90	1	30.14	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Right 1) : Res_West Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : Res_West Facing_L02	180	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Right 2) : Res_West Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : Res_West Facing_L02	180	1	30.14	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 1) : Res_East Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : Res_East Facing_L02	270	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 2) : Res_East Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : Res_East Facing_L02	270	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 22 of 40)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 3) : Res_East Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : Res_East Facing_L02	270	1	16.15	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 4) : Res_East Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : Res_East Facing_L02	270	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 5) : Res_East Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : Res_East Facing_L02	270	1	16.15	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 6) : Res_East Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : Res_East Facing_L02	270	1	30.14	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 7) : Res_East Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : Res_East Facing_L02	270	1	18.3	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 8) : Res_East Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : Res_East Facing_L02	270	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 9) : Res_East Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : Res_East Facing_L02	270	1	16.15	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 23 of 40)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 10) : Res_East Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 7) : Res_East Facing_L02	270	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 11) : Res_East Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 8) : Res_East Facing_L02	270	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 12) : Res_East Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 8) : Res_East Facing_L02	270	1	16.15	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 13) : Res_East Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 9) : Res_East Facing_L02	270	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 14) : Res_East Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 10) : Res_East Facing_L02	270	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 15) : Res_East Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 10) : Res_East Facing_L02	270	1	16.15	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 16) : Res_East Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 11) : Res_East Facing_L02	270	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 24 of 40)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 17) : Res_East Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 11) : Res_East Facing_L02	270	1	16.15	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 18) : Res_East Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 12) : Res_East Facing_L02	270	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 19) : Res_East Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 13) : Res_East Facing_L02	270	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 20) : Res_East Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 14) : Res_East Facing_L02	270	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 21) : Res_East Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 15) : Res_East Facing_L02	270	1	16.15	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Left 1) : Res_East Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Res_East Facing_L02	0	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Left 2) : Res_East Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Res_East Facing_L02	0	1	18.3	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 25 of 40)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 3) : Res_East Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 7) : Res_East Facing_L02	0	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 1) : Res_East Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : Res_East Facing_L02	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 2) : Res_East Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : Res_East Facing_L02	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 3) : Res_East Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : Res_East Facing_L02	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Right 1) : Res_East Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : Res_East Facing_L02	180	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Right 2) : Res_East Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : Res_East Facing_L02	180	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Right 3) : Res_East Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : Res_East Facing_L02	180	1	16.15	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 26 of 40)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 4) : Res_East Facing_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 9) : Res_East Facing_L02	180	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Left 1) : Res_West Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : Res_West Facing_L03	0	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Left 2) : Res_West Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 7) : Res_West Facing_L03	0	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Left 3) : Res_West Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 8) : Res_West Facing_L03	0	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Left 4) : Res_West Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 8) : Res_West Facing_L03	0	1	16.15	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 1) : Res_West Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : Res_West Facing_L03	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 2) : Res_West Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : Res_West Facing_L03	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 27 of 40)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 3) : Res_West Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : Res_West Facing_L03	90	1	18.3	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 4) : Res_West Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : Res_West Facing_L03	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 5) : Res_West Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : Res_West Facing_L03	90	1	18.3	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 6) : Res_West Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : Res_West Facing_L03	90	1	16.15	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 7) : Res_West Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : Res_West Facing_L03	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 8) : Res_West Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : Res_West Facing_L03	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 9) : Res_West Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : Res_West Facing_L03	90	1	16.15	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 28 of 40)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 10) : Res_West Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : Res_West Facing_L03	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 11) : Res_West Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 8) : Res_West Facing_L03	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 12) : Res_West Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 8) : Res_West Facing_L03	90	1	18.3	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 13) : Res_West Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 9) : Res_West Facing_L03	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 14) : Res_West Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 10) : Res_West Facing_L03	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 15) : Res_West Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 10) : Res_West Facing_L03	90	1	18.3	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 16) : Res_West Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 11) : Res_West Facing_L03	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 29 of 40)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 17) : Res_West Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 12) : Res_West Facing_L03	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Right 1) : Res_West Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : Res_West Facing_L03	180	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Right 2) : Res_West Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : Res_West Facing_L03	180	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 1) : Res_East Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : Res_East Facing_L03	270	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 2) : Res_East Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : Res_East Facing_L03	270	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 3) : Res_East Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : Res_East Facing_L03	270	1	16.15	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 4) : Res_East Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : Res_East Facing_L03	270	1	11.84	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 30 of 40)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 5) : Res_East Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : Res_East Facing_L03	270	1	11.84	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 6) : Res_East Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : Res_East Facing_L03	270	1	11.84	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 7) : Res_East Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : Res_East Facing_L03	270	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 8) : Res_East Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : Res_East Facing_L03	270	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 9) : Res_East Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : Res_East Facing_L03	270	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 10) : Res_East Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : Res_East Facing_L03	270	1	18.3	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 11) : Res_East Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 7) : Res_East Facing_L03	270	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 31 of 40)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 12) : Res_East Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 8) : Res_East Facing_L03	270	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 13) : Res_East Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 8) : Res_East Facing_L03	270	1	11.84	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 14) : Res_East Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 9) : Res_East Facing_L03	270	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 15) : Res_East Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 9) : Res_East Facing_L03	270	1	18.3	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 16) : Res_East Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 10) : Res_East Facing_L03	270	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 17) : Res_East Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 11) : Res_East Facing_L03	270	1	18.3	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 18) : Res_East Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 12) : Res_East Facing_L03	270	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 32 of 40)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 19) : Res_East Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 13) : Res_East Facing_L03	270	1	11.84	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 20) : Res_East Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 14) : Res_East Facing_L03	270	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Front 21) : Res_East Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 15) : Res_East Facing_L03	270	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Left 1) : Res_East Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Res_East Facing_L03	0	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Left 2) : Res_East Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Res_East Facing_L03	0	1	18.3	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Left 3) : Res_East Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 7) : Res_East Facing_L03	0	1	16.15	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 1) : Res_East Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : Res_East Facing_L03	90	1	30.14	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 33 of 40)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : Res_East Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : Res_East Facing_L03	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Back 3) : Res_East Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : Res_East Facing_L03	90	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Right 1) : Res_East Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : Res_East Facing_L03	180	1	11.84	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Right 2) : Res_East Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : Res_East Facing_L03	180	1	35.52	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Right 3) : Res_East Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 8) : Res_East Facing_L03	180	1	16.15	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
Window (Right 4) : Res_East Facing_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 9) : Res_East Facing_L03	180	1	16.15	0.29	NFRC	0.21	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 34 of 40)

H1. DRY SYSTEM EQUIPMENT (FURNACES, AIR HANDLING UNITS, HEAT PUMPS, VRF, ECONOMIZERS ETC.)											
01	02	03	04	05	06	07	08	09	10	11	12
Equipment Name	Equipment Type	Qty	Heating				Cooling			Economizer Type (if present)	Status ¹
			Total Heating Output (kBtu/h)	Supp Heat Output (kBtu/h)	Efficiency Unit	Efficiency	Total Cooling Output (kBtu/h)	Efficiency Unit	Efficiency		
Inverter-Rm_L01 AirSys	Single Zone Heat Pump (SZHP) Air System	1	18	0	COP HSPF	4.6 13	18	EER SEER	13 21.5	No Economizer	N
¹ Status: N - New, A - Altered, E - Existing											

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD											LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method											(Page 35 of 40)

H2. DWELLING UNIT HVAC HEATING AND COOLING SYSTEMS												
01	02	03	04	05	06	07	08	09	10	11	12	13
Dwelling Unit Type	Equipment Name	Equipment Type	Quantity	Air Distribution System Name	Fan System name	Heating				Cooling		
						Heat Output at 47	Heat Output at 17	Efficiency Unit	Efficiency	Total Cooling Output	Efficiency Unit	Efficiency
DU_S1	HP/FC1	Central split HP N/A	3	Residential Distribution System 1	HP/FC-2 Fan	13,230	13,230	HSPF2	8	N/A	EER2 SEER2	12 15.2
DU_A3	HP/FC1	Central split HP N/A	6	Residential Distribution System 1	HP/FC-2 Fan	13,230	13,230	HSPF2	8	N/A	EER2 SEER2	12 15.2
DU_A5	HP/FC1	Central split HP N/A	9	Residential Distribution System 1	HP/FC-2 Fan	13,230	13,230	HSPF2	8	N/A	EER2 SEER2	12 15.2
DU_A6	HP/FC2	Central split HP N/A	2	Residential Distribution System 1	HP/FC-2 Fan	17,370	17,370	HSPF2	8	N/A	EER2 SEER2	12 15.5
DU_B6	HP/FC3	Central split HP N/A	6	Residential Distribution System 1	HP/FC-3 Fan	21,810	21,810	HSPF2	7.8	N/A	EER2 SEER2	12 15.2
DU_B5	HP/FC2	Central split HP N/A	6	Residential Distribution System 1	HP/FC-2 Fan	17,370	17,370	HSPF2	8	N/A	EER2 SEER2	12 15.5

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 36 of 40)

H3. NONRESIDENTIAL / COMMON USE AREA FAN SYSTEMS SUMMARY												
01	02	03	04	05	06	07	08	09	10	11	12	13
Name or Item Tag	Qty	Design OA CFM	Supply Fan				Return / Relief Fan					Status ¹
			CFM	Power	Power Units	Control	Fan Type	CFM	Power	Power Units	Control	
Inverter-Rm_L01 AirSys	1	0	635	1.54	InH2O	Constant Vol	N/A	N/A	N/A	N/A	N/A	N
¹ Status: N - New, A - Altered, E - Existing												

H3a. MULTIFAMILY / COMMON USE AREA FAN SYSTEMS SUMMARY				
01	02	03	04	05
Name	Type	Power	Power Units	Status
HP/FC-2 Fan	Fixed speed	0.45	W/cfm	N/A

H3b. MULTIFAMILY / COMMON USE AREA IAQ FAN SYSTEMS SUMMARY					
01	02	03	04	05	06
Name	Type	Airflow (CFM)	Power	Power Units	Status
EF-1 (50cfm)	Exhaust	50	0.08	W/cfm	N/A
EF-1 (60cfm)	Exhaust	60	0.08	W/cfm	N/A
EF-1 (75cfm)	Exhaust	75	0.08	W/cfm	N/A
EF-1 (80cfm)	Exhaust	80	0.09	W/cfm	N/A
EF-1 (90cfm)	Exhaust	90	0.09	W/cfm	N/A

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 37 of 40)

H4. MULTIFAMILY HVAC DISTRIBUTION							
01	02	03	04	05	06	07	08
Name	Type	Duct Ins. R-value Supply	Duct Ins. R-value Return	Duct Location Supply	Duct Location Return	Verified Duct Design Surface Area	
						Supply	Return
ResidentialDistributionSystem 1	Unconditioned attic (Non-Verified)	R-8	R-8	Attic	Attic	N/A	N/A
Inverter-Rm_L01 AirSys- Air Dist	No ducts (Non-Verified)	0	0	No ducts	No ducts	0	0

H4b. MULTIFAMILY HVAC DISTRIBUTION – HERS VERIFICATION								
01	02	03	04	05	06	07	08	09
Name	Duct Leakage Verification	Duct Leakage Target (%)	Verified Duct Location	Verified Duct Design	Buried Ducts	Deeply Buried Ducts	Low-leakage Air Handler	Low Leakage Ducts Entirely in Conditioned Space
ResidentialDistributionSystem 1	Yes	total leakage <= 12.0 or leakage to outdoors <= 6.0	Not Required	Not Required	Not Required	Credit not taken	Not Required	No

H9. NONRESIDENTIAL / COMMON USE AREA & HOTEL/MOTEL VENTILATION						
01	02	03	04	05	06	07
Zone Name	Mechanical Ventilation				Conditioned Area (sf)	DCV or Occupant Sensor Controls, or Both
	Ventilation Function	# of People	Supply OA CFM	Exhaust CFM		
Inverter-Rm_L01	General - Unoccupied	0.04	0	0	24.41	N/A

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 38 of 40)

H10. MULTIFAMILY DWELLING UNIT TYPE CENTRAL / INDIVIDUAL VENTILATION												
01	02	03	04	05	06	07	08	09	10	11	12	13
Dwelling Unit Type	IAQ Option	Central Fan (If applicable)					Individual Fan (if applicable)					
		IAQ Fan Type	Supply Airflow CFM	Supply Fan Efficacy W/CFM	Exhaust CFM	Exhaust Fan Efficacy W/CFM	IAQ Fan Type	Count	Airflow CFM	Fan Efficacy W/CFM	Recovery Efficiency SRE	Recovery Efficiency ASRE
DU_S1	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	50	0.08	N/A	N/A
DU_A3	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	60	0.08	N/A	N/A
DU_A5	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	50	0.08	N/A	N/A
DU_A6	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	75	0.08	N/A	N/A
DU_B6	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	90	0.09	N/A	N/A
DU_B5	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	80	0.09	N/A	N/A

I1. WATER HEATER EQUIPMENT SUMMARY													
01	02	03	04	05	06	07	08	09	10	11	12	13	14
Name	Heater Element Type	Tank Type	Qty	Tank Vol (gal)	Rated Input	Rated Input Unit	Efficiency	Efficiency Unit	Tank Insulation R-value Int/Ext	Standby Loss Fraction	1st Hr. Rating or Flow Rate (gal)	Heat Pump Type	Tank Location or Ambient Condition
WH-3	Natural Gas	Commercial Storage (TE & SBL)	1	100	199	kBtu/Hr	0.97	TE	N/A	0	N/A	N/A	N/A

I2. MULTI-FAMILY WATER HEATING SYSTEM DETAIL							
01	02	03	04	05	06	07	08
System Name	Configuration	Type	Qty in System	Dwelling Unit Distribution Type	Water Heater Name	Solar Heating System	Is Compact Distribution
Residential DHW System 1	Domestic Hot Water (DHW)	Central	2	Standard Distribution System	WH-3	N/A	N/A

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 39 of 40)

15. RECIRCULATION LOOPS					
01	02	03	04	05	06
Water Heating System Name	Number of Recirculation Loops	Loop Insulation Thickness (in)	Recirculation Loop Location	Recirculation Pump Power	Recirculation Pump Power Units
ResidentialDHWSys1em 1	1	1.5	Conditioned	62	Watts

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02

CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY MIXED USE PERFORMANCE COMPLIANCE METHOD	LMCC-PRF-01-E
Lowrise Multifamily Mixed Use Performance Compliance Method	(Page 40 of 40)

Documentation Author's Declaration Statement

1. I certify that this Certificate of Compliance documentation is accurate and complete.	
Documentation Author Name:	Documentation Author Signature:
Company: VCA Green	Signature Date:
Address: 1845 West Oranewood Ave Suite 310	CEA/HERS Certification Identification (if applicable):
City/State/Zip: Orange, CA 92868	Phone: 714-363-4700

Responsible Person's Declaration statement

I certify the following under penalty of perjury, under the laws of the State of California:	
1. The information provided on this Certificate of Compliance is true and correct. 2. I am eligible under Division 3 of the Business and Professions Code to accept responsibility for the building design or system design identified on this Certificate of Compliance (responsible designer) 3. The energy features and performance specifications, materials, components, and manufactured devices for the building design or system design identified on this Certificate of Compliance conform to the requirements of Title 24, Part 1 and Part 6 of the California Code of Regulations. 4. The building design features or system design features identified on this Certificate of Compliance are consistent with the information provided on other applicable compliance documents, worksheets, calculations, plans and specifications submitted to the enforcement agency for approval with this building permit application. 5. I understand that a registered copy of this Certificate of Compliance shall be made available with the building permit(s) issued for the building, and made available to the enforcement agency for all applicable inspections, and I will take the necessary steps to accomplish this requirement. 6. I understand that a registered copy of this Certificate of Compliance is required to be included with the documentation the builder provides to the building owner at occupancy, and I will take the necessary steps to accomplish these requirements.	
Responsible Designer Name:	Responsible Designer Signature:
Company:	Date Signed:
Address:	License #:
City/State/Zip:	Title:
Phone:	Scope:

Registration Number:

CA Building Energy Efficiency Standards
2022 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2022.0.000
Schema Version: rev 20220601

HERS Provider:

Report Generated: 2025-04-18 03:01:02