

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD		NRCC-PRF-E
Nonresidential Performance Compliance Method		(Page 1 of 213)
Project Name:	60-21191-ACM-Mainplace Mall Parcel 3	Date Prepared: 2025-04-29

A. General Information					
1	Project Name	60-21191-ACM-Mainplace Mall Parcel 3			
2	Run Title				
3	Project Location	- specify -			
4	City	- specify -	5	Standards Version	Compliance 2022
6	Zip code	92705	7	Compliance Software (version)	CBECC 2022.3.2 (1369)
8	Climate Zone	8	9	Building Orientation (deg)	360
10	Building Type(s)	• High-Rise Residential	11	Weather File	FULLERTON_STYP20.epw
12	Project Scope	• New complete scope	13	Number of Dwelling Units	408
14	Total Conditioned Floor Area in Scope (ft²)	358973	15	Total # of hotel/motel rooms	0
16	Total Unconditioned Floor Area (ft²)	371322	17	Fuel Type	None
18	Nonresidential Conditioned Floor Area	0	19	Total # of Stories (Habitable Above Grade)	8
20	Residential Conditioned Floor Area	358973			

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 2 of 213)

B. PROJECT SUMMARY							
Table B shows which building components are included in the performance calculation. If indicated as not included, the project must show compliance prescriptively if within the permit application.							
Building Components Complying via Performance					Building Components Complying Prescriptively		
Envelope (See Table G)	Nonres	Not Included	Solar Thermal Water Heating (See Table I3)	☐	Performance	The following building components are ONLY eligible for prescriptive compliance and should be documented on the NRCC form listed if within the scope of the permit application (i.e. compliance will not be shown on the NRCC-PRF-E).	
	MultiFam	Performance		☒	Not Included		
Mechanical (See Table H)	Nonres	Not Included	Covered Process: Commercial Kitchens (see Table J)	☐	Performance	Indoor Lighting (Unconditioned) 140.6 & 170.2(e)	NRCC-LTI-E is required
	MultiFam	Performance		☒	Not Included	Outdoor Lighting 140.7 & 170.2(e)	NRCC-LTO-E is required
Domestic Hot Water (See Table I)	Nonres	Not Included	Covered Process: Laboratory Exhaust (see Table J)	☐	Performance	Sign Lighting 140.8 & 170.2(e)	NRCC-LTS-E is required
	MultiFam	Performance		☒	Not Included	Building Components Complying with Mandatory Measures	
Lighting (Indoor Conditioned, see Table K)	Nonres	Not Included	Photovoltaics (see Table F)	☒	Performance	Electrical power systems, commissioning, solar ready, elevator and escalator requirements are mandatory and should be documented on the NRCC form listed if applicable (i.e. compliance will not be shown on the NRCC-PRF-E.)	
	MultiFam	Performance		☐	Not Included	Electrical Power Distribution 110.11	NRCC-ELC-E is required
			Battery (see Table F)	☐	Performance	Commissioning 120.8	NRCC-CXR-E is required
				☒	Not Included	Solar and Battery 110.10	NRCC-SAB-E is required

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 3 of 213)

C1. COMPLIANCE SUMMARY			
COMPLIES ³			
	Time Dependent Valuaton (TDV)		Source Energy Use
	Efficiency ¹ (kBtu/ft ² - yr)	Total ² (kBtu/ft ² - yr)	Total ² (kBtu/ft ² - yr)
Standard Design	105.25	75.34	7.27
Proposed Design	97	69.9	6.59
Compliance Margins	8.25	5.44	0.68
	Pass	Pass	Pass
¹ Efficiency measures include improvements like a better building envelope and more efficient equipment ² Compliance Totals include efficiency, photovoltaics and batteries ³ New Construction, Complete Addition Scope: Building complies when all efficiency and total compliance margins are greater than or equal to zero and unmet load hour limits are not exceeded Existing, Addition and Alteration Scope: Building complies when efficiency compliance margin is greater than or equal to zero and unmet load hour limits are not exceeded			

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 4 of 213)

C2. TDV ENERGY COMPLIANCE RESULTS FOR PERFORMANCE COMPONENTS (Annual TDV Energy Use, kBtu/ft² - yr)			
COMPLIES²			
Energy Component	Standard Design (TDV)	Proposed Design (TDV)	Compliance Margin (TDV)¹
Space Heating	0.48	0.49	-0.01
Space Cooling	25.28	24.5	0.78
Indoor Fans	17.78	12.67	5.11
Heat Rejection	0	0	0
Pumps & Misc.	0.19	0.21	-0.02
Domestic Hot Water	27.51	25.12	2.39
Indoor Lighting	34.01	34.01	0
Flexibility	---	---	---
EFFICIENCY COMPLIANCE TOTAL	105.25	97	8.25 (7.8%)
Photovoltaics	-29.91	-27.1	-2.81
Batteries	---	---	---
TOTAL COMPLIANCE	75.34	69.9	5.44 (7.2%)
¹ Notes: This number in parenthesis following the Compliance Margin in column 4, represents the Percent Better than Standard.			

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 5 of 213)

C3. TDV ENERGY RESULTS FOR NON-REGULATED COMPONENTS¹			
Non-Regulated Energy Component	Standard Design (TDV)	Proposed Design (TDV)	Compliance Margin (TDV)¹
Receptacle	54.25	54.25	---
Process	48.09	48.11	-0.02
Other Ltg	8.27	8.27	---
Process Motors	82.7	82.7	---
TOTAL (TOTAL COMPLIANCE + NON-REGULATED COMPONENTS)	268.65	263.23	5.42 (2%)
¹ Notes: This table is not used for Energy Code Compliance.			

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 6 of 213)

C4. SOURCE ENERGY COMPLIANCE RESULTS FOR PERFORMANCE COMPONENTS (Annual SOURCE Energy Use, kBtu/ft² /yr)			
COMPLIES²			
Energy Component	Standard Design (SOURCE)	Proposed Design (SOURCE)	Compliance Margin (SOURCE)¹
Space Heating	0.07	0.07	0
Space Cooling	1.04	1.05	-0.01
Indoor Fans	1.46	0.96	0.5
Heat Rejection	0	0	0
Pumps & Misc.	0.03	0.03	0
Domestic Hot Water	2.53	2.25	0.28
Indoor Lighting	3.06	3.06	0
Flexibility	---	---	---
EFFICIENCY COMPLIANCE TOTAL	8.19	7.42	0.77 (9.4%)
Photovoltaics	-0.92	-0.83	-0.09
Batteries	---	---	---
TOTAL COMPLIANCE	7.27	6.59	0.68 (9.4%)
¹ Notes: This number in parenthesis following the Compliance Margin in column 4, represents the Percent Better than Standard.			

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 7 of 213)

C5. SOURCE ENERGY RESULTS FOR NON-REGULATED COMPONENTS¹			
Non-Regulated Energy Component	Standard Design (SOURCE)	Proposed Design (SOURCE)	Compliance Margin (SOURCE)¹
Receptacle	4.99	4.99	---
Process	4.05	4.05	---
Other Ltg	0.88	0.88	---
Process Motors	7.88	7.88	---
TOTAL (TOTAL COMPLIANCE + NON-REGULATED COMPONENTS)	25.07	24.39	0.68 (2.7%)
¹ Notes: This table is not used for Energy Code Compliance.			

C6. 'ABOVE CODE' QUALIFICATIONS	
☐ This project is pursuing CalGreen Tier 1	☐ This project is pursuing CalGreen Tier 2

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 8 of 213)

C7. ENERGY USE SUMMARY						
Energy Component	Standard Design Site (MWh)	Proposed Design Site (MWh)	Margin (MWh)	Standard Design Site (MBtu)	Proposed Design Site (MBtu)	Margin (MBtu)
Space Heating	5.8	5.8	0	---	---	---
Space Cooling	221.9	214.5	7.4	---	---	---
Indoor Fans	218.1	148.5	69.6	---	---	---
Heat Rejection	---	---	---	---	---	---
Pumps & Misc.	2.2	2.4	-0.2	---	---	---
Domestic Hot Water	382.7	353	29.7	---	---	---
Indoor Lighting	461.2	461.2	0	---	---	---
Flexibility	---	---	---	---	---	---
EFFICIENCY TOTAL	1291.9	1185.4	106.5	0	0	0
Photovoltaics	-490.3	-444.2	-46.1	---	---	---
Batteries	---	---	---	---	---	---
ENERGY USE SUBTOTAL	801.6	741.2	60.4	0	0	0
Receptacle	723.7	723.7	0	---	---	---
Process	654.3	654.5	-0.2	---	---	---
Other Ltg	102.1	102.1	0	---	---	---
Process Motors	1115.5	1115.5	0	---	---	---
ENERGY USE TOTAL	3397.2	3337	60.2	0	0	0

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 9 of 213)

C8. ENERGY USE INTENSITY (EUI)				
	Standard Design (kBtu/ft² / yr)	Proposed Design (kBtu/ft² / yr)	Margin (kBtu/ft² / yr)	Margin Percentage
GROSS EUI ¹	18.16	17.67	0.49	2.7
NET EUI ¹	15.87	15.59	0.28	1.76
¹ Notes: Gross EUI is Energy Use Total (not including PV)/Total Building Area. Net EUI is Energy Use Total (including PV)/Total Building Area.				

D1. EXCEPTIONAL CONDITIONS
- DesignedOccupancyUsedForCalculatingVentilation - Required minimum PV capacity limited by SARA.

D2. MULTIFAMILY REQUIRED SPECIAL FEATURES
- Indoor air quality, balanced fan - IAQ Ventilation System: as low as 0.09 W/CFM - IAQ Ventilation System: supply outside air inlet, filter, and H/ERV cores accessible per RACM Reference Manual - IAQ Ventilation System: fault indicator display - Metal-framed assembly - Non-standard duct location (any location other than attic) - Central Heat Pump Water Heater - Multifamily: Recirculating with no control (continuous pumping)

F1. REQUIRED PV SYSTEMS											
01	02	03	04	05	06	07	08	09	10	11	12
DC System Size (kWdc)	Exception ¹	Module Type	Array Type	Power Electronics	CFI	Azimuth (deg)	Tilt Input	Array Angle (deg)	Tilt: (x in 12)	Inverter Eff. (%)	Annual Solar Access (%)
269		Premium (~18-20%)	Fixed	DC Power Optimizers	true	150-270	n/a	n/a	<=7:12	96	98
¹ See Table D1 for any PV exceptions used.											

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 10 of 213)

F1B. PV BATTERY BUILDING TYPE(S)		
01	02	03
Building Occupancy Type* (From Table 140.10-A/B and 170.2-U/V)	Conditioned Floor Area (ft²)	Unconditioned Floor Area (ft²)
Grocery	0	0
High-Rise Multifamily	356819	83748.5
Office, Financial Institutions, Unleased Tenant Space	884.5	0
Retail	0	0
School	0	0
Warehouse	0	0
Auditorium, Convention Center, Hotel/Motel, Library, Medical Office Building/Clinic, Restaurant, Theater	692.411	3432.14
None	577.095	284141
<i>*Building Occupancy Types are defined in Section 100.1 of the Energy Code</i>		

F3. DWELLING UNIT INFORMATION

01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 1-(1/6)	IA1	IA1 1_L1	1
DwellingUnit 1-(2/6)	IA1	IA1 1_L1	1
DwellingUnit 1-(3/6)	IA1	IA1 1_L1	1
DwellingUnit 1-(4/6)	IA1	IA1 1_L1	1
DwellingUnit 1-(5/6)	IA1	IA1 1_L1	1
DwellingUnit 1-(6/6)	IA1	IA1 1_L1	1
DwellingUnit 2-(1/1)	IA1.1	IA1.1_L1	1
DwellingUnit 3-(1/1)	IA1.3	IA1.3_L1	1
DwellingUnit 4-(1/1)	IA2	IA2_L1	1
DwellingUnit 5-(1/1)	IA3	IA3_L1	1
DwellingUnit 6-(1/1)	IA4	IA4_L1	1
DwellingUnit 7-(1/2)	IB1	IB1 1_L1	1
DwellingUnit 7-(2/2)	IB1	IB1 1_L1	1
DwellingUnit 8-(1/2)	IS1	IS1 1_L1	1
DwellingUnit 8-(2/2)	IS1	IS1 1_L1	1
DwellingUnit 9-(1/1)	IS1.1	IS1.1_L1	1
DwellingUnit 10-(1/1)	IS2	IS2_L1	1
DwellingUnit 11-(1/13)	IA1	IA1 1_L2	1
DwellingUnit 11-(2/13)	IA1	IA1 1_L2	1
DwellingUnit 11-(3/13)	IA1	IA1 1_L2	1
DwellingUnit 11-(4/13)	IA1	IA1 1_L2	1
DwellingUnit 11-(5/13)	IA1	IA1 1_L2	1
DwellingUnit 11-(6/13)	IA1	IA1 1_L2	1
DwellingUnit 11-(7/13)	IA1	IA1 1_L2	1
DwellingUnit 11-(8/13)	IA1	IA1 1_L2	1
DwellingUnit 11-(9/13)	IA1	IA1 1_L2	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 12 of 213)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 11-(10/13)	IA1	IA1 1_L2	1
DwellingUnit 11-(11/13)	IA1	IA1 1_L2	1
DwellingUnit 11-(12/13)	IA1	IA1 1_L2	1
DwellingUnit 11-(13/13)	IA1	IA1 1_L2	1
DwellingUnit 12-(1/1)	IA1.2	IA1.2_L2	1
DwellingUnit 13-(1/1)	IA1.3	IA1.3_L2	1
DwellingUnit 14-(1/1)	IA3	IA3_L2	1
DwellingUnit 15-(1/1)	IA4	IA4_L2	1
DwellingUnit 16-(1/4)	IB1	IB1 1_L2	1
DwellingUnit 16-(2/4)	IB1	IB1 1_L2	1
DwellingUnit 16-(3/4)	IB1	IB1 1_L2	1
DwellingUnit 16-(4/4)	IB1	IB1 1_L2	1
DwellingUnit 17-(1/1)	IB1.1	IB1.1_L2	1
DwellingUnit 18-(1/2)	IS1	IS1 1_L2	1
DwellingUnit 18-(2/2)	IS1	IS1 1_L2	1
DwellingUnit 19-(1/1)	IS1.1	IS1.1_L2	1
DwellingUnit 20-(1/1)	IS2	IS2_L2	1
DwellingUnit 21-(1/14)	IA1	IA1 1_L3	1
DwellingUnit 21-(2/14)	IA1	IA1 1_L3	1
DwellingUnit 21-(3/14)	IA1	IA1 1_L3	1
DwellingUnit 21-(4/14)	IA1	IA1 1_L3	1
DwellingUnit 21-(5/14)	IA1	IA1 1_L3	1
DwellingUnit 21-(6/14)	IA1	IA1 1_L3	1
DwellingUnit 21-(7/14)	IA1	IA1 1_L3	1
DwellingUnit 21-(8/14)	IA1	IA1 1_L3	1
DwellingUnit 21-(9/14)	IA1	IA1 1_L3	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 13 of 213)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 21-(10/14)	IA1	IA1 1_L3	1
DwellingUnit 21-(11/14)	IA1	IA1 1_L3	1
DwellingUnit 21-(12/14)	IA1	IA1 1_L3	1
DwellingUnit 21-(13/14)	IA1	IA1 1_L3	1
DwellingUnit 21-(14/14)	IA1	IA1 1_L3	1
DwellingUnit 22-(1/1)	IA1.2	IA1.2_L3	1
DwellingUnit 23-(1/2)	IA1.3	IA1.3 1_L3	1
DwellingUnit 23-(2/2)	IA1.3	IA1.3 1_L3	1
DwellingUnit 24-(1/1)	IA3	IA3_L3	1
DwellingUnit 25-(1/5)	IA5	IA5 1_L3	1
DwellingUnit 25-(2/5)	IA5	IA5 1_L3	1
DwellingUnit 25-(3/5)	IA5	IA5 1_L3	1
DwellingUnit 25-(4/5)	IA5	IA5 1_L3	1
DwellingUnit 25-(5/5)	IA5	IA5 1_L3	1
DwellingUnit 26-(1/2)	IA5.1	IA5.1 1_L3	1
DwellingUnit 26-(2/2)	IA5.1	IA5.1 1_L3	1
DwellingUnit 27-(1/4)	IB1	IB1 1_L3	1
DwellingUnit 27-(2/4)	IB1	IB1 1_L3	1
DwellingUnit 27-(3/4)	IB1	IB1 1_L3	1
DwellingUnit 27-(4/4)	IB1	IB1 1_L3	1
DwellingUnit 28-(1/1)	IB1.1	IB1.1_L3	1
DwellingUnit 29-(1/1)	IB2	IB2_L3	1
DwellingUnit 30-(1/1)	IB3	IB3_L3	1
DwellingUnit 31-(1/5)	IS1	IS1 1_L3	1
DwellingUnit 31-(2/5)	IS1	IS1 1_L3	1
DwellingUnit 31-(3/5)	IS1	IS1 1_L3	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 14 of 213)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 31-(4/5)	IS1	IS1 1_L3	1
DwellingUnit 31-(5/5)	IS1	IS1 1_L3	1
DwellingUnit 32-(1/1)	IS1.1	IS1.1_L3	1
DwellingUnit 33-(1/29)	A1	A1 1_L4	1
DwellingUnit 33-(2/29)	A1	A1 1_L4	1
DwellingUnit 33-(3/29)	A1	A1 1_L4	1
DwellingUnit 33-(4/29)	A1	A1 1_L4	1
DwellingUnit 33-(5/29)	A1	A1 1_L4	1
DwellingUnit 33-(6/29)	A1	A1 1_L4	1
DwellingUnit 33-(7/29)	A1	A1 1_L4	1
DwellingUnit 33-(8/29)	A1	A1 1_L4	1
DwellingUnit 33-(9/29)	A1	A1 1_L4	1
DwellingUnit 33-(10/29)	A1	A1 1_L4	1
DwellingUnit 33-(11/29)	A1	A1 1_L4	1
DwellingUnit 33-(12/29)	A1	A1 1_L4	1
DwellingUnit 33-(13/29)	A1	A1 1_L4	1
DwellingUnit 33-(14/29)	A1	A1 1_L4	1
DwellingUnit 33-(15/29)	A1	A1 1_L4	1
DwellingUnit 33-(16/29)	A1	A1 1_L4	1
DwellingUnit 33-(17/29)	A1	A1 1_L4	1
DwellingUnit 33-(18/29)	A1	A1 1_L4	1
DwellingUnit 33-(19/29)	A1	A1 1_L4	1
DwellingUnit 33-(20/29)	A1	A1 1_L4	1
DwellingUnit 33-(21/29)	A1	A1 1_L4	1
DwellingUnit 33-(22/29)	A1	A1 1_L4	1
DwellingUnit 33-(23/29)	A1	A1 1_L4	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 15 of 213)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 33-(24/29)	A1	A1 1_L4	1
DwellingUnit 33-(25/29)	A1	A1 1_L4	1
DwellingUnit 33-(26/29)	A1	A1 1_L4	1
DwellingUnit 33-(27/29)	A1	A1 1_L4	1
DwellingUnit 33-(28/29)	A1	A1 1_L4	1
DwellingUnit 33-(29/29)	A1	A1 1_L4	1
DwellingUnit 34-(1/1)	A1.1	A1.1_L4	1
DwellingUnit 35-(1/1)	A1.3	A1.3_L4	1
DwellingUnit 36-(1/1)	A1.4	A1.4_L4	1
DwellingUnit 37-(1/1)	A2	A2_L4	1
DwellingUnit 38-(1/1)	A3	A3_L4	1
DwellingUnit 39-(1/2)	A4	A4 1_L4	1
DwellingUnit 39-(2/2)	A4	A4 1_L4	1
DwellingUnit 40-(1/1)	A5	A5_L4	1
DwellingUnit 41-(1/1)	A6	A6_L4	1
DwellingUnit 42-(1/13)	B1	B1 1_L4	1
DwellingUnit 42-(2/13)	B1	B1 1_L4	1
DwellingUnit 42-(3/13)	B1	B1 1_L4	1
DwellingUnit 42-(4/13)	B1	B1 1_L4	1
DwellingUnit 42-(5/13)	B1	B1 1_L4	1
DwellingUnit 42-(6/13)	B1	B1 1_L4	1
DwellingUnit 42-(7/13)	B1	B1 1_L4	1
DwellingUnit 42-(8/13)	B1	B1 1_L4	1
DwellingUnit 42-(9/13)	B1	B1 1_L4	1
DwellingUnit 42-(10/13)	B1	B1 1_L4	1
DwellingUnit 42-(11/13)	B1	B1 1_L4	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 16 of 213)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 42-(12/13)	B1	B1 1_L4	1
DwellingUnit 42-(13/13)	B1	B1 1_L4	1
DwellingUnit 43-(1/1)	B1.2	B1.2_L4	1
DwellingUnit 44-(1/1)	B2	B2_L4	1
DwellingUnit 45-(1/1)	B3.2	B3.2_L4	1
DwellingUnit 46-(1/1)	B3	B3_L4	1
DwellingUnit 47-(1/1)	IA1	IA1_L4	1
DwellingUnit 48-(1/2)	S1	S1 1_L4	1
DwellingUnit 48-(2/2)	S1	S1 1_L4	1
DwellingUnit 49-(1/1)	S1.1	S1.1_L4	1
DwellingUnit 50-(1/1)	S2	S2_L4	1
DwellingUnit 51-(1/29)	A1	A1 1_L5	1
DwellingUnit 51-(2/29)	A1	A1 1_L5	1
DwellingUnit 51-(3/29)	A1	A1 1_L5	1
DwellingUnit 51-(4/29)	A1	A1 1_L5	1
DwellingUnit 51-(5/29)	A1	A1 1_L5	1
DwellingUnit 51-(6/29)	A1	A1 1_L5	1
DwellingUnit 51-(7/29)	A1	A1 1_L5	1
DwellingUnit 51-(8/29)	A1	A1 1_L5	1
DwellingUnit 51-(9/29)	A1	A1 1_L5	1
DwellingUnit 51-(10/29)	A1	A1 1_L5	1
DwellingUnit 51-(11/29)	A1	A1 1_L5	1
DwellingUnit 51-(12/29)	A1	A1 1_L5	1
DwellingUnit 51-(13/29)	A1	A1 1_L5	1
DwellingUnit 51-(14/29)	A1	A1 1_L5	1
DwellingUnit 51-(15/29)	A1	A1 1_L5	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 17 of 213)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 51-(16/29)	A1	A1 1_L5	1
DwellingUnit 51-(17/29)	A1	A1 1_L5	1
DwellingUnit 51-(18/29)	A1	A1 1_L5	1
DwellingUnit 51-(19/29)	A1	A1 1_L5	1
DwellingUnit 51-(20/29)	A1	A1 1_L5	1
DwellingUnit 51-(21/29)	A1	A1 1_L5	1
DwellingUnit 51-(22/29)	A1	A1 1_L5	1
DwellingUnit 51-(23/29)	A1	A1 1_L5	1
DwellingUnit 51-(24/29)	A1	A1 1_L5	1
DwellingUnit 51-(25/29)	A1	A1 1_L5	1
DwellingUnit 51-(26/29)	A1	A1 1_L5	1
DwellingUnit 51-(27/29)	A1	A1 1_L5	1
DwellingUnit 51-(28/29)	A1	A1 1_L5	1
DwellingUnit 51-(29/29)	A1	A1 1_L5	1
DwellingUnit 52-(1/1)	A1.1	A1.1_L5	1
DwellingUnit 53-(1/1)	A1.3	A1.3_L5	1
DwellingUnit 54-(1/1)	A1.4	A1.4_L5	1
DwellingUnit 55-(1/1)	A2	A2_L5	1
DwellingUnit 56-(1/1)	A3	A3_L5	1
DwellingUnit 57-(1/2)	A4	A4 1_L5	1
DwellingUnit 57-(2/2)	A4	A4 1_L5	1
DwellingUnit 58-(1/1)	A6	A6_L5	1
DwellingUnit 59-(1/13)	B1	B1 1_L5	1
DwellingUnit 59-(2/13)	B1	B1 1_L5	1
DwellingUnit 59-(3/13)	B1	B1 1_L5	1
DwellingUnit 59-(4/13)	B1	B1 1_L5	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 18 of 213)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 59-(5/13)	B1	B1 1_L5	1
DwellingUnit 59-(6/13)	B1	B1 1_L5	1
DwellingUnit 59-(7/13)	B1	B1 1_L5	1
DwellingUnit 59-(8/13)	B1	B1 1_L5	1
DwellingUnit 59-(9/13)	B1	B1 1_L5	1
DwellingUnit 59-(10/13)	B1	B1 1_L5	1
DwellingUnit 59-(11/13)	B1	B1 1_L5	1
DwellingUnit 59-(12/13)	B1	B1 1_L5	1
DwellingUnit 59-(13/13)	B1	B1 1_L5	1
DwellingUnit 60-(1/1)	B1.2	B1.2_L5	1
DwellingUnit 61-(1/1)	B2	B2_L5	1
DwellingUnit 62-(1/1)	B3.2	B3.2_L5	1
DwellingUnit 63-(1/1)	B3	B3_L5	1
DwellingUnit 64-(1/1)	IA1	IA1_L5	1
DwellingUnit 65-(1/2)	S1	S1 1_L5	1
DwellingUnit 65-(2/2)	S1	S1 1_L5	1
DwellingUnit 66-(1/1)	S1.1	S1.1_L5	1
DwellingUnit 67-(1/2)	S2	S2 1_L5	1
DwellingUnit 67-(2/2)	S2	S2 1_L5	1
DwellingUnit 68-(1/31)	A1	A1 1_L6	1
DwellingUnit 68-(2/31)	A1	A1 1_L6	1
DwellingUnit 68-(3/31)	A1	A1 1_L6	1
DwellingUnit 68-(4/31)	A1	A1 1_L6	1
DwellingUnit 68-(5/31)	A1	A1 1_L6	1
DwellingUnit 68-(6/31)	A1	A1 1_L6	1
DwellingUnit 68-(7/31)	A1	A1 1_L6	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 19 of 213)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 68-(8/31)	A1	A1 1_L6	1
DwellingUnit 68-(9/31)	A1	A1 1_L6	1
DwellingUnit 68-(10/31)	A1	A1 1_L6	1
DwellingUnit 68-(11/31)	A1	A1 1_L6	1
DwellingUnit 68-(12/31)	A1	A1 1_L6	1
DwellingUnit 68-(13/31)	A1	A1 1_L6	1
DwellingUnit 68-(14/31)	A1	A1 1_L6	1
DwellingUnit 68-(15/31)	A1	A1 1_L6	1
DwellingUnit 68-(16/31)	A1	A1 1_L6	1
DwellingUnit 68-(17/31)	A1	A1 1_L6	1
DwellingUnit 68-(18/31)	A1	A1 1_L6	1
DwellingUnit 68-(19/31)	A1	A1 1_L6	1
DwellingUnit 68-(20/31)	A1	A1 1_L6	1
DwellingUnit 68-(21/31)	A1	A1 1_L6	1
DwellingUnit 68-(22/31)	A1	A1 1_L6	1
DwellingUnit 68-(23/31)	A1	A1 1_L6	1
DwellingUnit 68-(24/31)	A1	A1 1_L6	1
DwellingUnit 68-(25/31)	A1	A1 1_L6	1
DwellingUnit 68-(26/31)	A1	A1 1_L6	1
DwellingUnit 68-(27/31)	A1	A1 1_L6	1
DwellingUnit 68-(28/31)	A1	A1 1_L6	1
DwellingUnit 68-(29/31)	A1	A1 1_L6	1
DwellingUnit 68-(30/31)	A1	A1 1_L6	1
DwellingUnit 68-(31/31)	A1	A1 1_L6	1
DwellingUnit 69-(1/1)	A1.1	A1.1_L6	1
DwellingUnit 70-(1/2)	A1.3	A1.3 1_L6	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 20 of 213)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 70-(2/2)	A1.3	A1.3 1_L6	1
DwellingUnit 71-(1/1)	A1.4	A1.4_L6	1
DwellingUnit 72-(1/1)	A2	A2_L6	1
DwellingUnit 73-(1/1)	A3	A3_L6	1
DwellingUnit 74-(1/2)	A4	A4 1_L6	1
DwellingUnit 74-(2/2)	A4	A4 1_L6	1
DwellingUnit 75-(1/1)	A6	A6_L6	1
DwellingUnit 76-(1/17)	B1	B1 1_L6	1
DwellingUnit 76-(2/17)	B1	B1 1_L6	1
DwellingUnit 76-(3/17)	B1	B1 1_L6	1
DwellingUnit 76-(4/17)	B1	B1 1_L6	1
DwellingUnit 76-(5/17)	B1	B1 1_L6	1
DwellingUnit 76-(6/17)	B1	B1 1_L6	1
DwellingUnit 76-(7/17)	B1	B1 1_L6	1
DwellingUnit 76-(8/17)	B1	B1 1_L6	1
DwellingUnit 76-(9/17)	B1	B1 1_L6	1
DwellingUnit 76-(10/17)	B1	B1 1_L6	1
DwellingUnit 76-(11/17)	B1	B1 1_L6	1
DwellingUnit 76-(12/17)	B1	B1 1_L6	1
DwellingUnit 76-(13/17)	B1	B1 1_L6	1
DwellingUnit 76-(14/17)	B1	B1 1_L6	1
DwellingUnit 76-(15/17)	B1	B1 1_L6	1
DwellingUnit 76-(16/17)	B1	B1 1_L6	1
DwellingUnit 76-(17/17)	B1	B1 1_L6	1
DwellingUnit 77-(1/1)	B1.1	B1.1_L6	1
DwellingUnit 78-(1/1)	B1.2	B1.2_L6	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 21 of 213)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 79-(1/1)	B2	B2_L6	1
DwellingUnit 80-(1/1)	B3.1	B3.1_L6	1
DwellingUnit 81-(1/1)	B3.2	B3.2_L6	1
DwellingUnit 82-(1/1)	B3	B3_L6	1
DwellingUnit 83-(1/2)	S1	S1 1_L6	1
DwellingUnit 83-(2/2)	S1	S1 1_L6	1
DwellingUnit 84-(1/1)	S1.1	S1.1_L6	1
DwellingUnit 85-(1/2)	S2	S2 1_L6	1
DwellingUnit 85-(2/2)	S2	S2 1_L6	1
DwellingUnit 86-(1/1)	S2.1	S2.1_L6	1
DwellingUnit 87-(1/31)	A1	A1 1_L7	1
DwellingUnit 87-(2/31)	A1	A1 1_L7	1
DwellingUnit 87-(3/31)	A1	A1 1_L7	1
DwellingUnit 87-(4/31)	A1	A1 1_L7	1
DwellingUnit 87-(5/31)	A1	A1 1_L7	1
DwellingUnit 87-(6/31)	A1	A1 1_L7	1
DwellingUnit 87-(7/31)	A1	A1 1_L7	1
DwellingUnit 87-(8/31)	A1	A1 1_L7	1
DwellingUnit 87-(9/31)	A1	A1 1_L7	1
DwellingUnit 87-(10/31)	A1	A1 1_L7	1
DwellingUnit 87-(11/31)	A1	A1 1_L7	1
DwellingUnit 87-(12/31)	A1	A1 1_L7	1
DwellingUnit 87-(13/31)	A1	A1 1_L7	1
DwellingUnit 87-(14/31)	A1	A1 1_L7	1
DwellingUnit 87-(15/31)	A1	A1 1_L7	1
DwellingUnit 87-(16/31)	A1	A1 1_L7	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 22 of 213)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 87-(17/31)	A1	A1 1_L7	1
DwellingUnit 87-(18/31)	A1	A1 1_L7	1
DwellingUnit 87-(19/31)	A1	A1 1_L7	1
DwellingUnit 87-(20/31)	A1	A1 1_L7	1
DwellingUnit 87-(21/31)	A1	A1 1_L7	1
DwellingUnit 87-(22/31)	A1	A1 1_L7	1
DwellingUnit 87-(23/31)	A1	A1 1_L7	1
DwellingUnit 87-(24/31)	A1	A1 1_L7	1
DwellingUnit 87-(25/31)	A1	A1 1_L7	1
DwellingUnit 87-(26/31)	A1	A1 1_L7	1
DwellingUnit 87-(27/31)	A1	A1 1_L7	1
DwellingUnit 87-(28/31)	A1	A1 1_L7	1
DwellingUnit 87-(29/31)	A1	A1 1_L7	1
DwellingUnit 87-(30/31)	A1	A1 1_L7	1
DwellingUnit 87-(31/31)	A1	A1 1_L7	1
DwellingUnit 88-(1/1)	A1.1	A1.1_L7	1
DwellingUnit 89-(1/2)	A1.3	A1.3 1_L7	1
DwellingUnit 89-(2/2)	A1.3	A1.3 1_L7	1
DwellingUnit 90-(1/1)	A1.4	A1.4_L7	1
DwellingUnit 91-(1/1)	A2	A2_L7	1
DwellingUnit 92-(1/1)	A3	A3_L7	1
DwellingUnit 93-(1/2)	A4	A4 1_L7	1
DwellingUnit 93-(2/2)	A4	A4 1_L7	1
DwellingUnit 94-(1/1)	A6	A6_L7	1
DwellingUnit 95-(1/17)	B1	B1 1_L7	1
DwellingUnit 95-(2/17)	B1	B1 1_L7	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 23 of 213)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 95-(3/17)	B1	B1 1_L7	1
DwellingUnit 95-(4/17)	B1	B1 1_L7	1
DwellingUnit 95-(5/17)	B1	B1 1_L7	1
DwellingUnit 95-(6/17)	B1	B1 1_L7	1
DwellingUnit 95-(7/17)	B1	B1 1_L7	1
DwellingUnit 95-(8/17)	B1	B1 1_L7	1
DwellingUnit 95-(9/17)	B1	B1 1_L7	1
DwellingUnit 95-(10/17)	B1	B1 1_L7	1
DwellingUnit 95-(11/17)	B1	B1 1_L7	1
DwellingUnit 95-(12/17)	B1	B1 1_L7	1
DwellingUnit 95-(13/17)	B1	B1 1_L7	1
DwellingUnit 95-(14/17)	B1	B1 1_L7	1
DwellingUnit 95-(15/17)	B1	B1 1_L7	1
DwellingUnit 95-(16/17)	B1	B1 1_L7	1
DwellingUnit 95-(17/17)	B1	B1 1_L7	1
DwellingUnit 96-(1/1)	B1.1	B1.1_L7	1
DwellingUnit 97-(1/1)	B1.2	B1.2_L7	1
DwellingUnit 98-(1/1)	B2	B2_L7	1
DwellingUnit 99-(1/1)	B3.1	B3.1_L7	1
DwellingUnit 100-(1/1)	B3.2	B3.2_L7	1
DwellingUnit 101-(1/1)	B3	B3_L7	1
DwellingUnit 102-(1/2)	S1	S1 1_L7	1
DwellingUnit 102-(2/2)	S1	S1 1_L7	1
DwellingUnit 103-(1/1)	S1.1	S1.1_L7	1
DwellingUnit 104-(1/2)	S2	S2 1_L7	1
DwellingUnit 104-(2/2)	S2	S2 1_L7	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 24 of 213)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 105-(1/1)	S2.1	S2.1_L7	1
DwellingUnit 106-(1/31)	A1	A1 1_L8	1
DwellingUnit 106-(2/31)	A1	A1 1_L8	1
DwellingUnit 106-(3/31)	A1	A1 1_L8	1
DwellingUnit 106-(4/31)	A1	A1 1_L8	1
DwellingUnit 106-(5/31)	A1	A1 1_L8	1
DwellingUnit 106-(6/31)	A1	A1 1_L8	1
DwellingUnit 106-(7/31)	A1	A1 1_L8	1
DwellingUnit 106-(8/31)	A1	A1 1_L8	1
DwellingUnit 106-(9/31)	A1	A1 1_L8	1
DwellingUnit 106-(10/31)	A1	A1 1_L8	1
DwellingUnit 106-(11/31)	A1	A1 1_L8	1
DwellingUnit 106-(12/31)	A1	A1 1_L8	1
DwellingUnit 106-(13/31)	A1	A1 1_L8	1
DwellingUnit 106-(14/31)	A1	A1 1_L8	1
DwellingUnit 106-(15/31)	A1	A1 1_L8	1
DwellingUnit 106-(16/31)	A1	A1 1_L8	1
DwellingUnit 106-(17/31)	A1	A1 1_L8	1
DwellingUnit 106-(18/31)	A1	A1 1_L8	1
DwellingUnit 106-(19/31)	A1	A1 1_L8	1
DwellingUnit 106-(20/31)	A1	A1 1_L8	1
DwellingUnit 106-(21/31)	A1	A1 1_L8	1
DwellingUnit 106-(22/31)	A1	A1 1_L8	1
DwellingUnit 106-(23/31)	A1	A1 1_L8	1
DwellingUnit 106-(24/31)	A1	A1 1_L8	1
DwellingUnit 106-(25/31)	A1	A1 1_L8	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 25 of 213)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 106-(26/31)	A1	A1 1_L8	1
DwellingUnit 106-(27/31)	A1	A1 1_L8	1
DwellingUnit 106-(28/31)	A1	A1 1_L8	1
DwellingUnit 106-(29/31)	A1	A1 1_L8	1
DwellingUnit 106-(30/31)	A1	A1 1_L8	1
DwellingUnit 106-(31/31)	A1	A1 1_L8	1
DwellingUnit 107-(1/1)	A1.1	A1.1_L8	1
DwellingUnit 108-(1/2)	A1.3	A1.3 1_L8	1
DwellingUnit 108-(2/2)	A1.3	A1.3 1_L8	1
DwellingUnit 109-(1/1)	A1.4	A1.4_L8	1
DwellingUnit 110-(1/1)	A2	A2_L8	1
DwellingUnit 111-(1/1)	A3	A3_L8	1
DwellingUnit 112-(1/2)	A4	A4 1_L8	1
DwellingUnit 112-(2/2)	A4	A4 1_L8	1
DwellingUnit 113-(1/1)	A6	A6_L8	1
DwellingUnit 114-(1/17)	B1	B1 1_L8	1
DwellingUnit 114-(2/17)	B1	B1 1_L8	1
DwellingUnit 114-(3/17)	B1	B1 1_L8	1
DwellingUnit 114-(4/17)	B1	B1 1_L8	1
DwellingUnit 114-(5/17)	B1	B1 1_L8	1
DwellingUnit 114-(6/17)	B1	B1 1_L8	1
DwellingUnit 114-(7/17)	B1	B1 1_L8	1
DwellingUnit 114-(8/17)	B1	B1 1_L8	1
DwellingUnit 114-(9/17)	B1	B1 1_L8	1
DwellingUnit 114-(10/17)	B1	B1 1_L8	1
DwellingUnit 114-(11/17)	B1	B1 1_L8	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 26 of 213)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 114-(12/17)	B1	B1 1_L8	1
DwellingUnit 114-(13/17)	B1	B1 1_L8	1
DwellingUnit 114-(14/17)	B1	B1 1_L8	1
DwellingUnit 114-(15/17)	B1	B1 1_L8	1
DwellingUnit 114-(16/17)	B1	B1 1_L8	1
DwellingUnit 114-(17/17)	B1	B1 1_L8	1
DwellingUnit 115-(1/1)	B1.1	B1.1_L8	1
DwellingUnit 116-(1/1)	B1.2	B1.2_L8	1
DwellingUnit 117-(1/1)	B2	B2_L8	1
DwellingUnit 118-(1/1)	B3.1	B3.1_L8	1
DwellingUnit 119-(1/1)	B3.2	B3.2_L8	1
DwellingUnit 120-(1/1)	B3	B3_L8	1
DwellingUnit 121-(1/2)	S1	S1 1_L8	1
DwellingUnit 121-(2/2)	S1	S1 1_L8	1
DwellingUnit 122-(1/1)	S1.1	S1.1_L8	1
DwellingUnit 123-(1/2)	S2	S2 1_L8	1
DwellingUnit 123-(2/2)	S2	S2 1_L8	1
DwellingUnit 124-(1/1)	S2.1	S2.1_L8	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 27 of 213)

F4. DWELLING UNIT TYPES						
01	02	03	04	05	06	07
Name	CFA (ft ²)	Number of Bedrooms	Number in Building	Space Conditioning Systems Assigned	DHW System Name	IAQ Vent Fan Name
IS1	548	1	9	IS1 :GH5SAN51800A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
IS1.1	548	1	3	IS1.1 :GH5SAN51800A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
IS2	548	1	2	IS2 :GH5SAN51800A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
IA1	754	1	35	IA1 :GH5SAN51800A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
IA1.1	754	1	1	IA1.1 :GH5SAN51800A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
IA1.2	754	1	2	IA1.2 :GH5SAN51800A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 28 of 213)

F4. DWELLING UNIT TYPES						
01	02	03	04	05	06	07
Name	CFA (ft ²)	Number of Bedrooms	Number in Building	Space Conditioning Systems Assigned	DHW System Name	IAQ Vent Fan Name
IA1.3	754	1	4	IA1.3 :GH5SAN51800A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
IA2	910	1	1	IA2 :GH5SAN51800A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
IA3	754	1	3	IA3 :GH5SAN51800A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
IA4	570	1	2	IA4 :GH5SAN51800A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
IA5	754	1	5	IA5 :GH5SAN51800A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
IA5.1	754	1	2	IA5.1 :GH5SAN51800A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 29 of 213)

F4. DWELLING UNIT TYPES						
01	02	03	04	05	06	07
Name	CFA (ft ²)	Number of Bedrooms	Number in Building	Space Conditioning Systems Assigned	DHW System Name	IAQ Vent Fan Name
IB1	1165	2	10	IB1 :GH5SAN42400A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
IB1.1	1165	2	2	IB1.1 :GH5SAN42400A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
IB2	1165	2	1	IB2 :GH5SAN42400A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
IB3	1165	2	1	IB3 :GH5SAN42400A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
S1	548	1	10	S1 :GH5SAN51800A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
S1.1	548	1	5	S1.1 :GH5SAN51800A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 30 of 213)

F4. DWELLING UNIT TYPES						
01	02	03	04	05	06	07
Name	CFA (ft²)	Number of Bedrooms	Number in Building	Space Conditioning Systems Assigned	DHW System Name	IAQ Vent Fan Name
S2	548	1	9	S2 :GH5SAN51800A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
S2.1	548	1	3	S2.1 :GH5SAN51800A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
A1	754	1	151	A1 :GH5SAN51800A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
A1.1	754	1	5	A1.1 :GH5SAN51800A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
A1.3	754	1	8	A1.3 :GH5SAN51800A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
A1.4	754	1	5	A1.4 :GH5SAN51800A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 31 of 213)

F4. DWELLING UNIT TYPES						
01	02	03	04	05	06	07
Name	CFA (ft ²)	Number of Bedrooms	Number in Building	Space Conditioning Systems Assigned	DHW System Name	IAQ Vent Fan Name
A2	754	1	5	A2 :GH5SAN51800A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
A3	754	1	5	A3 :GH5SAN51800A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
A4	754	1	10	A4 :GH5SAN51800A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
A5	754	1	1	A5 :GH5SAN51800A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
A6	754	1	5	A6 :GH5SAN51800A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
B1	1155	2	77	B1 :GH5SAN42400A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 32 of 213)

F4. DWELLING UNIT TYPES						
01	02	03	04	05	06	07
Name	CFA (ft²)	Number of Bedrooms	Number in Building	Space Conditioning Systems Assigned	DHW System Name	IAQ Vent Fan Name
B1.1	1155	2	3	B1.1 :GH5SAN42400A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
B1.2	1155	2	5	B1.2 :GH5SAN42400A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
B2	1155	2	5	B2 :GH5SAN42400A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
B3	1155	2	5	B3 :GH5SAN42400A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
B3.1	1155	2	3	B3.1 :GH5SAN42400A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
B3.2	1155	2	5	B3.2 :GH5SAN42400A:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 33 of 213)

G1. ENVELOPE GENERAL INFORMATION (conditioned spaces only)			
01	02	03	04
Opaque Surfaces & Orientation	Total Gross Surface Area (ft ²)	Total Fenestration Area (ft ²)	Window to Wall Ratio (%)
North-Facing ¹	58424.1	15046.9	25.75
East-Facing ²	41086.3	11606.7	28.25
South-Facing ³	50995.6	13725.1	26.91
West-Facing ⁴	42863.7	11141.7	25.99
Total	193370	51520.4	26.64
Roof	66919.3	0	0
Notes ¹North-Facing is oriented to within 45 degrees of true north, including 45 00'00" east of north (NE), but excluding 45 00'00" west of north (NW), ²East-Facing is oriented to within 45 degrees of true east, including 45 00'00" south of east (SE), but excluding 45 00'00" north of east (NE), ³South-Facing is oriented to within 45 degrees of true south, including 45 00'00" west of south (SW), but excluding 45 00'00" east of south (SE), ⁴West-Facing is oriented to within 45 degrees of true west, including 45 00'00" north of west (NW), but excluding 45 00'00" south of west (SW),			

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 34 of 213)

G2B. ROOFING PRODUCT SUMMARY (MULTIFAMILY AND COMMON AREAS)					
01	02	03	04	05	06
Name	Roof Pitch	Roof Rise (x in 12)	Aged Solar Reflectance	Thermal Emittance	SRI
Roof (Front 1) : PARKING_LB	Low slope	0	0.1	0.85	N/A
Roof (Front 2) : PARKING_LB	Low slope	0	0.1	0.85	N/A
Roof (Front 3) : PARKING_LB	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : CORRIDOR 1_L1	Low slope	0	0.1	0.85	N/A
Roof (Front 2) : CORRIDOR 1_L1	Low slope	0	0.1	0.85	N/A
Roof (Front 3) : CORRIDOR 1_L1	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : IA1.1_L1	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : IA2_L1	Low slope	0	0.1	0.85	N/A
Roof (Front 2) : IA2_L1	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : LOBBY_L1	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : MAIN ELEC_L1	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : MAIN ELEC_L1	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : MAIN LOBBY/LEASING_L1	Low slope	0	0.1	0.85	N/A
Roof (Front 2) : MAIN LOBBY/LEASING_L1	Low slope	0	0.1	0.85	N/A
Roof (Front 3) : MAIN LOBBY/LEASING_L1	Low slope	0	0.1	0.85	N/A
Roof (Front 4) : MAIN LOBBY/LEASING_L1	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : MOVE IN/OUT_L1	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : PARKING_L1	Low slope	0	0.1	0.85	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 35 of 213)

G2B. ROOFING PRODUCT SUMMARY (MULTIFAMILY AND COMMON AREAS)					
01	02	03	04	05	06
Name	Roof Pitch	Roof Rise (x in 12)	Aged Solar Reflectance	Thermal Emittance	SRI
Roof (Front 1) : PASSAGEWAY_L1	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : STORAGE RM_L1	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : SECUR._L1	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : TRASH STAGING_L1	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : IA1 1_L2	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : IA4_L2	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : MECH. 2_L2	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : PARKING_L2	Low slope	0	0.1	0.85	N/A
Roof (Front 2) : PARKING_L2	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : CORRIDOR 1_L3	Low slope	0	0.1	0.85	N/A
Roof (Front 2) : CORRIDOR 1_L3	Low slope	0	0.1	0.85	N/A
Roof (Front 3) : CORRIDOR 1_L3	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : IA1 1_L3	Low slope	0	0.1	0.85	N/A
Roof (Front 2) : IA1 1_L3	Low slope	0	0.1	0.85	N/A
Roof (Front 3) : IA1 1_L3	Low slope	0	0.1	0.85	N/A
Roof (Front 4) : IA1 1_L3	Low slope	0	0.1	0.85	N/A
Roof (Front 5) : IA1 1_L3	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : IA1.2_L3	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : IA1.3 1_L3	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : IA3_L3	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : IA5 1_L3	Low slope	0	0.1	0.85	N/A
Roof (Front 2) : IA5 1_L3	Low slope	0	0.1	0.85	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 36 of 213)

G2B. ROOFING PRODUCT SUMMARY (MULTIFAMILY AND COMMON AREAS)					
01	02	03	04	05	06
Name	Roof Pitch	Roof Rise (x in 12)	Aged Solar Reflectance	Thermal Emittance	SRI
Roof (Front 3) : IA5 1_L3	Low slope	0	0.1	0.85	N/A
Roof (Front 4) : IA5 1_L3	Low slope	0	0.1	0.85	N/A
Roof (Front 5) : IA5 1_L3	Low slope	0	0.1	0.85	N/A
Roof (Front 6) : IA5 1_L3	Low slope	0	0.1	0.85	N/A
Roof (Front 7) : IA5 1_L3	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : IA5.1 1_L3	Low slope	0	0.1	0.85	N/A
Roof (Front 2) : IA5.1 1_L3	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : IB1 1_L3	Low slope	0	0.1	0.85	N/A
Roof (Front 2) : IB1 1_L3	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : IDF 2_L3	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : IS1 1_L3	Low slope	0	0.1	0.85	N/A
Roof (Front 2) : IS1 1_L3	Low slope	0	0.1	0.85	N/A
Roof (Front 3) : IS1 1_L3	Low slope	0	0.1	0.85	N/A
Roof (Front 4) : IS1 1_L3	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : IS1.1_L3	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : MECH. _L3	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : PARKING _L3	Low slope	0	0.1	0.85	N/A
Roof (Front 2) : PARKING _L3	Low slope	0	0.1	0.85	N/A
Roof (Front 3) : PARKING _L3	Low slope	0	0.1	0.85	N/A
Roof (Front 4) : PARKING _L3	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : POOL VAULT & EQUIP _L3	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : STAIR 10_L3	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : STORAGE 1_L3	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : STORAGE 2_L3	Low slope	0	0.1	0.85	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 37 of 213)

G2B. ROOFING PRODUCT SUMMARY (MULTIFAMILY AND COMMON AREAS)					
01	02	03	04	05	06
Name	Roof Pitch	Roof Rise (x in 12)	Aged Solar Reflectance	Thermal Emittance	SRI
Roof (Front 1) : STORAGE 3_L3	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : STORAGE 5_L3	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : CLUB ROOM/LOUNGE_L4	Low slope	0	0.1	0.85	N/A
Roof (Front 2) : CLUB ROOM/LOUNGE_L4	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : ENT. KITCHEN_L4	Low slope	0	0.1	0.85	N/A
Roof (Front 2) : ENT. KITCHEN_L4	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : FITNESS CTR_L4	Low slope	0	0.1	0.85	N/A
Roof (Front 2) : FITNESS CTR_L4	Low slope	0	0.1	0.85	N/A
Roof (Front 3) : FITNESS CTR_L4	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : GAME RM_L4	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : M-RESTROOM_L4	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : YOGA RM_L4	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : A1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 2) : A1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 3) : A1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 4) : A1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 5) : A1 1_L8	Low slope	0	0.1	0.85	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 38 of 213)

G2B. ROOFING PRODUCT SUMMARY (MULTIFAMILY AND COMMON AREAS)					
01	02	03	04	05	06
Name	Roof Pitch	Roof Rise (x in 12)	Aged Solar Reflectance	Thermal Emittance	SRI
Roof (Front 6) : A1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 7) : A1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 8) : A1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 9) : A1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 10) : A1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 11) : A1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 12) : A1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 13) : A1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 14) : A1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 15) : A1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 16) : A1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 17) : A1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 18) : A1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 19) : A1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 20) : A1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 21) : A1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 22) : A1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 23) : A1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 24) : A1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 25) : A1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 26) : A1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 27) : A1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 28) : A1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 29) : A1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 30) : A1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 31) : A1 1_L8	Low slope	0	0.1	0.85	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 39 of 213)

G2B. ROOFING PRODUCT SUMMARY (MULTIFAMILY AND COMMON AREAS)					
01	02	03	04	05	06
Name	Roof Pitch	Roof Rise (x in 12)	Aged Solar Reflectance	Thermal Emittance	SRI
Roof (Front 1) : A1.1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : A1.3 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 2) : A1.3 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : A1.4_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : A2_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : A3_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : A4 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 2) : A4 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : A6_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : B1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 2) : B1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 3) : B1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 4) : B1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 5) : B1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 6) : B1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 7) : B1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 8) : B1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 9) : B1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 10) : B1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 11) : B1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 12) : B1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 13) : B1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 14) : B1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 15) : B1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 16) : B1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 17) : B1 1_L8	Low slope	0	0.1	0.85	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 40 of 213)

G2B. ROOFING PRODUCT SUMMARY (MULTIFAMILY AND COMMON AREAS)					
01	02	03	04	05	06
Name	Roof Pitch	Roof Rise (x in 12)	Aged Solar Reflectance	Thermal Emittance	SRI
Roof (Front 1) : B1.1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : B1.2_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : B2_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : B3.1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : B3.2_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : B3_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : CORRIDOR 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 2) : CORRIDOR 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 3) : CORRIDOR 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : ELEC_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : ELEVATOR 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : ELEVATOR 2_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : ELEVATOR 5_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : IDF 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : IDF 2_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : IDF 3_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : JAN CLOSET_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : OPENING_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : S1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 2) : S1 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : S1.1_L8	Low slope	0	0.1	0.85	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 41 of 213)

G2B. ROOFING PRODUCT SUMMARY (MULTIFAMILY AND COMMON AREAS)					
01	02	03	04	05	06
Name	Roof Pitch	Roof Rise (x in 12)	Aged Solar Reflectance	Thermal Emittance	SRI
Roof (Front 1) : S2 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 2) : S2 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : S2.1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : STAIR 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : STAIR 2_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : STAIR 3_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : STAIR 6_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : STORAGE 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : STORAGE 2_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : STORAGE 3_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : TRASH VEST. 1_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : TRASH VEST. 2_L8	Low slope	0	0.1	0.85	N/A
Roof (Front 1) : TRASH_L8	Low slope	0	0.1	0.85	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 42 of 213)

G5. OPAQUE SURFACE ASSEMBLY SUMMARY										
01	02	03	04	05	06		07	08	09	10
Surface Name	Construction Type	Area (ft²)	Framing Type	Cavity R-Value	Continuous R-Value		Units	Value	Description of Assembly Layers	Status ¹
					Interior	Exterior				
Ext Wall Cons	Exterior Walls	167,157	Wood Framed Wall	21	0	0	U-factor	0.0687	Inside Finish: Gypsum Board Cavity / Frame: R-21 / 2x6 Exterior Finish: Synthetic Stucco	N
Interior Floor Cons	Interior Floors	618,830	Wood Framed Floor	19	0	0	U-factor	0.0441	Floor Surface: Carpeted Floor Deck: Wood Siding/sheathing/decking Cavity / Frame: R-19 / 2x12 Ceiling Below Finish: Gypsum Board	N
Interior Wall Cons	Interior Walls	337,843	Wood Framed Wall	13	0	0	U-factor	0.0919	Inside Finish: Gypsum Board Cavity / Frame: R-13 / 2x4 Other Side Finish: Gypsum Board	
Roof Cons	Cathedral Ceilings	115,653	Wood Framed Ceiling	38	0	0	U-factor	0.03	Roofing: Light Roof (Asphalt Shingle) Roof Deck: Wood Siding/sheathing/decking Cavity / Frame: R-38 / 2x12 Inside Finish: Gypsum Board	N
R-21 Metal Frame	Exterior Walls	44,659.1	Steel Framed Wall	21	0	0	U-factor	0.1003	Inside Finish: Gypsum Board Sheathing / Insulation: Gypsum Board Cavity / Frame: R-21 / 2x6 Sheathing / Insulation: Gypsum Board Exterior Finish: All Other Siding	N
Concrete Exterior Wall	Exterior Walls	2,737.98	Concrete / ICF / Brick	19	0	0	U-factor	0.5073	Inside Finish: Gypsum Board Mass Layer: 8 in. Concrete	N
¹ Status: N - New, A - Altered, E - Existing										

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD									NRCC-PRF-E	
Nonresidential Performance Compliance Method									(Page 43 of 213)	
G5. OPAQUE SURFACE ASSEMBLY SUMMARY										
01	02	03	04	05	06		07	08	09	10
Surface Name	Construction Type	Area (ft²)	Framing Type	Cavity R-Value	Continuous R-Value		Units	Value	Description of Assembly Layers	Status¹
					Interior	Exterior				
Concrete Interior Wall	Interior Walls	27,017.9	Concrete / ICF / Brick	0	0	0	U-factor	0.2157	Inside Finish: Gypsum Board Insulation/Furring: no insul. / 5.5in. mtl Mass Layer: 8 in. Concrete Insulation/Furring: no insul. / 5.5in. mtl Other Side Finish: Gypsum Board	
Garage Ext Wall	Exterior Walls	19,401.7	Wood Framed Wall	0	0	0	U-factor	0.3609	Inside Finish: Gypsum Board Cavity / Frame: no insul. / 2x4 Exterior Finish: 3 Coat Stucco	N
¹ Status: N - New, A - Altered, E - Existing										

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 44 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 1) : CORRIDOR 1_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : CORRIDOR 1_L1	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : CORRIDOR 1_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : CORRIDOR 1_L1	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : DOG WASH_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : DOG WASH_L1	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : DOG WASH_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : DOG WASH_L1	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : IA1 1_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : IA1 1_L1	90	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : IA1 1_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : IA1 1_L1	90	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : IA1 1_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : IA1 1_L1	90	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 45 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 1) : IA1 1_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : IA1 1_L1	180	1	24.76	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : IA1 1_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : IA1 1_L1	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : IA1 1_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : IA1 1_L1	180	1	24.76	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : IA1 1_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : IA1 1_L1	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : IA1 1_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : IA1 1_L1	180	1	24.76	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 6) : IA1 1_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : IA1 1_L1	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 7) : IA1 1_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : IA1 1_L1	180	1	24.76	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 46 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 8) : IA1 1_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 8) : IA1 1_L1	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 9) : IA1 1_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 9) : IA1 1_L1	180	1	24.76	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 10) : IA1 1_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 10) : IA1 1_L1	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 11) : IA1 1_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 11) : IA1 1_L1	180	1	24.76	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 12) : IA1 1_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 12) : IA1 1_L1	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : IA1 1_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : IA1 1_L1	270	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : IA1 1_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : IA1 1_L1	270	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 47 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 3) : IA1 1_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : IA1 1_L1	270	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : IA1.1_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : IA1.1_L1	180	1	59.2	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : IA1.1_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : IA1.1_L1	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : IA1.3_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : IA1.3_L1	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : IA1.3_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : IA1.3_L1	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : IA2_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : IA2_L1	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : IA2_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : IA2_L1	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 48 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 1) : IA3_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : IA3_L1	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : IA3_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : IA3_L1	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : IA4_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : IA4_L1	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : IA4_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : IA4_L1	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : IB1 1_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : IB1 1_L1	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : IB1 1_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : IB1 1_L1	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : IB1 1_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : IB1 1_L1	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 49 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 3) : IB1 1_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : IB1 1_L1	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : IB1 1_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : IB1 1_L1	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : IB1 1_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : IB1 1_L1	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 6) : IB1 1_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : IB1 1_L1	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : IS1 1_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : IS1 1_L1	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : IS1 1_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : IS1 1_L1	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : IS1.1_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : IS1.1_L1	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 50 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : IS2_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : IS2_L1	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : LOBBY_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : LOBBY_L1	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : MAIN LOBBY/LEASING_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : MAIN LOBBY/LEASING_L1	90	1	371.36	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : MAIN LOBBY/LEASING_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : MAIN LOBBY/LEASING_L1	90	1	305.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : MAIN LOBBY/LEASING_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : MAIN LOBBY/LEASING_L1	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : MAIN LOBBY/LEASING_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : MAIN LOBBY/LEASING_L1	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : MAIN LOBBY/LEASING_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : MAIN LOBBY/LEASING_L1	180	1	24.76	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 51 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 4) : MAIN LOBBY/LEASING_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : MAIN LOBBY/LEASING_L1	180	1	524.2	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : MAIN LOBBY/LEASING_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : MAIN LOBBY/LEASING_L1	180	1	433.79	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : MAKER ROOM_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : MAKER ROOM_L1	0	1	111.94	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : MAKER ROOM_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : MAKER ROOM_L1	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : PARKING_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : PARKING_L1	0	1	108.72	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : PARKING_L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : PARKING_L1	0	1	217.43	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : SECUR._L1	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : SECUR._L1	180	1	24.76	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 52 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 1) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : IA1 1_L2	0	1	111.94	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : IA1 1_L2	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : IA1 1_L2	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : IA1 1_L2	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 5) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : IA1 1_L2	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 6) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : IA1 1_L2	0	1	106.56	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 7) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 7) : IA1 1_L2	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 53 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 8) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 8) : IA1 1_L2	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 9) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 9) : IA1 1_L2	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 10) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 10) : IA1 1_L2	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : IA1 1_L2	90	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : IA1 1_L2	90	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : IA1 1_L2	90	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 7) : IA1 1_L2	90	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 54 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 1) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : IA1 1_L2	180	1	24.76	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : IA1 1_L2	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : IA1 1_L2	180	1	24.76	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : IA1 1_L2	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : IA1 1_L2	180	1	24.76	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 6) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : IA1 1_L2	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 7) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : IA1 1_L2	180	1	24.76	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 55 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 8) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 8) : IA1 1_L2	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 9) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 9) : IA1 1_L2	180	1	24.76	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 10) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 10) : IA1 1_L2	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 11) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 11) : IA1 1_L2	180	1	24.76	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 12) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 12) : IA1 1_L2	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 13) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 13) : IA1 1_L2	180	1	24.76	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 14) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 14) : IA1 1_L2	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 56 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 15) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 15) : IA1 1_L2	180	1	24.76	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 16) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 16) : IA1 1_L2	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : IA1 1_L2	270	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : IA1 1_L2	270	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 8) : IA1 1_L2	270	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : IA1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 9) : IA1 1_L2	270	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : IA1.2_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : IA1.2_L2	180	1	59.2	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 57 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : IA1.2_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : IA1.2_L2	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : IA1.3_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : IA1.3_L2	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : IA1.3_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : IA1.3_L2	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : IA3_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : IA3_L2	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : IA3_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : IA3_L2	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : IA4_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : IA4_L2	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : IA4_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : IA4_L2	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 58 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 1) : IB1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : IB1 1_L2	0	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : IB1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : IB1 1_L2	0	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : IB1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : IB1 1_L2	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : IB1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : IB1 1_L2	0	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 5) : IB1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : IB1 1_L2	0	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 6) : IB1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : IB1 1_L2	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 7) : IB1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 8) : IB1 1_L2	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 59 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : IB1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : IB1 1_L2	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : IB1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : IB1 1_L2	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : IB1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : IB1 1_L2	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : IB1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 7) : IB1 1_L2	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : IB1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 8) : IB1 1_L2	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 6) : IB1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 9) : IB1 1_L2	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : IB1.1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : IB1.1_L2	180	1	24.76	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 60 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : IB1.1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : IB1.1_L2	180	1	24.76	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : IB1.1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : IB1.1_L2	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : IB1.1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : IB1.1_L2	270	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : IS1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : IS1 1_L2	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : IS1 1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : IS1 1_L2	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : IS1.1_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : IS1.1_L2	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : IS2_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : IS2_L2	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 61 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 1) : LOOBY_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : LOOBY_L2	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : MECH. 3_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : MECH. 3_L2	0	1	217.43	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : PARKING_L2	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : PARKING_L2	0	1	108.72	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : IA1 1_L3	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : IA1 1_L3	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : IA1 1_L3	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : IA1 1_L3	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 62 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 5) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : IA1 1_L3	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 6) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : IA1 1_L3	0	1	106.56	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 7) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 7) : IA1 1_L3	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 8) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 8) : IA1 1_L3	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 9) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 9) : IA1 1_L3	0	1	111.94	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 10) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 10) : IA1 1_L3	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : IA1 1_L3	90	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 63 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 2) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : IA1 1_L3	90	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : IA1 1_L3	90	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 7) : IA1 1_L3	90	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : IA1 1_L3	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : IA1 1_L3	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : IA1 1_L3	180	1	24.76	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : IA1 1_L3	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 64 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 5) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : IA1 1_L3	180	1	24.76	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 6) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : IA1 1_L3	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 7) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 8) : IA1 1_L3	180	1	24.76	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 8) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 9) : IA1 1_L3	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 9) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 10) : IA1 1_L3	180	1	24.76	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 10) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 11) : IA1 1_L3	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 11) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 12) : IA1 1_L3	180	1	24.76	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 65 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 12) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 13) : IA1 1_L3	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 13) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 14) : IA1 1_L3	180	1	24.76	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 14) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 15) : IA1 1_L3	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 15) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 16) : IA1 1_L3	180	1	24.76	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 16) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 17) : IA1 1_L3	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 17) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 18) : IA1 1_L3	180	1	24.76	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 18) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 19) : IA1 1_L3	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 66 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : IA1 1_L3	270	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : IA1 1_L3	270	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : IA1 1_L3	270	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 7) : IA1 1_L3	270	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : IA1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 10) : IA1 1_L3	270	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : IA1.2_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : IA1.2_L3	180	1	59.2	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : IA1.2_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : IA1.2_L3	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 67 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 1) : IA1.3 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : IA1.3 1_L3	180	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : IA1.3 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : IA1.3 1_L3	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : IA1.3 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : IA1.3 1_L3	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : IA1.3 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : IA1.3 1_L3	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : IA1.3 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : IA1.3 1_L3	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : IA3_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : IA3_L3	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : IA3_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : IA3_L3	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 68 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 1) : IA5 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : IA5 1_L3	90	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : IA5 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : IA5 1_L3	90	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : IA5 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : IA5 1_L3	90	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : IA5 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : IA5 1_L3	90	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : IA5 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : IA5 1_L3	90	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : IA5 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : IA5 1_L3	90	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 7) : IA5 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : IA5 1_L3	90	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 69 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 8) : IA5 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : IA5 1_L3	90	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 9) : IA5 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : IA5 1_L3	90	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 10) : IA5 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : IA5 1_L3	90	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : IA5.1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : IA5.1 1_L3	90	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : IA5.1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : IA5.1 1_L3	90	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : IA5.1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : IA5.1 1_L3	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : IA5.1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : IA5.1 1_L3	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 70 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 1) : IB1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : IB1 1_L3	0	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : IB1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : IB1 1_L3	0	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : IB1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : IB1 1_L3	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : IB1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : IB1 1_L3	0	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 5) : IB1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : IB1 1_L3	0	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 6) : IB1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : IB1 1_L3	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 7) : IB1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 8) : IB1 1_L3	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 71 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 1) : IB1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : IB1 1_L3	90	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : IB1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : IB1 1_L3	90	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : IB1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : IB1 1_L3	90	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : IB1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : IB1 1_L3	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : IB1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : IB1 1_L3	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : IB1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : IB1 1_L3	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : IB1.1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : IB1.1_L3	180	1	24.76	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 72 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : IB1.1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : IB1.1_L3	180	1	24.76	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : IB1.1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : IB1.1_L3	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : IB1.1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : IB1.1_L3	270	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : IB2_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : IB2_L3	90	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : IB2_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : IB2_L3	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : IB2_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : IB2_L3	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : IB2_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : IB2_L3	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 73 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 1) : IB3_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : IB3_L3	0	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : IB3_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : IB3_L3	90	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : IB3_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : IB3_L3	90	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : IB3_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : IB3_L3	90	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : IS1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : IS1 1_L3	90	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : IS1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : IS1 1_L3	90	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : IS1 1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : IS1 1_L3	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 74 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : IS1_1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : IS1_1_L3	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : IS1_1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : IS1_1_L3	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : IS1.1_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : IS1.1_L3	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : LOOBY_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : LOOBY_L3	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : PARKING_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : PARKING_L3	0	1	108.72	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : PARKING_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : PARKING_L3	0	1	217.43	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : POOL VAULT & EQUIP_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : POOL VAULT & EQUIP_L3	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 75 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 2) : POOL VAULT & EQUIP_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : POOL VAULT & EQUIP_L3	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : POOL VAULT & EQUIP_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : POOL VAULT & EQUIP_L3	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : POOL VAULT & EQUIP_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : POOL VAULT & EQUIP_L3	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : STORAGE 2_L3	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : STORAGE 2_L3	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A1 1_L4	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A1 1_L4	0	1	106.56	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : A1 1_L4	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 76 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 4) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : A1 1_L4	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 5) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : A1 1_L4	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 6) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : A1 1_L4	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 7) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 12) : A1 1_L4	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 8) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 13) : A1 1_L4	0	1	88.26	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 9) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 14) : A1 1_L4	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 10) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 15) : A1 1_L4	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 77 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 11) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 19) : A1 1_L4	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 12) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 20) : A1 1_L4	0	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 13) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 21) : A1 1_L4	0	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 14) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 22) : A1 1_L4	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 15) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 23) : A1 1_L4	0	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 16) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 24) : A1 1_L4	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 17) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 25) : A1 1_L4	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 78 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 18) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 26) : A1 1_L4	0	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 19) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 27) : A1 1_L4	0	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 20) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 28) : A1 1_L4	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 21) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 29) : A1 1_L4	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 22) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 30) : A1 1_L4	0	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 23) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 31) : A1 1_L4	0	1	111.94	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 24) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 32) : A1 1_L4	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 79 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 1) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : A1 1_L4	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : A1 1_L4	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : A1 1_L4	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : A1 1_L4	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 7) : A1 1_L4	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 8) : A1 1_L4	90	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 7) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 14) : A1 1_L4	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 80 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 8) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 15) : A1 1_L4	90	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 9) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 16) : A1 1_L4	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 10) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 17) : A1 1_L4	90	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 11) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 18) : A1 1_L4	90	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 12) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 19) : A1 1_L4	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A1 1_L4	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A1 1_L4	180	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 81 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 3) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : A1 1_L4	180	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : A1 1_L4	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : A1 1_L4	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 6) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : A1 1_L4	180	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 7) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : A1 1_L4	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 8) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 8) : A1 1_L4	180	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 9) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 11) : A1 1_L4	180	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 82 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 10) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 12) : A1 1_L4	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 11) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 13) : A1 1_L4	180	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 12) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 14) : A1 1_L4	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 13) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 21) : A1 1_L4	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 14) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 22) : A1 1_L4	180	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 15) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 23) : A1 1_L4	180	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 16) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 24) : A1 1_L4	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 83 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : A1 1_L4	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : A1 1_L4	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : A1 1_L4	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 7) : A1 1_L4	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 12) : A1 1_L4	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 6) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 13) : A1 1_L4	270	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 7) : A1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 17) : A1 1_L4	270	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 84 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 8) : A1_1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 18) : A1_1_L4	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 9) : A1_1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 19) : A1_1_L4	270	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 10) : A1_1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 20) : A1_1_L4	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A1.1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A1.1_L4	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A1.1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A1.1_L4	0	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A1.3_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A1.3_L4	0	1	217.43	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A1.4_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A1.4_L4	90	1	80.73	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 85 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 2) : A1.4_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A1.4_L4	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A2_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A2_L4	0	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A2_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A2_L4	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A3_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A3_L4	180	1	27.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A3_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A3_L4	180	1	31.22	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A4 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A4 1_L4	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A4 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A4 1_L4	270	1	21.53	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 86 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 2) : A4 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A4 1_L4	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : A4 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : A4 1_L4	270	1	21.53	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A5_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A5_L4	0	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A5_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A5_L4	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A6_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A6_L4	0	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A6_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A6_L4	0	1	31.22	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B1 1_L4	0	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 87 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 2) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B1 1_L4	0	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : B1 1_L4	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : B1 1_L4	0	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 5) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : B1 1_L4	0	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 6) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : B1 1_L4	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 12) : B1 1_L4	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 13) : B1 1_L4	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 88 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 3) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 14) : B1 1_L4	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 15) : B1 1_L4	90	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 16) : B1 1_L4	90	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 17) : B1 1_L4	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 7) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 18) : B1 1_L4	90	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 8) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 19) : B1 1_L4	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 9) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 20) : B1 1_L4	90	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 89 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 10) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 21) : B1 1_L4	90	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 11) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 22) : B1 1_L4	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 12) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 23) : B1 1_L4	90	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B1 1_L4	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B1 1_L4	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B1 1_L4	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : B1 1_L4	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 90 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 5) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : B1 1_L4	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 6) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : B1 1_L4	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 7) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : B1 1_L4	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 8) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 8) : B1 1_L4	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 9) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 9) : B1 1_L4	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 10) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 10) : B1 1_L4	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 11) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 11) : B1 1_L4	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 91 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 12) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 12) : B1 1_L4	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 10) : B1 1_L4	270	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 11) : B1 1_L4	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 12) : B1 1_L4	270	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 13) : B1 1_L4	270	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 14) : B1 1_L4	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 6) : B1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 15) : B1 1_L4	270	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 92 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 7) : B1_1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 16) : B1_1_L4	270	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 8) : B1_1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 17) : B1_1_L4	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 9) : B1_1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 18) : B1_1_L4	270	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B1.2_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B1.2_L4	0	1	3.23	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B1.2_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B1.2_L4	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B1.2_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B1.2_L4	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : B1.2_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B1.2_L4	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 93 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 1) : B2_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B2_L4	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B2_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B2_L4	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B2_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B2_L4	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B2_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B2_L4	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B3.2_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.2_L4	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B3.2_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.2_L4	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B3.2_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.2_L4	0	1	16.15	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 94 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 4) : B3.2_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.2_L4	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B3.2_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3.2_L4	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B3.2_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3.2_L4	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B3_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B3_L4	90	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B3_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B3_L4	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B3_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B3_L4	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B3_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B3_L4	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 95 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 1) : CLUB ROOM/LOUNGE_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : CLUB ROOM/LOUNGE_L4	90	1	47.36	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : CLUB ROOM/LOUNGE_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : CLUB ROOM/LOUNGE_L4	270	1	481.15	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : CLUB ROOM/LOUNGE_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : CLUB ROOM/LOUNGE_L4	270	1	481.15	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : CORRIDOR 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : CORRIDOR 1_L4	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : CORRIDOR 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : CORRIDOR 1_L4	180	1	163.61	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : CORRIDOR 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : CORRIDOR 1_L4	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : CORRIDOR 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : CORRIDOR 1_L4	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 96 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 1) : ENT. KITCHEN_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : ENT. KITCHEN_L4	180	1	306.77	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : ENT. KITCHEN_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : ENT. KITCHEN_L4	180	1	306.77	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : ENT. KITCHEN_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : ENT. KITCHEN_L4	270	1	198.06	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : ENT. KITCHEN_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : ENT. KITCHEN_L4	270	1	198.06	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : FITNESS CTR_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : FITNESS CTR_L4	90	1	437.01	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : FITNESS CTR_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : FITNESS CTR_L4	90	1	437.01	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : FITNESS CTR_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : FITNESS CTR_L4	180	1	306.77	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 97 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : FITNESS CTR_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : FITNESS CTR_L4	180	1	306.77	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : GAME RM_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : GAME RM_L4	0	1	290.63	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : GAME RM_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : GAME RM_L4	0	1	290.63	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : GAME RM_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : GAME RM_L4	270	1	262.64	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : GAME RM_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : GAME RM_L4	270	1	262.64	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : IA1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : IA1_L4	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : IA1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : IA1_L4	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 98 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 1) : S1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : S1 1_L4	90	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : S1 1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : S1 1_L4	270	1	31.22	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : S1.1_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : S1.1_L4	270	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : S2_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : S2_L4	180	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : YOGA RM_L4	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : YOGA RM_L4	90	1	107.64	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A1 1_L5	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A1 1_L5	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 99 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 3) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : A1 1_L5	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : A1 1_L5	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 5) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : A1 1_L5	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 6) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : A1 1_L5	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 7) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 7) : A1 1_L5	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 8) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 8) : A1 1_L5	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 9) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 9) : A1 1_L5	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 100 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 10) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 10) : A1 1_L5	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 11) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 11) : A1 1_L5	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 12) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 12) : A1 1_L5	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 13) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 16) : A1 1_L5	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 14) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 17) : A1 1_L5	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 15) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 18) : A1 1_L5	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 16) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 19) : A1 1_L5	0	1	88.26	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 101 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 17) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 25) : A1 1_L5	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 18) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 26) : A1 1_L5	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 19) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 27) : A1 1_L5	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 20) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 28) : A1 1_L5	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 21) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 29) : A1 1_L5	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 22) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 30) : A1 1_L5	0	1	106.56	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 23) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 31) : A1 1_L5	0	1	111.94	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 102 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 24) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 32) : A1 1_L5	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 7) : A1 1_L5	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 8) : A1 1_L5	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 9) : A1 1_L5	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 10) : A1 1_L5	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 11) : A1 1_L5	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 12) : A1 1_L5	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 103 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 7) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 18) : A1 1_L5	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 8) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 19) : A1 1_L5	90	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 9) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 20) : A1 1_L5	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 10) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 21) : A1 1_L5	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 11) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 22) : A1 1_L5	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 12) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 23) : A1 1_L5	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : A1 1_L5	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 104 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : A1 1_L5	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : A1 1_L5	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : A1 1_L5	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 13) : A1 1_L5	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 6) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 14) : A1 1_L5	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 7) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 15) : A1 1_L5	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 8) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 16) : A1 1_L5	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 105 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 9) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 19) : A1 1_L5	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 10) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 20) : A1 1_L5	180	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 11) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 21) : A1 1_L5	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 12) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 22) : A1 1_L5	180	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 13) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 23) : A1 1_L5	180	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 14) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 24) : A1 1_L5	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 15) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 25) : A1 1_L5	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 106 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 16) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 26) : A1 1_L5	180	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : A1 1_L5	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : A1 1_L5	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 7) : A1 1_L5	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 8) : A1 1_L5	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 12) : A1 1_L5	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 6) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 13) : A1 1_L5	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 107 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 7) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 18) : A1 1_L5	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 8) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 19) : A1 1_L5	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 9) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 20) : A1 1_L5	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 10) : A1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 21) : A1 1_L5	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A1.1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A1.1_L5	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A1.1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A1.1_L5	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A1.3_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A1.3_L5	0	1	217.43	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 108 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 1) : A1.4_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A1.4_L5	90	1	80.73	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A1.4_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A1.4_L5	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A2_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A2_L5	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A2_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A2_L5	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A3_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A3_L5	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A3_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A3_L5	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A4 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A4 1_L5	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 109 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : A4 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A4 1_L5	270	1	21.53	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A4 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A4 1_L5	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : A4 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : A4 1_L5	270	1	21.53	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A6_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A6_L5	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A6_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A6_L5	0	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : B1 1_L5	0	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : B1 1_L5	0	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 110 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 3) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : B1 1_L5	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 11) : B1 1_L5	0	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 5) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 12) : B1 1_L5	0	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 6) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 13) : B1 1_L5	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B1 1_L5	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B1 1_L5	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : B1 1_L5	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 111 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 4) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : B1 1_L5	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : B1 1_L5	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 7) : B1 1_L5	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 7) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 10) : B1 1_L5	90	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 8) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 11) : B1 1_L5	90	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 9) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 12) : B1 1_L5	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 10) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 13) : B1 1_L5	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 112 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 11) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 14) : B1 1_L5	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 12) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 15) : B1 1_L5	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 10) : B1 1_L5	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 11) : B1 1_L5	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 12) : B1 1_L5	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 13) : B1 1_L5	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 14) : B1 1_L5	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 113 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 6) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 15) : B1 1_L5	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 7) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 16) : B1 1_L5	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 8) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 17) : B1 1_L5	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 9) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 18) : B1 1_L5	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 10) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 19) : B1 1_L5	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 11) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 20) : B1 1_L5	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 12) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 21) : B1 1_L5	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 114 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B1 1_L5	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B1 1_L5	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B1 1_L5	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : B1 1_L5	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 7) : B1 1_L5	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 6) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 8) : B1 1_L5	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 7) : B1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 9) : B1 1_L5	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 115 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 8) : B1_1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 10) : B1_1_L5	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 9) : B1_1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 11) : B1_1_L5	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B1.2_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B1.2_L5	0	1	3.23	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B1.2_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B1.2_L5	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B1.2_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B1.2_L5	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : B1.2_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B1.2_L5	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B2_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B2_L5	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 116 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : B2_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B2_L5	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B2_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B2_L5	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B2_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B2_L5	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B3.2_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.2_L5	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B3.2_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.2_L5	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B3.2_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.2_L5	0	1	16.15	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : B3.2_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.2_L5	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 117 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 1) : B3.2_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3.2_L5	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B3.2_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3.2_L5	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B3_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B3_L5	90	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B3_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B3_L5	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B3_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B3_L5	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B3_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B3_L5	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : CLUB ROOM/LOUNGE_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : CLUB ROOM/LOUNGE_L5	90	1	144.24	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 118 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 1) : CORRIDOR 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : CORRIDOR 1_L5	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : CORRIDOR 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : CORRIDOR 1_L5	180	1	163.61	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : ELEC 4_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : ELEC 4_L5	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : IA1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : IA1_L5	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : IA1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : IA1_L5	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : S1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : S1 1_L5	90	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : S1 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : S1 1_L5	270	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 119 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : S1.1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : S1.1_L5	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : S2 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : S2 1_L5	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : S2 1_L5	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : S2 1_L5	180	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A1 1_L6	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A1 1_L6	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : A1 1_L6	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : A1 1_L6	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 120 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 5) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : A1 1_L6	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 6) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : A1 1_L6	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 7) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 7) : A1 1_L6	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 8) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 8) : A1 1_L6	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 9) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 9) : A1 1_L6	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 10) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 10) : A1 1_L6	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 11) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 11) : A1 1_L6	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 121 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 12) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 12) : A1 1_L6	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 13) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 16) : A1 1_L6	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 14) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 17) : A1 1_L6	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 15) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 18) : A1 1_L6	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 16) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 19) : A1 1_L6	0	1	88.26	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 17) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 25) : A1 1_L6	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 18) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 26) : A1 1_L6	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 122 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 19) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 27) : A1 1_L6	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 20) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 28) : A1 1_L6	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 21) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 29) : A1 1_L6	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 22) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 30) : A1 1_L6	0	1	106.56	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 23) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 31) : A1 1_L6	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 24) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 32) : A1 1_L6	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 25) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 33) : A1 1_L6	0	1	111.94	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 123 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 26) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 34) : A1 1_L6	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 7) : A1 1_L6	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 8) : A1 1_L6	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 9) : A1 1_L6	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 10) : A1 1_L6	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 11) : A1 1_L6	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 12) : A1 1_L6	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 124 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 7) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 18) : A1 1_L6	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 8) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 19) : A1 1_L6	90	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 9) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 20) : A1 1_L6	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 10) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 21) : A1 1_L6	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 11) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 22) : A1 1_L6	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 12) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 23) : A1 1_L6	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A1 1_L6	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 125 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A1 1_L6	180	1	16.15	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : A1 1_L6	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : A1 1_L6	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : A1 1_L6	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 6) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 8) : A1 1_L6	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 7) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 15) : A1 1_L6	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 8) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 16) : A1 1_L6	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 126 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 9) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 17) : A1 1_L6	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 10) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 18) : A1 1_L6	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 11) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 21) : A1 1_L6	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 12) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 22) : A1 1_L6	180	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 13) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 23) : A1 1_L6	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 14) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 24) : A1 1_L6	180	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 15) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 25) : A1 1_L6	180	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 127 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 16) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 26) : A1 1_L6	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 17) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 27) : A1 1_L6	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 18) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 28) : A1 1_L6	180	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A1 1_L6	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A1 1_L6	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 7) : A1 1_L6	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 8) : A1 1_L6	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 128 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 5) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 9) : A1 1_L6	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 6) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 10) : A1 1_L6	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 7) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 14) : A1 1_L6	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 8) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 15) : A1 1_L6	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 9) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 20) : A1 1_L6	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 10) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 21) : A1 1_L6	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 11) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 22) : A1 1_L6	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 129 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 12) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 23) : A1 1_L6	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 13) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 28) : A1 1_L6	270	1	16.15	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 14) : A1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 28) : A1 1_L6	270	1	16.15	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A1.1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A1.1_L6	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A1.1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A1.1_L6	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A1.3 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A1.3 1_L6	0	1	217.43	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A1.3 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A1.3 1_L6	270	1	184.06	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 130 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 1) : A1.4_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A1.4_L6	90	1	80.73	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A1.4_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A1.4_L6	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A2_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A2_L6	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A2_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A2_L6	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A3_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A3_L6	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A3_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A3_L6	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A4 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A4 1_L6	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 131 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : A4 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A4 1_L6	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A4 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A4 1_L6	270	1	21.53	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : A4 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : A4 1_L6	270	1	21.53	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A6_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A6_L6	0	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B1 1_L6	0	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B1 1_L6	0	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : B1 1_L6	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 132 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 4) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 9) : B1 1_L6	0	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 5) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 10) : B1 1_L6	0	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 6) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 11) : B1 1_L6	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 7) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 18) : B1 1_L6	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : B1 1_L6	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : B1 1_L6	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : B1 1_L6	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 133 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 4) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 9) : B1 1_L6	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 10) : B1 1_L6	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 11) : B1 1_L6	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 7) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 17) : B1 1_L6	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 8) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 18) : B1 1_L6	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 9) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 19) : B1 1_L6	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 10) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 22) : B1 1_L6	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 134 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 11) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 23) : B1 1_L6	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 12) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 24) : B1 1_L6	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 13) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 25) : B1 1_L6	90	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 14) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 26) : B1 1_L6	90	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 15) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 27) : B1 1_L6	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B1 1_L6	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : B1 1_L6	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 135 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 3) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : B1 1_L6	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 9) : B1 1_L6	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 10) : B1 1_L6	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 6) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 11) : B1 1_L6	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 7) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 12) : B1 1_L6	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 8) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 13) : B1 1_L6	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 9) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 14) : B1 1_L6	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 136 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 10) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 19) : B1 1_L6	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 11) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 20) : B1 1_L6	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 12) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 21) : B1 1_L6	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B1 1_L6	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B1 1_L6	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : B1 1_L6	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 9) : B1 1_L6	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 137 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 5) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 10) : B1 1_L6	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 6) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 11) : B1 1_L6	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 7) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 14) : B1 1_L6	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 8) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 15) : B1 1_L6	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 9) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 16) : B1 1_L6	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 10) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 17) : B1 1_L6	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 11) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 18) : B1 1_L6	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 138 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 12) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 19) : B1 1_L6	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 13) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 20) : B1 1_L6	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 14) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 21) : B1 1_L6	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 15) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 22) : B1 1_L6	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 16) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 24) : B1 1_L6	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 17) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 25) : B1 1_L6	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 18) : B1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 26) : B1 1_L6	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 139 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 1) : B1.1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B1.1_L6	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B1.1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B1.1_L6	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B1.1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : B1.1_L6	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B1.2_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B1.2_L6	0	1	3.23	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B1.2_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B1.2_L6	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B1.2_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B1.2_L6	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : B1.2_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B1.2_L6	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 140 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 1) : B2_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B2_L6	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B2_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B2_L6	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B2_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B2_L6	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B2_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B2_L6	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B3.1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B3.1_L6	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B3.1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B3.1_L6	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B3.1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : B3.1_L6	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 141 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 1) : B3.1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B3.1_L6	180	1	16.15	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B3.1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B3.1_L6	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B3.1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3.1_L6	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B3.2_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.2_L6	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B3.2_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.2_L6	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B3.2_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.2_L6	0	1	16.15	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : B3.2_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.2_L6	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 142 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 1) : B3.2_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3.2_L6	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B3.2_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3.2_L6	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B3_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B3_L6	90	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B3_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B3_L6	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B3_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B3_L6	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B3_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B3_L6	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : CORRIDOR 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : CORRIDOR 1_L6	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 143 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 1) : CORRIDOR 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : CORRIDOR 1_L6	90	1	176.53	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : CORRIDOR 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : CORRIDOR 1_L6	180	1	163.61	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : ELEC 2_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : ELEC 2_L6	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : S1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : S1 1_L6	90	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : S1 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : S1 1_L6	270	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : S1.1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : S1.1_L6	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : S2 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : S2 1_L6	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 144 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 1) : S2 1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : S2 1_L6	180	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : S2.1_L6	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : S2.1_L6	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A1 1_L7	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A1 1_L7	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : A1 1_L7	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : A1 1_L7	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 5) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : A1 1_L7	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 145 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 6) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : A1 1_L7	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 7) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 7) : A1 1_L7	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 8) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 8) : A1 1_L7	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 9) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 9) : A1 1_L7	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 10) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 10) : A1 1_L7	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 11) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 11) : A1 1_L7	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 12) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 12) : A1 1_L7	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 146 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 13) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 16) : A1 1_L7	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 14) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 17) : A1 1_L7	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 15) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 18) : A1 1_L7	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 16) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 19) : A1 1_L7	0	1	88.26	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 17) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 25) : A1 1_L7	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 18) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 26) : A1 1_L7	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 19) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 27) : A1 1_L7	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 147 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 20) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 28) : A1 1_L7	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 21) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 29) : A1 1_L7	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 22) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 30) : A1 1_L7	0	1	106.56	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 23) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 31) : A1 1_L7	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 24) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 32) : A1 1_L7	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 25) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 33) : A1 1_L7	0	1	111.94	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 26) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 34) : A1 1_L7	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 148 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 1) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 7) : A1 1_L7	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 8) : A1 1_L7	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 9) : A1 1_L7	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 10) : A1 1_L7	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 11) : A1 1_L7	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 12) : A1 1_L7	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 7) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 18) : A1 1_L7	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 149 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 8) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 19) : A1 1_L7	90	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 9) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 20) : A1 1_L7	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 10) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 21) : A1 1_L7	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 11) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 22) : A1 1_L7	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 12) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 23) : A1 1_L7	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A1 1_L7	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A1 1_L7	180	1	16.15	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 150 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 3) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : A1 1_L7	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : A1 1_L7	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : A1 1_L7	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 6) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 8) : A1 1_L7	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 7) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 15) : A1 1_L7	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 8) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 16) : A1 1_L7	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 9) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 17) : A1 1_L7	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 151 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 10) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 18) : A1 1_L7	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 11) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 21) : A1 1_L7	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 12) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 22) : A1 1_L7	180	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 13) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 23) : A1 1_L7	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 14) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 24) : A1 1_L7	180	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 15) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 25) : A1 1_L7	180	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 16) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 26) : A1 1_L7	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 152 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 17) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 27) : A1 1_L7	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 18) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 28) : A1 1_L7	180	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A1 1_L7	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A1 1_L7	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 7) : A1 1_L7	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 8) : A1 1_L7	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 9) : A1 1_L7	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 153 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 6) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 10) : A1 1_L7	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 7) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 14) : A1 1_L7	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 8) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 15) : A1 1_L7	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 9) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 20) : A1 1_L7	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 10) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 21) : A1 1_L7	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 11) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 22) : A1 1_L7	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 12) : A1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 23) : A1 1_L7	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 154 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 13) : A1.1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 28) : A1.1_L7	270	1	16.15	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 14) : A1.1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 28) : A1.1_L7	270	1	16.15	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A1.1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A1.1_L7	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A1.1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A1.1_L7	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A1.3.1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A1.3.1_L7	0	1	217.43	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A1.3.1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A1.3.1_L7	270	1	184.06	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A1.4_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A1.4_L7	90	1	80.73	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 155 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 2) : A1.4_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A1.4_L7	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A2_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A2_L7	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A2_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A2_L7	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A3_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A3_L7	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A3_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A3_L7	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A4 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A4 1_L7	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A4 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A4 1_L7	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 156 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 2) : A4 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A4 1_L7	270	1	21.53	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : A4 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : A4 1_L7	270	1	21.53	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A6_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A6_L7	0	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 10) : B1 1_L7	0	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 11) : B1 1_L7	0	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 12) : B1 1_L7	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 14) : B1 1_L7	0	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 157 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 5) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 15) : B1 1_L7	0	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 6) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 16) : B1 1_L7	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 7) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 21) : B1 1_L7	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B1 1_L7	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B1 1_L7	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : B1 1_L7	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 15) : B1 1_L7	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 158 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 5) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 16) : B1 1_L7	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 17) : B1 1_L7	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 7) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 18) : B1 1_L7	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 8) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 19) : B1 1_L7	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 9) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 20) : B1 1_L7	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 10) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 21) : B1 1_L7	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 11) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 22) : B1 1_L7	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 159 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 12) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 23) : B1 1_L7	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 13) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 25) : B1 1_L7	90	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 14) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 26) : B1 1_L7	90	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 15) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 27) : B1 1_L7	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B1 1_L7	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B1 1_L7	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : B1 1_L7	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 160 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 4) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : B1 1_L7	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : B1 1_L7	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 6) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : B1 1_L7	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 7) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 8) : B1 1_L7	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 8) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 9) : B1 1_L7	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 9) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 10) : B1 1_L7	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 10) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 11) : B1 1_L7	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 161 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 11) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 12) : B1 1_L7	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 12) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 13) : B1 1_L7	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : B1 1_L7	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 7) : B1 1_L7	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 8) : B1 1_L7	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 10) : B1 1_L7	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 11) : B1 1_L7	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 162 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 6) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 12) : B1 1_L7	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 7) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 15) : B1 1_L7	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 8) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 16) : B1 1_L7	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 9) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 17) : B1 1_L7	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 10) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 18) : B1 1_L7	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 11) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 19) : B1 1_L7	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 12) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 20) : B1 1_L7	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 163 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 13) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 21) : B1 1_L7	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 14) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 22) : B1 1_L7	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 15) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 23) : B1 1_L7	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 16) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 24) : B1 1_L7	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 17) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 25) : B1 1_L7	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 18) : B1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 26) : B1 1_L7	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B1.1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B1.1_L7	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 164 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 2) : B1.1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B1.1_L7	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B1.1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : B1.1_L7	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B1.2_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B1.2_L7	0	1	3.23	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B1.2_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B1.2_L7	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B1.2_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B1.2_L7	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : B1.2_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B1.2_L7	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B2_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B2_L7	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 165 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : B2_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B2_L7	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B2_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B2_L7	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B2_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B2_L7	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B3.1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B3.1_L7	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B3.1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B3.1_L7	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B3.1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : B3.1_L7	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B3.1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B3.1_L7	180	1	16.15	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 166 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : B3.1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B3.1_L7	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B3.1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3.1_L7	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B3.2_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.2_L7	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B3.2_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.2_L7	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B3.2_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.2_L7	0	1	16.15	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : B3.2_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.2_L7	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B3.2_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3.2_L7	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 167 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 2) : B3.2_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3.2_L7	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B3_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B3_L7	90	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B3_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B3_L7	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B3_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B3_L7	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B3_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B3_L7	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : CORRIDOR 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : CORRIDOR 1_L7	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : CORRIDOR 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : CORRIDOR 1_L7	90	1	176.53	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 168 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 1) : CORRIDOR 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : CORRIDOR 1_L7	180	1	163.61	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : ELEC_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : ELEC_L7	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : S1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : S1 1_L7	90	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : S1 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : S1 1_L7	270	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : S1.1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : S1.1_L7	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : S2 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : S2 1_L7	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : S2 1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : S2 1_L7	180	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 169 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 1) : S2.1_L7	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : S2.1_L7	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A1 1_L8	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A1 1_L8	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : A1 1_L8	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : A1 1_L8	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 5) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : A1 1_L8	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 6) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : A1 1_L8	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 170 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 7) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 7) : A1 1_L8	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 8) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 8) : A1 1_L8	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 9) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 9) : A1 1_L8	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 10) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 10) : A1 1_L8	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 11) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 11) : A1 1_L8	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 12) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 12) : A1 1_L8	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 13) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 16) : A1 1_L8	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 171 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 14) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 17) : A1 1_L8	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 15) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 18) : A1 1_L8	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 16) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 19) : A1 1_L8	0	1	88.26	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 17) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 25) : A1 1_L8	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 18) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 26) : A1 1_L8	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 19) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 27) : A1 1_L8	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 20) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 28) : A1 1_L8	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 172 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 21) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 29) : A1 1_L8	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 22) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 30) : A1 1_L8	0	1	106.56	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 23) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 31) : A1 1_L8	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 24) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 32) : A1 1_L8	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 25) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 33) : A1 1_L8	0	1	108.72	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 26) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 34) : A1 1_L8	0	1	25.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 7) : A1 1_L8	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 173 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 2) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 8) : A1 1_L8	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 9) : A1 1_L8	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 10) : A1 1_L8	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 11) : A1 1_L8	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 12) : A1 1_L8	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 7) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 18) : A1 1_L8	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 8) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 19) : A1 1_L8	90	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 174 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 9) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 20) : A1 1_L8	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 10) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 21) : A1 1_L8	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 11) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 22) : A1 1_L8	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 12) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 23) : A1 1_L8	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A1 1_L8	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A1 1_L8	180	1	16.15	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : A1 1_L8	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 175 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 4) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : A1 1_L8	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : A1 1_L8	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 6) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 8) : A1 1_L8	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 7) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 15) : A1 1_L8	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 8) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 16) : A1 1_L8	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 9) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 17) : A1 1_L8	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 10) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 18) : A1 1_L8	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 176 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 11) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 21) : A1 1_L8	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 12) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 22) : A1 1_L8	180	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 13) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 23) : A1 1_L8	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 14) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 24) : A1 1_L8	180	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 15) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 25) : A1 1_L8	180	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 16) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 26) : A1 1_L8	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 17) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 27) : A1 1_L8	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 177 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 18) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 28) : A1 1_L8	180	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A1 1_L8	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A1 1_L8	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 7) : A1 1_L8	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 8) : A1 1_L8	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 9) : A1 1_L8	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 6) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 10) : A1 1_L8	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 178 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 7) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 14) : A1 1_L8	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 8) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 15) : A1 1_L8	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 9) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 20) : A1 1_L8	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 10) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 21) : A1 1_L8	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 11) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 22) : A1 1_L8	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 12) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 23) : A1 1_L8	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 13) : A1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 28) : A1 1_L8	270	1	16.15	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 179 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 14) : A1.1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 28) : A1.1_L8	270	1	16.15	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A1.1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A1.1_L8	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A1.1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A1.1_L8	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A1.3.1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A1.3.1_L8	0	1	217.43	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A1.3.1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A1.3.1_L8	270	1	184.06	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A1.4_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A1.4_L8	90	1	80.73	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A1.4_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A1.4_L8	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 180 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 1) : A2_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A2_L8	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A2_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A2_L8	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A3_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A3_L8	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A3_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A3_L8	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A4 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A4 1_L8	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A4 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A4 1_L8	270	1	21.53	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A4 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A4 1_L8	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 181 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 3) : A4 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : A4 1_L8	270	1	21.53	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A6_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A6_L8	0	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B1 1_L8	0	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B1 1_L8	0	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : B1 1_L8	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : B1 1_L8	0	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 5) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 7) : B1 1_L8	0	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 182 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 6) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 8) : B1 1_L8	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 7) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 18) : B1 1_L8	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : B1 1_L8	90	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : B1 1_L8	90	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : B1 1_L8	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 7) : B1 1_L8	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 8) : B1 1_L8	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 183 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 6) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 9) : B1 1_L8	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 7) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 16) : B1 1_L8	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 8) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 17) : B1 1_L8	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 9) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 18) : B1 1_L8	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 10) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 22) : B1 1_L8	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 11) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 23) : B1 1_L8	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 12) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 24) : B1 1_L8	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 184 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 13) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 25) : B1 1_L8	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 14) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 26) : B1 1_L8	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 15) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 27) : B1 1_L8	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : B1 1_L8	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : B1 1_L8	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : B1 1_L8	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 8) : B1 1_L8	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 185 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 5) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 9) : B1 1_L8	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 6) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 10) : B1 1_L8	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 7) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 11) : B1 1_L8	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 8) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 12) : B1 1_L8	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 9) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 13) : B1 1_L8	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 10) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 17) : B1 1_L8	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 11) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 18) : B1 1_L8	180	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 186 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 12) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 19) : B1 1_L8	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : B1 1_L8	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : B1 1_L8	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : B1 1_L8	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 11) : B1 1_L8	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 12) : B1 1_L8	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 6) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 13) : B1 1_L8	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 187 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 7) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 14) : B1 1_L8	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 8) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 15) : B1 1_L8	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 9) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 16) : B1 1_L8	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 10) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 18) : B1 1_L8	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 11) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 19) : B1 1_L8	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 12) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 20) : B1 1_L8	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 13) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 21) : B1 1_L8	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 188 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 14) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 22) : B1 1_L8	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 15) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 23) : B1 1_L8	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 16) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 24) : B1 1_L8	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 17) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 25) : B1 1_L8	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 18) : B1 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 26) : B1 1_L8	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B1.1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B1.1_L8	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B1.1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B1.1_L8	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 189 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 3) : B1.1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : B1.1_L8	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B1.2_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B1.2_L8	0	1	3.23	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B1.2_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B1.2_L8	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B1.2_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B1.2_L8	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : B1.2_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B1.2_L8	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B2_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B2_L8	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B2_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B2_L8	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 190 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : B2_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B2_L8	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B2_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B2_L8	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B3.1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B3.1_L8	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B3.1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B3.1_L8	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B3.1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : B3.1_L8	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B3.1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B3.1_L8	180	1	16.15	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B3.1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B3.1_L8	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 191 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 2) : B3.1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B3.1_L8	270	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B3.2_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.2_L8	0	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B3.2_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.2_L8	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B3.2_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.2_L8	0	1	16.15	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : B3.2_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B3.2_L8	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B3.2_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3.2_L8	90	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B3.2_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3.2_L8	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 192 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 1) : B3_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B3_L8	90	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B3_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B3_L8	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B3_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B3_L8	180	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B3_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B3_L8	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : CORRIDOR 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : CORRIDOR 1_L8	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : CORRIDOR 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : CORRIDOR 1_L8	90	1	176.53	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : CORRIDOR 1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : CORRIDOR 1_L8	180	1	163.61	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 193 of 213)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 1) : ELEC_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : ELEC_L8	0	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : S1_1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : S1_1_L8	90	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : S1_1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : S1_1_L8	270	1	49.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : S1.1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : S1.1_L8	270	1	35.52	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : S2_1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : S2_1_L8	0	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : S2_1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : S2_1_L8	180	1	55.97	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : S2.1_L8	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : S2.1_L8	90	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 194 of 213)

H1. DRY SYSTEM EQUIPMENT (FURNACES, AIR HANDLING UNITS, HEAT PUMPS, VRF, ECONOMIZERS ETC.)											
01	02	03	04	05	06	07	08	09	10	11	12
Equipment Name	Equipment Type	Qty	Heating				Cooling			Economizer Type (if present)	Status ¹
			Total Heating Output (kBtu/h)	Supp Heat Output (kBtu/h)	Efficiency Unit	Efficiency	Total Cooling Output (kBtu/h)	Efficiency Unit	Efficiency		
AS-HFC-1000	Single Zone Heat Pump (SZHP) Air System	1	29.8	0	COP HSPF2	2.2 7.8	30	EER2 SEER2	12.5 15.2	No Economizer	N
HFC-600_L1	Single Zone Heat Pump (SZHP) Air System	1	17.8	0	HSPF2	8	18	EER2 SEER2	12 15.2	No Economizer	N
CLUB ROOM/LOUNGE AirSys	Single Zone Heat Pump (SZHP) Air System	3	54	0	COP HSPF2	10.2 9.2	48	EER2 SEER2	8.8 16.5	No Economizer	N
DOG WASH_L1 AirSys	Single Zone Heat Pump (SZHP) Air System	1	17.8	0	HSPF2	8	18	EER2 SEER2	12 15.2	No Economizer	N
MAKER ROOM_L1 AirSys	Single Zone Heat Pump (SZHP) Air System	1	17.8	0	HSPF2	8	18	EER2 SEER2	12 15.2	No Economizer	N
FITNESS CTR_L4 AirSys	Single Zone Heat Pump (SZHP) Air System	2	54	0	COP HSPF2	10.2 9.2	48	EER2 SEER2	8.8 16.5	No Economizer	N
YOGA RM_L4 AirSys	Single Zone Heat Pump (SZHP) Air System	1	23.7	0	HSPF2	8	24	EER2 SEER2	12 15.5	No Economizer	N
GAME RM_L4 AirSys	Single Zone Heat Pump (SZHP) Air System	2	36.8	0	HSPF2	7.8	36	EER2 SEER2	12.5 15.2	No Economizer	N
¹ Status: N - New, A - Altered, E - Existing											

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 195 of 213)

H1. DRY SYSTEM EQUIPMENT (FURNACES, AIR HANDLING UNITS, HEAT PUMPS, VRF, ECONOMIZERS ETC.)											
01	02	03	04	05	06	07	08	09	10	11	12
Equipment Name	Equipment Type	Qty	Heating				Cooling			Economizer Type (if present)	Status ¹
			Total Heating Output (kBtu/h)	Supp Heat Output (kBtu/h)	Efficiency Unit	Efficiency	Total Cooling Output (kBtu/h)	Efficiency Unit	Efficiency		
CLUB ROOM/LOUNGE AirSys 10	Single Zone Heat Pump (SZHP) Air System	2	54	0	COP HSPF2	10.2 9.2	48	EER2 SEER2	8.8 16.5	No Economizer	N
MAIN LOBBY/LEASI AirSys	Single Zone Heat Pump (SZHP) Air System	1	54	0	COP HSPF2	10.2 9.2	48	EER2 SEER2	8.8 16.5	No Economizer	N
¹ Status: N - New, A - Altered, E - Existing											

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 196 of 213)

H2. DWELLING UNIT HVAC HEATING AND COOLING SYSTEMS												
01	02	03	04	05	06	07	08	09	10	11	12	13
Dwelling Unit Type	Equipment Name	Equipment Type	Quantity	Air Distribution System Name	Fan System name	Heating				Cooling		
						Heat Output at 47	Heat Output at 17	Efficiency Unit	Efficiency	Total Cooling Output	Efficiency Unit	Efficiency
IS1	GH5SAN5180 OA	Central split HP N/A	9	ResidentialDistributionSystem 1	ResidentialFan System 1	17,400	17,900	HSPF2	8	N/A	EER2 SEER2	12 15.2
IS1.1	GH5SAN5180 OA	Central split HP N/A	3	ResidentialDistributionSystem 1	ResidentialFan System 1	17,400	17,900	HSPF2	8	N/A	EER2 SEER2	12 15.2
IS2	GH5SAN5180 OA	Central split HP N/A	2	ResidentialDistributionSystem 1	ResidentialFan System 1	17,400	17,900	HSPF2	8	N/A	EER2 SEER2	12 15.2
IA1	GH5SAN5180 OA	Central split HP N/A	35	ResidentialDistributionSystem 1	ResidentialFan System 1	17,400	17,900	HSPF2	8	N/A	EER2 SEER2	12 15.2
IA1.1	GH5SAN5180 OA	Central split HP N/A	1	ResidentialDistributionSystem 1	ResidentialFan System 1	17,400	17,900	HSPF2	8	N/A	EER2 SEER2	12 15.2
IA1.2	GH5SAN5180 OA	Central split HP N/A	2	ResidentialDistributionSystem 1	ResidentialFan System 1	17,400	17,900	HSPF2	8	N/A	EER2 SEER2	12 15.2
IA1.3	GH5SAN5180 OA	Central split HP N/A	4	ResidentialDistributionSystem 1	ResidentialFan System 1	17,400	17,900	HSPF2	8	N/A	EER2 SEER2	12 15.2
IA2	GH5SAN5180 OA	Central split HP N/A	1	ResidentialDistributionSystem 1	ResidentialFan System 1	17,400	17,900	HSPF2	8	N/A	EER2 SEER2	12 15.2
IA3	GH5SAN5180 OA	Central split HP N/A	3	ResidentialDistributionSystem 1	ResidentialFan System 1	17,400	17,900	HSPF2	8	N/A	EER2 SEER2	12 15.2

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD											NRCC-PRF-E	
Nonresidential Performance Compliance Method											(Page 197 of 213)	

H2. DWELLING UNIT HVAC HEATING AND COOLING SYSTEMS												
01	02	03	04	05	06	07	08	09	10	11	12	13
Dwelling Unit Type	Equipment Name	Equipment Type	Quantity	Air Distribution System Name	Fan System name	Heating				Cooling		
						Heat Output at 47	Heat Output at 17	Efficiency Unit	Efficiency	Total Cooling Output	Efficiency Unit	Efficiency
IA4	GH5SAN5180 OA	Central split HP N/A	2	ResidentialDistributionSystem 1	ResidentialFan System 1	17,400	17,900	HSPF2	8	N/A	EER2 SEER2	12 15.2
IA5	GH5SAN5180 OA	Central split HP N/A	5	ResidentialDistributionSystem 1	ResidentialFan System 1	17,400	17,900	HSPF2	8	N/A	EER2 SEER2	12 15.2
IA5.1	GH5SAN5180 OA	Central split HP N/A	2	ResidentialDistributionSystem 1	ResidentialFan System 1	17,400	17,900	HSPF2	8	N/A	EER2 SEER2	12 15.2
IB1	GH5SAN4240 OA	Central split HP N/A	10	ResidentialDistributionSystem 1	ResidentialFan System 1	23,000	23,000	HSPF2	8	N/A	EER2 SEER2	12 15.5
IB1.1	GH5SAN4240 OA	Central split HP N/A	2	ResidentialDistributionSystem 1	ResidentialFan System 1	23,000	23,000	HSPF2	8	N/A	EER2 SEER2	12 15.5
IB2	GH5SAN4240 OA	Central split HP N/A	1	ResidentialDistributionSystem 1	ResidentialFan System 1	23,000	23,000	HSPF2	8	N/A	EER2 SEER2	12 15.5
IB3	GH5SAN4240 OA	Central split HP N/A	1	ResidentialDistributionSystem 1	ResidentialFan System 1	23,000	23,000	HSPF2	8	N/A	EER2 SEER2	12 15.5
S1	GH5SAN5180 OA	Central split HP N/A	10	ResidentialDistributionSystem 1	ResidentialFan System 1	17,400	17,900	HSPF2	8	N/A	EER2 SEER2	12 15.2
S1.1	GH5SAN5180 OA	Central split HP N/A	5	ResidentialDistributionSystem 1	ResidentialFan System 1	17,400	17,900	HSPF2	8	N/A	EER2 SEER2	12 15.2

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD											NRCC-PRF-E	
Nonresidential Performance Compliance Method											(Page 198 of 213)	

H2. DWELLING UNIT HVAC HEATING AND COOLING SYSTEMS												
01	02	03	04	05	06	07	08	09	10	11	12	13
Dwelling Unit Type	Equipment Name	Equipment Type	Quantity	Air Distribution System Name	Fan System name	Heating				Cooling		
						Heat Output at 47	Heat Output at 17	Efficiency Unit	Efficiency	Total Cooling Output	Efficiency Unit	Efficiency
S2	GH5SAN5180 OA	Central split HP N/A	9	ResidentialDistributionSystem 1	ResidentialFan System 1	17,400	17,900	HSPF2	8	N/A	EER2 SEER2	12 15.2
S2.1	GH5SAN5180 OA	Central split HP N/A	3	ResidentialDistributionSystem 1	ResidentialFan System 1	17,400	17,900	HSPF2	8	N/A	EER2 SEER2	12 15.2
A1	GH5SAN5180 OA	Central split HP N/A	151	ResidentialDistributionSystem 1	ResidentialFan System 1	17,400	17,900	HSPF2	8	N/A	EER2 SEER2	12 15.2
A1.1	GH5SAN5180 OA	Central split HP N/A	5	ResidentialDistributionSystem 1	ResidentialFan System 1	17,400	17,900	HSPF2	8	N/A	EER2 SEER2	12 15.2
A1.3	GH5SAN5180 OA	Central split HP N/A	8	ResidentialDistributionSystem 1	ResidentialFan System 1	17,400	17,900	HSPF2	8	N/A	EER2 SEER2	12 15.2
A1.4	GH5SAN5180 OA	Central split HP N/A	5	ResidentialDistributionSystem 1	ResidentialFan System 1	17,400	17,900	HSPF2	8	N/A	EER2 SEER2	12 15.2
A2	GH5SAN5180 OA	Central split HP N/A	5	ResidentialDistributionSystem 1	ResidentialFan System 1	17,400	17,900	HSPF2	8	N/A	EER2 SEER2	12 15.2
A3	GH5SAN5180 OA	Central split HP N/A	5	ResidentialDistributionSystem 1	ResidentialFan System 1	17,400	17,900	HSPF2	8	N/A	EER2 SEER2	12 15.2
A4	GH5SAN5180 OA	Central split HP N/A	10	ResidentialDistributionSystem 1	ResidentialFan System 1	17,400	17,900	HSPF2	8	N/A	EER2 SEER2	12 15.2

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD											NRCC-PRF-E	
Nonresidential Performance Compliance Method											(Page 199 of 213)	

H2. DWELLING UNIT HVAC HEATING AND COOLING SYSTEMS												
01	02	03	04	05	06	07	08	09	10	11	12	13
Dwelling Unit Type	Equipment Name	Equipment Type	Quantity	Air Distribution System Name	Fan System name	Heating				Cooling		
						Heat Output at 47	Heat Output at 17	Efficiency Unit	Efficiency	Total Cooling Output	Efficiency Unit	Efficiency
A5	GH5SAN5180 OA	Central split HP N/A	1	ResidentialDistributionSystem 1	ResidentialFan System 1	17,400	17,900	HSPF2	8	N/A	EER2 SEER2	12 15.2
A6	GH5SAN5180 OA	Central split HP N/A	5	ResidentialDistributionSystem 1	ResidentialFan System 1	17,400	17,900	HSPF2	8	N/A	EER2 SEER2	12 15.2
B1	GH5SAN4240 OA	Central split HP N/A	77	ResidentialDistributionSystem 1	ResidentialFan System 1	23,000	23,000	HSPF2	8	N/A	EER2 SEER2	12 15.5
B1.1	GH5SAN4240 OA	Central split HP N/A	3	ResidentialDistributionSystem 1	ResidentialFan System 1	23,000	23,000	HSPF2	8	N/A	EER2 SEER2	12 15.5
B1.2	GH5SAN4240 OA	Central split HP N/A	5	ResidentialDistributionSystem 1	ResidentialFan System 1	23,000	23,000	HSPF2	8	N/A	EER2 SEER2	12 15.5
B2	GH5SAN4240 OA	Central split HP N/A	5	ResidentialDistributionSystem 1	ResidentialFan System 1	23,000	23,000	HSPF2	8	N/A	EER2 SEER2	12 15.5
B3	GH5SAN4240 OA	Central split HP N/A	5	ResidentialDistributionSystem 1	ResidentialFan System 1	23,000	23,000	HSPF2	8	N/A	EER2 SEER2	12 15.5
B3.1	GH5SAN4240 OA	Central split HP N/A	3	ResidentialDistributionSystem 1	ResidentialFan System 1	23,000	23,000	HSPF2	8	N/A	EER2 SEER2	12 15.5
B3.2	GH5SAN4240 OA	Central split HP N/A	5	ResidentialDistributionSystem 1	ResidentialFan System 1	23,000	23,000	HSPF2	8	N/A	EER2 SEER2	12 15.5

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 200 of 213)

H2b. Common Area HVAC Heating and Cooling Systems												
01	02	03	04	05	06	07	08	09	10	11	12	13
HVAC System Name	Equipment Name	Equipment Type	Quantity	Air Distribution System Name	Fan System name	Heating				Cooling		
						Heat Output at 47	Heat Output at 17	Efficiency Unit	Efficiency	Total Cooling Output	Efficiency Unit	Efficiency
LG ZRUM036 GSS0	ZRUM036GSS0	Heat pump heating cooling	3	N/A	N/A	36,000	30,000	HSPF2	10.5	N/A	EER2 SEER2	12.48 23
LG ZRUM024 GSS0	ZRUN024GSS0	Heat pump heating cooling	2	N/A	N/A	24,000	22,000	HSPF2	10.5	N/A	EER2 SEER2	12.48 20.5
LG ZRUM036 GSS0-2	ZRUM036GSS0	Heat pump heating cooling	3	N/A	N/A	36,000	30,000	HSPF2	10.5	N/A	EER2 SEER2	12.48 23
LG ZRUM060 GSS0	ZRUM060GSS0	Heat pump heating cooling	5	N/A	N/A	60,000	48,000	HSPF2	10.5	N/A	EER2 SEER2	12.48 23
LG ZRUM048 GSS0	ZRUM048GSS0	Heat pump heating cooling	5	N/A	N/A	48,000	45,000	HSPF2	10.5	N/A	EER2 SEER2	12.48 23.3
LG ZRUM048 GSS0-2	ZRUM048GSS0	Heat pump heating cooling	5	N/A	N/A	48,000	45,000	HSPF2	10.5	N/A	EER2 SEER2	12.48 23.3
LG KUSAP241 A	KUSAP241A	Heat pump heating cooling	16	N/A	N/A	88,000	80,000	HSPF2	10.5	N/A	EER2 SEER2	12.48 22
LG KUSAP361 A	KUSAP361A	Heat pump heating cooling	1	N/A	N/A	33,000	30,500	HSPF2	10.5	N/A	EER2 SEER2	12.48 20
LG KUSAB121 A	KUSAB121A	Heat pump heating cooling	1	N/A	N/A	12,000	10,600	HSPF2	10.5	N/A	EER2 SEER2	12.48 22.5

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD											NRCC-PRF-E	
Nonresidential Performance Compliance Method											(Page 201 of 213)	

H2b. Common Area HVAC Heating and Cooling Systems												
01	02	03	04	05	06	07	08	09	10	11	12	13
HVAC System Name	Equipment Name	Equipment Type	Quantity	Air Distribution System Name	Fan System name	Heating				Cooling		
						Heat Output at 47	Heat Output at 17	Efficiency Unit	Efficiency	Total Cooling Output	Efficiency Unit	Efficiency
LG KSAB091A	KUSAB091A	Heat pump heating cooling	1	N/A	N/A	9,000	7,500	HSPF2	10.5	N/A	EER2 SEER2	12.48 23.8

H3. NONRESIDENTIAL / COMMON USE AREA FAN SYSTEMS SUMMARY												
01	02	03	04	05	06	07	08	09	10	11	12	13
Name or Item Tag	Qty	Design OA CFM	Supply Fan				Return / Relief Fan					Status ¹
			CFM	Power	Power Units	Control	Fan Type	CFM	Power	Power Units	Control	
AS-HFC-1000	1	422.2	422	0.33	BHP	Constant Vol	N/A	N/A	N/A	N/A	N/A	N
HFC-600_L1	1	132.6	792	0.33	BHP	Constant Vol	N/A	N/A	N/A	N/A	N/A	N
CLUB ROOM/LOUNGE AirSys	3	135.9	135.9	0.33	BHP	Constant Vol	N/A	N/A	N/A	N/A	N/A	N
DOG WASH_L1 AirSys	1	76	76	0.33	BHP	Constant Vol	N/A	N/A	N/A	N/A	N/A	N
MAKER ROOM_L1 AirSys	1	10.5	10.5	0.33	BHP	Constant Vol	N/A	N/A	N/A	N/A	N/A	N
FITNESS CTR_L4 AirSys	2	141.05	141.05	0.33	BHP	Constant Vol	N/A	N/A	N/A	N/A	N/A	N
YOGA RM_L4 AirSys	1	46.1	46.1	0.13	BHP	Constant Vol	N/A	N/A	N/A	N/A	N/A	N
GAME RM_L4 AirSys	2	263.85	263.85	0.33	BHP	Constant Vol	N/A	N/A	N/A	N/A	N/A	N
CLUB ROOM/LOUNGE AirSys 10	2	624.45	624.45	1	BHP	Constant Vol	N/A	N/A	N/A	N/A	N/A	N
MAIN LOBBY/LEASI AirSys	1	337.3	337.3	0.75	BHP	Constant Vol	N/A	N/A	N/A	N/A	N/A	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 202 of 213)

H3a. MULTIFAMILY / COMMON USE AREA FAN SYSTEMS SUMMARY				
01	02	03	04	05
Name	Type	Power	Power Units	Status
ResidentialFanSystem 1	Fixed speed	0.45	W/cfm	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 203 of 213)

H3b. MULTIFAMILY / COMMON USE AREA IAQ FAN SYSTEMS SUMMARY					
01	02	03	04	05	06
Name	Type	Airflow (CFM)	Power	Power Units	Status
FOF-2	Supply	220	0.27	W/cfm	N/A
COOK-120SQN10D	Exhaust	600	0.2	W/cfm	N/A
COOK-100SQN12D	Exhaust	400	0.31	W/cfm	N/A
COOK-100SQN12D_180	Exhaust	180	0.38	W/cfm	N/A
COOK-90SQN10D	Exhaust	240	0.38	W/cfm	N/A
SF-100SQN12D	Supply	150	0.38	W/cfm	N/A
IAQ EF 40	Exhaust	40	0.11	W/cfm	N/A
IAQ EF 50	Exhaust	50	0.1	W/cfm	N/A
IAQ EF 60	Exhaust	60	0.09	W/cfm	N/A
IAQ SF 40	Supply	40	0.2	W/cfm	N/A
IAQ SF 50	Supply	50	0.2	W/cfm	N/A
IAQ SF 60	Supply	60	0.2	W/cfm	N/A
FOF-2_100	Supply	100	0.27	W/cfm	N/A
TEF-1_50	Exhaust	50	0.13	W/cfm	N/A
COOK-100SQN12D_100	Exhaust	100	0.31	W/cfm	N/A
SF 2-2	Supply	150	0.63	W/cfm	N/A
SF 1-5	Supply	240	0.5	W/cfm	N/A
SF 1-2	Supply	100	0.63	W/cfm	N/A
EF 1-2	Exhaust	100	0.31	W/cfm	N/A
SF 1-1	Supply	560	0.22	W/cfm	N/A
Corridor Ventilation	Balanced	7339 7339	0.44 0.3	W/cfm	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 204 of 213)

H4. MULTIFAMILY HVAC DISTRIBUTION							
01	02	03	04	05	06	07	08
Name	Type	Duct Ins. R-value Supply	Duct Ins. R-value Return	Duct Location Supply	Duct Location Return	Verified Duct Design Surface Area	
						Supply	Return
ResidentialDistributionSystem 1	Conditioned space-entirely (Non-Verified)	R-4.2	R-4.2	Conditioned Zone	Conditioned Zone	n/a	n/a
AS-HFC-1000- Air Dist	Conditioned space-entirely (Non-Verified)	0	0	Conditioned Zone	Conditioned Zone	0	0
HFC-600_L1- Air Dist	Conditioned space-entirely (Non-Verified)	0	0	Conditioned Zone	Conditioned Zone	0	0
CLUB ROOM/LOUNGE AirSys- Air Dist	Conditioned space-entirely (Non-Verified)	0	0	Conditioned Zone	Conditioned Zone	0	0
DOG WASH_L1 AirSys- Air Dist	Conditioned space-entirely (Non-Verified)	0	0	Conditioned Zone	Conditioned Zone	0	0
MAKER ROOM_L1 AirSys- Air Dist	Unconditioned space (Non-Verified)	0	0	Unconditioned Zone	Unconditioned Zone	0	0
FITNESS CTR_L4 AirSys- Air Dist	Unconditioned space (Non-Verified)	0	0	Unconditioned Zone	Unconditioned Zone	0	0
YOGA RM_L4 AirSys- Air Dist	Unconditioned space (Non-Verified)	0	0	Unconditioned Zone	Unconditioned Zone	0	0
GAME RM_L4 AirSys- Air Dist	Unconditioned space (Non-Verified)	0	0	Unconditioned Zone	Unconditioned Zone	0	0
CLUB ROOM/LOUNGE AirSys 10- Air Dist	Unconditioned space (Non-Verified)	0	0	Unconditioned Zone	Unconditioned Zone	0	0
MAIN LOBBY/LEASI AirSys- Air Dist	Unconditioned space (Non-Verified)	0	0	Unconditioned Zone	Unconditioned Zone	0	0

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 205 of 213)

H9. NONRESIDENTIAL / COMMON USE AREA & HOTEL/MOTEL VENTILATION						
01	02	03	04	05	06	07
Zone Name	Mechanical Ventilation				Conditioned Area (sf)	DCV or Occupant Sensor Controls, or Both
	Ventilation Function	# of People	Supply OA CFM	Exhaust CFM		
ELEC 1_LB	General - Unoccupied	0.48	0	0	319.33	N/A
ELEC 2_LB	General - Unoccupied	0.56	0	0	373.08	N/A
DOG WASH_L1	Misc - All others	2.54	76	0	507.06	N/A
FACILITIES_L1	Office - Office space	4.42	132.6	0	884.5	N/A
IDF 1_L1	General - Unoccupied	0.15	0	0	100.39	N/A
IDF 2_L1	General - Unoccupied	0.18	0	0	120.79	N/A
IDF 3_L1	General - Unoccupied	0.16	0	0	105.52	N/A
INVERTER RM_L1	General - Unoccupied	0.25	0	0	165.15	N/A
MAIN LOBBY/LEASING_L1	Lodging - Lobbies/pre-function	22.49	337.3	0	674.63	N/A
MAKER ROOM_L1	Misc - All others	0.35	10.5	0	70.04	N/A
MPOE_L1	General - Unoccupied	0.24	0	0	156.85	N/A
STORAGE/SMART LOCKERS_L1	Lodging - Multipurpose assembly	28.15	422.2	0	844.4	N/A
ELEC 1_L2	General - Unoccupied	0.47	0	0	315.33	N/A
ELEC 2_L2	General - Unoccupied	0.48	0	0	322.9	N/A
IDF 1_L2	General - Unoccupied	0.15	0	0	100.39	N/A
IDF 2_L2	General - Unoccupied	0.1	0	0	67.34	N/A
IDF 3_L2	General - Unoccupied	0.16	0	0	105.52	N/A
IDF 1_L3	General - Unoccupied	0.16	0	0	105.52	N/A
IDF 2_L3	General - Unoccupied	0.1	0	0	67.34	N/A
IDF 3_L3	General - Unoccupied	0.15	0	0	100.39	N/A
CLUB ROOM/LOUNGE_L4	General - Break rooms	83.26	1248.9	0	2497.77	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 206 of 213)

H9. NONRESIDENTIAL / COMMON USE AREA & HOTEL/MOTEL VENTILATION						
01	02	03	04	05	06	07
Zone Name	Mechanical Ventilation				Conditioned Area (sf)	DCV or Occupant Sensor Controls, or Both
	Ventilation Function	# of People	Supply OA CFM	Exhaust CFM		
FITNESS CTR_L4	Sports/Entertainment - Health club/weight rooms	18.81	282.1	0	1880.69	N/A
GAME RM_L4	General - Break rooms	35.19	527.7	0	1055.5	N/A
IDF 1_L4	General - Unoccupied	0.11	0	0	72.62	N/A
IDF 2_L4	General - Unoccupied	0.11	0	0	72.44	N/A
IDF 3_L4	General - Unoccupied	0.05	0	0	30.67	N/A
YOGA RM_L4	Sports/Entertainment - Health club/aerobics room	3.08	46.1	0	307.75	N/A
CLUB ROOM/LOUNGE_L5	Misc - All others	27.19	407.7	0	815.53	N/A
IDF 1_L5	General - Unoccupied	0.11	0	0	72.62	N/A
IDF 2_L5	General - Unoccupied	0.11	0	0	72.44	N/A
IDF 3_L5	General - Unoccupied	0.05	0	0	30.67	N/A
IDF 1_L6	General - Unoccupied	0.11	0	0	72.62	N/A
IDF 2_L6	General - Unoccupied	0.05	0	0	30.67	N/A
IDF 3_L6	General - Unoccupied	0.11	0	0	72.44	N/A
IDF 1_L7	General - Unoccupied	0.05	0	0	30.67	N/A
IDF 2_L7	General - Unoccupied	0.11	0	0	72.62	N/A
IDF 3_L7	General - Unoccupied	0.11	0	0	72.44	N/A
IDF 1_L8	General - Unoccupied	0.11	0	0	72.62	N/A
IDF 2_L8	General - Unoccupied	0.11	0	0	72.44	N/A
IDF 3_L8	General - Unoccupied	0.05	0	0	30.67	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 207 of 213)

H10. MULTIFAMILY DWELLING UNIT TYPE CENTRAL / INDIVIDUAL VENTILATION												
01	02	03	04	05	06	07	08	09	10	11	12	13
Dwelling Unit Type	IAQ Option	Central Fan (If applicable)					Individual Fan (if applicable)					
		IAQ Fan Type Type	Supply Airflow CFM	Supply Fan Efficacy W/CFM	Exhaust CFM	Exhaust Fan Efficacy W/CFM	IAQ Fan Type	Count	Airflow CFM	Fan Efficacy W/CFM	Recovery Efficiency SRE	Recovery Efficiency ASRE
IS1	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	40 40	0.11 0.2	N/A	N/A
IS1.1	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	40 40	0.11 0.2	N/A	N/A
IS2	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	40 40	0.11 0.2	N/A	N/A
IA1	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	40 40	0.11 0.2	N/A	N/A
IA1.1	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	40 40	0.11 0.2	N/A	N/A
IA1.2	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	40 40	0.11 0.2	N/A	N/A
IA1.3	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	40 40	0.11 0.2	N/A	N/A
IA2	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	50 50	0.1 0.2	N/A	N/A
IA3	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	40 40	0.11 0.2	N/A	N/A
IA4	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	40 40	0.11 0.2	N/A	N/A
IA5	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	40 40	0.11 0.2	N/A	N/A
IA5.1	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	40 40	0.11 0.2	N/A	N/A
IB1	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	60 60	0.09 0.2	N/A	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD											NRCC-PRF-E	
Nonresidential Performance Compliance Method											(Page 208 of 213)	

H10. MULTIFAMILY DWELLING UNIT TYPE CENTRAL / INDIVIDUAL VENTILATION												
01	02	03	04	05	06	07	08	09	10	11	12	13
Dwelling Unit Type	IAQ Option	Central Fan (If applicable)					Individual Fan (if applicable)					
		IAQ Fan Type Type	Supply Airflow CFM	Supply Fan Efficacy W/CFM	Exhaust CFM	Exhaust Fan Efficacy W/CFM	IAQ Fan Type	Count	Airflow CFM	Fan Efficacy W/CFM	Recovery Efficiency SRE	Recovery Efficiency ASRE
IB1.1	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	60 60	0.09 0.2	N/A	N/A
IB2	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	60 60	0.09 0.2	N/A	N/A
IB3	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	60 60	0.09 0.2	N/A	N/A
S1	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	40 40	0.11 0.2	N/A	N/A
S1.1	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	40 40	0.11 0.2	N/A	N/A
S2	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	40 40	0.11 0.2	N/A	N/A
S2.1	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	40 40	0.11 0.2	N/A	N/A
A1	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	40 40	0.11 0.2	N/A	N/A
A1.1	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	40 40	0.11 0.2	N/A	N/A
A1.3	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	40 40	0.11 0.2	N/A	N/A
A1.4	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	40 40	0.11 0.2	N/A	N/A
A2	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	40 40	0.11 0.2	N/A	N/A
A3	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	40 40	0.11 0.2	N/A	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 209 of 213)

H10. MULTIFAMILY DWELLING UNIT TYPE CENTRAL / INDIVIDUAL VENTILATION												
01	02	03	04	05	06	07	08	09	10	11	12	13
Dwelling Unit Type	IAQ Option	Central Fan (If applicable)					Individual Fan (if applicable)					
		IAQ Fan Type Type	Supply Airflow CFM	Supply Fan Efficacy W/CFM	Exhaust CFM	Exhaust Fan Efficacy W/CFM	IAQ Fan Type	Count	Airflow CFM	Fan Efficacy W/CFM	Recovery Efficiency SRE	Recovery Efficiency ASRE
A4	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	40 40	0.11 0.2	N/A	N/A
A5	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	40 40	0.11 0.2	N/A	N/A
A6	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	40 40	0.11 0.2	N/A	N/A
B1	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	60 60	0.09 0.2	N/A	N/A
B1.1	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	60 60	0.09 0.2	N/A	N/A
B1.2	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	60 60	0.09 0.2	N/A	N/A
B2	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	60 60	0.09 0.2	N/A	N/A
B3	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	60 60	0.09 0.2	N/A	N/A
B3.1	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	60 60	0.09 0.2	N/A	N/A
B3.2	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust Supply	1 1	60 60	0.09 0.2	N/A	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 210 of 213)

12. MULTI-FAMILY WATER HEATING SYSTEM DETAIL							
01	02	03	04	05	06	07	08
System Name	Configuration	Type	Qty in System	Dwelling Unit Distribution Type	Water Heater Name	Solar Heating System	Is Compact Distribution
ResidentialDHWSystem 1	Domestic Hot Water (DHW)	Central	1	Standard Distribution System	ResidentialDHWSystem 1 - heater	N/A	N/A

13. MULTIFAMILY & HOTEL/MOTEL WATER HEATER EQUIPMENT SUMMARY - CHPWH							
01	02	03	04	05	06	07	08
Name	Brand/Model	Number of Compressors	Primary Tank Volume (gal)	Tank Count	Tank R-value	Tank Location	Air Source
ResidentialDHWSystem 1		5	3002	3	16	Outside	Outside

15. RECIRCULATION LOOPS					
01	02	03	04	05	06
Water Heating System Name	Number of Recirculation Loops	Loop Insulation Thickness (in)	Recirculation Loop Location	Recirculation Pump Power	Recirculation Pump Power Units
ResidentialDHWSystem 1	1	1.5	Conditioned	210.79	Watts

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 211 of 213)

K1. INDOOR CONDITIONED LIGHTING GENERAL INFO					
01	02	03	04	05	06
Occupancy Type¹	Conditioned Floor Area² (ft²)	Installed Lighting Power (Watts)	Lighting Control Credits (Watts)	Additional (Custom) Allowance	
				Area Category Footnotes (Watts)	Area Category Footnotes (Watts)
All Other Space Types	577.1	230.84	0	0	0
Electrical Mechanical Telephone Room	3404.47	1361.79	0	0	0
Exercise Center Gymnasium	2188.44	1094.22	0	0	0
Main Entry Lobby	674.63	472.24	0	0	0
Lounge	4368.8	2402.84	0	0	0
Office (250 square feet)	884.5	530.7	0	0	0
Conference Multipurpose Meeting Center Area	844.4	633.3	0	0	0
Building Totals:	12942.3	6725.93	0	0	0
¹ See Table 140.6-C					
² See NRCC-LTI-E for unconditioned spaces					
³ Lighting information for existing spaces modeled is not included in this table					

K4. INDOOR CONDITIONED LIGHTING MANDATORY LIGHTING CONTROL
See NRCC-LTI-E for mandatory controls

L. DECLARATION OF REQUIRED CERTIFICATES OF INSTALLATION	
Selections made by Documentation Author indicate which Certificates of Installation must be submitted for the features to be recognized for compliance. These documents must be retained and provided to the building inspector during construction and can be found online	
Building Component	Form/Title
Envelope	NRCI-ENV-E - Envelope (for all buildings)
Plumbing	NRCI-PLB-E - For all buildings with Plumbing Systems
	NRCI-SAB-E - Solar Water Heating, PV and Battery Storage Systems

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 212 of 213)

L. DECLARATION OF REQUIRED CERTIFICATES OF INSTALLATION	
Selections made by Documentation Author indicate which Certificates of Installation must be submitted for the features to be recognized for compliance. These documents must be retained and provided to the building inspector during construction and can be found online	
Building Component	Form/Title
Indoor Lighting	NRCI-LTI-E - Indoor Lighting (for all buildings)

M. DECLARATION OF REQUIRED CERTIFICATES OF ACCEPTANCE	
Selections made by Documentation Author indicate which Certificates of Acceptance must be submitted for the features to be recognized for compliance. These documents must be provided to the building inspector during construction and must be completed through an Acceptance Test Technician Certification Provider (ATTCP).	
Building Component	Form/Title & System Name(s)
Envelope	NRCA-ENV-02-F - NRFC label verification for fenestration
Mechanical	NRCA-MCH-02-A - Outdoor Air must be submitted for all newly installed HVAC units. Note: MCH-02-A can be performed in conjunction with MCH-07-A Supply Fan VFD Acceptance (if applicable) since testing activities overlap
	AS-HFC-1000, HFC-600_L1, CLUB ROOM/LOUNGE AirSys, DOG WASH_L1 AirSys, MAKER ROOM_L1 AirSys, FITNESS CTR_L4 AirSys, YOGA RM_L4 AirSys, GAME RM_L4 AirSys, CLUB ROOM/LOUNGE AirSys 10 and MAIN LOBBY/LEASI AirSys.
Mechanical	NRCA-MCH-03-A - Constant Volume Single Zone HVAC
	AS-HFC-1000, HFC-600_L1, CLUB ROOM/LOUNGE AirSys, DOG WASH_L1 AirSys, MAKER ROOM_L1 AirSys, FITNESS CTR_L4 AirSys, YOGA RM_L4 AirSys, GAME RM_L4 AirSys, CLUB ROOM/LOUNGE AirSys 10 and MAIN LOBBY/LEASI AirSys.
Mechanical	NRCA-MCH-04(a)-H - Air Distribution Duct Leakage - HERS Verification required
	MAKER ROOM_L1 AirSys, FITNESS CTR_L4 AirSys, YOGA RM_L4 AirSys, GAME RM_L4 AirSys, CLUB ROOM/LOUNGE AirSys 10 and MAIN LOBBY/LEASI AirSys.

N. DECLARATION OF REQUIRED CERTIFICATES OF VERIFICATION	
Selections made by Documentation Author indicate which Certificates of Verification must be submitted for the features to be recognized for compliance. These documents must be retained and provided to the building inspector during construction and can be found online	
There are no Certificates of Verification applicable to this project	

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 213 of 213)

Documentation Author's Declaration Statement

1. I certify that this Certificate of Compliance documentation is accurate and complete.	
Documentation Author Name:	Documentation Author Signature:
Company: VCA Green	Signature Date:
Address: 1845 West Oranewood Ave Suite 310	CEA/HERS Certification Identification (if applicable):
City/State/Zip: Orange, CA 92868	Phone: 714-363-4700

Responsible Person's Declaration statement

I certify the following under penalty of perjury, under the laws of the State of California:		
1. The information provided on this Certificate of Compliance is true and correct. 2. I am eligible under Division 3 of the Business and Professions Code to accept responsibility for the building design or system design identified on this Certificate of Compliance (responsible designer) 3. The energy features and performance specifications, materials, components, and manufactured devices for the building design or system design identified on this Certificate of Compliance conform to the requirements of Title 24, Part 1 and Part 6 of the California Code of Regulations. 4. The building design features or system design features identified on this Certificate of Compliance are consistent with the information provided on other applicable compliance documents, worksheets, calculations, plans and specifications submitted to the enforcement agency for approval with this building permit application. 5. I understand that a registered copy of this Certificate of Compliance shall be made available with the building permit(s) issued for the building, and made available to the enforcement agency for all applicable inspections, and I will take the necessary steps to accomplish this requirement. 6. I understand that a registered copy of this Certificate of Compliance is required to be included with the documentation the builder provides to the building owner at occupancy, and I will take the necessary steps to accomplish these requirements.		
Responsible Designer Name:	Responsible Designer Signature:	
Company:		
Address:	Date Signed:	
City/State/Zip: ,	License #:	
Phone:	Title:	Scope: