

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD		NRCC-PRF-E
Nonresidential Performance Compliance Method		(Page 1 of 240)
Project Name:	Bressi Ranch Apartments	Date Prepared: 2024-12-31

A. General Information					
1	Project Name	Bressi Ranch Apartments			
2	Run Title	Title 24 High Rise Multi Family Compliance			
3	Project Location	Gateway Road Carlsbad			
4	City	Carlsbad	5	Standards Version	Compliance 2022
6	Zip code	92009	7	Compliance Software (version)	CBECC 2022.3.1 (1343)
8	Climate Zone	7	9	Building Orientation (deg)	360
10	Building Type(s)	• High-Rise Residential	11	Weather File	MCCLELLAN-PALOMAR_STYP20.epw
12	Project Scope	• New complete scope	13	Number of Dwelling Units	320
14	Total Conditioned Floor Area in Scope (ft²)	310100	15	Total # of hotel/motel rooms	0
16	Total Unconditioned Floor Area (ft²)	297649	17	Fuel Type	Natural gas
18	Nonresidential Conditioned Floor Area	0	19	Total # of Stories (Habitable Above Grade)	6
20	Residential Conditioned Floor Area	310100			

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 2 of 240)

B. PROJECT SUMMARY							
Table B shows which building components are included in the performance calculation. If indicated as not included, the project must show compliance prescriptively if within the permit application.							
Building Components Complying via Performance					Building Components Complying Prescriptively		
Envelope (See Table G)	Nonres	Not Included	Solar Thermal Water Heating (See Table I3)	☐	Performance	The following building components are ONLY eligible for prescriptive compliance and should be documented on the NRCC form listed if within the scope of the permit application (i.e. compliance will not be shown on the NRCC-PRF-E).	
	MultiFam	Performance		☒	Not Included		
Mechanical (See Table H)	Nonres	Not Included	Covered Process: Commercial Kitchens (see Table J)	☐	Performance	Indoor Lighting (Unconditioned) 140.6 & 170.2(e)	NRCC-LTI-E is required
	MultiFam	Performance		☒	Not Included	Outdoor Lighting 140.7 & 170.2(e)	NRCC-LTO-E is required
Domestic Hot Water (See Table I)	Nonres	Not Included	Covered Process: Laboratory Exhaust (see Table J)	☐	Performance	Sign Lighting 140.8 & 170.2(e)	NRCC-LTS-E is required
	MultiFam	Performance		☒	Not Included	Building Components Complying with Mandatory Measures	
Lighting (Indoor Conditioned, see Table K)	Nonres	Not Included	Photovoltaics (see Table F)	☒	Performance	Electrical power systems, commissioning, solar ready, elevator and escalator requirements are mandatory and should be documented on the NRCC form listed if applicable (i.e. compliance will not be shown on the NRCC-PRF-E.)	
	MultiFam	Performance		☐	Not Included	Electrical Power Distribution 110.11	NRCC-ELC-E is required
			Battery (see Table F)	☒	Performance	Commissioning 120.8	NRCC-CXR-E is required
				☐	Not Included	Solar and Battery 110.10	NRCC-SAB-E is required

C1. COMPLIANCE SUMMARY			
COMPLIES ³			
	Time Dependent Valuaton (TDV)		Source Energy Use
	Efficiency ¹ (kBtu/ft² - yr)	Total ² (kBtu/ft² - yr)	Total ² (kBtu/ft² - yr)
Standard Design	87.29	30.92	10.7
Proposed Design	79.66	27.25	10.61
Compliance Margins	7.63	3.67	0.09
	Pass	Pass	Pass
¹ Efficiency measures include improvements like a better building envelope and more efficient equipment ² Compliance Totals include efficiency, photovoltaics and batteries ³ New Construction, Complete Addition Scope: Building complies when all efficiency and total compliance margins are greater than or equal to zero and unmet load hour limits are not exceeded Existing, Addition and Alteration Scope: Building complies when efficiency compliance margin is greater than or equal to zero and unmet load hour limits are not exceeded			

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 4 of 240)

C2. TDV ENERGY COMPLIANCE RESULTS FOR PERFORMANCE COMPONENTS (Annual TDV Energy Use, kBtu/ft² - yr)			
COMPLIES²			
Energy Component	Standard Design (TDV)	Proposed Design (TDV)	Compliance Margin (TDV)¹
Space Heating	0.21	0.2	0.01
Space Cooling	10.46	9.98	0.48
Indoor Fans	10.63	5.33	5.3
Heat Rejection	0	0	0
Pumps & Misc.	0.13	0.13	0
Domestic Hot Water	39.68	37.84	1.84
Indoor Lighting	26.18	26.18	0
Flexibility	---	---	---
EFFICIENCY COMPLIANCE TOTAL	87.29	79.66	7.63 (8.7%)
Photovoltaics	-49.47	-50.42	0.95
Batteries	-6.9	-1.99	-4.91
TOTAL COMPLIANCE	30.92	27.25	3.67 (11.9%)
¹ Notes: This number in parenthesis following the Compliance Margin in column 4, represents the Percent Better than Standard.			

C3. TDV ENERGY RESULTS FOR NON-REGULATED COMPONENTS ¹			
Non-Regulated Energy Component	Standard Design (TDV)	Proposed Design (TDV)	Compliance Margin (TDV) ¹
Receptacle	48.12	48.12	---
Process	43.28	43.31	-0.03
Other Ltg	8.79	8.79	---
Process Motors	---	---	---
TOTAL (TOTAL COMPLIANCE + NON-REGULATED COMPONENTS)	131.11	127.47	3.64 (2.8%)
¹ Notes: This table is not used for Energy Code Compliance.			

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 6 of 240)

C4. SOURCE ENERGY COMPLIANCE RESULTS FOR PERFORMANCE COMPONENTS (Annual SOURCE Energy Use, kBtu/ft² /yr)			
COMPLIES²			
Energy Component	Standard Design (SOURCE)	Proposed Design (SOURCE)	Compliance Margin (SOURCE)¹
Space Heating	0.03	0.03	0
Space Cooling	0.56	0.54	0.02
Indoor Fans	0.9	0.41	0.49
Heat Rejection	0	0	0
Pumps & Misc.	0.02	0.02	0
Domestic Hot Water	9.65	9.23	0.42
Indoor Lighting	2.42	2.42	0
Flexibility	---	---	---
EFFICIENCY COMPLIANCE TOTAL	13.58	12.65	0.93 (6.8%)
Photovoltaics	-1.72	-1.76	0.04
Batteries	-1.16	-0.28	-0.88
TOTAL COMPLIANCE	10.7	10.61	0.09 (0.8%)
¹ Notes: This number in parenthesis following the Compliance Margin in column 4, represents the Percent Better than Standard.			

C5. SOURCE ENERGY RESULTS FOR NON-REGULATED COMPONENTS ¹			
Non-Regulated Energy Component	Standard Design (SOURCE)	Proposed Design (SOURCE)	Compliance Margin (SOURCE) ¹
Receptacle	4.45	4.45	---
Process	4.25	4.26	-0.01
Other Ltg	0.85	0.85	---
Process Motors	---	---	---
TOTAL (TOTAL COMPLIANCE + NON-REGULATED COMPONENTS)	20.25	20.17	0.08 (0.4%)
¹ Notes: This table is not used for Energy Code Compliance.			

C6. 'ABOVE CODE' QUALIFICATIONS	
☐ This project is pursuing CalGreen Tier 1	☐ This project is pursuing CalGreen Tier 2

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 8 of 240)

C7. ENERGY USE SUMMARY						
Energy Component	Standard Design Site (MWh)	Proposed Design Site (MWh)	Margin (MWh)	Standard Design Site (MBtu)	Proposed Design Site (MBtu)	Margin (MBtu)
Space Heating	2.2	2.1	0.1	---	---	---
Space Cooling	89.8	85.5	4.3	---	---	---
Indoor Fans	114.6	54.3	60.3	---	---	---
Heat Rejection	---	---	---	---	---	---
Pumps & Misc.	1.3	1.3	0	---	---	---
Domestic Hot Water	2.6	1.4	1.2	3459.8	3309.5	150.3
Indoor Lighting	301.8	301.8	0	---	---	---
Flexibility	---	---	---	---	---	---
EFFICIENCY TOTAL	512.3	446.4	65.9	3459.8	3309.5	150.3
Photovoltaics	-781	-796.1	15.1	---	---	---
Batteries	12.1	2.9	9.2	---	---	---
ENERGY USE SUBTOTAL	-256.6	-346.8	90.2	3459.8	3309.5	150.3
Receptacle	532.4	532.4	0	---	---	---
Process	453.5	453.9	-0.4	384.1	384.1	0
Other Ltg	85.4	85.4	0	---	---	---
Process Motors	---	---	---	---	---	---
ENERGY USE TOTAL	814.7	724.9	89.8	3843.9	3693.6	150.3

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 9 of 240)

C8. ENERGY USE INTENSITY (EUI)				
	Standard Design (kBtu/ft² / yr)	Proposed Design (kBtu/ft² / yr)	Margin (kBtu/ft² / yr)	Margin Percentage
GROSS EUI ¹	15.28	14.62	0.66	4.32
NET EUI ¹	10.9	10.15	0.75	6.88
¹ Notes: Gross EUI is Energy Use Total (not including PV)/Total Building Area. Net EUI is Energy Use Total (including PV)/Total Building Area.				

D1. EXCEPTIONAL CONDITIONS
Required minimum PV capacity limited by SARA.

D2. MULTIFAMILY REQUIRED SPECIAL FEATURES
- Battery System: 100 kWh - IAQ Ventilation System: as low as 0.065 W/CFM - Cool roof - Non-standard duct location (any location other than attic) - Multifamily: Recirculating with no control (continuous pumping)

E1. HERS VERIFICATION SUMMARY
The following is a summary of the features that must be field-verified by a certified HERS Rater as a condition for meeting the modeled energy performance for this computer analysis. Additional detail is provided in the building tables below. Registered LMCIs and LMCVs are required to be completed in the HERS Registry.
Building-level Verifications: - Indoor air quality ventilation - Enclosure air leakage for each dwelling unit - Kitchen range hood Cooling System Verifications: - Minimum Airflow - Verified Refrigerant Charge - Fan Efficacy Watts/CFM Heating System Verifications: - Verified heat pump rated heating capacity HVAC Distribution System Verifications: - Duct leakage testing - Ducts located entirely in conditioned space confirmed by duct leakage testing Domestic Hot Water System Verifications: - Pipe Insulation, All Lines

F1. REQUIRED PV SYSTEMS											
01	02	03	04	05	06	07	08	09	10	11	12
DC System Size (kWdc)	Exception ¹	Module Type	Array Type	Power Electronics	CFI	Azimuth (deg)	Tilt Input	Array Angle (deg)	Tilt: (x in 12)	Inverter Eff. (%)	Annual Solar Access (%)
468.8		Premium (~18-20%)	Fixed	Microinverters	true	150-270	n/a	n/a	<=7:12	96	98
¹ See Table D1 for any PV exceptions used.											

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 11 of 240)

F1B. PV BATTERY BUILDING TYPE(S)		
01	02	03
Building Occupancy Type* (From Table 140.10-A/B and 170.2-U/V)	Conditioned Floor Area (ft²)	Unconditioned Floor Area (ft²)
Grocery	0	0
High-Rise Multifamily	306194	296280
Office, Financial Institutions, Unleased Tenant Space	3354.69	0
Retail	0	0
School	0	0
Warehouse	0	0
Auditorium, Convention Center, Hotel/Motel, Library, Medical Office Building/Clinic, Restaurant, Theater	0	1369.26
None	551.423	0
<i>*Building Occupancy Types are defined in Section 100.1 of the Energy Code</i>		

F2. BATTERY SYSTEMS¹						
01	02	03	04	05	06	07
Control	Capacity (kWh)	Charging Efficiency	Charging Rate (kW)	Discharging Efficiency	Discharging Rate (kW)	Round Trip Efficiency
TOU	100	N/A	35.71	N/A	35.71	0.9
¹ See Table D1 for any Battery exceptions used.						

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 12 of 240)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 1-(1/11)	Unit A1	A1_L01	1
DwellingUnit 1-(2/11)	Unit A1	A1_L01	1
DwellingUnit 1-(3/11)	Unit A1	A1_L01	1
DwellingUnit 1-(4/11)	Unit A1	A1_L01	1
DwellingUnit 1-(5/11)	Unit A1	A1_L01	1
DwellingUnit 1-(6/11)	Unit A1	A1_L01	1
DwellingUnit 1-(7/11)	Unit A1	A1_L01	1
DwellingUnit 1-(8/11)	Unit A1	A1_L01	1
DwellingUnit 1-(9/11)	Unit A1	A1_L01	1
DwellingUnit 1-(10/11)	Unit A1	A1_L01	1
DwellingUnit 1-(11/11)	Unit A1	A1_L01	1
DwellingUnit 2-(1/2)	Unit A2	A2_L01	1
DwellingUnit 2-(2/2)	Unit A2	A2_L01	1
DwellingUnit 3-(1/6)	Unit A2.1	A2.1_L01	1
DwellingUnit 3-(2/6)	Unit A2.1	A2.1_L01	1
DwellingUnit 3-(3/6)	Unit A2.1	A2.1_L01	1
DwellingUnit 3-(4/6)	Unit A2.1	A2.1_L01	1
DwellingUnit 3-(5/6)	Unit A2.1	A2.1_L01	1
DwellingUnit 3-(6/6)	Unit A2.1	A2.1_L01	1
DwellingUnit 4-(1/4)	Unit A3	A3_L01	1
DwellingUnit 4-(2/4)	Unit A3	A3_L01	1
DwellingUnit 4-(3/4)	Unit A3	A3_L01	1
DwellingUnit 4-(4/4)	Unit A3	A3_L01	1
DwellingUnit 5-(1/3)	Unit A3.1	A3.1_L01	1
DwellingUnit 5-(2/3)	Unit A3.1	A3.1_L01	1
DwellingUnit 5-(3/3)	Unit A3.1	A3.1_L01	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 13 of 240)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 6-(1/6)	Unit A3B	A3B_L01	1
DwellingUnit 6-(2/6)	Unit A3B	A3B_L01	1
DwellingUnit 6-(3/6)	Unit A3B	A3B_L01	1
DwellingUnit 6-(4/6)	Unit A3B	A3B_L01	1
DwellingUnit 6-(5/6)	Unit A3B	A3B_L01	1
DwellingUnit 6-(6/6)	Unit A3B	A3B_L01	1
DwellingUnit 7-(1/5)	Unit A3B.1	A3B.1_L01	1
DwellingUnit 7-(2/5)	Unit A3B.1	A3B.1_L01	1
DwellingUnit 7-(3/5)	Unit A3B.1	A3B.1_L01	1
DwellingUnit 7-(4/5)	Unit A3B.1	A3B.1_L01	1
DwellingUnit 7-(5/5)	Unit A3B.1	A3B.1_L01	1
DwellingUnit 8-(1/1)	Unit A4	A4_L01	1
DwellingUnit 9-(1/4)	Unit A5	A5_L01	1
DwellingUnit 9-(2/4)	Unit A5	A5_L01	1
DwellingUnit 9-(3/4)	Unit A5	A5_L01	1
DwellingUnit 9-(4/4)	Unit A5	A5_L01	1
DwellingUnit 10-(1/1)	Unit A6	A6_L01	1
DwellingUnit 11-(1/1)	Unit A7	A7_L01	1
DwellingUnit 12-(1/4)	Unit B1	B1_L01	1
DwellingUnit 12-(2/4)	Unit B1	B1_L01	1
DwellingUnit 12-(3/4)	Unit B1	B1_L01	1
DwellingUnit 12-(4/4)	Unit B1	B1_L01	1
DwellingUnit 13-(1/3)	Unit B2	B2_L01	1
DwellingUnit 13-(2/3)	Unit B2	B2_L01	1
DwellingUnit 13-(3/3)	Unit B2	B2_L01	1
DwellingUnit 14-(1/1)	Unit B2.1	B2.1_L01	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 14 of 240)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 15-(1/1)	Unit B2.3	B2.3_L01	1
DwellingUnit 16-(1/5)	Unit B2B	B2B_L01	1
DwellingUnit 16-(2/5)	Unit B2B	B2B_L01	1
DwellingUnit 16-(3/5)	Unit B2B	B2B_L01	1
DwellingUnit 16-(4/5)	Unit B2B	B2B_L01	1
DwellingUnit 16-(5/5)	Unit B2B	B2B_L01	1
DwellingUnit 17-(1/1)	Unit B4	B4_L01	1
DwellingUnit 18-(1/1)	Unit C1	C1_L01	1
DwellingUnit 19-(1/2)	Unit C1.1	C1.1_L01	1
DwellingUnit 19-(2/2)	Unit C1.1	C1.1_L01	1
DwellingUnit 20-(1/2)	Unit C1.2	C1.2_L01	1
DwellingUnit 20-(2/2)	Unit C1.2	C1.2_L01	1
DwellingUnit 21-(1/1)	Unit C1.3	C1.3_L01	1
DwellingUnit 22-(1/11)	Unit A1	A1_L02	1
DwellingUnit 22-(2/11)	Unit A1	A1_L02	1
DwellingUnit 22-(3/11)	Unit A1	A1_L02	1
DwellingUnit 22-(4/11)	Unit A1	A1_L02	1
DwellingUnit 22-(5/11)	Unit A1	A1_L02	1
DwellingUnit 22-(6/11)	Unit A1	A1_L02	1
DwellingUnit 22-(7/11)	Unit A1	A1_L02	1
DwellingUnit 22-(8/11)	Unit A1	A1_L02	1
DwellingUnit 22-(9/11)	Unit A1	A1_L02	1
DwellingUnit 22-(10/11)	Unit A1	A1_L02	1
DwellingUnit 22-(11/11)	Unit A1	A1_L02	1
DwellingUnit 23-(1/2)	Unit A2	A2_L02	1
DwellingUnit 23-(2/2)	Unit A2	A2_L02	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 15 of 240)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 24-(1/7)	Unit A2.1	A2.1_L02	1
DwellingUnit 24-(2/7)	Unit A2.1	A2.1_L02	1
DwellingUnit 24-(3/7)	Unit A2.1	A2.1_L02	1
DwellingUnit 24-(4/7)	Unit A2.1	A2.1_L02	1
DwellingUnit 24-(5/7)	Unit A2.1	A2.1_L02	1
DwellingUnit 24-(6/7)	Unit A2.1	A2.1_L02	1
DwellingUnit 24-(7/7)	Unit A2.1	A2.1_L02	1
DwellingUnit 25-(1/4)	Unit A3	A3_L02	1
DwellingUnit 25-(2/4)	Unit A3	A3_L02	1
DwellingUnit 25-(3/4)	Unit A3	A3_L02	1
DwellingUnit 25-(4/4)	Unit A3	A3_L02	1
DwellingUnit 26-(1/4)	Unit A3.1	A3.1_L02	1
DwellingUnit 26-(2/4)	Unit A3.1	A3.1_L02	1
DwellingUnit 26-(3/4)	Unit A3.1	A3.1_L02	1
DwellingUnit 26-(4/4)	Unit A3.1	A3.1_L02	1
DwellingUnit 27-(1/6)	Unit A3B	A3B_L02	1
DwellingUnit 27-(2/6)	Unit A3B	A3B_L02	1
DwellingUnit 27-(3/6)	Unit A3B	A3B_L02	1
DwellingUnit 27-(4/6)	Unit A3B	A3B_L02	1
DwellingUnit 27-(5/6)	Unit A3B	A3B_L02	1
DwellingUnit 27-(6/6)	Unit A3B	A3B_L02	1
DwellingUnit 28-(1/5)	Unit B1	B1_L02	1
DwellingUnit 28-(2/5)	Unit B1	B1_L02	1
DwellingUnit 28-(3/5)	Unit B1	B1_L02	1
DwellingUnit 28-(4/5)	Unit B1	B1_L02	1
DwellingUnit 28-(5/5)	Unit B1	B1_L02	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 16 of 240)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 29-(1/8)	Unit B2	B2_L02	1
DwellingUnit 29-(2/8)	Unit B2	B2_L02	1
DwellingUnit 29-(3/8)	Unit B2	B2_L02	1
DwellingUnit 29-(4/8)	Unit B2	B2_L02	1
DwellingUnit 29-(5/8)	Unit B2	B2_L02	1
DwellingUnit 29-(6/8)	Unit B2	B2_L02	1
DwellingUnit 29-(7/8)	Unit B2	B2_L02	1
DwellingUnit 29-(8/8)	Unit B2	B2_L02	1
DwellingUnit 30-(1/2)	Unit B2.1	B2.1_L02	1
DwellingUnit 30-(2/2)	Unit B2.1	B2.1_L02	1
DwellingUnit 31-(1/1)	Unit B2.3	B2.3_L02	1
DwellingUnit 32-(1/7)	Unit B2B	B2B_L02	1
DwellingUnit 32-(2/7)	Unit B2B	B2B_L02	1
DwellingUnit 32-(3/7)	Unit B2B	B2B_L02	1
DwellingUnit 32-(4/7)	Unit B2B	B2B_L02	1
DwellingUnit 32-(5/7)	Unit B2B	B2B_L02	1
DwellingUnit 32-(6/7)	Unit B2B	B2B_L02	1
DwellingUnit 32-(7/7)	Unit B2B	B2B_L02	1
DwellingUnit 33-(1/1)	Unit B3	B3_L02	1
DwellingUnit 34-(1/1)	Unit B4	B4_L02	1
DwellingUnit 35-(1/1)	Unit C1	C1_L02	1
DwellingUnit 36-(1/2)	Unit C1.1	C1.1_L02	1
DwellingUnit 36-(2/2)	Unit C1.1	C1.1_L02	1
DwellingUnit 37-(1/2)	Unit C1.2	C1.2_L02	1
DwellingUnit 37-(2/2)	Unit C1.2	C1.2_L02	1
DwellingUnit 38-(1/1)	Unit C1.3	C1.3_L02	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 17 of 240)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 39-(1/5)	Unit A3B.1	A3B.1_L02	1
DwellingUnit 39-(2/5)	Unit A3B.1	A3B.1_L02	1
DwellingUnit 39-(3/5)	Unit A3B.1	A3B.1_L02	1
DwellingUnit 39-(4/5)	Unit A3B.1	A3B.1_L02	1
DwellingUnit 39-(5/5)	Unit A3B.1	A3B.1_L02	1
DwellingUnit 40-(1/11)	Unit A1	A1_L03	1
DwellingUnit 40-(2/11)	Unit A1	A1_L03	1
DwellingUnit 40-(3/11)	Unit A1	A1_L03	1
DwellingUnit 40-(4/11)	Unit A1	A1_L03	1
DwellingUnit 40-(5/11)	Unit A1	A1_L03	1
DwellingUnit 40-(6/11)	Unit A1	A1_L03	1
DwellingUnit 40-(7/11)	Unit A1	A1_L03	1
DwellingUnit 40-(8/11)	Unit A1	A1_L03	1
DwellingUnit 40-(9/11)	Unit A1	A1_L03	1
DwellingUnit 40-(10/11)	Unit A1	A1_L03	1
DwellingUnit 40-(11/11)	Unit A1	A1_L03	1
DwellingUnit 41-(1/2)	Unit A2	A2_L03	1
DwellingUnit 41-(2/2)	Unit A2	A2_L03	1
DwellingUnit 42-(1/7)	Unit A2.1	A2.1_L03	1
DwellingUnit 42-(2/7)	Unit A2.1	A2.1_L03	1
DwellingUnit 42-(3/7)	Unit A2.1	A2.1_L03	1
DwellingUnit 42-(4/7)	Unit A2.1	A2.1_L03	1
DwellingUnit 42-(5/7)	Unit A2.1	A2.1_L03	1
DwellingUnit 42-(6/7)	Unit A2.1	A2.1_L03	1
DwellingUnit 42-(7/7)	Unit A2.1	A2.1_L03	1
DwellingUnit 43-(1/4)	Unit A3	A3_L03	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 18 of 240)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 43-(2/4)	Unit A3	A3_L03	1
DwellingUnit 43-(3/4)	Unit A3	A3_L03	1
DwellingUnit 43-(4/4)	Unit A3	A3_L03	1
DwellingUnit 44-(1/4)	Unit A3.1	A3.1_L03	1
DwellingUnit 44-(2/4)	Unit A3.1	A3.1_L03	1
DwellingUnit 44-(3/4)	Unit A3.1	A3.1_L03	1
DwellingUnit 44-(4/4)	Unit A3.1	A3.1_L03	1
DwellingUnit 45-(1/6)	Unit A3B	A3B_L03	1
DwellingUnit 45-(2/6)	Unit A3B	A3B_L03	1
DwellingUnit 45-(3/6)	Unit A3B	A3B_L03	1
DwellingUnit 45-(4/6)	Unit A3B	A3B_L03	1
DwellingUnit 45-(5/6)	Unit A3B	A3B_L03	1
DwellingUnit 45-(6/6)	Unit A3B	A3B_L03	1
DwellingUnit 46-(1/5)	Unit A3B.1	A3B.1_L03	1
DwellingUnit 46-(2/5)	Unit A3B.1	A3B.1_L03	1
DwellingUnit 46-(3/5)	Unit A3B.1	A3B.1_L03	1
DwellingUnit 46-(4/5)	Unit A3B.1	A3B.1_L03	1
DwellingUnit 46-(5/5)	Unit A3B.1	A3B.1_L03	1
DwellingUnit 47-(1/5)	Unit B1	B1_L03	1
DwellingUnit 47-(2/5)	Unit B1	B1_L03	1
DwellingUnit 47-(3/5)	Unit B1	B1_L03	1
DwellingUnit 47-(4/5)	Unit B1	B1_L03	1
DwellingUnit 47-(5/5)	Unit B1	B1_L03	1
DwellingUnit 48-(1/10)	Unit B2	B2_L03	1
DwellingUnit 48-(2/10)	Unit B2	B2_L03	1
DwellingUnit 48-(3/10)	Unit B2	B2_L03	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 19 of 240)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 48-(4/10)	Unit B2	B2_L03	1
DwellingUnit 48-(5/10)	Unit B2	B2_L03	1
DwellingUnit 48-(6/10)	Unit B2	B2_L03	1
DwellingUnit 48-(7/10)	Unit B2	B2_L03	1
DwellingUnit 48-(8/10)	Unit B2	B2_L03	1
DwellingUnit 48-(9/10)	Unit B2	B2_L03	1
DwellingUnit 48-(10/10)	Unit B2	B2_L03	1
DwellingUnit 49-(1/2)	Unit B2.1	B2.1_L03	1
DwellingUnit 49-(2/2)	Unit B2.1	B2.1_L03	1
DwellingUnit 50-(1/2)	Unit B2.2	B2.2_L03	1
DwellingUnit 50-(2/2)	Unit B2.2	B2.2_L03	1
DwellingUnit 51-(1/1)	Unit B2.3	B2.3_L03	1
DwellingUnit 52-(1/8)	Unit B2B	B2B_L03	1
DwellingUnit 52-(2/8)	Unit B2B	B2B_L03	1
DwellingUnit 52-(3/8)	Unit B2B	B2B_L03	1
DwellingUnit 52-(4/8)	Unit B2B	B2B_L03	1
DwellingUnit 52-(5/8)	Unit B2B	B2B_L03	1
DwellingUnit 52-(6/8)	Unit B2B	B2B_L03	1
DwellingUnit 52-(7/8)	Unit B2B	B2B_L03	1
DwellingUnit 52-(8/8)	Unit B2B	B2B_L03	1
DwellingUnit 53-(1/1)	Unit B3	B3_L03	1
DwellingUnit 54-(1/2)	Unit B4	B4_L03	1
DwellingUnit 54-(2/2)	Unit B4	B4_L03	1
DwellingUnit 55-(1/1)	Unit C1	C1_L03	1
DwellingUnit 56-(1/2)	Unit C1.1	C1.1_L03	1
DwellingUnit 56-(2/2)	Unit C1.1	C1.1_L03	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 20 of 240)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 57-(1/2)	Unit C1.2	C1.2_L03	1
DwellingUnit 57-(2/2)	Unit C1.2	C1.2_L03	1
DwellingUnit 58-(1/1)	Unit C1.3	C1.3_L03	1
DwellingUnit 59-(1/11)	Unit A1	A1_L04	1
DwellingUnit 59-(2/11)	Unit A1	A1_L04	1
DwellingUnit 59-(3/11)	Unit A1	A1_L04	1
DwellingUnit 59-(4/11)	Unit A1	A1_L04	1
DwellingUnit 59-(5/11)	Unit A1	A1_L04	1
DwellingUnit 59-(6/11)	Unit A1	A1_L04	1
DwellingUnit 59-(7/11)	Unit A1	A1_L04	1
DwellingUnit 59-(8/11)	Unit A1	A1_L04	1
DwellingUnit 59-(9/11)	Unit A1	A1_L04	1
DwellingUnit 59-(10/11)	Unit A1	A1_L04	1
DwellingUnit 59-(11/11)	Unit A1	A1_L04	1
DwellingUnit 60-(1/2)	Unit A2	A2_L04	1
DwellingUnit 60-(2/2)	Unit A2	A2_L04	1
DwellingUnit 61-(1/7)	Unit A2.1	A2.1_L04	1
DwellingUnit 61-(2/7)	Unit A2.1	A2.1_L04	1
DwellingUnit 61-(3/7)	Unit A2.1	A2.1_L04	1
DwellingUnit 61-(4/7)	Unit A2.1	A2.1_L04	1
DwellingUnit 61-(5/7)	Unit A2.1	A2.1_L04	1
DwellingUnit 61-(6/7)	Unit A2.1	A2.1_L04	1
DwellingUnit 61-(7/7)	Unit A2.1	A2.1_L04	1
DwellingUnit 62-(1/4)	Unit A3	A3_L04	1
DwellingUnit 62-(2/4)	Unit A3	A3_L04	1
DwellingUnit 62-(3/4)	Unit A3	A3_L04	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 21 of 240)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 62-(4/4)	Unit A3	A3_L04	1
DwellingUnit 63-(1/4)	Unit A3.1	A3.1_L04	1
DwellingUnit 63-(2/4)	Unit A3.1	A3.1_L04	1
DwellingUnit 63-(3/4)	Unit A3.1	A3.1_L04	1
DwellingUnit 63-(4/4)	Unit A3.1	A3.1_L04	1
DwellingUnit 64-(1/6)	Unit A3B	A3B_L04	1
DwellingUnit 64-(2/6)	Unit A3B	A3B_L04	1
DwellingUnit 64-(3/6)	Unit A3B	A3B_L04	1
DwellingUnit 64-(4/6)	Unit A3B	A3B_L04	1
DwellingUnit 64-(5/6)	Unit A3B	A3B_L04	1
DwellingUnit 64-(6/6)	Unit A3B	A3B_L04	1
DwellingUnit 65-(1/5)	Unit A3B.1	A3B.1_L04	1
DwellingUnit 65-(2/5)	Unit A3B.1	A3B.1_L04	1
DwellingUnit 65-(3/5)	Unit A3B.1	A3B.1_L04	1
DwellingUnit 65-(4/5)	Unit A3B.1	A3B.1_L04	1
DwellingUnit 65-(5/5)	Unit A3B.1	A3B.1_L04	1
DwellingUnit 66-(1/5)	Unit B1	B1_L04	1
DwellingUnit 66-(2/5)	Unit B1	B1_L04	1
DwellingUnit 66-(3/5)	Unit B1	B1_L04	1
DwellingUnit 66-(4/5)	Unit B1	B1_L04	1
DwellingUnit 66-(5/5)	Unit B1	B1_L04	1
DwellingUnit 67-(1/10)	Unit B2	B2_L04	1
DwellingUnit 67-(2/10)	Unit B2	B2_L04	1
DwellingUnit 67-(3/10)	Unit B2	B2_L04	1
DwellingUnit 67-(4/10)	Unit B2	B2_L04	1
DwellingUnit 67-(5/10)	Unit B2	B2_L04	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 22 of 240)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 67-(6/10)	Unit B2	B2_L04	1
DwellingUnit 67-(7/10)	Unit B2	B2_L04	1
DwellingUnit 67-(8/10)	Unit B2	B2_L04	1
DwellingUnit 67-(9/10)	Unit B2	B2_L04	1
DwellingUnit 67-(10/10)	Unit B2	B2_L04	1
DwellingUnit 68-(1/2)	Unit B2.1	B2.1_L04	1
DwellingUnit 68-(2/2)	Unit B2.1	B2.1_L04	1
DwellingUnit 69-(1/2)	Unit B2.2	B2.2_L04	1
DwellingUnit 69-(2/2)	Unit B2.2	B2.2_L04	1
DwellingUnit 70-(1/1)	Unit B2.3	B2.3_L04	1
DwellingUnit 71-(1/8)	Unit B2B	B2B_L04	1
DwellingUnit 71-(2/8)	Unit B2B	B2B_L04	1
DwellingUnit 71-(3/8)	Unit B2B	B2B_L04	1
DwellingUnit 71-(4/8)	Unit B2B	B2B_L04	1
DwellingUnit 71-(5/8)	Unit B2B	B2B_L04	1
DwellingUnit 71-(6/8)	Unit B2B	B2B_L04	1
DwellingUnit 71-(7/8)	Unit B2B	B2B_L04	1
DwellingUnit 71-(8/8)	Unit B2B	B2B_L04	1
DwellingUnit 72-(1/1)	Unit B3	B3_L04	1
DwellingUnit 73-(1/2)	Unit B4	B4_L04	1
DwellingUnit 73-(2/2)	Unit B4	B4_L04	1
DwellingUnit 74-(1/1)	Unit C1	C1_L04	1
DwellingUnit 75-(1/2)	Unit C1.1	C1.1_L04	1
DwellingUnit 75-(2/2)	Unit C1.1	C1.1_L04	1
DwellingUnit 76-(1/2)	Unit C1.2	C1.2_L04	1
DwellingUnit 76-(2/2)	Unit C1.2	C1.2_L04	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 23 of 240)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 77-(1/1)	Unit C1.3	C1.3_L04	1
DwellingUnit 78-(1/2)	Unit A1	A1_L05	1
DwellingUnit 78-(2/2)	Unit A1	A1_L05	1
DwellingUnit 79-(1/2)	Unit A2	A2_L05	1
DwellingUnit 79-(2/2)	Unit A2	A2_L05	1
DwellingUnit 80-(1/3)	Unit A2.1	A2.1_L05	1
DwellingUnit 80-(2/3)	Unit A2.1	A2.1_L05	1
DwellingUnit 80-(3/3)	Unit A2.1	A2.1_L05	1
DwellingUnit 81-(1/4)	Unit A3B	A3B_L05	1
DwellingUnit 81-(2/4)	Unit A3B	A3B_L05	1
DwellingUnit 81-(3/4)	Unit A3B	A3B_L05	1
DwellingUnit 81-(4/4)	Unit A3B	A3B_L05	1
DwellingUnit 82-(1/3)	Unit A3B.1	A3B.1_L05	1
DwellingUnit 82-(2/3)	Unit A3B.1	A3B.1_L05	1
DwellingUnit 82-(3/3)	Unit A3B.1	A3B.1_L05	1
DwellingUnit 83-(1/1)	Unit B1	B1_L05	1
DwellingUnit 84-(1/2)	Unit B2	B2_L05	1
DwellingUnit 84-(2/2)	Unit B2	B2_L05	1
DwellingUnit 85-(1/2)	Unit B2.2	B2.2_L05	1
DwellingUnit 85-(2/2)	Unit B2.2	B2.2_L05	1
DwellingUnit 86-(1/6)	Unit B2B	B2B_L05	1
DwellingUnit 86-(2/6)	Unit B2B	B2B_L05	1
DwellingUnit 86-(3/6)	Unit B2B	B2B_L05	1
DwellingUnit 86-(4/6)	Unit B2B	B2B_L05	1
DwellingUnit 86-(5/6)	Unit B2B	B2B_L05	1
DwellingUnit 86-(6/6)	Unit B2B	B2B_L05	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 24 of 240)

F3. DWELLING UNIT INFORMATION			
01	02	03	04
Dwelling Unit Name	Dwelling Unit Type	Zone	Zone Group Multiplier
DwellingUnit 87-(1/1)	Unit B3	B3_L05	1
DwellingUnit 88-(1/2)	Unit B4	B4_L05	1
DwellingUnit 88-(2/2)	Unit B4	B4_L05	1
DwellingUnit 89-(1/1)	Unit C1	C1_L05	1
DwellingUnit 90-(1/2)	Unit C1.1	C1.1_L05	1
DwellingUnit 90-(2/2)	Unit C1.1	C1.1_L05	1
DwellingUnit 91-(1/1)	Unit C1.2	C1.2_L05	1
DwellingUnit 92-(1/1)	Unit C1.3	C1.3_L05	1

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 25 of 240)

F4. DWELLING UNIT TYPES						
01	02	03	04	05	06	07
Name	CFA (ft ²)	Number of Bedrooms	Number in Building	Space Conditioning Systems Assigned	DHW System Name	IAQ Vent Fan Name
Unit A1	660	1	46	Unit A1 :HP- 1:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSys tem1	Individual IAQ Fans
Unit A2	759	1	10	Unit A2 :HP- 1:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSys tem1	Individual IAQ Fans
Unit A2.1	763	1	30	Unit A2.1 :HP- 1:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSys tem1	Individual IAQ Fans
Unit A3	778	1	16	Unit A3 :HP- 1:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSys tem1	Individual IAQ Fans
Unit A3.1	778	1	15	Unit A3.1 :HP- 1:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSys tem1	Individual IAQ Fans

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 26 of 240)

F4. DWELLING UNIT TYPES						
01	02	03	04	05	06	07
Name	CFA (ft ²)	Number of Bedrooms	Number in Building	Space Conditioning Systems Assigned	DHW System Name	IAQ Vent Fan Name
Unit A3B	778	1	28	Unit A3B :HP- 1:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
Unit A3B.1	778	1	23	Unit A3B.1 :HP- 1:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
Unit A4	810	1	1	Unit A4 :HP- 1:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
Unit A5	740	1	4	Unit A5 :HP- 1:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
Unit A6	745	1	1	Unit A6 :HP- 1:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 27 of 240)

F4. DWELLING UNIT TYPES						
01	02	03	04	05	06	07
Name	CFA (ft ²)	Number of Bedrooms	Number in Building	Space Conditioning Systems Assigned	DHW System Name	IAQ Vent Fan Name
Unit A7	799	1	1	Unit A7 :HP- 1:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
Unit B1	1122	2	20	Unit B1 :HP- 2:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
Unit B2	1116	2	33	Unit B2 :HP- 2:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
Unit B2.1	1027	2	7	Unit B2.1 :HP- 2:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
Unit B2.2	1284	2	6	Unit B2.2 :HP- 2:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 28 of 240)

F4. DWELLING UNIT TYPES						
01	02	03	04	05	06	07
Name	CFA (ft ²)	Number of Bedrooms	Number in Building	Space Conditioning Systems Assigned	DHW System Name	IAQ Vent Fan Name
Unit B2.3	1116	2	4	Unit B2.3 :HP- 1:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
Unit B2B	1116	2	34	Unit B2B :HP- 2:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
Unit B3	1237	2	4	Unit B3 :HP- 2:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
Unit B4	1057	2	8	Unit B4 :HP- 2:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
Unit C1	1431	3	5	Unit C1 :HP- 3:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 29 of 240)

F4. DWELLING UNIT TYPES						
01	02	03	04	05	06	07
Name	CFA (ft ²)	Number of Bedrooms	Number in Building	Space Conditioning Systems Assigned	DHW System Name	IAQ Vent Fan Name
Unit C1.1	1504	3	10	Unit C1.1 :HP- 3:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
Unit C1.2	1323	3	9	Unit C1.2 :HP- 3:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans
Unit C1.3	1476	3	5	Unit C1.3 :HP- 3:ResidentialDistributionSystem 1:ResidentialFanSystem 1:2:3	ResidentialDHWSystem 1	Individual IAQ Fans

G1. ENVELOPE GENERAL INFORMATION (conditioned spaces only)			
01	02	03	04
Opaque Surfaces & Orientation	Total Gross Surface Area (ft ²)	Total Fenestration Area (ft ²)	Window to Wall Ratio (%)
North-Facing ¹	31453.4	8229.01	26.16
Notes ¹ North-Facing is oriented to within 45 degrees of true north, including 45 00'00" east of north (NE), but excluding 45 00'00" west of north (NW), ² East-Facing is oriented to within 45 degrees of true east, including 45 00'00" south of east (SE), but excluding 45 00'00" north of east (NE), ³ South-Facing is oriented to within 45 degrees of true south, including 45 00'00" west of south (SW), but excluding 45 00'00" east of south (SE), ⁴ West-Facing is oriented to within 45 degrees of true west, including 45 00'00" north of west (NW), but excluding 45 00'00" south of west (SW),			

G1. ENVELOPE GENERAL INFORMATION (conditioned spaces only)			
01	02	03	04
Opaque Surfaces & Orientation	Total Gross Surface Area (ft ²)	Total Fenestration Area (ft ²)	Window to Wall Ratio (%)
East-Facing ²	42400.5	11823.1	27.88
South-Facing ³	34336.2	10779	31.39
West-Facing ⁴	31795.1	8684.32	27.31
Total	139985	39515.4	28.23
Roof	74084.5	0	0
Notes ¹North-Facing is oriented to within 45 degrees of true north, including 45 00'00" east of north (NE), but excluding 45 00'00" west of north (NW), ²East-Facing is oriented to within 45 degrees of true east, including 45 00'00" south of east (SE), but excluding 45 00'00" north of east (NE), ³South-Facing is oriented to within 45 degrees of true south, including 45 00'00" west of south (SW), but excluding 45 00'00" east of south (SE), ⁴West-Facing is oriented to within 45 degrees of true west, including 45 00'00" north of west (NW), but excluding 45 00'00" south of west (SW),			

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 31 of 240)

G2B. ROOFING PRODUCT SUMMARY (MULTIFAMILY AND COMMON AREAS)					
01	02	03	04	05	06
Name	Roof Pitch	Roof Rise (x in 12)	Aged Solar Reflectance	Thermal Emittance	SRI
Roof (Front 1) : A7_L01	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Corridor_L01	Low slope	0	0.65	0.85	N/A
Roof (Front 2) : Corridor_L01	Low slope	0	0.65	0.85	N/A
Roof (Front 3) : Corridor_L01	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Co-Working_L01	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Dog Wash_L01	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Electrical Room 1_L01	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Electrical Room 3_L01	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Leasing_L01	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Loggia_L01	Low slope	0	0.65	0.85	N/A
Roof (Front 2) : Loggia_L01	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Mail-Parcel_L01	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Men Restroom_L01	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Move-In 1_L01	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Pool Equipment_L01	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Stair 3_L01	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Stair 4_L01	Low slope	0	0.65	0.85	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 32 of 240)

G2B. ROOFING PRODUCT SUMMARY (MULTIFAMILY AND COMMON AREAS)					
01	02	03	04	05	06
Name	Roof Pitch	Roof Rise (x in 12)	Aged Solar Reflectance	Thermal Emittance	SRI
Roof (Front 1) : Storage 06_L01	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Women Restroom_L01	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Corridor_L02	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Move-In_L02	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : A1_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 2) : A1_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 3) : A1_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 4) : A1_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 5) : A1_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 6) : A1_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 7) : A1_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 8) : A1_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 9) : A1_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : A2.1_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 2) : A2.1_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 3) : A2.1_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 4) : A2.1_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : A3_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 2) : A3_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 3) : A3_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 4) : A3_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : A3.1_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 2) : A3.1_L04	Low slope	0	0.65	0.85	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 33 of 240)

G2B. ROOFING PRODUCT SUMMARY (MULTIFAMILY AND COMMON AREAS)					
01	02	03	04	05	06
Name	Roof Pitch	Roof Rise (x in 12)	Aged Solar Reflectance	Thermal Emittance	SRI
Roof (Front 3) : A3.1_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 4) : A3.1_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : A3B_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 2) : A3B_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : A3B.1_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 2) : A3B.1_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : B1_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 2) : B1_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 3) : B1_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 4) : B1_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : B2_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 2) : B2_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 3) : B2_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 4) : B2_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 5) : B2_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 6) : B2_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 7) : B2_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 8) : B2_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : B2.1_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 2) : B2.1_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : B2.3_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : B2B_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 2) : B2B_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : C1.2_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Corridor_L04	Low slope	0	0.65	0.85	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 34 of 240)

G2B. ROOFING PRODUCT SUMMARY (MULTIFAMILY AND COMMON AREAS)					
01	02	03	04	05	06
Name	Roof Pitch	Roof Rise (x in 12)	Aged Solar Reflectance	Thermal Emittance	SRI
Roof (Front 2) : Corridor_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 3) : Corridor_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Storage 01_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Storage 04_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Storage 05_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Storage 08_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Storage 10_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Storage 11_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Storage 12_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Storage 13_L04	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : A1_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 2) : A1_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : A2_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 2) : A2_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : A2.1_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 2) : A2.1_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 3) : A2.1_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : A3B_L05	Low slope	0	0.65	0.85	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 35 of 240)

G2B. ROOFING PRODUCT SUMMARY (MULTIFAMILY AND COMMON AREAS)					
01	02	03	04	05	06
Name	Roof Pitch	Roof Rise (x in 12)	Aged Solar Reflectance	Thermal Emittance	SRI
Roof (Front 2) : A3B_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 3) : A3B_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 4) : A3B_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : A3B.1_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 2) : A3B.1_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 3) : A3B.1_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : B1_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : B2_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 2) : B2_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : B2.2_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 2) : B2.2_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : B2B_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 2) : B2B_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 3) : B2B_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 4) : B2B_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 5) : B2B_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 6) : B2B_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : B3_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : B4_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 2) : B4_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : C1_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : C1.1_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 2) : C1.1_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : C1.2_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : C1.3_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Corridor_L05	Low slope	0	0.65	0.85	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 36 of 240)

G2B. ROOFING PRODUCT SUMMARY (MULTIFAMILY AND COMMON AREAS)					
01	02	03	04	05	06
Name	Roof Pitch	Roof Rise (x in 12)	Aged Solar Reflectance	Thermal Emittance	SRI
Roof (Front 2) : Corridor_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 3) : Corridor_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 4) : Corridor_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : ELEV 4_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : IDF_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Parking Lot_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Parking_Elec. 01_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Parking_Elec. 02_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Parking_Elev 01_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Parking_Elev 02_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Parking_Elev 03_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Parking_Passageway_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Parking_Stair 01_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Parking_Stair 02_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Parking_Trash 01_L05	Low slope	0	0.65	0.85	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 37 of 240)

G2B. ROOFING PRODUCT SUMMARY (MULTIFAMILY AND COMMON AREAS)					
01	02	03	04	05	06
Name	Roof Pitch	Roof Rise (x in 12)	Aged Solar Reflectance	Thermal Emittance	SRI
Roof (Front 1) : Parking_Trash 02_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Parking_Vestibule 1_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Stair 1_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Stair 2_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Storage 01_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Storage 02_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Storage 03_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Storage 04_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Storage 05_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Storage 06_L05	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Stair 3_L06	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Stair 4_L06	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Stair 5_L06	Low slope	0	0.65	0.85	N/A
Roof (Front 1) : Stair 6_L06	Low slope	0	0.65	0.85	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 38 of 240)

G5. OPAQUE SURFACE ASSEMBLY SUMMARY										
01	02	03	04	05	06		07	08	09	10
Surface Name	Construction Type	Area (ft²)	Framing Type	Cavity R-Value	Continuous R-Value		Units	Value	Description of Assembly Layers	Status ¹
					Interior	Exterior				
Ext Wall Cons	Exterior Walls	174,760	Wood Framed Wall	21	0	0	U-factor	0.0659	Inside Finish: Gypsum Board Cavity / Frame: R-21 / 2x6 Sheathing / Insulation: Gypsum Board Exterior Finish: Synthetic Stucco	N
Interior Floor Cons	Interior Floors	302,394	Wood Framed Floor	19	0	0	U-factor	0.0441	Floor Surface: Carpeted Floor Deck: Wood Siding/sheathing/decking Cavity / Frame: R-19 / 2x12 Ceiling Below Finish: Gypsum Board	N
Interior Wall Cons	Interior Walls	263,058	Wood Framed Wall	19	0	0	U-factor	0.0781	Inside Finish: Gypsum Board Cavity / Frame: R-19 / 2x4 Other Side Finish: Gypsum Board	
Roof Cons	Cathedral Ceilings	135,728	Wood Framed Ceiling	38	0	0	U-factor	0.0345	Roofing: Light Roof (Asphalt Shingle) Roof Deck: Wood Siding/sheathing/decking Radiant Barrier Cavity / Frame: R-38 / 2x4 Inside Finish: Gypsum Board	N
Ext Wall Cons (Concrete)	Exterior Walls	24,541.3	Concrete / ICF / Brick	0	0	0	U-factor	0.5073	Inside Finish: Gypsum Board Mass Layer: 8 in. Concrete	N
Interior Floor Cons(Concrete)	Interior Floors	168,637	Concrete / ICF / Brick	0	0	0	U-factor	0.2336	Floor Surface: Carpeted Mass Layer: 8 in. Concrete	N
Interior Concrete Wall	Interior Walls	122,741	Concrete / ICF / Brick	0	0	0	U-factor	0.3406	Inside Finish: Gypsum Board Mass Layer: 8 in. Concrete Other Side Finish: Gypsum Board	
¹ Status: N - New, A - Altered, E - Existing										

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 39 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 1) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A1_L01	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A1_L01	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A1_L01	0	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : A1_L01	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 5) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : A1_L01	0	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 6) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : A1_L01	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 7) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : A1_L01	0	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 40 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 8) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : A1_L01	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 9) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : A1_L01	0	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 10) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : A1_L01	0	1	48.44	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 11) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : A1_L01	0	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 12) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 7) : A1_L01	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 13) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 7) : A1_L01	0	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : A1_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 41 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 2) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : A1_L01	90	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : A1_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : A1_L01	90	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A1_L01	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A1_L01	180	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : A1_L01	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : A1_L01	270	1	48.44	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 42 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 1) : A2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A2_L01	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A2_L01	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A2_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A2_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A2_L01	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A2_L01	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A2.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A2.1_L01	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 43 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 2) : A2.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : A2.1_L01	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : A2.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : A2.1_L01	0	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : A2.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : A2.1_L01	0	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 5) : A2.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : A2.1_L01	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 6) : A2.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 7) : A2.1_L01	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A2.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A2.1_L01	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A2.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A2.1_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 44 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 3) : A2.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : A2.1_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : A2.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : A2.1_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : A2.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : A2.1_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : A2.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : A2.1_L01	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A2.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A2.1_L01	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A2.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A2.1_L01	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : A2.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : A2.1_L01	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 45 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 4) : A2.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : A2.1_L01	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : A2.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : A2.1_L01	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A2.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A2.1_L01	270	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A2.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A2.1_L01	270	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : A2.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A2.1_L01	270	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : A2.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : A2.1_L01	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : A2.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : A2.1_L01	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 46 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 1) : A3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A3_L01	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A3_L01	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : A3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : A3_L01	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : A3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : A3_L01	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 5) : A3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : A3_L01	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A3_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : A3_L01	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 47 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 3) : A3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : A3_L01	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A3_L01	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A3_L01	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : A3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : A3_L01	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A3_L01	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A3.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A3.1_L01	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A3.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A3.1_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 48 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 3) : A3.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : A3.1_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : A3.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : A3.1_L01	90	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A3.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A3.1_L01	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A3.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A3.1_L01	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : A3.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : A3.1_L01	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : A3.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : A3.1_L01	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A3.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A3.1_L01	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 49 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 1) : A3B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A3B_L01	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A3B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A3B_L01	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : A3B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : A3B_L01	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : A3B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : A3B_L01	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 5) : A3B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : A3B_L01	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A3B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A3B_L01	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A3B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A3B_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 50 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 3) : A3B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : A3B_L01	90	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : A3B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : A3B_L01	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : A3B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : A3B_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : A3B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : A3B_L01	90	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A3B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A3B_L01	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A3B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A3B_L01	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A3B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A3B_L01	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 51 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 3) : A3B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : A3B_L01	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : A3B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : A3B_L01	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : A3B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : A3B_L01	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 6) : A3B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : A3B_L01	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A3B.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A3B.1_L01	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A3B.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A3B.1_L01	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A3B.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A3B.1_L01	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 52 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 3) : A3B.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : A3B.1_L01	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : A3B.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : A3B.1_L01	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : A3B.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : A3B.1_L01	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 6) : A3B.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : A3B.1_L01	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 7) : A3B.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : A3B.1_L01	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 8) : A3B.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 8) : A3B.1_L01	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A3B.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A3B.1_L01	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 53 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 2) : A3B.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A3B.1_L01	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : A3B.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : A3B.1_L01	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : A3B.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : A3B.1_L01	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : A3B.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : A3B.1_L01	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 6) : A3B.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 7) : A3B.1_L01	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A4_L01	90	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A4_L01	90	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 54 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 3) : A4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A4_L01	90	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : A4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A4_L01	90	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : A4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A4_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A4_L01	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A4_L01	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A5_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A5_L01	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A5_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A5_L01	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 55 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 3) : A5_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : A5_L01	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : A5_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : A5_L01	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A5_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A5_L01	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A5_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : A5_L01	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A5_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A5_L01	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A5_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A5_L01	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : A5_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : A5_L01	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 56 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 4) : A5_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : A5_L01	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A5_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A5_L01	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A6_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A6_L01	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A6_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A6_L01	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A6_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A6_L01	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A7_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A7_L01	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A7_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A7_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 57 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 2) : A7_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A7_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B1_L01	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : B1_L01	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : B1_L01	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : B1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : B1_L01	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : B1_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : B1_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 58 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 3) : B1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : B1_L01	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B1_L01	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B1_L01	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B1_L01	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : B1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : B1_L01	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B1_L01	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B1_L01	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 59 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 3) : B1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : B1_L01	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : B1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : B1_L01	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : B1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : B1_L01	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B2_L01	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B2_L01	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B2_L01	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : B2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : B2_L01	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 60 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 5) : B2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : B2_L01	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 6) : B2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : B2_L01	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B2_L01	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B2_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B2_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : B2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : B2_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : B2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : B2_L01	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 61 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 1) : B2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B2_L01	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B2.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B2.1_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B2.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B2.1_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B2.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : B2.1_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B2.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B2.1_L01	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B2.3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B2.3_L01	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B2.3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B2.3_L01	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 62 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 3) : B2.3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B2.3_L01	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B2.3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B2.3_L01	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B2B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B2B_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B2B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B2B_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B2B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B2B_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : B2B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : B2B_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : B2B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : B2B_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 63 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 6) : B2B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : B2B_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 7) : B2B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : B2B_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 8) : B2B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : B2B_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 9) : B2B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : B2B_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B2B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B2B_L01	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B2B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B2B_L01	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B2B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B2B_L01	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 64 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 4) : B2B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : B2B_L01	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : B2B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : B2B_L01	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B2B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B2B_L01	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B2B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B2B_L01	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B2B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B2B_L01	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : B2B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B2B_L01	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : B2B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B2B_L01	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 65 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 6) : B2B_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : B2B_L01	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B4_L01	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B4_L01	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B4_L01	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B4_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B4_L01	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : C1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1_L01	180	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : C1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1_L01	180	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 66 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 3) : C1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1_L01	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : C1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : C1_L01	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : C1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : C1_L01	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : C1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : C1_L01	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : C1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : C1_L01	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : C1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : C1_L01	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : C1.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : C1.1_L01	90	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 67 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 2) : C1.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : C1.1_L01	90	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : C1.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : C1.1_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : C1.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : C1.1_L01	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : C1.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : C1.1_L01	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : C1.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : C1.1_L01	90	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 7) : C1.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : C1.1_L01	90	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 8) : C1.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : C1.1_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 68 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 1) : C1.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1.1_L01	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : C1.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1.1_L01	180	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : C1.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : C1.1_L01	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : C1.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : C1.1_L01	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : C1.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : C1.1_L01	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 6) : C1.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : C1.1_L01	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 7) : C1.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : C1.1_L01	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 69 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 8) : C1.1_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : C1.1_L01	180	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : C1.2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : C1.2_L01	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : C1.2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : C1.2_L01	0	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : C1.2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : C1.2_L01	0	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : C1.2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : C1.2_L01	0	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : C1.2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : C1.2_L01	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : C1.2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : C1.2_L01	90	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 70 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 1) : C1.2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : C1.2_L01	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : C1.2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : C1.2_L01	180	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : C1.2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : C1.2_L01	180	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : C1.2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : C1.2_L01	180	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : C1.2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : C1.2_L01	180	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : C1.2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : C1.2_L01	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : C1.2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : C1.2_L01	270	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 71 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 3) : C1.2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : C1.2_L01	270	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : C1.2_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : C1.2_L01	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : C1.3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1.3_L01	180	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : C1.3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1.3_L01	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : C1.3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : C1.3_L01	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : C1.3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : C1.3_L01	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : C1.3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : C1.3_L01	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 72 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 2) : C1.3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : C1.3_L01	270	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : C1.3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : C1.3_L01	270	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : C1.3_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : C1.3_L01	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : Corridor_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : Corridor_L01	0	1	48.44	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : Corridor_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : Corridor_L01	0	1	48.44	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : Corridor_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Corridor_L01	90	1	54.9	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : Corridor_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : Corridor_L01	90	1	48.44	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 73 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 3) : Corridor_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : Corridor_L01	90	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : Corridor_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : Corridor_L01	180	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : Corridor_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : Corridor_L01	180	1	63.51	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : Corridor_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : Corridor_L01	180	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : Corridor_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : Corridor_L01	270	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : Corridor_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : Corridor_L01	270	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : Corridor_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : Corridor_L01	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 74 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 4) : Corridor_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : Corridor_L01	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : Corridor_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : Corridor_L01	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 6) : Corridor_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : Corridor_L01	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 7) : Corridor_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : Corridor_L01	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 8) : Corridor_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : Corridor_L01	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 9) : Corridor_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : Corridor_L01	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 10) : Corridor_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : Corridor_L01	270	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 75 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 11) : Corridor_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : Corridor_L01	270	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 12) : Corridor_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : Corridor_L01	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 13) : Corridor_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : Corridor_L01	270	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : Co-Working_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : Co-Working_L01	180	1	198.06	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : Co-Working_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : Co-Working_L01	180	1	198.06	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : Dog Wash_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : Dog Wash_L01	0	1	48.44	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : Dog Wash_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : Dog Wash_L01	270	1	7.53	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 76 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 2) : Dog Wash_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : Dog Wash_L01	270	1	7.53	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : Dog Wash_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : Dog Wash_L01	270	1	7.53	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : GOLF ROOM_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : GOLF ROOM_L01	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : Leasing_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Leasing_L01	90	1	65.66	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : Leasing_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Leasing_L01	90	1	65.66	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : Leasing_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Leasing_L01	90	1	77.5	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : Leasing_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : Leasing_L01	90	1	192.67	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 77 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 1) : Mail-Parcel_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Mail-Parcel_L01	90	1	82.88	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : Mail-Parcel_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Mail-Parcel_L01	90	1	65.66	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : Mail-Parcel_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Mail-Parcel_L01	90	1	65.66	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : Mail-Parcel_L01	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : Mail-Parcel_L01	90	1	127.01	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A1_L02	0	1	48.44	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A1_L02	0	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A1_L02	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 78 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 4) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A1_L02	0	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 5) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : A1_L02	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 6) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : A1_L02	0	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 7) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : A1_L02	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 8) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : A1_L02	0	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 9) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 7) : A1_L02	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 10) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 7) : A1_L02	0	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 79 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 11) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 8) : A1_L02	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 12) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 9) : A1_L02	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 13) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 9) : A1_L02	0	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A1_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A1_L02	90	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : A1_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : A1_L02	90	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 80 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 1) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A1_L02	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A1_L02	180	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A1_L02	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A1_L02	270	1	48.44	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A2_L02	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A2_L02	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A2_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 81 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 2) : A2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A2_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A2_L02	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A2_L02	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A2.1_L02	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : A2.1_L02	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : A2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : A2.1_L02	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : A2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : A2.1_L02	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 82 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 5) : A2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : A2.1_L02	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 6) : A2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 7) : A2.1_L02	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 7) : A2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 8) : A2.1_L02	0	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 8) : A2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 8) : A2.1_L02	0	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A2.1_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A2.1_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : A2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : A2.1_L02	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 83 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 4) : A2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : A2.1_L02	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : A2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 7) : A2.1_L02	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : A2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 8) : A2.1_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 7) : A2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 9) : A2.1_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A2.1_L02	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : A2.1_L02	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : A2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : A2.1_L02	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 84 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 4) : A2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : A2.1_L02	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : A2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : A2.1_L02	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A2.1_L02	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : A2.1_L02	270	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : A2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : A2.1_L02	270	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : A2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : A2.1_L02	270	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : A2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : A2.1_L02	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 85 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 1) : A3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A3_L02	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A3_L02	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : A3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : A3_L02	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : A3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : A3_L02	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 5) : A3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : A3_L02	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A3_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A3_L02	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 86 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 3) : A3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : A3_L02	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A3_L02	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A3_L02	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : A3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : A3_L02	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A3_L02	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A3.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A3.1_L02	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A3.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A3.1_L02	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 87 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 2) : A3.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A3.1_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : A3.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : A3.1_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : A3.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : A3.1_L02	90	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A3.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A3.1_L02	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A3.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A3.1_L02	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : A3.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : A3.1_L02	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : A3.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : A3.1_L02	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 88 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 5) : A3.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : A3.1_L02	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A3.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A3.1_L02	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A3.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A3.1_L02	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A3B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A3B_L02	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A3B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A3B_L02	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : A3B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : A3B_L02	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : A3B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : A3B_L02	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 89 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 5) : A3B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : A3B_L02	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A3B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A3B_L02	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A3B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A3B_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : A3B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : A3B_L02	90	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : A3B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : A3B_L02	90	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : A3B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : A3B_L02	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : A3B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : A3B_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 90 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 1) : A3B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A3B_L02	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A3B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A3B_L02	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A3B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A3B_L02	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : A3B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : A3B_L02	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : A3B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : A3B_L02	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : A3B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : A3B_L02	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 6) : A3B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : A3B_L02	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 91 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 1) : B1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B1_L02	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : B1_L02	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : B1_L02	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : B1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : B1_L02	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B1_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B1_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 7) : B1_L02	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 92 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 1) : B1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B1_L02	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B1_L02	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : B1_L02	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : B1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : B1_L02	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : B1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : B1_L02	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 6) : B1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : B1_L02	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 7) : B1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 8) : B1_L02	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 93 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : B1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B1_L02	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B1_L02	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B1_L02	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : B1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : B1_L02	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : B1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : B1_L02	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 6) : B1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 7) : B1_L02	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : B2_L02	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 94 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 2) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : B2_L02	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : B2_L02	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : B2_L02	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 5) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : B2_L02	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 6) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : B2_L02	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 7) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 7) : B2_L02	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 8) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 7) : B2_L02	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 95 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 9) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 8) : B2_L02	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 10) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 9) : B2_L02	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 11) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 9) : B2_L02	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 12) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 10) : B2_L02	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B2_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B2_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B2_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 96 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 4) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : B2_L02	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : B2_L02	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : B2_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 7) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : B2_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 8) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 7) : B2_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 9) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 8) : B2_L02	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B2_L02	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 97 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B2_L02	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B2_L02	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : B2_L02	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : B2_L02	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 6) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : B2_L02	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B2_L02	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B2_L02	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 98 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 3) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B2_L02	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : B2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B2_L02	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B2.1_L02	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B2.1_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B2.1_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : B2.1_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : B2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : B2.1_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 99 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 5) : B2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : B2.1_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : B2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : B2.1_L02	90	1	48.44	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B2.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B2.1_L02	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B2.3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B2.3_L02	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B2.3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B2.3_L02	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B2.3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B2.3_L02	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B2.3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B2.3_L02	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 100 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 1) : B2B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B2B_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B2B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B2B_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B2B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B2B_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : B2B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : B2B_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : B2B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : B2B_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : B2B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : B2B_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 7) : B2B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : B2B_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 101 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 8) : B2B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : B2B_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 9) : B2B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : B2B_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 10) : B2B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 7) : B2B_L02	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B2B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B2B_L02	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B2B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B2B_L02	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B2B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B2B_L02	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : B2B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : B2B_L02	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 102 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 5) : B2B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : B2B_L02	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 6) : B2B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : B2B_L02	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 7) : B2B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 8) : B2B_L02	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 8) : B2B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 8) : B2B_L02	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 9) : B2B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 9) : B2B_L02	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B2B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B2B_L02	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B2B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B2B_L02	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 103 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 3) : B2B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B2B_L02	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : B2B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B2B_L02	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : B2B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B2B_L02	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 6) : B2B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : B2B_L02	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 7) : B2B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : B2B_L02	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 8) : B2B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 7) : B2B_L02	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 9) : B2B_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 7) : B2B_L02	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 104 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 1) : B3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3_L02	90	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3_L02	90	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3_L02	90	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : B3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3_L02	90	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : B3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B3_L02	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B3_L02	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 105 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 3) : B3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B3_L02	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : B3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B3_L02	180	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B4_L02	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B4_L02	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B4_L02	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B4_L02	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : C1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1_L02	180	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 106 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : C1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1_L02	180	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : C1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1_L02	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : C1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : C1_L02	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : C1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : C1_L02	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : C1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : C1_L02	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : C1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : C1_L02	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : C1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : C1_L02	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 107 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 1) : C1.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : C1.1_L02	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : C1.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : C1.1_L02	90	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : C1.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : C1.1_L02	90	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : C1.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : C1.1_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : C1.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : C1.1_L02	90	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : C1.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : C1.1_L02	90	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 7) : C1.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : C1.1_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 108 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 8) : C1.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : C1.1_L02	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : C1.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1.1_L02	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : C1.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1.1_L02	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : C1.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : C1.1_L02	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : C1.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : C1.1_L02	180	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : C1.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : C1.1_L02	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 6) : C1.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : C1.1_L02	180	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 109 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 7) : C1.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : C1.1_L02	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 8) : C1.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : C1.1_L02	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : C1.2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : C1.2_L02	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : C1.2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : C1.2_L02	0	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : C1.2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : C1.2_L02	0	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : C1.2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : C1.2_L02	0	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : C1.2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : C1.2_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 110 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 2) : C1.2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : C1.2_L02	90	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : C1.2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : C1.2_L02	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : C1.2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : C1.2_L02	180	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : C1.2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : C1.2_L02	180	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : C1.2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : C1.2_L02	180	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : C1.2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : C1.2_L02	180	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : C1.2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : C1.2_L02	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 111 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 2) : C1.2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : C1.2_L02	270	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : C1.2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : C1.2_L02	270	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : C1.2_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : C1.2_L02	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : C1.3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1.3_L02	180	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : C1.3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1.3_L02	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : C1.3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : C1.3_L02	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : C1.3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : C1.3_L02	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 112 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : C1.3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : C1.3_L02	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : C1.3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : C1.3_L02	270	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : C1.3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : C1.3_L02	270	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : C1.3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : C1.3_L02	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : Corridor_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : Corridor_L02	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : Corridor_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : Corridor_L02	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : Corridor_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : Corridor_L02	270	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 113 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 4) : Corridor_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : Corridor_L02	270	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : Corridor_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : Corridor_L02	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 6) : Corridor_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : Corridor_L02	270	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 7) : Corridor_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : Corridor_L02	270	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 8) : Corridor_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : Corridor_L02	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 9) : Corridor_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : Corridor_L02	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 10) : Corridor_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : Corridor_L02	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 114 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 11) : Corridor_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : Corridor_L02	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 12) : Corridor_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : Corridor_L02	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : Stair 1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : Stair 1_L02	0	1	13.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : Stair 1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : Stair 1_L02	270	1	13.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : Stair 1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : Stair 1_L02	270	1	13.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : Stair 3_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Stair 3_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : Stair 4_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Stair 4_L02	90	1	13.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 115 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 1) : Stair 5_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Stair 5_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : Stair 6_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Stair 6_L02	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A3B.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A3B.1_L02	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A3B.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A3B.1_L02	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A3B.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A3B.1_L02	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : A3B.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : A3B.1_L02	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : A3B.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : A3B.1_L02	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 116 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 5) : A3B.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : A3B.1_L02	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 6) : A3B.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : A3B.1_L02	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 7) : A3B.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : A3B.1_L02	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 8) : A3B.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 8) : A3B.1_L02	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A3B.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A3B.1_L02	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A3B.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A3B.1_L02	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : A3B.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : A3B.1_L02	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 117 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 4) : A3B.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : A3B.1_L02	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : A3B.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : A3B.1_L02	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 6) : A3B.1_L02	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : A3B.1_L02	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A1_L03	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A1_L03	0	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : A1_L03	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : A1_L03	0	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 118 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 5) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : A1_L03	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 6) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : A1_L03	0	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 7) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : A1_L03	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 8) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : A1_L03	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 9) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : A1_L03	0	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 10) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 7) : A1_L03	0	1	48.44	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 11) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 7) : A1_L03	0	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 119 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 12) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 8) : A1_L03	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 13) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 8) : A1_L03	0	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A1_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A1_L03	90	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : A1_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : A1_L03	90	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A1_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 120 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A1_L03	180	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A1_L03	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A1_L03	270	1	48.44	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A2_L03	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A2_L03	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A2_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A2_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 121 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : A2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A2_L03	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A2_L03	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A2.1_L03	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A2.1_L03	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : A2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : A2.1_L03	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : A2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : A2.1_L03	0	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 5) : A2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : A2.1_L03	0	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 122 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 6) : A2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : A2.1_L03	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 7) : A2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 7) : A2.1_L03	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 8) : A2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 9) : A2.1_L03	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A2.1_L03	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : A2.1_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : A2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : A2.1_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : A2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : A2.1_L03	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 123 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 5) : A2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 8) : A2.1_L03	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : A2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 9) : A2.1_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 7) : A2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 10) : A2.1_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A2.1_L03	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A2.1_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : A2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : A2.1_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : A2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : A2.1_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 124 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 5) : A2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : A2.1_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A2.1_L03	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A2.1_L03	270	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : A2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A2.1_L03	270	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : A2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A2.1_L03	270	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : A2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : A2.1_L03	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A3_L03	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 125 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 2) : A3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A3_L03	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : A3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : A3_L03	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : A3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : A3_L03	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 5) : A3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : A3_L03	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A3_L03	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A3_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : A3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : A3_L03	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 126 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 1) : A3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A3_L03	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A3_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : A3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : A3_L03	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A3_L03	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A3.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A3.1_L03	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A3.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A3.1_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A3.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A3.1_L03	90	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 127 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 3) : A3.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : A3.1_L03	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : A3.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : A3.1_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A3.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A3.1_L03	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A3.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A3.1_L03	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : A3.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : A3.1_L03	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : A3.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : A3.1_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : A3.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : A3.1_L03	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 128 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : A3.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A3.1_L03	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A3.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A3.1_L03	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A3B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A3B_L03	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A3B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A3B_L03	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : A3B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : A3B_L03	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : A3B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : A3B_L03	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 5) : A3B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : A3B_L03	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 129 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 1) : A3B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A3B_L03	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A3B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A3B_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : A3B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : A3B_L03	90	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : A3B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : A3B_L03	90	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : A3B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : A3B_L03	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : A3B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : A3B_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A3B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A3B_L03	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 130 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : A3B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A3B_L03	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A3B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A3B_L03	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : A3B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : A3B_L03	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : A3B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : A3B_L03	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : A3B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : A3B_L03	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 6) : A3B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : A3B_L03	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A3B.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A3B.1_L03	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 131 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 1) : A3B.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A3B.1_L03	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A3B.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A3B.1_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : A3B.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : A3B.1_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : A3B.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : A3B.1_L03	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : A3B.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : A3B.1_L03	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 6) : A3B.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : A3B.1_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 7) : A3B.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : A3B.1_L03	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 132 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 8) : A3B.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 8) : A3B.1_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A3B.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A3B.1_L03	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A3B.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A3B.1_L03	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : A3B.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : A3B.1_L03	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : A3B.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : A3B.1_L03	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : A3B.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : A3B.1_L03	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 6) : A3B.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : A3B.1_L03	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 133 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 1) : B1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B1_L03	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B1_L03	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : B1_L03	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : B1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : B1_L03	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : B1_L03	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : B1_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : B1_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 134 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 1) : B1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B1_L03	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B1_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B1_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : B1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : B1_L03	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : B1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : B1_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 6) : B1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : B1_L03	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 7) : B1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 8) : B1_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 135 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : B1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B1_L03	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : B1_L03	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : B1_L03	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : B1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : B1_L03	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : B1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 7) : B1_L03	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 6) : B1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 8) : B1_L03	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B2_L03	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 136 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 2) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : B2_L03	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : B2_L03	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : B2_L03	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 5) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : B2_L03	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 6) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 7) : B2_L03	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 7) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 7) : B2_L03	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 8) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 9) : B2_L03	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 137 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 9) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 10) : B2_L03	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 10) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 10) : B2_L03	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 11) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 12) : B2_L03	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 12) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 12) : B2_L03	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 13) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 13) : B2_L03	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B2_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B2_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 138 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 3) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B2_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : B2_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : B2_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : B2_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 7) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : B2_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 8) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : B2_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 9) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : B2_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 139 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 10) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 7) : B2_L03	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 11) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 8) : B2_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 12) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 8) : B2_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 13) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 9) : B2_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 14) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 11) : B2_L03	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 15) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 12) : B2_L03	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B2_L03	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 140 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B2_L03	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B2_L03	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : B2_L03	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : B2_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 6) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : B2_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 7) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : B2_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B2_L03	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 141 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 2) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B2_L03	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B2_L03	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : B2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : B2_L03	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B2.1_L03	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B2.1_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B2.1_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : B2.1_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 142 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 4) : B2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : B2.1_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : B2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : B2.1_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : B2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : B2.1_L03	90	1	48.44	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B2.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B2.1_L03	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B2.2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B2.2_L03	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B2.2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B2.2_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B2.2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B2.2_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 143 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 3) : B2.2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B2.2_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : B2.2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : B2.2_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : B2.2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : B2.2_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : B2.2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : B2.2_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B2.2_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B2.2_L03	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B2.3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B2.3_L03	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B2.3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B2.3_L03	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 144 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 3) : B2.3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B2.3_L03	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B2.3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B2.3_L03	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B2B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B2B_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B2B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B2B_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B2B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B2B_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : B2B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : B2B_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : B2B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : B2B_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 145 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 6) : B2B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : B2B_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 7) : B2B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : B2B_L03	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 8) : B2B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : B2B_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 9) : B2B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : B2B_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 10) : B2B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 7) : B2B_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B2B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B2B_L03	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B2B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B2B_L03	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 146 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 3) : B2B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B2B_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : B2B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : B2B_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : B2B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : B2B_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 6) : B2B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : B2B_L03	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 7) : B2B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : B2B_L03	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 8) : B2B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : B2B_L03	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 9) : B2B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 9) : B2B_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 147 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 10) : B2B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 9) : B2B_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 11) : B2B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 10) : B2B_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 12) : B2B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 11) : B2B_L03	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B2B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B2B_L03	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B2B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B2B_L03	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B2B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B2B_L03	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : B2B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : B2B_L03	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 148 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 5) : B2B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : B2B_L03	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 6) : B2B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : B2B_L03	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 7) : B2B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : B2B_L03	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 8) : B2B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 7) : B2B_L03	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 9) : B2B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 7) : B2B_L03	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 10) : B2B_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 8) : B2B_L03	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3_L03	90	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 149 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 2) : B3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3_L03	90	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3_L03	90	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : B3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3_L03	90	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : B3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B3_L03	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B3_L03	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B3_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 150 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 4) : B3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B3_L03	180	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B4_L03	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B4_L03	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B4_L03	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B4_L03	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B4_L03	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : B4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B4_L03	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 151 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 5) : B4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B4_L03	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 6) : B4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : B4_L03	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : C1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1_L03	180	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : C1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1_L03	180	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : C1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : C1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : C1_L03	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : C1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : C1_L03	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 152 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 2) : C1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : C1_L03	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : C1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : C1_L03	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : C1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : C1_L03	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : C1.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : C1.1_L03	90	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : C1.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : C1.1_L03	90	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : C1.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : C1.1_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : C1.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : C1.1_L03	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 153 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 5) : C1.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : C1.1_L03	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : C1.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : C1.1_L03	90	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 7) : C1.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : C1.1_L03	90	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 8) : C1.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : C1.1_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : C1.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1.1_L03	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : C1.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1.1_L03	180	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : C1.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : C1.1_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 154 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 4) : C1.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : C1.1_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : C1.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : C1.1_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 6) : C1.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : C1.1_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 7) : C1.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : C1.1_L03	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 8) : C1.1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : C1.1_L03	180	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : C1.2 74_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : C1.2 74_L03	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : C1.2 74_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : C1.2 74_L03	0	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 155 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 3) : C1.2 74_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : C1.2 74_L03	0	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : C1.2 74_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : C1.2 74_L03	0	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : C1.2 74_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : C1.2 74_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : C1.2 74_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : C1.2 74_L03	90	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : C1.2 74_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : C1.2 74_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : C1.2 74_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : C1.2 74_L03	180	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : C1.2 74_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : C1.2 74_L03	180	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 156 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 4) : C1.2 74_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : C1.2 74_L03	180	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : C1.2 74_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : C1.2 74_L03	180	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : C1.2 74_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : C1.2 74_L03	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : C1.2 74_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : C1.2 74_L03	270	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : C1.2 74_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : C1.2 74_L03	270	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : C1.2 74_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : C1.2 74_L03	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : C1.3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1.3_L03	180	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 157 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : C1.3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1.3_L03	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : C1.3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : C1.3_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : C1.3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : C1.3_L03	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : C1.3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : C1.3_L03	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : C1.3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : C1.3_L03	270	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : C1.3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : C1.3_L03	270	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : C1.3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : C1.3_L03	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 158 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : Corridor_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : Corridor_L03	270	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : Corridor_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : Corridor_L03	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : Corridor_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : Corridor_L03	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : Corridor_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : Corridor_L03	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : Corridor_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : Corridor_L03	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 6) : Corridor_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : Corridor_L03	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 7) : Corridor_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : Corridor_L03	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 159 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 8) : Corridor_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : Corridor_L03	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 9) : Corridor_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : Corridor_L03	270	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 10) : Corridor_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : Corridor_L03	270	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 11) : Corridor_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : Corridor_L03	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 12) : Corridor_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : Corridor_L03	270	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : Stair 1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : Stair 1_L03	0	1	13.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : Stair 1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : Stair 1_L03	270	1	13.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 160 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 2) : Stair 1_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : Stair 1_L03	270	1	13.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : Stair 3_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Stair 3_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : Stair 4_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Stair 4_L03	90	1	13.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : Stair 5_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Stair 5_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : Stair 6_L03	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Stair 6_L03	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A1_L04	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A1_L04	0	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 161 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 3) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : A1_L04	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : A1_L04	0	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 5) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : A1_L04	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 6) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : A1_L04	0	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 7) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : A1_L04	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 8) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : A1_L04	0	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 9) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 7) : A1_L04	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 162 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 10) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 8) : A1_L04	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 11) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 8) : A1_L04	0	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 12) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 9) : A1_L04	0	1	48.44	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 13) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 9) : A1_L04	0	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A1_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A1_L04	90	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : A1_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 163 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 4) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : A1_L04	90	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A1_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A1_L04	180	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A1_L04	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A1_L04	270	1	48.44	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A2_L04	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A2_L04	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 164 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 1) : A2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A2_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A2_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A2_L04	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A2_L04	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A2.1_L04	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A2.1_L04	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : A2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : A2.1_L04	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 165 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 4) : A2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : A2.1_L04	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 5) : A2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : A2.1_L04	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 6) : A2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 8) : A2.1_L04	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 7) : A2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 9) : A2.1_L04	0	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 8) : A2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 9) : A2.1_L04	0	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : A2.1_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : A2.1_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 166 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 3) : A2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : A2.1_L04	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : A2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 8) : A2.1_L04	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : A2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 9) : A2.1_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : A2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 10) : A2.1_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 7) : A2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 11) : A2.1_L04	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A2.1_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A2.1_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 167 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 3) : A2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : A2.1_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : A2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : A2.1_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : A2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : A2.1_L04	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A2.1_L04	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A2.1_L04	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : A2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : A2.1_L04	270	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : A2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : A2.1_L04	270	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 168 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 5) : A2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : A2.1_L04	270	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A3_L04	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A3_L04	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : A3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : A3_L04	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : A3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : A3_L04	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 5) : A3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : A3_L04	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A3_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 169 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 2) : A3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A3_L04	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : A3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : A3_L04	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A3_L04	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A3_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : A3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : A3_L04	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A3_L04	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A3.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A3.1_L04	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 170 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 1) : A3.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A3.1_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A3.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A3.1_L04	90	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : A3.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : A3.1_L04	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : A3.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : A3.1_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A3.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A3.1_L04	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A3.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A3.1_L04	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : A3.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : A3.1_L04	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 171 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 4) : A3.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : A3.1_L04	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : A3.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : A3.1_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A3.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A3.1_L04	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A3.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A3.1_L04	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A3B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A3B_L04	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A3B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A3B_L04	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : A3B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : A3B_L04	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 172 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 4) : A3B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : A3B_L04	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 5) : A3B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : A3B_L04	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A3B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A3B_L04	90	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A3B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A3B_L04	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : A3B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : A3B_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : A3B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : A3B_L04	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : A3B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : A3B_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 173 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 6) : A3B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : A3B_L04	90	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A3B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A3B_L04	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A3B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A3B_L04	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A3B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A3B_L04	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : A3B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : A3B_L04	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : A3B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : A3B_L04	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : A3B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : A3B_L04	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 174 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 6) : A3B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : A3B_L04	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A3B.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A3B.1_L04	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A3B.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A3B.1_L04	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A3B.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A3B.1_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : A3B.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : A3B.1_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : A3B.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : A3B.1_L04	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : A3B.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : A3B.1_L04	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 175 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 6) : A3B.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : A3B.1_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 7) : A3B.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : A3B.1_L04	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 8) : A3B.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 8) : A3B.1_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A3B.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A3B.1_L04	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A3B.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A3B.1_L04	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : A3B.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : A3B.1_L04	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : A3B.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : A3B.1_L04	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 176 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 5) : A3B.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : A3B.1_L04	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 6) : A3B.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : A3B.1_L04	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B1_L04	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : B1_L04	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : B1_L04	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : B1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 5) : B1_L04	0	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B1_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 177 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 2) : B1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : B1_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : B1_L04	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B1_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B1_L04	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B1_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : B1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : B1_L04	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : B1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : B1_L04	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 178 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 6) : B1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : B1_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 7) : B1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 8) : B1_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B1_L04	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B1_L04	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : B1_L04	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : B1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : B1_L04	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : B1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 7) : B1_L04	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 179 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 6) : B1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 8) : B1_L04	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B2_L04	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B2_L04	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B2_L04	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : B2_L04	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 5) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : B2_L04	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 6) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : B2_L04	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 180 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 7) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : B2_L04	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 8) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 7) : B2_L04	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 9) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 7) : B2_L04	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 10) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 8) : B2_L04	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 11) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 8) : B2_L04	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 12) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 9) : B2_L04	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 13) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 13) : B2_L04	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 181 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 1) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B2_L04	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B2_L04	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : B2_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : B2_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : B2_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : B2_L04	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 7) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 7) : B2_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 182 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 8) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 7) : B2_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 9) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 8) : B2_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 10) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 9) : B2_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 11) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 9) : B2_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 12) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 10) : B2_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 13) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 11) : B2_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 14) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 12) : B2_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 183 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 15) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 12) : B2_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B2_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B2_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B2_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B2_L04	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : B2_L04	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 6) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : B2_L04	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 184 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 7) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : B2_L04	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B2_L04	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : B2_L04	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : B2_L04	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : B2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : B2_L04	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B2.1_L04	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B2.1_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 185 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 2) : B2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B2.1_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : B2.1_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : B2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : B2.1_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : B2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : B2.1_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : B2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : B2.1_L04	90	1	48.44	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B2.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B2.1_L04	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B2.2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B2.2_L04	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 186 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 1) : B2.2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B2.2_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B2.2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B2.2_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B2.2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B2.2_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : B2.2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : B2.2_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : B2.2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : B2.2_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : B2.2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : B2.2_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B2.2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B2.2_L04	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 187 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 1) : B2.3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B2.3_L04	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : B2.3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B2.3_L04	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : B2.3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B2.3_L04	0	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B2.3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B2.3_L04	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B2B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B2B_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B2B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B2B_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B2B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B2B_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 188 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 4) : B2B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : B2B_L04	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : B2B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : B2B_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : B2B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : B2B_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 7) : B2B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : B2B_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 8) : B2B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : B2B_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 9) : B2B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : B2B_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 10) : B2B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 7) : B2B_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 189 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 1) : B2B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B2B_L04	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B2B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B2B_L04	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B2B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : B2B_L04	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : B2B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : B2B_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : B2B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : B2B_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 6) : B2B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : B2B_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 7) : B2B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : B2B_L04	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 190 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 8) : B2B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 8) : B2B_L04	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 9) : B2B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 9) : B2B_L04	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 10) : B2B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 10) : B2B_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 11) : B2B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 10) : B2B_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 12) : B2B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 11) : B2B_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B2B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B2B_L04	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B2B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B2B_L04	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 191 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 3) : B2B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B2B_L04	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : B2B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B2B_L04	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : B2B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B2B_L04	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 6) : B2B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : B2B_L04	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 7) : B2B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : B2B_L04	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 8) : B2B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 6) : B2B_L04	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 9) : B2B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 7) : B2B_L04	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 192 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 10) : B2B_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 8) : B2B_L04	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3_L04	90	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3_L04	90	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3_L04	90	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : B3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3_L04	90	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : B3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B3_L04	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 193 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : B3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B3_L04	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B3_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : B3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B3_L04	180	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B4_L04	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B4_L04	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B4_L04	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B4_L04	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 194 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 3) : B4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B4_L04	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : B4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B4_L04	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : B4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B4_L04	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 6) : B4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : B4_L04	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : C1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1_L04	180	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : C1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1_L04	180	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : C1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 195 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 4) : C1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : C1_L04	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : C1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : C1_L04	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : C1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : C1_L04	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : C1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : C1_L04	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : C1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : C1_L04	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : C1.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : C1.1_L04	90	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : C1.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : C1.1_L04	90	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 196 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 3) : C1.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : C1.1_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : C1.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : C1.1_L04	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : C1.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : C1.1_L04	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : C1.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : C1.1_L04	90	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 7) : C1.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : C1.1_L04	90	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 8) : C1.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : C1.1_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : C1.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1.1_L04	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 197 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : C1.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1.1_L04	180	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : C1.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : C1.1_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : C1.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : C1.1_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : C1.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : C1.1_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 6) : C1.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : C1.1_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 7) : C1.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : C1.1_L04	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 8) : C1.1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : C1.1_L04	180	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 198 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 1) : C1.2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 3) : C1.2_L04	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : C1.2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : C1.2_L04	0	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 3) : C1.2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 4) : C1.2_L04	0	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 4) : C1.2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 6) : C1.2_L04	0	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : C1.2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : C1.2_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : C1.2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : C1.2_L04	90	1	22.6	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : C1.2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : C1.2_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 199 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : C1.2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : C1.2_L04	180	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : C1.2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : C1.2_L04	180	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : C1.2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : C1.2_L04	180	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : C1.2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : C1.2_L04	180	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : C1.2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : C1.2_L04	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : C1.2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : C1.2_L04	270	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : C1.2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : C1.2_L04	270	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 200 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 4) : C1.2_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : C1.2_L04	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : C1.3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1.3_L04	180	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : C1.3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1.3_L04	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : C1.3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : C1.3_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : C1.3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : C1.3_L04	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : C1.3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : C1.3_L04	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : C1.3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : C1.3_L04	270	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 201 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 3) : C1.3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : C1.3_L04	270	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : C1.3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : C1.3_L04	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : Corridor_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : Corridor_L04	270	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : Corridor_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : Corridor_L04	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : Corridor_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : Corridor_L04	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : Corridor_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : Corridor_L04	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : Corridor_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : Corridor_L04	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 202 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 6) : Corridor_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : Corridor_L04	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 7) : Corridor_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : Corridor_L04	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 8) : Corridor_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : Corridor_L04	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 9) : Corridor_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : Corridor_L04	270	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 10) : Corridor_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : Corridor_L04	270	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 11) : Corridor_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : Corridor_L04	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 12) : Corridor_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : Corridor_L04	270	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 203 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Front 1) : Stair 1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : Stair 1_L04	0	1	13.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : Stair 1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : Stair 1_L04	270	1	13.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : Stair 1_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : Stair 1_L04	270	1	13.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : Stair 3_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Stair 3_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : Stair 4_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Stair 4_L04	90	1	13.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : Stair 5_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Stair 5_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : Stair 6_L04	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Stair 6_L04	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 204 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 1) : A1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A1_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A1_L05	90	1	39.83	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A1_L05	270	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A1_L05	270	1	48.44	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A2_L05	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A2_L05	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A2_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 205 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 2) : A2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A2_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A2_L05	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A2_L05	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : A2.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A2.1_L05	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A2.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : A2.1_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : A2.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : A2.1_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A2.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A2.1_L05	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 206 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : A2.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A2.1_L05	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : A2.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : A2.1_L05	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : A2.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : A2.1_L05	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : A2.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : A2.1_L05	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A2.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A2.1_L05	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : A3B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : A3B_L05	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 2) : A3B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : A3B_L05	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 207 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 1) : A3B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : A3B_L05	90	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : A3B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : A3B_L05	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : A3B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : A3B_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : A3B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : A3B_L05	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : A3B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : A3B_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A3B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A3B_L05	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A3B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A3B_L05	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 208 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 2) : A3B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A3B_L05	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : A3B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : A3B_L05	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : A3B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : A3B_L05	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : A3B.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : A3B.1_L05	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : A3B.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : A3B.1_L05	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : A3B.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : A3B.1_L05	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : A3B.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : A3B.1_L05	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 209 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 5) : A3B.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : A3B.1_L05	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 6) : A3B.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : A3B.1_L05	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : A3B.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : A3B.1_L05	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : A3B.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : A3B.1_L05	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : A3B.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : A3B.1_L05	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B1_L05	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B1_L05	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 210 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 3) : B1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B1_L05	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B1_L05	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B2_L05	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B2_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B2_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B2_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : B2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : B2_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 211 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 5) : B2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : B2_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : B2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : B2_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B2_L05	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B2.2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : B2.2_L05	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B2.2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B2.2_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B2.2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B2.2_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B2.2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B2.2_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 212 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 4) : B2.2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : B2.2_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : B2.2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : B2.2_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : B2.2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : B2.2_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B2.2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B2.2_L05	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : B2B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B2B_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B2B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : B2B_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B2B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : B2B_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 213 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 4) : B2B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : B2B_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : B2B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : B2B_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : B2B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 5) : B2B_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 7) : B2B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : B2B_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 8) : B2B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 6) : B2B_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 9) : B2B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 7) : B2B_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B2B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B2B_L05	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 214 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : B2B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B2B_L05	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : B2B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B2B_L05	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : B2B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : B2B_L05	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : B2B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 5) : B2B_L05	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 6) : B2B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 6) : B2B_L05	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 7) : B2B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 7) : B2B_L05	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 8) : B2B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 8) : B2B_L05	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 215 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : B2B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B2B_L05	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B2B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B2B_L05	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B2B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B2B_L05	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : B2B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B2B_L05	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : B2B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : B2B_L05	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 6) : B2B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : B2B_L05	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 7) : B2B_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 5) : B2B_L05	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 216 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 1) : B3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3_L05	90	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : B3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3_L05	90	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : B3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3_L05	90	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 4) : B3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3_L05	90	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : B3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : B3_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B3_L05	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : B3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B3_L05	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 217 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 3) : B3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B3_L05	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : B3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : B3_L05	180	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : B4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 2) : B4_L05	0	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : B4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : B4_L05	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : B4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B4_L05	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : B4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : B4_L05	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : B4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : B4_L05	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 218 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 4) : B4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B4_L05	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 5) : B4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : B4_L05	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 6) : B4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : B4_L05	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : C1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1_L05	180	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : C1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1_L05	180	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : C1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1_L05	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : C1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : C1_L05	180	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 219 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 1) : C1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : C1_L05	270	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : C1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : C1_L05	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : C1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : C1_L05	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : C1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : C1_L05	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : C1.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : C1.1_L05	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 2) : C1.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : C1.1_L05	90	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 3) : C1.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : C1.1_L05	90	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 220 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 4) : C1.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 2) : C1.1_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 5) : C1.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : C1.1_L05	90	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 6) : C1.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : C1.1_L05	90	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 7) : C1.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 3) : C1.1_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 8) : C1.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 4) : C1.1_L05	90	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : C1.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1.1_L05	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : C1.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1.1_L05	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 221 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 3) : C1.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : C1.1_L05	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : C1.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : C1.1_L05	180	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : C1.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : C1.1_L05	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 6) : C1.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : C1.1_L05	180	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 7) : C1.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : C1.1_L05	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 8) : C1.1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 4) : C1.1_L05	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : C1.2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : C1.2_L05	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 222 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Back 2) : C1.2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : C1.2_L05	180	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : C1.2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : C1.2_L05	180	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : C1.2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : C1.2_L05	180	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 5) : C1.2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 3) : C1.2_L05	180	1	12.92	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : C1.2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : C1.2_L05	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : C1.2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : C1.2_L05	270	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 3) : C1.2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 3) : C1.2_L05	270	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 223 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 4) : C1.2_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 4) : C1.2_L05	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 1) : C1.3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1.3_L05	180	1	19.38	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 2) : C1.3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 1) : C1.3_L05	180	1	32.29	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 3) : C1.3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : C1.3_L05	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Back 4) : C1.3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Back 2) : C1.3_L05	180	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : C1.3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : C1.3_L05	270	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : C1.3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : C1.3_L05	270	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 224 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Right 3) : C1.3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : C1.3_L05	270	1	9.69	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 4) : C1.3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 2) : C1.3_L05	270	1	23.68	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Front 1) : Stair 1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Front 1) : Stair 1_L05	0	1	13.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 1) : Stair 1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : Stair 1_L05	270	1	13.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Right 2) : Stair 1_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Right 1) : Stair 1_L05	270	1	13.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : Stair 3_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Stair 3_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : Stair 4_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Stair 4_L05	90	1	13.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 225 of 240)

G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)												
01	02	03	04	05	06	07	08	09	10	11	12	13
Fenestration Name	Fenestration Type/ Product Type / Frame Type	Parent Surface	Azimuth	Multiplier	Area (ft²)	Overall U-factor	U-factor Source	Overall SHGC	SHGC Source	Overall VT	Exterior Shading	Status¹
Window (Left 1) : Stair 5_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Stair 5_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : Stair 6_L05	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Stair 6_L05	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : Stair 3_L06	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Stair 3_L06	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : Stair 4_L06	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Stair 4_L06	90	1	13.99	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : Stair 5_L06	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Stair 5_L06	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
Window (Left 1) : Stair 6_L06	Vertical fenestration Architectural Window - Operable (Multifamily only) N/A	ExtWall (Left 1) : Stair 6_L06	90	1	38.75	0.3	NFRC	0.23	NFRC	N/A	Standard bug screens	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 226 of 240)

H1. DRY SYSTEM EQUIPMENT (FURNACES, AIR HANDLING UNITS, HEAT PUMPS, VRF, ECONOMIZERS ETC.)											
01	02	03	04	05	06	07	08	09	10	11	12
Equipment Name	Equipment Type	Qty	Heating				Cooling			Economizer Type (if present)	Status ¹
			Total Heating Output (kBtu/h)	Supp Heat Output (kBtu/h)	Efficiency Unit	Efficiency	Total Cooling Output (kBtu/h)	Efficiency Unit	Efficiency		
SFC-7_Leasing_L01 AirSys	Single Zone Heat Pump (SZHP) Air System	1	57.7	0	COP HSPF2	3.4 7.5	57.9	EER2 SEER2	0 14.3	No Economizer	N
SFC-5_Mail-Parcel_L01 AirSys	Single Zone Heat Pump (SZHP) Air System	1	42.6	0	COP HSPF2	3.4 7.5	40.6	EER2 SEER2	0 14.3	No Economizer	N
SFC-5_Co-Working_L01 AirSys	Single Zone Heat Pump (SZHP) Air System	2	42.6	0	COP HSPF2	3.4 7.5	40.6	EER2 SEER2	0 14.3	No Economizer	N
SFC-1_Dog Wash_L01 AirSys	Single Zone Heat Pump (SZHP) Air System	1	17.4	0	COP HSPF2	3.45 7.5	17.2	EER2 SEER2	0 14.3	No Economizer	N
SFC-1_GOLF ROOM_L01 AirSys	Single Zone Heat Pump (SZHP) Air System	1	17.4	0	COP HSPF2	3.45 7.5	17.2	EER2 SEER2	0 14.3	No Economizer	N
¹ Status: N - New, A - Altered, E - Existing											

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 227 of 240)

H2. DWELLING UNIT HVAC HEATING AND COOLING SYSTEMS												
01	02	03	04	05	06	07	08	09	10	11	12	13
Dwelling Unit Type	Equipment Name	Equipment Type	Quantity	Air Distribution System Name	Fan System name	Heating				Cooling		
						Heat Output at 47	Heat Output at 17	Efficiency Unit	Efficiency	Total Cooling Output	Efficiency Unit	Efficiency
Unit A1	HP-1	Central split HP N/A	46	ResidentialDistributionSystem 1	ResidentialFan System 1	17,670	17,220	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3
Unit A2	HP-1	Central split HP N/A	10	ResidentialDistributionSystem 1	ResidentialFan System 1	17,670	17,220	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3
Unit A2.1	HP-1	Central split HP N/A	30	ResidentialDistributionSystem 1	ResidentialFan System 1	17,670	17,220	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3
Unit A3	HP-1	Central split HP N/A	16	ResidentialDistributionSystem 1	ResidentialFan System 1	17,670	17,220	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3
Unit A3.1	HP-1	Central split HP N/A	15	ResidentialDistributionSystem 1	ResidentialFan System 1	17,670	17,220	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3
Unit A3B	HP-1	Central split HP N/A	28	ResidentialDistributionSystem 1	ResidentialFan System 1	17,670	17,220	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3
Unit A3B.1	HP-1	Central split HP N/A	23	ResidentialDistributionSystem 1	ResidentialFan System 1	17,670	17,220	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3
Unit A4	HP-1	Central split HP N/A	1	ResidentialDistributionSystem 1	ResidentialFan System 1	17,670	17,220	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3
Unit A5	HP-1	Central split HP N/A	4	ResidentialDistributionSystem 1	ResidentialFan System 1	17,670	17,220	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD											NRCC-PRF-E	
Nonresidential Performance Compliance Method											(Page 228 of 240)	

H2. DWELLING UNIT HVAC HEATING AND COOLING SYSTEMS												
01	02	03	04	05	06	07	08	09	10	11	12	13
Dwelling Unit Type	Equipment Name	Equipment Type	Quantity	Air Distribution System Name	Fan System name	Heating				Cooling		
						Heat Output at 47	Heat Output at 17	Efficiency Unit	Efficiency	Total Cooling Output	Efficiency Unit	Efficiency
Unit A6	HP-1	Central split HP N/A	1	ResidentialDistributionSystem 1	ResidentialFan System 1	17,670	17,220	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3
Unit A7	HP-1	Central split HP N/A	1	ResidentialDistributionSystem 1	ResidentialFan System 1	17,670	17,220	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3
Unit B1	HP-2	Central split HP N/A	20	ResidentialDistributionSystem 1	ResidentialFan System 1	23,190	22,940	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3
Unit B2	HP-2	Central split HP N/A	33	ResidentialDistributionSystem 1	ResidentialFan System 1	23,190	22,940	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3
Unit B2.1	HP-2	Central split HP N/A	7	ResidentialDistributionSystem 1	ResidentialFan System 1	23,190	22,940	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3
Unit B2.2	HP-2	Central split HP N/A	6	ResidentialDistributionSystem 1	ResidentialFan System 1	23,190	22,940	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3
Unit B2.3	HP-1	Central split HP N/A	4	ResidentialDistributionSystem 1	ResidentialFan System 1	17,670	17,220	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3
Unit B2B	HP-2	Central split HP N/A	34	ResidentialDistributionSystem 1	ResidentialFan System 1	23,190	22,940	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3
Unit B3	HP-2	Central split HP N/A	4	ResidentialDistributionSystem 1	ResidentialFan System 1	23,190	22,940	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD											NRCC-PRF-E	
Nonresidential Performance Compliance Method											(Page 229 of 240)	

H2. DWELLING UNIT HVAC HEATING AND COOLING SYSTEMS												
01	02	03	04	05	06	07	08	09	10	11	12	13
Dwelling Unit Type	Equipment Name	Equipment Type	Quantity	Air Distribution System Name	Fan System name	Heating				Cooling		
						Heat Output at 47	Heat Output at 17	Efficiency Unit	Efficiency	Total Cooling Output	Efficiency Unit	Efficiency
Unit B4	HP-2	Central split HP N/A	8	ResidentialDistributionSystem 1	ResidentialFan System 1	23,190	22,940	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3
Unit C1	HP-3	Central split HP N/A	5	ResidentialDistributionSystem 1	ResidentialFan System 1	29,050	28,720	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3
Unit C1.1	HP-3	Central split HP N/A	10	ResidentialDistributionSystem 1	ResidentialFan System 1	29,050	28,720	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3
Unit C1.2	HP-3	Central split HP N/A	9	ResidentialDistributionSystem 1	ResidentialFan System 1	29,050	28,720	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3
Unit C1.3	HP-3	Central split HP N/A	5	ResidentialDistributionSystem 1	ResidentialFan System 1	29,050	28,720	HSPF2	7.5	N/A	EER2 SEER2	11.7 14.3

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 230 of 240)

H2b. Common Area HVAC Heating and Cooling Systems												
01	02	03	04	05	06	07	08	09	10	11	12	13
HVAC System Name	Equipment Name	Equipment Type	Quantity	Air Distribution System Name	Fan System name	Heating				Cooling		
						Heat Output at 47	Heat Output at 17	Efficiency Unit	Efficiency	Total Cooling Output	Efficiency Unit	Efficiency
MS-1_Elec. Room 01_L01	TOSHIBA RAV-SP122AT2P	Heat pump heating cooling	1	ResidentialDistributionSystem 1	MS-1 (Fan)	14,000	12,000	HSPF2	11.1	N/A	EER2 SEER2	12.48 25
MS-1_Elec. Room 02_L01	TOSHIBA RAV-SP122AT2P	Heat pump heating cooling	1	ResidentialDistributionSystem 1	MS-1 (Fan)	14,000	12,000	HSPF2	11.1	N/A	EER2 SEER2	12.48 25
MS-1_EMR_L01	TOSHIBA RAV-SP122AT2P	Heat pump heating cooling	1	ResidentialDistributionSystem 1	MS-1 (Fan)	14,000	12,000	HSPF2	11.1	N/A	EER2 SEER2	12.48 25
MS_IDF 01_L02	TOSHIBA RAV-SP122AT2P	Heat pump heating cooling	1	ResidentialDistributionSystem 1	MS-1 (Fan)	14,000	12,000	HSPF2	11.1	N/A	EER2 SEER2	12.48 25
MS-1_IDF 01_L04	TOSHIBA RAV-SP122AT2P	Heat pump heating cooling	1	ResidentialDistributionSystem 1	MS-1 (Fan)	14,000	12,000	HSPF2	11.1	N/A	EER2 SEER2	12.48 25
MS-1_IDF 02_L02	TOSHIBA RAV-SP122AT2P	Heat pump heating cooling	1	ResidentialDistributionSystem 1	MS-1 (Fan)	14,000	12,000	HSPF2	11.1	N/A	EER2 SEER2	12.48 25
MS-1_IDF 02_L04	TOSHIBA RAV-SP122AT2P	Heat pump heating cooling	1	ResidentialDistributionSystem 1	MS-1 (Fan)	14,000	12,000	HSPF2	11.1	N/A	EER2 SEER2	12.48 25
MS-1_Elec. Room 01_L02	TOSHIBA RAV-SP122AT2P	Heat pump heating cooling	1	ResidentialDistributionSystem 1	MS-1 (Fan)	14,000	12,000	HSPF2	11.1	N/A	EER2 SEER2	12.48 25

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD											NRCC-PRF-E	
Nonresidential Performance Compliance Method											(Page 231 of 240)	

H2b. Common Area HVAC Heating and Cooling Systems												
01	02	03	04	05	06	07	08	09	10	11	12	13
HVAC System Name	Equipment Name	Equipment Type	Quantity	Air Distribution System Name	Fan System name	Heating				Cooling		
						Heat Output at 47	Heat Output at 17	Efficiency Unit	Efficiency	Total Cooling Output	Efficiency Unit	Efficiency
MS-1_Elec. Room 02_L02	TOSHIBA RAV-SP122AT2P	Heat pump heating cooling	1	ResidentialDistributionSystem 1	MS-1 (Fan)	14,000	12,000	HSPF2	11.1	N/A	EER2 SEER2	12.48 25
MS-1_Elec. Room 03_L02	TOSHIBA RAV-SP122AT2P	Heat pump heating cooling	1	ResidentialDistributionSystem 1	MS-1 (Fan)	14,000	12,000	HSPF2	11.1	N/A	EER2 SEER2	12.48 25
MS-1_Elec. Room 04_L02	TOSHIBA RAV-SP122AT2P	Heat pump heating cooling	1	ResidentialDistributionSystem 1	MS-1 (Fan)	14,000	12,000	HSPF2	11.1	N/A	EER2 SEER2	12.48 25
MS-1_IDF 03_L02	TOSHIBA RAV-SP122AT2P	Heat pump heating cooling	1	ResidentialDistributionSystem 1	MS-1 (Fan)	14,000	12,000	HSPF2	11.1	N/A	EER2 SEER2	12.48 25
MS-1_IDF 03_L04	TOSHIBA RAV-SP122AT2P	Heat pump heating cooling	1	ResidentialDistributionSystem 1	MS-1 (Fan)	14,000	12,000	HSPF2	11.1	N/A	EER2 SEER2	12.48 25
MS-1_IDF 04_L02	TOSHIBA RAV-SP122AT2P	Heat pump heating cooling	1	ResidentialDistributionSystem 1	MS-1 (Fan)	14,000	12,000	HSPF2	11.1	N/A	EER2 SEER2	12.48 25
MS-1_IDF 04_L04	TOSHIBA RAV-SP122AT2P	Heat pump heating cooling	1	ResidentialDistributionSystem 1	MS-1 (Fan)	14,000	12,000	HSPF2	11.1	N/A	EER2 SEER2	12.48 25
MS-1_IDF 04_L05	TOSHIBA RAV-SP122AT2P	Heat pump heating cooling	1	ResidentialDistributionSystem 1	MS-1 (Fan)	14,000	12,000	HSPF2	11.1	N/A	EER2 SEER2	12.48 25

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD											NRCC-PRF-E	
Nonresidential Performance Compliance Method											(Page 232 of 240)	

H2b. Common Area HVAC Heating and Cooling Systems												
01	02	03	04	05	06	07	08	09	10	11	12	13
HVAC System Name	Equipment Name	Equipment Type	Quantity	Air Distribution System Name	Fan System name	Heating				Cooling		
						Heat Output at 47	Heat Output at 17	Efficiency Unit	Efficiency	Total Cooling Output	Efficiency Unit	Efficiency
MS-1_IDF 01_L03	TOSHIBA RAV-SP122AT2P	Heat pump heating cooling	1	ResidentialDistributionSystem 1	MS-1 (Fan)	14,000	12,000	HSPF2	11.1	N/A	EER2 SEER2	12.48 25
MS-1_IDF 01_L05	TOSHIBA RAV-SP122AT2P	Heat pump heating cooling	1	ResidentialDistributionSystem 1	MS-1 (Fan)	14,000	12,000	HSPF2	11.1	N/A	EER2 SEER2	12.48 25

H3. NONRESIDENTIAL / COMMON USE AREA FAN SYSTEMS SUMMARY												
01	02	03	04	05	06	07	08	09	10	11	12	13
Name or Item Tag	Qty	Design OA CFM	Supply Fan				Return / Relief Fan					Status ¹
			CFM	Power	Power Units	Control	Fan Type	CFM	Power	Power Units	Control	
SFC-7_Leasing_L01 AirSys	1	327	2,000	0.75	BHP	Constant Vol	N/A	N/A	N/A	N/A	N/A	N
SFC-5_Mail-Parcel_L01 AirSys	1	885.5	1,400	0.5	BHP	Constant Vol	N/A	N/A	N/A	N/A	N/A	N
SFC-5_Co-Working_L01 AirSys	2	88.05	1,400	0.5	BHP	Constant Vol	N/A	N/A	N/A	N/A	N/A	N
SFC-1_Dog Wash_L01 AirSys	1	82.7	600	0.33	BHP	Constant Vol	N/A	N/A	N/A	N/A	N/A	N
SFC-1_GOLF ROOM_L01 AirSys	1	271.8	600	0.33	BHP	Constant Vol	N/A	N/A	N/A	N/A	N/A	N
¹ Status: N - New, A - Altered, E - Existing												

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 233 of 240)

H3a. MULTIFAMILY / COMMON USE AREA FAN SYSTEMS SUMMARY				
01	02	03	04	05
Name	Type	Power	Power Units	Status
ResidentialFanSystem 1	Fixed speed	0.45	W/cfm	N/A
MS-1 (Fan)	Fixed speed	0.45	W/cfm	N/A

H3b. MULTIFAMILY / COMMON USE AREA IAQ FAN SYSTEMS SUMMARY					
01	02	03	04	05	06
Name	Type	Airflow (CFM)	Power	Power Units	Status
IAQ Fan_50 CFM	Exhaust	50	0.09	W/cfm	N/A
IAQ Fan_60 CFM	Exhaust	60	0.08	W/cfm	N/A
IAQ Fan_70 CFM	Exhaust	70	0.07	W/cfm	N/A
IAQ Fan_80 CFM	Exhaust	80	0.08	W/cfm	N/A
EF-2_Restroom_150CFM	Exhaust	150	0.1	W/cfm	N/A
EF-1_Janitor_110CFM	Exhaust	110	0.07	W/cfm	N/A
EF-1_Restroom_L01	Exhaust	110	0.07	W/cfm	N/A
EF-SF_Corridor	Balanced	1245012100	0.440.3	W/cfm	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 234 of 240)

H4. MULTIFAMILY HVAC DISTRIBUTION							
01	02	03	04	05	06	07	08
Name	Type	Duct Ins. R-value Supply	Duct Ins. R-value Return	Duct Location Supply	Duct Location Return	Verified Duct Design Surface Area	
						Supply	Return
ResidentialDistributionSystem 1	Conditioned space-entirely (Non-Verified)	R-4.2	R-4.2	Conditioned Zone	Conditioned Zone	n/a	n/a
SFC-7_Leasing_L01 AirSys- Air Dist	Conditioned space-entirely (Non-Verified)	0	0	Conditioned Zone	Conditioned Zone	0	0
SFC-5_Mail-Parcel_L01 AirSys- Air Dist	Conditioned space-entirely (Non-Verified)	0	0	Conditioned Zone	Conditioned Zone	0	0
SFC-5_Co-Working_L01 AirSys- Air Dist	Conditioned space-entirely (Non-Verified)	0	0	Conditioned Zone	Conditioned Zone	0	0
SFC-1_Dog Wash_L01 AirSys- Air Dist	Unconditioned space (Non-Verified)	0	0	Unconditioned Zone	Unconditioned Zone	0	0
SFC-1_GOLF ROOM_L01 AirSys- Air Dist	Unconditioned space (Non-Verified)	0	0	Unconditioned Zone	Unconditioned Zone	0	0

H9. NONRESIDENTIAL / COMMON USE AREA & HOTEL/MOTEL VENTILATION						
01	02	03	04	05	06	07
Zone Name	Mechanical Ventilation				Conditioned Area (sf)	DCV or Occupant Sensor Controls, or Both
	Ventilation Function	# of People	Supply OA CFM	Exhaust CFM		
Co-Working_L01	Office - Office space	5.87	176.1	0	1174.52	N/A
Dog Wash_L01	Misc - All others	2.76	82.7	0	551.42	N/A
Elec. Room 01_L01	General - Unoccupied	0.21	0	0	141.24	N/A
Elec. Room 02_L01	General - Unoccupied	0.18	0	0	120.54	N/A
EMR_L01	General - Unoccupied	0.14	0	0	95.84	N/A
GOLF ROOM_L01	Sports/Entertainment - Gym, sports arena (play area)	5.44	271.8	0	543.77	N/A
Leasing_L01	Office - Office space	10.9	327	0	2180.17	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 235 of 240)

H9. NONRESIDENTIAL / COMMON USE AREA & HOTEL/MOTEL VENTILATION						
01	02	03	04	05	06	07
Zone Name	Mechanical Ventilation				Conditioned Area (sf)	DCV or Occupant Sensor Controls, or Both
	Ventilation Function	# of People	Supply OA CFM	Exhaust CFM		
Mail-Parcel_L01	Residential - Common corridors	59.04	885.5	0	1771.09	N/A
Elec. Room 01_L02	General - Unoccupied	0.09	0	0	59.83	N/A
Elec. Room 02_L02	General - Unoccupied	0.11	0	0	70.98	N/A
Elec. Room 03_L02	General - Unoccupied	0.11	0	0	71.85	N/A
Elec. Room 04_L02	General - Unoccupied	0.11	0	0	71.02	N/A
IDF 01_L02	General - Unoccupied	0.21	0	0	142.63	N/A
IDF 02_L02	General - Unoccupied	0.21	0	0	141.24	N/A
Storage 05_L02	General - Unoccupied	0	0	0	139.52	N/A
Storage 08_L02	General - Unoccupied	0	0	0	116.93	N/A
IDF_L03	General - Unoccupied	0.18	0	0	120.54	N/A
Stair 5_L04	General - Unoccupied	2.48	0	0	496.48	N/A
Storage 04_L04	General - Unoccupied	0	0	0	139.52	N/A
Storage 09_L04	General - Unoccupied	0	0	0	141.24	N/A
Storage 13_L04	General - Unoccupied	0.21	0	0	142.63	N/A
IDF_L05	General - Unoccupied	0.18	0	0	120.54	N/A
Storage 03_L05	General - Unoccupied	0	0	0	141.24	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 236 of 240)

H10. MULTIFAMILY DWELLING UNIT TYPE CENTRAL / INDIVIDUAL VENTILATION												
01	02	03	04	05	06	07	08	09	10	11	12	13
Dwelling Unit Type	IAQ Option	Central Fan (If applicable)					Individual Fan (if applicable)					
		IAQ Fan Type Type	Supply Airflow CFM	Supply Fan Efficacy W/CFM	Exhaust CFM	Exhaust Fan Efficacy W/CFM	IAQ Fan Type	Count	Airflow CFM	Fan Efficacy W/CFM	Recovery Efficiency SRE	Recovery Efficiency ASRE
Unit A1	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	50	0.09	N/A	N/A
Unit A2	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	50	0.09	N/A	N/A
Unit A2.1	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	50	0.09	N/A	N/A
Unit A3	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	50	0.09	N/A	N/A
Unit A3.1	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	50	0.09	N/A	N/A
Unit A3B	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	50	0.09	N/A	N/A
Unit A3B.1	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	50	0.09	N/A	N/A
Unit A4	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	50	0.09	N/A	N/A
Unit A5	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	50	0.09	N/A	N/A
Unit A6	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	50	0.09	N/A	N/A
Unit A7	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	50	0.09	N/A	N/A
Unit B1	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	60	0.08	N/A	N/A
Unit B2	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	60	0.08	N/A	N/A
Unit B2.1	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	60	0.08	N/A	N/A
Unit B2.2	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	70	0.07	N/A	N/A
Unit B2.3	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	60	0.08	N/A	N/A
Unit B2B	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	60	0.08	N/A	N/A
Unit B3	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	70	0.07	N/A	N/A
Unit B4	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	70	0.07	N/A	N/A
Unit C1	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	80	0.08	N/A	N/A
Unit C1.1	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	80	0.08	N/A	N/A
Unit C1.2	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	80	0.08	N/A	N/A
Unit C1.3	Individual IAQ Fan	N/A	N/A	N/A	N/A	N/A	Exhaust	1	80	0.08	N/A	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 237 of 240)

11. WATER HEATER EQUIPMENT SUMMARY													
01	02	03	04	05	06	07	08	09	10	11	12	13	14
Name	Heater Element Type	Tank Type	Qty	Tank Vol (gal)	Rated Input	Rated Input Unit	Efficiency	Efficiency Unit	Tank Insulation R-value Int/Ext	Standby Loss Fraction	1st Hr. Rating or Flow Rate (gal)	Heat Pump Type	Tank Location or Ambient Condition
94 percent 499000 119-gal	Natural Gas	Commercial Storage (TE & SBL)	1	119	499	kBtu/Hr	0.94	TE	N/A	0.02	N/A	N/A	N/A
94 percent 399000 119-gal	Natural Gas	Commercial Storage (TE & SBL)	35	119	399	kBtu/Hr	0.94	TE	N/A	0.02	N/A	N/A	N/A
96 percent 250000 100-gal	Natural Gas	Commercial Storage (TE & SBL)	35	100	250	kBtu/Hr	0.96	TE	N/A	0.02	N/A	N/A	N/A
AO SMITH DEL-30		N/A	1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
AO SMITH DEL-20		N/A	1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Chronomite 20L/208		N/A	1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Chronomite 40L/208		N/A	1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

12. MULTI-FAMILY WATER HEATING SYSTEM DETAIL							
01	02	03	04	05	06	07	08
System Name	Configuration	Type	Qty in System	Dwelling Unit Distribution Type	Water Heater Name	Solar Heating System	Is Compact Distribution
ResidentialDHWSystem 1	Domestic Hot Water (DHW)	Central	9	HERS Verified Pipe Insulation credit	94 percent 499000 119-gal	N/A	N/A

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 238 of 240)

15. RECIRCULATION LOOPS					
01	02	03	04	05	06
Water Heating System Name	Number of Recirculation Loops	Loop Insulation Thickness (in)	Recirculation Loop Location	Recirculation Pump Power	Recirculation Pump Power Units
ResidentialDHWSystem 1	1	1.5	Conditioned	164.85	Watts

L. DECLARATION OF REQUIRED CERTIFICATES OF INSTALLATION	
Selections made by Documentation Author indicate which Certificates of Installation must be submitted for the features to be recognized for compliance. These documents must be retained and provided to the building inspector during construction and can be found online	
Building Component	Form/Title
Envelope	NRCI-ENV-E - Envelope (for all buildings)
Plumbing	NRCI-PLB-E - For all buildings with Plumbing Systems
	NRCI-SAB-E - Solar Water Heating, PV and Battery Storage Systems
Indoor Lighting	NRCI-LTI-E - Indoor Lighting (for all buildings)

M. DECLARATION OF REQUIRED CERTIFICATES OF ACCEPTANCE	
Selections made by Documentation Author indicate which Certificates of Acceptance must be submitted for the features to be recognized for compliance. These documents must be provided to the building inspector during construction and must be completed through an Acceptance Test Technician Certification Provider (ATTCP).	
Building Component	Form/Title & System Name(s)
Envelope	NRCA-ENV-02-F - NRFC label verification for fenestration
Mechanical	NRCA-MCH-02-A - Outdoor Air must be submitted for all newly installed HVAC units. Note: MCH-02-A can be performed in conjunction with MCH-07-A Supply Fan VFD Acceptance (if applicable) since testing activities overlap
	SFC-7_Leasing_L01 AirSys, SFC-5_Mail-Parcel_L01 AirSys, SFC-5_Co-Working_L01 AirSys, SFC-1_Dog Wash_L01 AirSys and SFC-1_GOLF ROOM_L01 AirSys.
Mechanical	NRCA-MCH-03-A - Constant Volume Single Zone HVAC
	SFC-7_Leasing_L01 AirSys, SFC-5_Mail-Parcel_L01 AirSys, SFC-5_Co-Working_L01 AirSys, SFC-1_Dog Wash_L01 AirSys and SFC-1_GOLF ROOM_L01 AirSys.
Mechanical	NRCA-MCH-04(a)-H - Air Distribution Duct Leakage - HERS Verification required
	SFC-1_Dog Wash_L01 AirSys and SFC-1_GOLF ROOM_L01 AirSys.

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 239 of 240)

N. DECLARATION OF REQUIRED CERTIFICATES OF VERIFICATION
Selections made by Documentation Author indicate which Certificates of Verification must be submitted for the features to be recognized for compliance. These documents must be retained and provided to the building inspector during construction and can be found online
There are no Certificates of Verification applicable to this project

CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD	NRCC-PRF-E
Nonresidential Performance Compliance Method	(Page 240 of 240)

Documentation Author's Declaration Statement

1. I certify that this Certificate of Compliance documentation is accurate and complete.	
Documentation Author Name:	Documentation Author Signature:
Company: VCA Green	Signature Date:
Address: 1845 West Oranewood Ave Suite 310	CEA/HERS Certification Identification (if applicable):
City/State/Zip: Orange, CA 92868	Phone:

Responsible Person's Declaration statement

I certify the following under penalty of perjury, under the laws of the State of California:		
1. The information provided on this Certificate of Compliance is true and correct. 2. I am eligible under Division 3 of the Business and Professions Code to accept responsibility for the building design or system design identified on this Certificate of Compliance (responsible designer) 3. The energy features and performance specifications, materials, components, and manufactured devices for the building design or system design identified on this Certificate of Compliance conform to the requirements of Title 24, Part 1 and Part 6 of the California Code of Regulations. 4. The building design features or system design features identified on this Certificate of Compliance are consistent with the information provided on other applicable compliance documents, worksheets, calculations, plans and specifications submitted to the enforcement agency for approval with this building permit application. 5. I understand that a registered copy of this Certificate of Compliance shall be made available with the building permit(s) issued for the building, and made available to the enforcement agency for all applicable inspections, and I will take the necessary steps to accomplish this requirement. 6. I understand that a registered copy of this Certificate of Compliance is required to be included with the documentation the builder provides to the building owner at occupancy, and I will take the necessary steps to accomplish these requirements.		
Responsible Designer Name:	Responsible Designer Signature:	
Company:		
Address:	Date Signed:	
City/State/Zip: ,	License #:	
Phone:	Title:	Scope: