

LEADS Head Start/Early Head Start Screening Results

Child's Name: Adelynn Peters Center: Newark

VISION Date of Screening: 8/21/2017

-Suresight (HS ONLY)

- ☒ Pass – The results appear to be within the normal range.
☐ Fail – Immediate Referral
☐ Fail HOWEVER no Referral needed due to child already seeing specialist.

-Paper Screen (EHS ONLY)

- ☐ Pass – The results appear to be within the normal range.
☐ Fail – Immediate Referral
☐ Fail HOWEVER no Referral needed due to child already seeing specialist.

HEARING Date of Screening: 8/21/2017

- ☒ Pass – The results appear to be within the normal range.
☐ Fail – Immediate Referral
☐ Fail HOWEVER no rescreen needed due to child already seeing specialist.

BRIGANCE DEVELOPMENTAL Date of Screening: 8/21/2017

- ☒ Pass – The results appear to be within the normal range.
☐ Fail – rescreen needed in 2 weeks
☐ Failed HOWEVER no rescreen needed due to child having a current IEP on file.

HEIGHT AND WEIGHT Date of Screening: 8/21/2017
Height: 42.5 Weight: 38.8 BMI: _____
Head Circumference: _____ (EHS ONLY)

*Results discussed with parents on: Aug. 21, 2017 (within 1 week of screenings)

Parent's Signature: [Signature] Date: 8-21-17
FSW/HV's Signature: [Signature] Date: 8/21/17