

LEADS Head Start/Early Head Start Screening Results

Child's Name: Xilo Schlattman

Center: Newark

VISION

Date of Screening: 9.14.16

Suresight



Pass – The results appear to be within the normal range.



Fail – ~~Rescreen needed in 2 weeks~~ Referral



Fail HOWEVER no rescreen needed due to child already seeing specialist.

Stereoptis



Pass – The results appear to be within the normal range.



Fail – Rescreen needed in 2 weeks



Fail HOWEVER no rescreen needed due to child already seeing specialist.

Paper Screen (EHS ONLY)



Pass – The results appear to be within the normal range.



Fail – Rescreen needed in 2 weeks



Fail HOWEVER no rescreen needed due to child already seeing specialist.

HEARING



Date of Screening: 9.14.16

Pass – The results appear to be within the normal range.



Fail – Immediate Referral



Fail HOWEVER no rescreen needed due to child already seeing specialist.

BRIGANCE DEVELOPMENTAL

Date of Screening: 9/15/16



Pass – The results appear to be within the normal range.



Fail – rescreen needed in 2 weeks



Failed HOWEVER no rescreen needed due to child having a current IEP on file.

HEIGHT AND WEIGHT

Date of Screening: 9/6/2016

Height: 35.50

Weight: 27.80

BMI: _____

Head Circumference: _____ (EHS ONLY)

ENTERED ON FILE

*Results discussed with parents on: 9/27/16 (within 1 week of screenings)

Parent's Signature: Adrian Schlattman

Date: 9-27-16

FSW/HV's Signature: Consuelo Harris

Date: 9/27/16