

## LEADS Head Start/Early Head Start Screening Results

Child's Name: Mohammed AlSaadon

Center: Delaware

**VISION** Date of Screening: 8/23/16

### Suresight

- ☒ Pass – The results appear to be within the normal range.  
☐ Fail – Rescreen needed in 2 weeks  
☐ Fail HOWEVER no rescreen needed due to child already seeing specialist.

### Stereoptis

- ☒ Pass – The results appear to be within the normal range.  
☐ Fail – Rescreen needed in 2 weeks  
☐ Fail HOWEVER no rescreen needed due to child already seeing specialist.

### Paper Screen (EHS ONLY)

- ☐ Pass – The results appear to be within the normal range.  
☐ Fail – Rescreen needed in 2 weeks  
☐ Fail HOWEVER no rescreen needed due to child already seeing specialist.

**HEARING** Date of Screening: 8/23/16

- ☒ Pass – The results appear to be within the normal range.  
☐ Fail – Immediate Referral  
☐ Fail HOWEVER no rescreen needed due to child already seeing specialist.

### **BRIGANCE DEVELOPMENTAL**

Date of Screening: 8/23/16

- ☐ Pass – The results appear to be within the normal range.  
☒ Fail – rescreen needed in 2 weeks  
☐ Failed HOWEVER no rescreen needed due to child having a current IEP on file.

### **HEIGHT AND WEIGHT**

Date of Screening: 8/23/16

Height: 43.25

Weight: 37

BMI: \_\_\_\_\_

Head Circumference: \_\_\_\_\_ (EHS ONLY)

\*Results discussed with parents on: 8/23/16 (within 1 week of screenings)

Parent's Signature: [Signature] Date: 8/23/16

FSW/HV's Signature: Kristi Murfield Date: 8/23/16

# LEADS Head Start/Early Head Start RESCREEN Results

(If Applicable)

Child's Name: Mohammed AlSaadon Center: Delaware

**Vision – RESCREEN** Date of Rescreen: \_\_\_\_\_

## **Suresight**

\_\_\_\_\_ Pass – The results appear to be within the normal range and child will be monitored

\_\_\_\_\_ Fail – Referral needed

## **Stereoptis**

\_\_\_\_\_ Pass – The results appear to be within the normal range and child will be monitored

\_\_\_\_\_ Fail – Referral needed

## **Paper Screen** (EHS ONLY)

\_\_\_\_\_ Pass – The results appear to be within the normal range and child will be monitored

\_\_\_\_\_ Fail – Referral needed

**Brigance- RESCREEN** Date of Rescreen: 9/22/16

\_\_\_\_\_ Pass – The results appear to be within the normal range and child will be monitored

X Fail – Referral needed

**\*Results discussed with parents on:** \_\_\_\_\_ (within 1 week of RESCREEN)

Parent's Signature: [Signature] Date: 4/25/17

FSW/HV's Signature: Kristi Murfield Date: 4/25/17