

## LEADS Head Start/Early Head Start Screening Results

Child's Name: Brayden Taylor

Center: Newark

### VISION

Date of Screening: 12/6/16

#### Suresight

☒

Pass – The results appear to be within the normal range.

Fail – Rescreen needed in 2 weeks Left eye

☐

Fail HOWEVER no rescreen needed due to child already seeing specialist.

#### Stereoptis

☒

Pass – The results appear to be within the normal range.

☐

Fail – Rescreen needed in 2 weeks

☐

Fail HOWEVER no rescreen needed due to child already seeing specialist.

#### Paper Screen (EHS ONLY)

☐

Pass – The results appear to be within the normal range.

☐

Fail – Rescreen needed in 2 weeks

☐

Fail HOWEVER no rescreen needed due to child already seeing specialist.

### HEARING

Date of Screening: 12/6/16

☒

Pass – The results appear to be within the normal range.

☐

Fail – Immediate Referral

☐

Fail HOWEVER no rescreen needed due to child already seeing specialist.

### BRIGANCE DEVELOPMENTAL

Date of Screening: 12/1/16

☒

Pass – The results appear to be within the normal range.

☐

Fail – rescreen needed in 2 weeks

☐

Failed HOWEVER no rescreen needed due to child having a current IEP on file.

### HEIGHT AND WEIGHT

Date of Screening: 11/16/16

Height: 36

Weight: 29.2

BMI: \_\_\_\_\_

Head Circumference: \_\_\_\_\_ (EHS ONLY)

\*Results discussed with parents on: 12/6/16 (within 1 week of screenings)

Parent's Signature: Sandra Taylor

Date: 2-6-16

FSW/HV's Signature: Natasha R

Date: 12/16/16