

ENTERED ON: 8/26/16  
BY: GWS

## LEADS Head Start/Early Head Start Screening Results

Child's Name: Island Williams

Center: Newark

**VISION** Date of Screening: 8-22-16

### Suresight

X

Pass – The results appear to be within the normal range.

\_\_\_\_\_

Fail – Rescreen needed in 2 weeks

\_\_\_\_\_

Fail HOWEVER no rescreen needed due to child already seeing specialist.

### Stereoptis

X

Pass – The results appear to be within the normal range.

\_\_\_\_\_

Fail – Rescreen needed in 2 weeks

\_\_\_\_\_

Fail HOWEVER no rescreen needed due to child already seeing specialist.

### Paper Screen (EHS ONLY)

\_\_\_\_\_

Pass – The results appear to be within the normal range.

\_\_\_\_\_

Fail – Rescreen needed in 2 weeks

\_\_\_\_\_

Fail HOWEVER no rescreen needed due to child already seeing specialist.

**HEARING** Date of Screening: 8-22-16

X

Pass – The results appear to be within the normal range.

\_\_\_\_\_

Fail – Immediate Referral

\_\_\_\_\_

Fail HOWEVER no rescreen needed due to child already seeing specialist.

**BRIGANCE DEVELOPMENTAL** Date of Screening: 8-22-16

X

Pass – The results appear to be within the normal range.

\_\_\_\_\_

Fail – rescreen needed in 2 weeks

\_\_\_\_\_

Failed HOWEVER no rescreen needed due to child having a current IEP on file.

### HEIGHT AND WEIGHT

Date of Screening: 8-22-16

Height: 38

Weight: 33.2

BMI: \_\_\_\_\_

Head Circumference: \_\_\_\_\_ (EHS ONLY)

\*Results discussed with parents on: 8/22/16 (within 1 week of screenings)

Parent's Signature: Brian Williams Date: 8/22/2016

FSW/HV's Signature: John Slaughter Date: 8-22-16