

## LEADS Head Start/Early Head Start Screening Results

Child's Name: Angues Adhikari

Center: Buckeye Lake

**VISION** Date of Screening: 10/10/2017

**-Suresight (HS ONLY)**

- ☒ Pass – The results appear to be within the normal range.  
☐ Fail – Immediate Referral  
☐ Fail HOWEVER no Referral needed due to child already seeing specialist.

**-Paper Screen (EHS ONLY)**

- ☐ Pass – The results appear to be within the normal range.  
☐ Fail – Immediate Referral  
☐ Fail HOWEVER no Referral needed due to child already seeing specialist.

**HEARING** Date of Screening: 10/10/2017

- ☒ Pass – The results appear to be within the normal range.  
☐ Fail – Immediate Referral  
☐ Fail HOWEVER no rescreen needed due to child already seeing specialist.

**BRIGANCE DEVELOPMENTAL** Date of Screening: 9-26-17

- ☐ Pass – The results appear to be within the normal range.  
☒ Fail – rescreen needed in 2 weeks  
☐ Failed HOWEVER no rescreen needed due to child having a current IEP on file.

**HEIGHT AND WEIGHT** Date of Screening: 9-27-17

Height: 43 Weight: 45 BMI: \_\_\_\_\_

Head Circumference: \_\_\_\_\_ (EHS ONLY)

\*Results discussed with parents on: 10-11-17 (within 1 week of screenings)

Parent's Signature: [Signature] Date: 10-11-17

FSW/HV's Signature: [Signature] Date: 2-11-17