Section 1 - 125742/0/0

- 0001 --> 125742/0.0 (Original Application) - Recd 2021-05-06 - DATS# 1067058
  - 1 Administrative Information and Prescribing Information
    - [0001] USA (v3.3)
      - 1.1 Forms
        - 1.1.2 FDA 356h: Application to Market a New Drug, Biologic, or an Antibiotic Drug for Human Use
          - [0001] (356h) Initial BLA - Roll 1
        - 1.1.3 FDA 3397: User Fee Cover Sheet
          - [0001] (3397) User Fee Cover Sheet
        - 1.1.7 FDA 3674: Certification of Compliance
          - [0001] (3674) Initial BLA
      - 1.2 Cover Letters
        - [0001] (CL) Initial BLA - Roll 1
        - [0001] Priority Review Request
      - 1.3 Administrative Information
        - 1.3.1 Contact/sponsor/applicant Information
          - 1.3.1.4 Transfer of Obligation
            - [0001] Transfer of Obligation
        - 1.3.3 Debarment Certification
          - [0001] Debarment Certification
        - 1.3.4 Financial Certification and Disclosure

- 1.3.4 Financial Certification and Disclosure
  - [0001] Financial Certification and Disclosure - Summary Note
  - [0001] Financial Certification and Disclosure - Bias Statement
  - [0001] Financial Certification and Disclosure - FDA Form 3454
  - [0001] Financial Certification and Disclosure - FDA Form 3455
- 1.3.5 Patent and Exclusivity
  - 1.3.5.3 Exclusivity Claim
    - [0001] Exclusivity Claim
- 1.4 References
  - 1.4.3 List of Authorized Persons to Incorporate By Reference
    - [0001] Letter of Authorization to US Agent
- 1.6 Meetings
  - 1.6.3 Correspondence Regarding Meetings
    - [0001] Correspondence Regarding Meetings
- 1.7 Fast Track
  - 1.7.4 Correspondence Regarding Fast Track/Rolling Review
    - [0001] Grant Fast Track Designation Letter
- 1.9 Pediatric Administrative Information
  - 1.9.2 Request for Deferral of Pediatric Studies
    - [0001] Request for Deferral of Pediatric Studies
  - 1.9.4 Proposed Pediatric Study Request and Amendments
    - [0001] Agreed Initial Pediatric Study Plan

- 1.9.4 Proposed Pediatric Study Request and Amendments
  - [0001] Agreed Initial Pediatric Study Plan

- 1.9.6 Other Correspondence Regarding Pediatric Exclusivity or Study Plans
  - [0001] Agreed iPSP Agreement Letter
- 1.12 Other Correspondence
  - 1.12.5 Request for a Waiver
    - [0001] Waiver Request for FDA Designated Suffix
- 2 Common Technical Document Summaries
- **4 Nonclinical Study Reports**
- 5 Clinical Study Reports

Section 2 - 125742/0/0

- 1.12 Other Correspondence
  - 1.12.5 Request for a Waiver
    - [0001] Waiver Request for FDA Designated Suffix
- 2 Common Technical Document Summaries
  - 2.2 Introduction
    - [0001] Introduction
  - 2.4 Nonclinical Overview
    - [0001] Nonclinical Overview
  - 2.5 Clinical Overview
    - [0001] Clinical Overview
  - 2.6 Nonclinical Written and Tabulated Summaries
    - 2.6.1 Introduction
      - [0001] Introduction
    - 2.6.2 Pharmacology Written Summary
      - [0001] Pharmacology Written Summary
    - 2.6.3 Pharmacology Tabulated Summary
      - [0001] Pharmacology Tabulated Summary
    - 2.6.4 Pharmacokinetics Written Summary
      - [0001] Pharmacokinetics Written Summary
    - 2.6.5 Pharmacokinetics Tabulated Summary
      - [0001] Pharmacokinetics Tabulated Summary
    - 2.6.6 Toxicology Written Summary

- [0001] Pharmacology Tabulated Summary
- 2.6.4 Pharmacokinetics Written Summary
  - [0001] Pharmacokinetics Written Summary
- 2.6.5 Pharmacokinetics Tabulated Summary
  - [0001] Pharmacokinetics Tabulated Summary
- 2.6.6 Toxicology Written Summary
  - [0001] Toxicology Written Summary
- 2.6.7 Toxicology Tabulated Summary
  - [0001] Toxicology Tabulated Summary
- 2.7 Clinical Summary
  - 2.7.1 Summary of Biopharmaceutic Studies and Associated Analytical Methods
    - [0001] Summary of Biopharmaceutic Studies and Associated Analytical Methods
  - 2.7.3 Summary of Clinical Efficacy
    - [0001] Summary of Clinical Efficacy
  - 2.7.4 Summary of Clinical Safety
    - [0001] Summary of Clinical Safety
  - 2.7.5 Literature-References
    - [0001] Literature References
  - 2.7.6 Synopses of Individual Studies
    - [0001] Synopses of Individual Studies
- **4 Nonclinical Study Reports**
- 5 Clinical Study Reports

Section 4 - 125742/0/0

- 4 Nonclinical Study Reports
  - 4.2 Study Reports
    - 4.2.1 Pharmacology
      - 4.2.1.1 Primary Pharmacodynamics
        - [0001] R-20-0085 - COVID-19: Immunogenicity Study of the LNP-Formulated modRNA Encoding the Viral S Protein-V9
        - [0001] R-20-0112 - Characterizing the Immunophenotype in Spleen and Lymph Node of Mice Treated with SARS-COV-2 Vaccine Candidates
        - [0001] R-20-0211 - In vitro Expression of BNT162b2 Drug Substance and Drug Product
        - [0001] VR-VTR-10671 - BNT162b2 (V9) Immunogenicity and Evaluation of Protection against SARS-CoV-2 Challenge in Rhesus Macaques
        - [0001] VR-VTR-10741 - Structural and Biophysical Characterization of SARS-CoV-2 Spike Glycoprotein (P2 S) as a Vaccine Antigen
    - 4.2.2 Pharmacokinetics
      - 4.2.2.2 Absorption
        - [0001] 072424 - A Single Dose Pharmacokinetics Study of ALC-0315 and ALC-0159 Following Intravenous Bolus Injection of PF-07302048 Nanoparticle Formulation in Wistar Han Rats
      - 4.2.2.3 Distribution
        - [0001] R-20-0072 - Expression of Luciferase-Encoding ModRNA After I.M. Application of GMP-Ready (b) (4) LNP Formulation
        - [0001] 185350 - A Tissue Distribution Study of a [3H]-Labelled Lipid Nanoparticle-mRNA Formulation Containing ALC-0315 and ALC-0159 Following Intramuscular Administration in Wistar Han Rats
      - 4.2.2.4 Metabolism

      - 4.2.2.4 Metabolism

        - [0001] 01049-20008 - In Vitro Metabolic Stability of ALC-0315 in CD-1/ICR Mouse, Sprague DawleyRat, Wistar Han Rat, Cynomolgus Monkey, and Human Liver Microsomes
        - [0001] 01049-20009 - In Vitro Metabolic Stability of ALC-0315 in CD-1/ICR Mouse, Sprague DawleyRat, Cynomolgus Monkey, and Human Liver S9 Fractions
        - [0001] 01049-20010 - In Vitro Metabolic Stability of ALC-0315 in CD-1/ICR Mouse, Sprague DawleyRat, Wistar Han Rat, Cynomolgus Monkey, and Human Hepatocytes
        - [0001] 01049-20020 - In Vitro Metabolic Stability of ALC-0159 in CD-1/ICR Mouse, Sprague DawleyRat, Wistar Han Rat, Cynomolgus Monkey, and Human Liver Microsomes
        - [0001] 01049-20021 - In Vitro Metabolic Stability of ALC-0159 in CD-1/ICR Mouse, Sprague DawleyRat, Cynomolgus Monkey, and Human Liver S9 Fractions
        - [0001] 01049-20022 - In Vitro Metabolic Stability of ALC-0159 in CD-1/ICR Mouse, Sprague DawleyRat, Wistar Han Rat, Cynomolgus Monkey, and Human Hepatocytes
        - [0001] 043725 - Investigation of the Biotransformation of ALC-0159 and ALC-0315 In Vitro and In Vivo in Rats
    - 4.2.3 Toxicology
      - 4.2.3.2 Repeat-Dose Toxicity
        - [0001] 38166 - Repeat-Dose Toxicity Study of Three LNP-Formulated RNA Platforms Encoding for Viral Proteins By Repeated Intramuscular Administration to Wistar Han Rats
        - [0001] 20GR142 - 17-Day Intramuscular Toxicity Study of BNT162b2 (V9) and BNT162b3c in Wistar Han Rats with a 3-Week Recovery
      - 4.2.3.5 Reproductive and Developmental Toxicity
        - 4.2.3.5.1 Fertility and early embryonic development
          - [0001] 20256434 - Combined Fertility and Developmental Study (Including Teratogenicity and Postnatal Investigations) of BNT162b1, BNT162b2 and BNT162b3 by the Intramuscular Route in the Wistar Rat GLP Study
  - 4.3 Literature References

- 4.3 Literature References

  - [0001] Al-Amri SS, Abbas AT, Siddiq LA, et al. Immunogenicity of candidate MERS-CoV DNA vaccines based on the spike protein. Sci Rep 2017;7:44875
  - [0001] Barry MA, May S, Weaver EA. Imaging luciferase-expressing viruses. Methods Mol Biol 2012; 797:79-87.
  - [0001] Baum A, Fulton BO, Wloga E, et al. Antibody cocktail to SARS-CoV-2 spike protein prevents rapid mutational escape seen with individual antibodies. Science 2020; :First release
  - [0001] Berger Rentsch M, Zimmer G. A vesicular stomatitis virus replicon-based bioassay for the rapid and sensitive determination of multi-species type I interferon. PLoS One 2011; 6(10):e25858
  - [0001] Boone L, Meyer D, Cusick P, et al. Selection and interpretation of clinical pathology indicators of hepatic injury in preclinical studies. Vet Clin Pathol. 2005;34(3):182-188.
  - [0001] Brouwer PJM, Caniels TG, van der Straten K, et al. Potent neutralizing antibodies from COVID-19 patients define multiple targets of vulnerability. Science 2020:369(6504):643-650.
  - [0001] Cai Y, Zhang J, Xiao T, et al. Distinct conformational states of SARS-CoV-2 spike protein. Science 2020:10.1126/science.abd4251
  - [0001] Chen C-Y, Tran DM, Cavedon A, et al. Treatment of Hemophilia A Using Factor VIII Messenger RNA Lipid Nanoparticles. Mol Ther Nucleic Acids. 2020;20:534-44.
  - [0001] de Wit E, N van Doremalen, D Falzarano, et al. SARS and MERS: recent insights into emerging coronaviruses. Nat Rev Microbiol 2016:14(8)(08):523-34
  - [0001] Elia U, Ramishetti S, Dammes N, et al. Design of SARS-CoV-2 RBD mRNA Vaccine using Novel Ionizable Lipids. bioRxiv 2020:10.1101/2020.10.15.341537.
  - [0001] Ennulat D, Magid-Slav M, Rehm S, et al. Diagnostic performance of traditional hepatobiliary biomarkers of drug-induced liver injury in the rat. Toxicol Sci 2010;116(2)(Aug):397-412.
  - [0001] Fukuchi M, Saito R, Maki S, et al. Visualization of activity-regulated BDNF expression in the living mouse brain using non-invasive near-infrared bioluminescence imaging. Mol Brain 2020; 13(1):122.
  - [0001] Hassett KJ, Benenato KE, Jacquinet E et al. Optimization of lipid nanoparticles for intramuscular administration of mRNA vaccines. Mol Ther Nucleic acids 2019;15:1-11.
  - [0001] Henderson R, Edwards RJ, Mansouri K, et al. Controling the SARS-CoV-2 spike glycoprotein conformation. Nat Struct Mol Biol 2020;(Jul):Online
  - [0001] Hoffmann M, Kleine-Weber H, Schroeder S, et al. SARS-CoV-2 cell entry depends on ACE2 and TMPRSS2 and is blocked by a clinically proven protease inhibitor. Cell 2020; 181(2):271-280.e8
  - [0001] Hulswit RJ, de Haan CA, Bosch BJ. Coronavirus spike protein and tropism changes. Adv Virus Res 2016;96:29-57
  - [0001] Hutloff A. Regulation of T follicular helper cells by ICOS. Oncotarget 2015;6(26)(Sep):21785-6.
  - [0001] Jeon YH, Choi Y, Kang JH, et al. In vivo monitoring of DNA vaccine gene expression using firefly luciferase as a naked DNA. Vaccine 2006; 24(16):3057-62.
  - [0001] Jiang S, Hyllyer C, Du L. Neutralizing antibodies against SARS-CoV-2 and other human coronaviruses. Science and society. Trends Immunol 2020; 41(5)(May):355-9
  - [0001] Kariko K, Buckstein M, Ni H, et al. Suppression of RNA recognition by Toll-like receptors: the impact of nucleoside modification and the evolutionary origin of RNA. Immunity 2005;2(Aug):165-75.
  - [0001] Kaushal D, Foreman TW, Gautam US, et al. Mucosal vaccination with attenuated Mycobacterium tuberculosis induces strong central memory responses and protects against tuberculosis. Nat Commun 2015; 6:8533.

[0001] Kaushal D, Foreman TW, Gautam US, et al. Mucosal vaccination with attenuated Mycobacterium tuberculosis induces strong central memory responses and protects against tuberculosis. Nat Commun 2015; 6:8533.
[0001] Ke Z, Oton J, Qu K, et al. Structures and distributions of SARS-CoV-2 spike proteins on intact virions. Nature 2020;10.1038/s41586-020-2665-2.
[0001] Kim JY, Ko JH, Kim Y, et al. Viral load kinetics of SARS-CoV-2 infection in first two patients in Korea. J Korean Med Sci 2020;35(7)(Feb):e86
[0001] Liu L, Wang P, Nair MS, et al. Potent neutralizing antibodies against multiple epitopes on SARS-CoV-2 spike. Nature 2020;584(7821):450-456.
[0001] Munster JV, Feldmann F, Williamson BN, et al. Respiratory disease in rhesus macaques inoculated with SARS-CoV-2. Nature 2020;(May):Accepted preview.
[0001] Muruato AE, Fontes-Garfias CR, Ren P, et al. A high-throughput neutralizing antibody assay for COVID-19 diagnosis and vaccine evaluation. Nat Commun 2020;11(1):4059.
[0001] Pallesen J, Wang N, Corbett KS, et al. Immunogenicity and structures of a rationally designed prefusion MERS-CoV spike antigen. Proc Natl Acad Sci USA 2017;114(35):E7348-57
[0001] Pardi N, Hogan MJ, Pelc RS, et al. Zika virus protection by a single low-dose nucleoside-modified mRNA vaccination. Nature 2017;543(7644):248-51
[0001] Pardi N, Parkhouse K, Kirkpatrick E, et al. Nucleoside-modified mRNA immunization elicits influenza virus hemagglutinin stalk-specific antibodies. Nat Commun 2018;9(1)(08):3361.
[0001] Sahin U, Kariko K, Tureci O. mRNA-based therapeutics - developing a new class of drugs. Nat Rev Drug Discov 2014;13(10):759-80
[0001] Sedic M, Senn J, Lynn A, et al. Safety evaluation of lipid nanoparticle-formulated modified mRNA in Sprague-Dawley rat and cynomologous monkey. Vet Pathol 2018;55(2):341-54.
[0001] Sellers RS, Nelson K, Bindu Bennet B, et al. Scientific and Regulatory Policy Committee Points to Consider: Approaches to the Conduct and Interpretation of Vaccine Safety Studies for Clinical and Anatomic Pathologists. Toxicol Pathol 2020;48(2):257-
[0001] Singh DK, SR Ganatra, B Singh et al. SARS-CoV-2 infection leads to acute infection with dynamic cellular and inflammatory flux in the lung that varies across nonhuman primate species. bioRxiv 10.1101/2020.06.05.136481 (2020).
[0001] Slansky JE, Rattis FM, Boyd LF, et al. Enhanced antigen-specific antitumor immunity with altered peptide ligands that stabilize the MHC-peptide-TCR complex. Immunity 2000; 13(4):529-38
[0001] Truong B, Allegri G, Liu X-B, et al. Lipid nanoparticle-targeted mRNA therapy as a treatment for the inherited metabolic liver disorder arginase deficiency. Proc Natl Acad Sci USA. 2019;116(42):21150-9.
[0001] US Department of Health and Human Services, Food and Drug Administration, Center for Biologics Evaluation and Research. Development and licensure of vaccines to prevent COVID-19. In: Guidance for industry. Rockville, MD: Food and Drug Admi
[0001] World Health Organization. Annex 1. WHO guidelines on nonclinical evaluation of vaccines. In: World Health Organization. WHO technical report series, no. 927. Geneva, Switzerland; World Health Organization; 2005: p. 31-63
[0001] World Health Organization. Annex 2. Guidelines on the nonclinical evaluation of vaccine adjuvants and adjuvanted vaccines. In: WHO technical report series no. 987. Geneva, Switzerland: World Health Organization; 2014: p. 59-100
[0001] Wrapp D, Wang N, Corbett KS, et al. Cryo-EM structure of the 2019-nCoV spike in the prefusion conformation. Science 2020;367(6483):1260-3
[0001] Wu Y, Wang F, Shen C, et al. A noncompeting pair of human neutralizing antibodies block COVID-19 virus binding to its receptor ACE2. Science 2020; 368(6496):1274-8
[0001] Xie X, Muruato A, Lokugamage KG, et al. An infectious cDNA clone of SARS-CoV-2. Cell Host Microbe 2020: 27(5):841-848.e3

[0001] Xie X, Muruato A, Lokugamage KG, et al. An infectious cDNA clone of SARS-CoV-2. Cell Host Microbe 2020; 27(5):841-848.e3
[0001] Yong CY, Ong HK, Yeap SK, et al. Recent advances in the vaccine development against middle east respiratory syndrome-coronavirus. Front Microbiol 2019;10:1781
[0001] Yuan M, Wu NC, Zhu X, et al. A highly conserved cryptic epitope in the receptor binding domains of SARS-CoV-2 and SARS-CoV. Science 2020; 368(6491):630-3
[0001] Zakhartchouk AN, Sharon C, Satkunarajah M, et al. Immunogenicity of a receptor-binding domain of SARS coronavirus spike protein in mice: implications for a subunit vaccine. Vaccine 2007;25(1):136-43
[0001] Zhou M, Zhang X, Qu J. Coronavirus disease 2019 (COVID-19): a clinical update. Front Med 2020(Apr):1-10
[0001] Zost Seth J, Gilchuk Pavlo, Chen Rita E, et al. Rapid isolation and profiling of a diverse panel of human monoclonal antibodies targeting the SARS-CoV-2 spike protein Nature Medicine 2020;26 9:1422-1427.
[0001] Zou L, Ruan F, Huang M, et al. SARS-CoV-2 viral load in upper respiratory specimens of infected patients. N Engl J Med 2020;382(12)(03):1177-9.
Clinical Study Reports

Section 5.3.1 - 125742/0/0

- 2 Common Technical Document Summaries
- 4 Nonclinical Study Reports
- 5 Clinical Study Reports
  - 5.2 Tabular Listing of all Clinical Studies
  - 5.3 Clinical Study Reports
    - 5.3.1 Reports of Biopharmaceutic Studies
      - 5.3.1.4 Reports of Bioanalytical and Analytical Methods for Human Studies
        - [0001] VR-MVR-10080 - Report on Method Validation of a Cepheid Xpert Xpress PCR Assay to Detect SARS-CoV-2
        - [0001] VR-MVR-10081 - Method Validation Report for the Elecsys Anti-SARS-CoV-2 Assay
        - [0001] VR-MVR-10083 - Validation Report for the SARS-CoV-2 mNeonGreen Virus Microneutralization Assay
        - [0001] VR-MQR-10211 - Qualification Report for a Single-plex Direct Luminex Assay (dLIA) for Quantitation of IgG Antibodies to SARS-CoV-2 S1 Protein in Human Sera
        - [0001] VR-MQR-10212 - Qualification Report for a Single-plex Direct Luminex Assay (dLIA) for Quantitation of IgG Antibodies to SARS-CoV-2 RBD Protein in Human Sera
        - [0001] VR-MQR-10214 - Qualification of the SARS-CoV-2 mNeonGreen Virus Miconeutralization Assay
        - [0001] VR-TM-10293 - Single-plex Luminex Assay for Quantitation of IgG Antibodies to SARS-CoV-2 S1 Protein in Human Serum
        - [0001] VR-TM-10294 - Single-plex Luminex Assay for Quantitation of IgG Antibodies to SARS-CoV-2 RBD Protein in Human Serum
        - [0001] VR-TM-10298 - Manual 96-well Neutralization Assay for the Detection of Functional Antibodies to SARS-CoV-2 in Test Serum
        - [0001] VR-TM-10304 - Test Method for the SARS CoV-2 Nucleocapsid (N) Antigen Detection Assay
        - [0001] VR-SOP-LC-11120 - Data Review Procedures for Direct Luminex Immunoassays in LIMS v6
        - [0001] SHI-SOP-10011 - Manual 96-well Neutralization Assay for the Detection of Functional Antibodies to SARS-CoV-2 in Test Serum using Cytation 7 Image Reader
    - 5.3.5 Reports of Efficacy and Safety Studies
    - 5.3.6 Reports of Postmarketing Experience
  - 5.4 Literature References

- 5.3.1 Reports of Biopharmaceutic Studies
  - 5.3.1.4 Reports of Bioanalytical and Analytical Methods for Human Studies
    - [0001] VR-MVR-10080 - Report on Method Validation of a Cepheid Xpert Xpress PCR Assay to Detect SARS-CoV-2
      - Study Report Body Chapter
        - [0001] VR-MVR-10080
        - [0001] VR-MVR-10080-ATT01
        - [0001] VR-MVR-10080-ATT02
    - [0001] VR-MVR-10081 - Method Validation Report for the Elecsys Anti-SARS-CoV-2 Assay
      - Study Report Body Chapter
        - [0001] VR-MVR-10081
        - [0001] VR-MVR-10081-ATT01
    - [0001] VR-MVR-10083 - Validation Report for the SARS-CoV-2 mNeonGreen Virus Microneutralization Assay
      - Study Report Body Chapter
        - [0001] VR-MVR-10083
        - [0001] VR-MVR-10083-ATT01
        - [0001] VR-MVR-10083-ATT02
        - [0001] VR-MVR-10083-ATT03
        - [0001] VR-MVR-10083-ATT04
    - [0001] VR-MQR-10211 - Qualification Report for a Single-plex Direct Luminex Assay (dLIA) for Quantitation of IgG Antibodies to SARS-CoV-2 S1 Protein in Human Sera
      - Study Report Body Chapter

- [0001] VR-MQR-10211 - Qualification Report for a Single-plex Direct Luminex Assay (dLIA) for Quantitation of IgG Antibodies to SARS-CoV-2 S1 Protein in Human Sera
  - Study Report Body Chapter
    - [0001] VR-MQR-10211
    - [0001] VR-MQR-10211-ATT01
- [0001] VR-MQR-10212 - Qualification Report for a Single-plex Direct Luminex Assay (dLIA) for Quantitation of IgG Antibodies to SARS-CoV-2 RBD Protein in Human Sera
  - Study Report Body Chapter
    - [0001] VR-MQR-10212
    - [0001] VR-MQR-10212-ATT01
- [0001] VR-MQR-10214 - Qualification of the SARS-CoV-2 mNeonGreen Virus Miconeutralization Assay
  - Study Report Body Chapter
    - [0001] VR-MQR-10214
    - [0001] VR-MQR-10214-ATT01
    - [0001] VR-MQR-10214-ATT02
    - [0001] VR-MQR-10214-ATT03
- [0001] VR-TM-10293 - Single-plex Luminex Assay for Quantitation of IgG Antibodies to SARS-CoV-2 S1 Protein in Human Serum
  - Study Report Body Chapter
    - [0001] VR-TM-10293
- [0001] VR-TM-10294 - Single-plex Luminex Assay for Quantitation of IgG Antibodies to SARS-CoV-2 RBD Protein in Human Serum
  - Study Report Body Chapter
    - [0001] VR-TM-10294
- [0001] VR-TM-10298 - Manual 96-well Neutralization Assay for the Detection of Functional Antibodies to SARS-CoV-2 in Test Serum
  - Study Report Body Chapter

- [0001] VR-TM-10298 - Manual 96-well Neutralization Assay for the Detection of Functional Antibodies to SARS-CoV-2 in Test Serum
  - Study Report Body Chapter

    - [0001] VR-TM-10298
- [0001] VR-TM-10304 - Test Method for the SARS CoV-2 Nucleocapsid (N) Antigen Detection Assay
  - Study Report Body Chapter
    - [0001] VR-TM-10304
- [0001] VR-SOP-LC-11120 - Data Review Procedures for Direct Luminex Immunoassays in LIMS v6
  - Study Report Body Chapter
    - [0001] VR-SOP-LC-11120
- [0001] SHI-SOP-10011 - Manual 96-well Neutralization Assay for the Detection of Functional Antibodies to SARS-CoV-2 in Test Serum using Cytation 7 Image Reader
  - Study Report Body Chapter
    - [0001] SHI-SOP-10011
- 5.3.5 Reports of Efficacy and Safety Studies
- 5.3.6 Reports of Postmarketing Experience
- 5.4 Literature References