

(b) (6)

From: (b) (6) (CBER)

Sent: Monday, November 23, 2020 7:02 PM

To: Harkins Tull, Elisa <Elisa.HarkinsTull@pfizer.com>; Devlin, Carmel M <Carmel.Devlin@pfizer.com>

Cc: (b) (6) @fda.hhs.gov

Subject: EUA 27034: asymptomatic shell table and questions

Elisa and Carmel,

The clinical team has the attached asymptomatic shell table and questions for Pfizer.

Regards,

(b) (6)

- Please confirm receipt of this e-mail and let us know if you have any questions.

(b) (6)

**Food and Drug Administration
Center for Biologics Evaluation & Research
Office of Vaccines Research & Review**

(b) (6)

Tel: (b) (6)

(b) (6) @fda.hhs.gov



THIS MESSAGE IS INTENDED ONLY FOR THE USE OF THE PARTY TO WHOM IT IS ADDRESSED AND MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL, AND PROTECTED FROM DISCLOSURE UNDER LAW. If you are not the addressee, or a person authorized to deliver the document to the addressee, you are hereby notified that any review, disclosure, dissemination, copying, or other action based on the content of this communication is not authorized. If you have received this document in error, please immediately notify the sender immediately by e-mail or phone.

RT-PCR NP Swab Results and Serostatus: Time Points	Vaccine Group N= Cases n surveillance time	Control Group N= Cases n surveillance time	Vaccine Efficacy (if applicable)
Pre-dose 1 SARS-CoV-2 RT-PCR (NP swab)			
Positive			
Negative			
Pre-dose 2 SARS-CoV-2 RT-PCR (NP swab)			
Positive			
Negative			
Subjects with negative RT-PCR pre-dose 1 and positive RT-PCR pre-dose 2			
Subjects with documented COVID-19 symptoms between dose 1 and 2			
Subjects with no documented COVID-19 symptoms between dose 1 and 2			
Pre-dose 1 serostatus*			
Positive			
Negative			
1-month post-dose 2 (Visit 3) serostatus*			
Positive			
Negative			
Subjects who seroconverted** between dose 1 and 1-month post-dose 2			
Subjects with documented COVID-19 symptoms during time period			
Subjects with no documented COVID-19 symptoms during time period (protocol-defined vaccine efficacy against asymptomatic infection)			

Comments to Pfizer

1. Please provide all available immunogenicity and CMI data in summary tables and figures from Phase 1 subjects who received BNT162b2, particularly from the 6-month follow up visit (visit 8).
2. Please submit case narratives for each of the ten total severe COVID-19 cases.
3. Please clarify the 1-month timeframe in terms of weeks (e.g., 4 weeks, 4.6 weeks) and provide the number and percentage of All Enrolled subjects with <1month (and by week) duration of follow-up overall and by vaccine group.
4. Please provide your interpretation of why a large number of subjects (total of 2,072 subjects in the vaccine group and 1,917 subjects in the placebo group) had no evidence of prior infection at baseline but then had evidence of prior infection ~3 weeks later just prior to Dose #2.
5. Please provide a separate summary table, using the shell table provided above, for the following efficacy analyses:

- a. Subjects in the Evaluable Efficacy Population, not excluding those with baseline positive SARS-CoV-2 RT-PCR or serology*
 - b. Subjects in the All-available efficacy analysis population who received both vaccine doses
6. Please provide the number and percentage of clinical COVID cases that meet the case definition but not confirmed by PCR for any reason (e.g., not done, sample lost, out of window), by study arm.