

The CONTENTS Procedure

Data Set Name	NCSR.NCSR	Observations	9282
Member Type	DATA	Variables	4213
Engine	V9	Indexes	0
Created	01/25/2016 09:38:36	Observation Length	33704
Last Modified	01/25/2016 09:38:36	Deleted Observations	0
Protection		Compressed	NO
Data Set Type		Sorted	NO
Label			
Data Representation	SOLARIS_X86_64, LINUX_X86_64, ALPHA_TRU64, LINUX_IA64		
Encoding	utf-8 Unicode (UTF-8)		

Engine/Host Dependent Information	
Data Set Page Size	106496
Number of Data Set Pages	3101
First Data Page	8
Max Obs per Page	3
Obs in First Data Page	3
Number of Data Set Repairs	0
Filename	/folders/myfolders/protected/ICPSR_20240/data/ncsr.sas7bdat
Release Created	9.0401M3
Host Created	Linux
Inode Number	114
Access Permission	rw-rwx---
Owner Name	root
File Size	315MB
File Size (bytes)	330350592

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
690	AAG3B1	Num	8		Estimate age 1st fears
691	AAG3B2	Num	8	AAG3B2FF.	1st fears before start school, AG3B
692	AAG3B3	Num	8	AAG3B3FF.	1st fears before teenager, AG3B
693	AAG3B4	Num	8	AAG3B4FF.	Qualifier, AG3B
702	AAG6A1	Num	8		Age 1st avoid public situations
703	AAG6A2	Num	8	AAG6A2FF.	Avoided public before started school, AAG6A1
704	AAG6A3	Num	8	AAG6A3FF.	Avoided public before teenager, AAG6A1
3446	AAG6A4	Num	8	AAG6A4FF.	Was it not before teenager
3474	ACD18C1	Num	8		Estimate age 1st aggress behavior
3475	ACD18C2	Num	8	ACD18C2F.	1st aggressive behavior before started school
3476	ACD18C3	Num	8	ACD18C3F.	1st aggressive behavior before teen
2412	AD3	Num	8	AD3FFFFF.	Remember exact age 1st attention problems
2419	AD4	Num	8	AD4FFFFF.	Had difficulty with attention during past 12 months
2421	AD5	Num	8		Total # of years having attention problems
2430	AD12	Num	8		# days past year unable work due to attention difficulties
2431	AD14	Num	8	AD14FFFF.	Ever talked to prof about attention difficulties
2433	AD25	Num	8	AD25FFFF.	Received helpful/effective treatment for attn difficulties
2437	AD27	Num	8	AD27FFFF.	Received prof treatment for attn difficulties in past year
2438	AD28	Num	8	AD28FFFF.	Ever hospitalized overnight for attention difficulties
2451	AD32	Num	8	AD32FFFF.	Remember exact age of 1st restless/impatient difficulty
2454	AD33	Num	8	AD33FFFF.	Had restless/impatient difficulty during past 12 months
2456	AD34	Num	8		Total # of years having impatience problems
2465	AD41	Num	8		# days in past year unable to work due to impatience difficulty
2426	AD10A	Num	8		Worst month in past year-attention diffic interf w/ home mgmt
2427	AD10B	Num	8		Worst month in past year-atten diffic interf w/ ability to work
2428	AD10C	Num	8		Worst mth in past yr-atten diffic interf w/ form/maint relations
2429	AD10D	Num	8		Worst month in past yr-attention diffic interf w/ social life
2432	AD14A	Num	8		Age 1st talked to professional for attention difficulties
2403	AD1A	Num	8	AD1A.	Difficulty concentrate less than 7-frequently lose things
2404	AD1B	Num	8	AD1B.	Difficulty concentrate less than 7-trouble paying attention to details
2405	AD1C	Num	8	AD1C.	Difficulty concentrate less than 7-forget what planned to do
2406	AD1D	Num	8	AD1D.	Difficulty concentrate less than 7-ppl say you are not listening to them
2407	AD1E	Num	8	AD1E.	Difficulty concentrate less than 7-quick loss of interest in activities
2408	AD1F	Num	8	AD1F.	Difficulty concentrate less than 7-easily distracted
2409	AD1G	Num	8	AD1G.	Difficulty concentrate less than 7- avoided things req concentration
2410	AD1H	Num	8	AD1H.	Difficulty concentrate less than 7-confused when making plans

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
2411	AD1I	Num	8	AD1I.	Difficulty concentrate less than 7-left chores undone when unintended
2434	AD25A	Num	8		Age 1st got helpful/effective treatment for attn difficulties
2435	AD25B	Num	8		# of profs ever talked to for attention incl helpful trmt doc
2436	AD25C	Num	8		# of professionals ever talked to about attention difficulties
2439	AD28A	Num	8		Age 1st hospitalized overnight for attention difficulties
2440	AD30A	Num	8	AD30A.	Restless before 7-very active when should not be
2441	AD30B	Num	8	AD30B.	Restless before 7-often feel restless
2442	AD30C	Num	8	AD30C.	Restless before 7-were often on the go
2443	AD30D	Num	8	AD30D.	Restless before 7-trouble playing quietly
2444	AD30E	Num	8	AD30E.	Restless before 7-fidget/squirm while sitting
2445	AD30F	Num	8	AD30F.	Restless before 7-get up from seat when not supposed to
2446	AD30G	Num	8	AD30G.	Restless before 7- often extremely talkative
2447	AD30H	Num	8	AD30H.	Restless before 7-blurt out answers before other finished spkg
2448	AD30I	Num	8	AD30I.	Restless before 7-inerrupt/join conversations uninvited
2449	AD30J	Num	8	AD30J.	Restless before 7-often try to break into games/interrupt acts
2450	AD30K	Num	8	AD30K.	Restless before 7-trouble waiting your turn
2452	AD32A	Num	8		Exact age of very 1st restless/impatient difficulty
2453	AD32B	Num	8		Estimate age of 1st restless/impatient difficulty-computed
3661	AD32B1	Num	8		Estimate age 1st irestless/impatient difficulty
3662	AD32B2	Num	8	AD32B2FF.	1st restless/impatient difficulty before 7 yrs old
3663	AD32B3	Num	8	AD32B3FF.	1st restless/impatient difficulty before teen
3664	AD32B4	Num	8	AD32B4FF.	1st restless/impatient difficulty before 20s
2455	AD33A	Num	8		Age last time restless/impatient difficulty 6+ mths
2457	AD35A	Num	8	AD35A.	Impatience ever cause problems with school
2458	AD35B	Num	8	AD35B.	Impatience ever cause problems at home
2459	AD35C	Num	8	AD35C.	Impatience ever cause problems at work
2460	AD35D	Num	8	AD35D.	Impatience ever cause problems in relations/social life
2461	AD39A	Num	8		Worst month in past year-impatience interf w/ home mgmt
2462	AD39B	Num	8		Worst month in past year-impatience interf w/ ability to work
2463	AD39C	Num	8		Worst month past year-impat interf w/ form/maint relation
2464	AD39D	Num	8		Worst month in past yr-impatience interf w/ social life
2413	AD3A	Num	8		Exact age of very 1st attention problem
2414	AD3B	Num	8		Estimate age of 1st attention problems-compute
2415	AD3B1	Num	8		Estimate age of 1st attention problems
2416	AD3B2	Num	8	AD3B2FFF.	1st attention problem before 7 years old
2417	AD3B3	Num	8	AD3B3FFF.	1st attention problem before teen

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
2418	AD3B4	Num	8	AD3B4FFF.	1st attention problems before 20s
2466	AD43_1	Num	8	AD43_1FF.	Ever talked to professional about impatience difficulties
2467	AD43_1A	Num	8		Age 1st saw prof for impatience difficulties
2468	AD43_1B	Num	8	AD43_1B.	Received helpful/effective trmt for impatience difficulties
2469	AD43_1C	Num	8		Age 1st got helpful/effective trmt for impatience difficulties
2470	AD43_1D	Num	8		# profs talked to about impatience incl helpful trmt doc
2471	AD43_1E	Num	8		# of profs ever talked to about impatience difficulties
2472	AD43_1F	Num	8	AD43_1F.	Received prof trmt for impatience difficulties in past year
2473	AD43_1G	Num	8	AD43_1G.	Hospitalized overnight for impatience difficulties
2474	AD43_1H	Num	8		Age 1st hospitalized overnight for impatience difficulties
2420	AD4A	Num	8		Age last time had attention problem for 6+ months
2422	AD6A	Num	8	AD6A.	Attention difficulties ever caused problems at school
2423	AD6B	Num	8	AD6B.	Attention difficulties ever caused problems at home
2424	AD6C	Num	8	AD6C.	Attention difficulties ever caused problems at work
2425	AD6D	Num	8	AD6D.	Attention difficulties ever caused probs w/ relations/social life
3246	ADD_OND	Num	8	ADD_OND.	DSM-IV Attention Deficit Disorder Onset
3294	ADD_ONI	Num	8	ADD_ONI.	ICD Attention Deficit Disorder Onset
3247	ADD_RECD	Num	8	ADD_RECD.	DSM-IV Attention Deficit Disorder Recency
3295	ADD_RECI	Num	8	ADD_RECI.	ICD Attention Deficit Disorder Recency
3	ADOL	Num	8	ADOL.	Number of Adolescents 13-17 in HH
4	ADULT	Num	8	ADULT.	Number of Adults in HH
676	AG1	Num	8	AG1FFFFFF.	Ever strongly fear being home alone
705	AG8	Num	8	AG8FFFFFF.	Particular event 1st caused fears
711	AG11	Num	8	AG11FFFF.	During fear-ever have one/more reaction
723	AG13	Num	8	AG13FFFF.	Ever unable to leave home for day due to fear
726	AG14	Num	8	AG14FFFF.	Unable to leave home without family/friend
727	AG15	Num	8	AG15FFFF.	Extent fear situations interf with work/social life/relations
728	AG16	Num	8	AG16FFFF.	Ever time felt emotionally upset/worried/disapp due to fear
729	AG17	Num	8	AG17FFFF.	Strong fear or avoid situations in the past year
732	AG18	Num	8	AG18FFFF.	Severity of fear if faced today with sit that scares most
733	AG19	Num	8	AG19FFFF.	How often avoid feared situations in the past year
737	AG22	Num	8		# of days in past yr unable to carry out acts due to fear
738	AG24	Num	8	AG24FFFF.	Ever talked to Medical professional about fear
740	AG35	Num	8	AG35FFFF.	Received helpful/effective treatment for fear
744	AG37	Num	8	AG37FFFF.	Received professional treatment for fear in past year
745	AG38	Num	8	AG38FFFF.	Ever hospitalized overnight for fear?

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
712	AG11A	Num	8	AG11A.	During fear-trouble breathing
713	AG11B	Num	8	AG11B.	During fear- feel like choking
714	AG11C	Num	8	AG11C.	During fear-have pain in chest
715	AG11D	Num	8	AG11D.	During fear-sick to stomach
716	AG11E	Num	8	AG11E.	During fear-feel dizzy/faint
717	AG11F	Num	8	AG11F.	During fear-fear losing control/go crazy/pass out
718	AG11G	Num	8	AG11G.	During fear-afraid you might die
719	AG11H	Num	8	AG11H.	During fear-chills/hot flushes
720	AG11I	Num	8	AG11I.	During fear- felt numbness or tingling
721	AG11J	Num	8	AG11J.	During fear-feel like not really there
722	AG11K	Num	8	AG11K.	During fear-feel things unreal/dreamlike
724	AG13A	Num	8		Length time unable to leave home due to fear
725	AG13A1	Num	8	AG13A1FF.	Unit of time unable to leave home due to fear, AG13A
730	AG17A	Num	8	AG17A.	When avoided situations in the past year
731	AG17B	Num	8		Age last time avoided situations due to fear
677	AG1B	Num	8	AG1B.	Ever strongly fear being in crowds
678	AG1C	Num	8	AG1C.	Ever strongly fear traveling away from home
679	AG1D	Num	8	AG1D.	Ever strongly fear traveling alone or away from home alone
680	AG1E	Num	8	AG1E.	Ever strongly fear using public transportation
681	AG1F	Num	8	AG1F.	Ever strongly fear driving a car
682	AG1G	Num	8	AG1G.	Ever strongly fear standing in line in public places
683	AG1H	Num	8	AG1H.	Ever strongly fear being in stores/malls
684	AG1I	Num	8	AG1I.	Ever strongly fear being in large auditoriums
685	AG1J	Num	8	AG1J.	Ever strongly fear being in restaurants or other public place
686	AG1K	Num	8	AG1K.	Ever strongly fear being in wide open field or street
734	AG20A	Num	8		Severe mth-extent to which fear interfere home mgmt
3695	AG20B	Num	8		Severe mth-extent to which fear interf with ability to work
735	AG20C	Num	8		Severe month-extent to which fear interf form/maintain rel
736	AG20D	Num	8		Severe month-extent to which fear interfere with social life
739	AG24A	Num	8		Age 1st time talk professional for fear
3447	AG26B1	Num	8		Estimate age 1st worry/anxious/nervous + other probs
3448	AG26B2	Num	8	AG26B2FF.	1st worry + other problems before started school
3449	AG26B3	Num	8	AG26B3FF.	1st worry + other problems before teenager
741	AG35A	Num	8		Age 1st got helpful/effective treatment for fear
742	AG35B	Num	8		Total profs seen for fear incl helpful treatment doc
743	AG35C	Num	8		# of professionals ever talked to about fear

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
746	AG38A	Num	8		Age 1st time hospitalized overnight for fear
747	AG38_1	Num	8		# of close relatives w/ fear of home alone/crowds/away
689	AG3A	Num	8		Age 1st fear when being alone or in public situation
687	AG3INTR1	Num	8	AG3INTRF.	Remember exact age 1st time had fear of one situation
688	AG3INTR2	Num	8	AG3INTOF.	Remember exact age 1st time had fear of one situation
694	AG4A	Num	8	AG4A.	Fear experienced: being alone or separate from love
695	AG4B	Num	8	AG4B.	Which fear experienced: danger/being robbed or assaulted
696	AG4C	Num	8	AG4C.	Fear experienced: getting sick to stomach or diarrhea
697	AG4D	Num	8	AG4D.	Which fear experienced: having panic attack
698	AG4E	Num	8	AG4E.	Fear experienced: heart attack or other emergency
699	AG4F	Num	8	AG4F.	Fear experienced: physically ill/unable to get help
700	AG4G	Num	8	AG4G.	Fear experienced: difficult or embarrassing to escape
701	AG4H	Num	8	AG4H.	Fear experienced: other terrible things might happen
706	AG8A	Num	8	AG8A.	Had panic attack as result of event
707	AG9A	Num	8	AG9A.	In most severe fear-heart raced
708	AG9B	Num	8	AG9B.	In most severe fear-sweat
709	AG9C	Num	8	AG9C.	In most severe fear-tremble
710	AG9D	Num	8	AG9D.	In most severe fear-dry mouth
3337	AGE	Num	8	AGE.	Age
3248	AGO_OND	Num	8	AGO_OND.	DSM-IV Agoraphobia without Panic Disorder Onset
3249	AGO_RECD	Num	8	AGO_RECD.	DSM-IV Agoraphobia without Panic Disorder Recency
3250	AGP_OND	Num	8	AGP_OND.	DSM-IV Agoraphobia with Panic Disorder Onset
3296	AGP_ONI	Num	8	AGP_ONI.	ICD Agoraphobia with Panic Disorder Onset
3251	AGP_RECD	Num	8	AGP_RECD.	DSM-IV Agoraphobia with Panic Disorder Recency
3297	AGP_RECI	Num	8	AGP_RECI.	ICD Agoraphobia with Panic Disorder Recency
3252	ALA_OND	Num	8	ALA_OND.	DSM-IV Alcohol Abuse Onset
3298	ALA_ONI	Num	8	ALA_ONI.	ICD Alcohol Abuse Onset
3253	ALA_RECD	Num	8	ALA_RECD.	DSM-IV Alcohol Abuse Recency
3299	ALA_RECI	Num	8	ALA_RECI.	ICD Alcohol Abuse Recency
3254	ALD_OND	Num	8	ALD_OND.	DSM-IV Alcohol Dependence Onset
3300	ALD_ONI	Num	8	ALD_ONI.	ICD Alcohol Dependence Onset
3255	ALD_RECD	Num	8	ALD_RECD.	DSM-IV Alcohol Dependence Recency
3301	ALD_RECI	Num	8	ALD_RECI.	ICD Alcohol Dependence Recency
3375	ANO_OND	Num	8	ANO_OND.	DSM-IV Anorexia Onset
3383	ANO_ONI	Num	8	ANO_ONI.	ICD Anorexia Onset
3376	ANO_RECD	Num	8	ANO_RECD.	DSM-IV Anorexia Recency

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
3384	ANO_RECI	Num	8	ANO_RECI.	ICD Anorexia Recency
3256	ASA_OND	Num	8	ASA_OND.	DSM-IV Adult Separation Anxiety Disorder Onset
3302	ASA_ONI	Num	8	ASA_ONI.	ICD Adult Separation Anxiety Disorder Onset
3257	ASA_RECD	Num	8	ASA_RECD.	DSM-IV Adult Separation Anxiety Disorder Recency
3303	ASA_RECI	Num	8	ASA_RECI.	ICD Adult Separation Anxiety Disorder Recency
617	ASO3B1	Num	8		Estimate age of 1st social fear
618	ASO3B2	Num	8	ASO3B2FF.	1st social fear before started school
619	ASO3B3	Num	8	ASO3B3FF.	1st social fear before teenager
620	ASO6B1	Num	8		Age 1st avoided social or perf sit due to fear-computed
621	ASO6B2	Num	8	ASO6B2FF.	Avoid social or perf situations before started school
622	ASO6B3	Num	8	ASO6B3FF.	Avoided social or perf situations before teenager
3450	ATB3	Num	8		How old the very first time
3459	ATB6	Num	8		How old, first time, once a week for 2 months
3468	ATB23	Num	8		How old, last time, any problem
3471	ATB26	Num	8		How old, first time, 3 or more problems, same year
3466	ATB211A	Num	8	ATB211A.	Was it before your teens
3467	ATB211B	Num	8	ATB211B.	Was it before your twenties
3465	ATB21B	Num	8		How old, first time, any problem
3469	ATB23A	Num	8	ATB23A.	Was it before your teens
3470	ATB23B	Num	8	ATB23B.	Was it before your twenties
3472	ATB26A	Num	8	ATB26A.	Was it before your teens
3473	ATB26B	Num	8	ATB26B.	Was it before your twenties
3451	ATB3A	Num	8	ATB3A.	Was it before your teens
3452	ATB3B	Num	8	ATB3B.	Was it before your twenties
3454	ATB5I1A	Num	8	ATB5I1A.	Current smoker, was it before your teens
3455	ATB5I1B	Num	8	ATB5I1B.	Current smoker, was it before your twenties
3457	ATB5I2A	Num	8	ATB5I2A.	Ex smoker, was it before your teens
3458	ATB5I2B	Num	8	ATB5I2B.	Ex smoker, was it before your twenties
3453	ATB5ITR1	Num	8		Current smoker, how old the very first time
3456	ATB5ITR2	Num	8		Ex smoker, how old the very first time
3462	ATB6A	Num	8		How old, first time, every day for 2 months
3460	ATB6AA	Num	8	ATB6AA.	Was it before your teens
3463	ATB6AAA	Num	8	ATB6AAA.	Was it before your teens
3464	ATB6AAB	Num	8	ATB6AAB.	Was it before your twenties
3461	ATB6AB	Num	8	ATB6AB.	Was it before your twenties
3379	BINGEANY_OND	Num	8	BINGEANF.	DSM-IV Binge Any Onset

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
3380	BINGEANY_REC	Num	8	BINGEA0F.	DSM-IV Binge Any Recency
3377	BINGEH_OND	Num	8	BINGEH_F.	DSM-IV Binge Eating Disorder w/ hierarchy Onset
3378	BINGEH_REC	Num	8	BINGEH0F.	DSM-IV Binge Eating Disorder w/ hierarchy Recency
3260	BIPOLARII_OND	Num	8	BIPOLA1F.	DSM-IV Bi-Polar II Onset
3261	BIPOLARII_REC	Num	8	BIPOLA2F.	DSM-IV Bi-Polar II Recency
3258	BIPOLARI_OND	Num	8	BIPOLARF.	DSM-IV Bi-Polar I Onset
3259	BIPOLARI_REC	Num	8	BIPOLA0F.	DSM-IV Bi-Polar I Recency
3262	BIPOLARSUB_OND	Num	8	BIPOLA3F.	DSM-IV Bi-Polar Subthreshold Onset
3263	BIPOLARSUB_REC	Num	8	BIPOLA4F.	DSM-IV Bi-Polar Subthreshold Recency
3332	BULH_OND	Num	8	BULH_OND.	DSM-IV Bulimia w/ hierarchy Onset
3333	BULH_REC	Num	8	BULH_REF.	DSM-IV Bulimia w/ hierarchy Recency
3381	BUL_OND	Num	8	BUL_OND.	DSM-IV Bulimia Onset
3385	BUL_ONI	Num	8	BUL_ONI.	ICD Bulimia Onset
3382	BUL_REC	Num	8	BUL_REC.	DSM-IV Bulimia Recency
3386	BUL_RECI	Num	8	BUL_RECI.	ICD Bulimia Recency
1	CASEID	Num	8		CASE IDENTIFICATION NUMBER
1397	CC6	Num	8	CC6FFFFF.	Currently in treatment for cancer/in remission/been cured
1415	CC9	Num	8		# times see doctor or other prof for treatment of condition
1416	CC12	Num	8		# of day out 365 could not work/normal acts due to condition
1417	CC14	Num	8		# of days had headache in past year
1421	CC16	Num	8		Rate headache pain at worst in past 12 months
1422	CC17	Num	8		Rate headache pain at its least in past 12 months
1423	CC18	Num	8		Scale 0-10 rate headache pain on average past 12
1435	CC22	Num	8		# weeks in past 52 had problem with sleep
1464	CC30	Num	8		In worst month-# of days per month had pain
1467	CC32	Num	8		Rate pain at its worst in past year
1468	CC34	Num	8		Rate pain on average during worst months in past 12
1479	CC36	Num	8	CC36FFFF.	Had gallbladder removed
1482	CC39	Num	8	CC39FFFF.	Diagnosed with ulcerative colitis or Crohn's Disease
1484	CC40	Num	8	CC40FFFF.	Stomach pain releived w/ bowel move 1+ wk/mth for 12 mths
1485	CC41	Num	8	CC41FFFF.	Frequent diarreha/constipation during stomach/ab pain
1486	CC42	Num	8	CC42FFFF.	Cange in freq of bowel movement during stomach/ab pain
1487	CC43	Num	8	CC43FFFF.	Problems lasted week/mth for 12+ mths
1488	CC44	Num	8		Age 1st time period of this sort
1491	CC45	Num	8	CC45FFFF.	Severity of distress you had because of these problems
1492	CC46	Num	8	CC46FFFF.	Extent to which probs interfered with work/social/relations

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
1494	CC48	Num	8	CC48FFFF.	Have regular med doctor for routine medical care
1506	CC50	Num	8	CC50FFFF.	Covered by type of military health insurance
1524	CC51	Num	8	CC51FFFF.	If serious emot problem, probability of going to professional
1525	CC52	Num	8	CC52FFFF.	Comfort level of talking to prof about personal problems
1526	CC53	Num	8	CC53FFFF.	Embarrass level if friends knew getting prof help for emotions
1527	CC54	Num	8		Percent people helped who see prof for serious emotional problems
1528	CC55	Num	8		Percent people who get better without professional help
1529	CC60	Num	8		# of days in past 30 carried gun outside home
1530	CC61	Num	8		# days past 30 day carried other weapons outside home
1531	CC62	Num	8	CC62FFFF.	# of guns in working condition in house
1532	CC64	Num	8	CC64FFFF.	Gun(s) currently loaded and unlocked
1533	CC66	Num	8	CC66FFFF.	Gun easily accessable now or gun/ammo put away
1534	CC67	Num	8	CC67FFFF.	Had a job that required you to carry gun
1535	CC68	Num	8		Aside from job, # of times you threatened someone with gun
1536	CC70	Num	8	CC70FFFF.	Threat always in self-defense
1537	CC72	Num	8		Age when threat with gun happened
1538	CC73	Num	8		Age 1st time threatened someone with gun
1539	CC74	Num	8	CC74FFFF.	Threatened someone with gun in past 12 months
1540	CC75	Num	8		# of times you threatened someone with other weapon
1541	CC77	Num	8	CC77FFFF.	Threat with other weapon always in self-defense?
1542	CC79	Num	8		Age threatened someone with other weapons
1543	CC80	Num	8		Age 1st time threatened someone with other weapon
1544	CC81	Num	8	CC81FFFF.	Threatened someone with other weapon in past 12 months
3696	CC10A	Num	8		Extent to which condition interfered with home management
3697	CC10B	Num	8		Extent to which condition interfered with ability to work
3698	CC10C	Num	8		Extent to which condition interfered w/ form/maintain relations
3699	CC10D	Num	8		The extent to which the condition interfered with social life
1418	CC14A	Num	8		# of days had severe headache in past
1419	CC15A	Num	8		# of hours or minutes headache lasts
1420	CC15B	Num	8	CC15B.	Unit of time, CC15A
1424	CC19A	Num	8	CC19A.	Headaches accompanied by nausea/vomiting
1425	CC19B	Num	8	CC19B.	Your headache accompanied by sensitivity to light/sound
1426	CC19C	Num	8	CC19C.	See spot/lines/heat waves before headache starts
1427	CC19D	Num	8	CC19D.	Headache only on one side of head
1428	CC19E	Num	8	CC19E.	Pain behind 1 eye during headache
1429	CC19F	Num	8	CC19F.	Partial loss of vision before headache

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
1430	CC19G	Num	8	CC19G.	Pain throbs or comes in pulses during headaches
1360	CC1A	Num	8	CC1A.	Ever had arthritis/rheumatism
1361	CC1B	Num	8	CC1B.	Ever had chronic back/neck problems
1362	CC1C	Num	8	CC1C.	Ever had frequent or severe headaches
1363	CC1D	Num	8	CC1D.	Ever had any other chronic pain
1364	CC1E	Num	8	CC1E.	Ever had seasonal allergies like hay fever
1365	CC1F	Num	8	CC1F.	Ever had stroke
1366	CC1G	Num	8	CC1G.	Ever had heart disease
1367	CC1H	Num	8	CC1H.	Doctor or health professional told have heart
1368	CC1I	Num	8	CC1I.	Doctor or health professional told high blood pressure
1369	CC1J	Num	8	CC1J.	Doctor or health professional told have asthma
1370	CC1L	Num	8	CC1L.	Doctor/health professional told had chronic lung disease
1371	CC1N	Num	8	CC1N.	Doctor/health professional told have diabetes/high blood sugar
1372	CC1O	Num	8	CC1O.	Doctor or health professional told have ulcer in stomach/intest
1373	CC1S	Num	8	CC1S.	Doctor or health professional told have epilepsy
1374	CC1T	Num	8	CC1T.	Doctor or professional told have cancer
1431	CC20A	Num	8	CC20A.	Took 2+ hours to fall asleep for 2+ weeks in past year
1432	CC20B	Num	8	CC20B.	Took an hr + to get back to sleep for 2+ weeks in past year
1433	CC20C	Num	8	CC20C.	Woke up 2+ hours too early for 2+ weeks in past year
1434	CC20D	Num	8	CC20D.	Problems feeling sleepy during day for 2+ weeks in past year
1436	CC24A	Num	8	CC24A.	Worst month past year-fall asleep watching TV, reading
1437	CC24B	Num	8	CC24B.	Worst month past yr-get drowsy within 10 minutes sitting still
1438	CC24C	Num	8	CC24C.	Worst month in past year-doze off when relaxed
1439	CC24D	Num	8	CC24D.	Worst month in past yr-fall asleep in conversation/visit friends
1440	CC24E	Num	8	CC24E.	Worst month in past yr-feel fatigued due to poor sleep
1441	CC24F	Num	8	CC24F.	Worst month in past year-wake up more than 3 times/night
1442	CC24G	Num	8	CC24G.	Worst month in past year-wake up feeling rested
1443	CC24H	Num	8	CC24H.	Worst month in past year-difficulty getting up
1444	CC24J	Num	8	CC24J.	Worst month in past year-felt had not slept long enough
1445	CC26A	Num	8	CC26A.	Worst month in past year-wake up more than 3 times/night
1446	CC26B	Num	8	CC26B.	Worst month in past year-wake up feeling rested
1447	CC26C	Num	8	CC26C.	Worst month in past yr-difficulty getting up
1448	CC26D	Num	8	CC26D.	Worst month in past year-felt refreshed after sleeping
1449	CC26E	Num	8	CC26E.	Worst month in past year-felt did not get enough sleep
1450	CC28_1	Num	8	CC28_1FF.	Ever had medically unexplained chronic pain
1457	CC28_2	Num	8	CC28_2FF.	Severity of emotional distress because of pain at worst time

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
1458	CC28_3	Num	8	CC28_3FF.	Extent which pain interfered with work/social life/relationships
1451	CC28_1A1	Num	8	CC28_1AF.	Part of body pain occurred:1st mention
1452	CC28_1A2	Num	8	CC28_10F.	Part of body pain occurred:2nd mention
1453	CC28_1A3	Num	8	CC28_11F.	Part of body pain occurred:3rd mention
1454	CC28_1A4	Num	8	CC28_12F.	Part of body pain occurred:4th mention
1455	CC28_1A5	Num	8	CC28_13F.	Part of body pain occurred:5th mention
1456	CC28_1A6	Num	8	CC28_14F.	Part of body pain occurred:6th mention
1459	CC28_3A	Num	8	CC28_3A.	Frequency unable to carry daily activities due to pain
1460	CC29_1	Num	8		Age 1st medically unexplained chronic pain
1461	CC29_2	Num	8		Total # of years had medically unexplained pain for 6+ mths
1462	CC29_3	Num	8	CC29_3FF.	Had medically unexplained pain for 6+ mths in past year
1463	CC29_4	Num	8		# of months with pain in past 12 months
1465	CC31A	Num	8		In worst month-# of minutes or hours/day had pain
1466	CC31B	Num	8	CC31B.	Unit of time, CC31A
1469	CC34_1	Num	8		# of doctors seen regarding pain
1476	CC34_5	Num	8	CC34_5FF.	Pain always result of taking medication/drugs/alcohol
1477	CC34_8	Num	8	CC34_8FF.	Find abnormality during examine/tests/x-rays
1478	CC34_9	Num	8	CC34_9FF.	Pain always result of physical illness/injury
1545	CC34_10	Num	8	CC34_10F.	Psychological factors played role in tiredness/related probs
1472	CC34_301	Num	8	CC34_30F.	Cause of pain according to doctor:1st mention
1473	CC34_302	Num	8	CC34_31F.	Cause of pain according to doctor:2nd mention
1474	CC34_303	Num	8	CC34_32F.	Cause of pain according to doctor:3rd mention
1475	CC34_304	Num	8	CC34_33F.	Cause of pain according to doctor:4th mention
1470	CC34_2A	Num	8	CC34_2A.	Medically unexplained pain due to physical causes
1471	CC34_2B	Num	8	CC34_2B.	Medically unexplained pain always result of physical causes
1480	CC38INT1	Num	8	CC38INTF.	Had abdominal/intestinal surgery
1481	CC38INT2	Num	8	CC38IN0F.	Ever had abdominal or intestinal surgery
1483	CC39_1	Num	8		Age when received diagnosis for colitis/Crohn's Disease
1375	CC3A	Num	8		Age 1st had arthritis/rheumatism
1376	CC3B	Num	8		Age 1st had back/neck problems
1378	CC3C	Num	8		Age 1st had frequent /severe headache
1380	CC3D	Num	8		Age 1st had any other chronic pain
1382	CC3E	Num	8		Age 1st had seasonal allergies
1384	CC3F	Num	8		Age 1st had stroke
1385	CC3G	Num	8		Age 1st had heart attack
1386	CC3H	Num	8		Age 1st diagnosed with heart disease

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
1387	CC3I	Num	8		Age 1st diagnosed with high blood pressure
1389	CC3J	Num	8		Age 1st diagnosed with asthma
1390	CC3L	Num	8		Age 1st diagnosed with chronic lung disease
1391	CC3N	Num	8		Age 1st diagnosed with diabetes/high blood sugar
1393	CC3O	Num	8		Age 1st diagnosed with ulcer
1395	CC3S	Num	8		Age 1st diagnosed with epilepsy/seizures
1396	CC3T	Num	8		Age 1st diagnosed with cancer
1489	CC44_1	Num	8		# of years have bowel problems at least 1 week per month
1490	CC44_2	Num	8	CC44_2FF.	Have this problem at least 1 week per month in past 12 mths
1493	CC46A	Num	8	CC46A.	Poblem so severe could not carry out daily activities
1495	CC48A	Num	8	CC48A.	Have regular place to go for routine medical care
1496	CC49A	Num	8		In past yr-# of visits to doctor/hosp/clinic for routine exam
1497	CC49B	Num	8		In past year-# of visits to dentist/optician for routine exam
1498	CC49C	Num	8		In past year-# of visits to ER/doctor/urgent care
1499	CC49D	Num	8		In past year-# of visits to doc/ortho/opth for sched treatment
1500	CC49_2	Num	8	CC49_2FF.	In past year-doctor asked you about alcohol or illegal drugs
1501	CC49_2A	Num	8	CC49_2A.	In past year-doctor advise to stop or cut drugs/alc use
1502	CC49_2B	Num	8	CC49_2B.	In past year-doc asked about emotions/ nerves/mental health
1503	CC49_2D	Num	8	CC49_2D.	Past year-doctor advise see specialist for emot/subst probs
1504	CC49_2E	Num	8	CC49_2E.	Past year-doctor suggested meds for emot/subst probs
1505	CC49_2F	Num	8	CC49_2F.	Past year-doc spent 5 mins + counsel for emot/subst probs
1377	CC4B	Num	8	CC4B.	Still have back/neck problems or receive treatment in past yr
1379	CC4C	Num	8	CC4C.	Still have severe headache or received treatment
1381	CC4D	Num	8	CC4D.	Still have Chronic Pain or received treatment pa
1383	CC4E	Num	8	CC4E.	Still have season allergies or received treatmen
1388	CC4I	Num	8	CC4I.	Still have high blood pressure or receive treatm
1392	CC4N	Num	8	CC4N.	Still have diabete/blood pressure or got treatme
1394	CC4O	Num	8	CC4O.	Still have ulcer or received treatment in past 12 months
1507	CC50_1	Num	8	CC50_1FF.	Health insurance obtained through employer/union
1508	CC50_2	Num	8	CC50_2FF.	Covered by health ins plan purchased from ins company
1509	CC50_3	Num	8	CC50_3FF.	Covered by Medicare
1511	CC50_4	Num	8	CC50_4FF.	Covered by government assistant program for people in need
1512	CC50_5	Num	8	CC50_5FF.	Covered by state health ins for uninsured people
4012	CC50_6	Num	8	CC50_6FF.	Covered by Indian Health Service
1513	CC50_7	Num	8	CC50_7FF.	Covered by other health insurances not mentioned
1514	CC50_9	Num	8	CC50_9FF.	sign up with a certain primary care doctor, grou

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
1515	CC50_11	Num	8	CC50_11F.	Health insurance requires referral/approval for specialist
1516	CC50_12	Num	8	CC50_12F.	Can see any doc if accepts ins or pick from network
1517	CC50_13	Num	8	CC50_13F.	Pay higher co-pay for doctors not in the network
1518	CC50_14	Num	8	CC50_14F.	Health plan is HMO
1519	CC50_15	Num	8	CC50_15F.	If not have referral, insurance cover the cost
4013	CC50_16	Num	8	CC50_16F.	How much have to pay at plan doctor
4014	CC50_17	Num	8	CC50_17F.	How much have to pay for prescriptions
1521	CC50_16A	Num	8	CC50_16A.	Dollar or percent
1520	CC50_16_5	Num	8		Cost of going to plan doctor for routine visit
1523	CC50_17A	Num	8	CC50_17A.	Dollars or percent
1522	CC50_17_5	Num	8		Cost for prescription medicines?
1510	CC50_3A	Num	8	CC50_3A.	Covered by Medicare supplemental or Medigap
1398	CC6A01	Num	8	CC6A01FF.	Where cancer located:1st mention
1399	CC6A02	Num	8	CC6A02FF.	Where cancer located:2nd mention
1400	CC6A03	Num	8	CC6A03FF.	Where cancer located:3rd mention
1401	CC6A04	Num	8	CC6A04FF.	Where cancer located:4th mention
1402	CC6_1	Num	8	CC6_1FFF.	In past yr-had accident/injury/posioning required medical atten
1406	CC6_21	Num	8	CC6_21FF.	Condition on list resulting from injury:1st mention
1407	CC6_22	Num	8	CC6_22FF.	Condition on list resulting from injury:2nd mention
1408	CC6_23	Num	8	CC6_23FF.	Condition on list resulting from injury:3rd mention
1409	CC6_24	Num	8	CC6_24FF.	Condition on list resulting from injury:4th mention
1410	CC6_25	Num	8	CC6_25FF.	Condition on list resulting from injury:5th mention
1411	CC6_26	Num	8	CC6_26FF.	Condition on list resulting from injury:6th mention
1412	CC6_301	Num	8	CC6_301F.	Where did injury occur - 1st mention
1413	CC6_302	Num	8	CC6_302F.	Where did injury occur - 2nd mention
1414	CC6_303	Num	8	CC6_303F.	Where did injury occur - 3rd mention
1403	CC6_1A	Num	8		# of accidents/injuries/poison needed medical atten in past yr
1404	CC6_1B	Num	8	CC6_1B.	Most recent real accident/did on purpose/result of fight
1405	CC6_1C	Num	8	CC6_1C.	Most recent at work/work related travel/or elsewhere
2521	CD7	Num	8	CD7FFFFF.	Remember exact age 1st engaged in agg behavior
2526	CD9	Num	8	CD9FFFFF.	Engaged in conduct disorder in the past 12 months
2528	CD10	Num	8		Total # years engaged in aggressive behavior
2529	CD11	Num	8	CD11FFFF.	Extent cond disorder interf w/ school/work/social life/relations
2530	CD16	Num	8	CD16FFFF.	As child or teen-bullied people incl younger children
2537	CD18	Num	8	CD18FFFF.	Remember exact age of 1st aggressive behavior
2539	CD20	Num	8	CD20FFFF.	Engaged in aggressive behavior in the past 12 months

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
2541	CD21	Num	8		# of years engaged in aggressive behavior
2542	CD22	Num	8	CD22FFFF.	Aggressive behav interfered w/ school/work/social/relations
2543	CD32	Num	8	CD32FFFF.	As child or teen-suspended/expelled as result of agg behav
2544	CD33	Num	8	CD33FFFF.	As child or teen-fired from job due to agg behavior
2545	CD37	Num	8	CD37FFFF.	As child or teen-in trouble with police due to agg behav
4059	CD38	Num	8	CD38FFFF.	Ever arrested as a child
4060	CD39	Num	8	CD39FFFF.	Ever sent to a jail / prison / juvenile correctional facility
2531	CD16A	Num	8	CD16A.	As child or teen-bullied people incl younger children
2532	CD16B	Num	8	CD16B.	As child or teen-repeatedly involved in physical fights
2533	CD16C	Num	8	CD16C.	As child or teen-use weapon on other person
2534	CD16D	Num	8	CD16D.	As child or teen-physically harm animal on purpose
2535	CD16E	Num	8	CD16E.	As child or teen-physically harm person on purpose
2536	CD16F	Num	8	CD16F.	As child or teen-threaten/injure in order to get things
4056	CD16G	Num	8	CD16G.	As child ever steal someones purse or bag by grabbing it
4057	CD16H	Num	8	CD16H.	As a child ever make anyone do something sexual
2538	CD18B	Num	8		Age of the very 1st aggressive behavior
4058	CD18C	Num	8	CD18C.	Estimate how old 1st aggressive behavior
2510	CD1A	Num	8	CD1A.	As child or teen-tell lies to trick people to do what you wanted
2511	CD1B	Num	8	CD1B.	As child or teen-get out of doing things by fooling/lying
2512	CD1C	Num	8	CD1C.	As child or teen-shoplift/steal something worth \$10+
2513	CD1D	Num	8	CD1D.	As child or teen-steal from parents/guardians
2514	CD1E	Num	8	CD1E.	As child or teen-break into locked car/home/building
2515	CD1F	Num	8	CD1F.	As child or teen-set fire to cause serious damage
2516	CD1G	Num	8	CD1G.	As child or teen-purposely damage others property
2517	CD1H	Num	8	CD1H.	As child or teen-stay out later than your parents wanted
2518	CD1I	Num	8	CD1I.	As child or teen-skip school without permission
2519	CD1J	Num	8	CD1J.	As child or teen-run away from home for at least 4 days
2520	CD1K	Num	8	CD1K.	Child or teen-run away home overnight more than once
2540	CD20A	Num	8		Age last time you engaged in aggressive behavior
2546	CD37A	Num	8		Age 1st police trouble for aggressive behavior
4061	CD39A	Num	8	CD39A.	How old first time sent to a jail / prison / juvenile facility
4062	CD39B1	Num	8	CD39B1FF.	How long stay in any (jail / prison / juvenile) facilities altogether
4063	CD39B2	Num	8	CD39B2FF.	How long stay in any (jail / prison / juvenile) facilities altogether
2522	CD7A	Num	8		Exact age 1st engaged in agg behavior
2523	CD7B	Num	8		Estimate age 1st time you had conduct disorder
2524	CD7B1	Num	8	CD7B1FFF.	1st conduct disorder before start school

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
2525	CD7B2	Num	8	CD7B2FFF.	1st conduct disorder before teen
2527	CD9A	Num	8		Age last time you had conduct disorder
3264	CD_OND	Num	8	CD_OND.	DSM-IV Conduct Disorder Onset
3304	CD_ONI	Num	8	CD_ONI.	ICD Conduct Disorder Onset
3265	CD_RECDD	Num	8	CD_RECDD.	DSM-IV Conduct Disorder Recency
3305	CD_RECI	Num	8	CD_RECI.	ICD Conduct Disorder Recency
2305	CH1	Num	8	CH1FFFFF.	Lived with both biological parents until 16
2315	CH6	Num	8	CH6FFFFF.	Away from home 6+ mths before 16
2322	CH8	Num	8	CH8FFFFF.	Male head of household during most childhood
2324	CH9	Num	8	CH9FFFFF.	Amt of childhood male head worked for pay or family business
3498	CH11	Num	8	CH11FFFF.	Kind work he normally did, job title: Recoded
3564	CH12	Num	8	CH12FFFF.	Kind of place he worked for: Recode
2325	CH13	Num	8	CH13FFFF.	Female head of household during most childhood
2327	CH14	Num	8	CH14FFFF.	Amt of childhood mother worked for pay or family business
3499	CH16	Num	8	CH16FFFF.	Kind work she normally did, job title: Recoded
3565	CH17	Num	8	CH17FFFF.	Kind of place she worked for?: Recode
2328	CH19	Num	8	CH19FFFF.	Family received gov't assistance for 6+ mths in childhood/adol
2330	CH28	Num	8	CH28FFFF.	Freq someone did thing from List A to you when growing up
2335	CH29	Num	8	CH29FFFF.	Freq parent did things on List A to each other when growing up
2341	CH38	Num	8	CH38FFFF.	What woman spent most time raising you
2347	CH41	Num	8	CH41FFFF.	Growing up-mother/woman had periods of sadness for 2+ wks
2349	CH42	Num	8	CH42FFFF.	During worst depression-woman had other symptoms
2350	CH44	Num	8	CH44FFFF.	Growing up-woman received prof treatment for depression
2352	CH45	Num	8	CH45FFFF.	Growing up-depression interfered a lot with her life activities
2353	CH46	Num	8	CH46FFFF.	Growing up-woman constantly anx/nerv for 1+ mth
2355	CH47	Num	8	CH47FFFF.	Worst nervous episode-woman had other symptoms
2356	CH49	Num	8	CH49FFFF.	Growing up-woman got prof treatment for nervousness
2358	CH50	Num	8	CH50FFFF.	Growing up-nervousness interfered a lot with life/activities
2359	CH51	Num	8	CH51FFFF.	Growing up-woman complained about anxiety attacks
2361	CH52	Num	8	CH52FFFF.	Growing up-woman had problem with alcohol or drugs
2362	CH56	Num	8	CH56FFFF.	Woman had alc/drug prob all/most/some/little of childhood
2363	CH59	Num	8	CH59FFFF.	Growing up-woman got prof treatment for substance problem
2365	CH60	Num	8	CH60FFFF.	Growing up-substance use interf lot/some/little/none w/ life
2366	CH61	Num	8	CH61FFFF.	Woman had trouble holding a job
2367	CH62	Num	8	CH62FFFF.	Growing up-woman lied a lot
2368	CH63	Num	8	CH63FFFF.	Growing up-woman often got into physical fights

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
2369	CH64	Num	8	CH64FFFF.	Growing up-woman involved in criminal activities
4054	CH65	Num	8	CH65FFFF.	Woman who raised respondent ever arrested or sent to prison
2370	CH66	Num	8	CH66FFFF.	Growing up-woman ran around with men or desert family
2371	CH67	Num	8	CH67FFFF.	Growing up- woman attempted to commit suicide
2372	CH68	Num	8	CH68FFFF.	What man spent most time raising you
2378	CH71	Num	8	CH71FFFF.	Growing up-father/man had periods of sadness for 2+ wks
2380	CH72	Num	8	CH72FFFF.	During worst depression-man had other symptoms
2381	CH74	Num	8	CH74FFFF.	Growing up-man received prof treatment for depression
2383	CH75	Num	8	CH75FFFF.	Growing up-depression interfered a lot with his life activities
2384	CH76	Num	8	CH76FFFF.	Growing up-man constantly anx/nerv for 1+ mth
2386	CH77	Num	8	CH77FFFF.	Worst nervous episode-man had other symptoms
2387	CH79	Num	8	CH79FFFF.	Growing up-man got prof treatment for nervousness
2389	CH80	Num	8	CH80FFFF.	Growing up-nervousness interfered a lot with life/activities
2390	CH81	Num	8	CH81FFFF.	Growing up-man complained about anxiety attacks
2392	CH82	Num	8	CH82FFFF.	Growing up-man had problem with alcohol or drugs
2393	CH86	Num	8	CH86FFFF.	Man had alcohol/drug prob all/most/some/little of childhood
2394	CH89	Num	8	CH89FFFF.	Growing up-man got prof treatment for substance problem
2396	CH90	Num	8	CH90FFFF.	Growing up-substance use interf lot/some/little/none w/ life
2397	CH91	Num	8	CH91FFFF.	Man had trouble holding a job
2398	CH92	Num	8	CH92FFFF.	Growing up-man lied a lot
2399	CH93	Num	8	CH93FFFF.	Growing up-man often got into physical fights
2400	CH94	Num	8	CH94FFFF.	Growing up-man involved in criminal activities
4055	CH95	Num	8	CH95FFFF.	Man who raised respondent ever arrested or sent to prison
2401	CH96	Num	8	CH96FFFF.	Growing up-man ran around with men or desert family
2402	CH97	Num	8	CH97FFFF.	Ever your man attempt commit suicide
2326	CH13A	Num	8	CH13A.	# years school she/mother completed: Top/Bot Code
2329	CH19A	Num	8		# yrs from birth - 18 family received gov't assistance
2331	CH28A1	Num	8	CH28A1FF.	Who did thing on List A to you:1st mention
2332	CH28A2	Num	8	CH28A2FF.	Who did thing on List A to you:2nd mention
2333	CH28A3	Num	8	CH28A3FF.	Who did thing on List A to you:3rd mention
2334	CH28A4	Num	8	CH28A4FF.	Who did thing on List A to you:4th mention
2310	CH2A	Num	8		Your age when your mother died
2311	CH2B	Num	8		Your age when your father died
2312	CH2C	Num	8		Your age when your parents divorced
4049	CH2D	Num	8	CH2D.	How old at time of adoption
4050	CH2E	Num	8	CH2E.	How old when went to boarding school

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
4051	CH2F	Num	8	CH2F.	How old when went under foster care
4052	CH2G	Num	8	CH2G.	How old when left home (before age 16)
4053	CH2H	Num	8	CH2H.	How old when respondent left home for other reason
2306	CH2_11	Num	8	CH2_11FF.	Reason didn't live with biological parents until 16:1st mention
2307	CH2_12	Num	8	CH2_12FF.	Reason didn't live with biological parents until 16:2nd mention
2308	CH2_13	Num	8	CH2_13FF.	Reason didn't live with biological parents until 16:3rd mention
2309	CH2_14	Num	8	CH2_14FF.	Reason didn't live with biological parents until 16:4th mention
2336	CH30_1A	Num	8	CH30_1A.	Freq made to do chores too diffic/dang for age in childhood
2337	CH30_1B	Num	8	CH30_1B.	Freq left unsupervised at too early age in childhood
2338	CH30_1C	Num	8	CH30_1C.	Went without needed things due to parents spending on selves
2339	CH30_1D	Num	8	CH30_1D.	Freq went hungry/parents didn't fix meals in childhood
2340	CH30_1E	Num	8	CH30_1E.	Freq parents failed to get medical trmt when sick/hurt as child
2342	CH39_1	Num	8	CH39_1FF.	How emotionally close with her when growing up
2313	CH3_1	Num	8	CH3_1FFF.	# adult males lived with for 6+ mths in childhood
2314	CH3_2	Num	8	CH3_2FFF.	# adult females lived with for 6+ mths in childhood
2343	CH40A	Num	8	CH40A.	How much love did woman give you
2344	CH40F	Num	8	CH40F.	Amt of effort she put in your upbringing
2345	CH40H	Num	8	CH40H.	Freq she stopped you doing things other kids were doing
2346	CH40I	Num	8	CH40I.	Mother/woman was strict with rules for you as child
2348	CH41A	Num	8	CH41A.	Frequency of mother/woman's depression during childhood
2351	CH44A	Num	8	CH44A.	Growing up-woman was hospitalized for depression
2354	CH46A	Num	8	CH46A.	Woman anx/nerv for 1+ mth in all/most/some/little childhood
2357	CH49A	Num	8	CH49A.	Growing up-woman ever hospitalized for nervousness
2360	CH51A	Num	8	CH51A.	Growing up-woman compl about heart pound/short breath/ill
2364	CH59A	Num	8	CH59A.	Growing-woman hospitalized for substance use
2373	CH69_1	Num	8	CH69_1FF.	How emotionally close were you with him when growing up
2374	CH69_2A	Num	8	CH69_2A.	How much love did man give you
2375	CH69_2B	Num	8	CH69_2B.	How much effort did your man put in your upbringing
2376	CH69_2C	Num	8	CH69_2C.	Freq he stopped you doing things other kids were doing
2377	CH69_2D	Num	8	CH69_2D.	Man was strict with rules for you as child
2316	CH6A1	Num	8	CH6A1FFF.	Location 6+ mths before 16:1st mention
2317	CH6A2	Num	8	CH6A2FFF.	Location 6+ mths before 16:2nd mention
2318	CH6A3	Num	8	CH6A3FFF.	Location 6+ mths before 16:3rd mention
2319	CH6B	Num	8		Age 1st time went away
2320	CH6C	Num	8		Total # months/years away from home before age 16
2321	CH6CA	Num	8	CH6CA.	Unit of time away from home before age 16, CH6C

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
2379	CH71A	Num	8	CH71A.	Frequency of father/man's depression during childhood
2382	CH74A	Num	8	CH74A.	Growing up-man was hospitalized for depression
2385	CH76A	Num	8	CH76A.	Man anx/nerv for 1+ mth in all/most/some/little childhood
2388	CH79A	Num	8	CH79A.	Growing up-man ever hospitalized for nervousness
2391	CH81A	Num	8	CH81A.	Growing up-man compl about heart pound/short breath/ill
2395	CH89A	Num	8	CH89A.	Growing-man hospitalized for substance use
2323	CH8A	Num	8	CH8A.	# years school he/father completed: Top/Bot Code
2	CHILDREN	Num	8	CHILDREN.	Number of children in HH
3510	CN1	Num	8	CN1FFFFF.	# living biological children: Top Code
3512	CN2	Num	8	CN2FFFFF.	# of living non-biological children: Top Code
2178	CN3	Num	8		Age of 1st sexual intercourse
2179	CN5	Num	8	CN5FFFFF.	Ever had miscarriage/stillbirth
2182	CN6	Num	8	CN6FFFFF.	Ever had abortion
2185	CN7	Num	8	CN7FFFFF.	Child of your has died
2222	CN9	Num	8		Overall relationship with child
2223	CN10	Num	8	CN10FFFF.	In raising children (m) often did thing from list
4024	CN11	Num	8	CN11FFFF.	How often do [behavior from list] to children
2224	CN11_2	Num	8	CN11_2FF.	Read question 58 in booklet and give corresponding letter
4025	CN11_3	Num	8	CN11_3FF.	Which best describes respondent sexual orientation
2225	CN11_4	Num	8		# of people you had sexual intercourse with in past year
2226	CN11_5	Num	8	CN11_5FF.	Freq you and your partner wear condom in past year
2167	CN1A	Num	8		# of living biological children under age 5
2166	CN1AA	Num	8	CN1AA.	# of living biological children under age 5
2168	CN1B	Num	8		# of living biological children between age 5 and 12
2169	CN1BB	Num	8	CN1BB.	# of living biological children between age 5 and 12
2170	CN1C	Num	8		# of living biological children between age 13 and 17
2171	CN1CC	Num	8	CN1CC.	# of living biological children between age 13 and 17
2172	CN2A	Num	8		# of living non-biological children under age
2173	CN2AA	Num	8	CN2AA.	# of living non-biological children under age 5
2174	CN2B	Num	8		# of living non-biological children between age 5 and 12
2175	CN2BB	Num	8	CN2BB.	# of living non-biological children between age 5 and 12
2176	CN2C	Num	8		# of living non-biological children between age 13 and 17
2177	CN2CC	Num	8	CN2CC.	# of living non-biological children between age 13 and 17
2180	CN5A	Num	8	CN5A.	# of miscarriage/stillbirth
2181	CN5B	Num	8		Age 1st miscarriage/stillbirth
2183	CN6A	Num	8	CN6A.	# of abortion(s)

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
2184	CN6B	Num	8		Age 1st abortion
2186	CN7A	Num	8	CN7A.	# of your children that died
2187	CN7B	Num	8		Age when your child died
2190	CN7B_101	Num	8		Child died-child age/your age/cause of death-1st mention
2191	CN7B_102	Num	8		Child died-child age/your age/cause of death-2nd mention
2192	CN7B_103	Num	8		Child died-child age/your age/cause of death-3rd mention
2193	CN7B_104	Num	8		Child died-child age/your age/cause of death-4th mention
2194	CN7B_105	Num	8		Child died-child age/your age/cause of death-5th mention
2195	CN7B_106	Num	8		Child died-child age/your age/cause of death-6th mention
2196	CN7B_107	Num	8		Child died-child age/your age/cause of death-7th mention
2197	CN7B_108	Num	8		Child died-child age/your age/cause of death-8th mention
2198	CN7B_109	Num	8		Child died-child age/your age/cause of death-9th mention
2199	CN7B_110	Num	8		Child died-child age/your age/cause of death-10th mention
2188	CN7C	Num	8		Age of your child at time of their death
2200	CN7C_101	Num	8		Your age when child died-1st mention
2201	CN7C_102	Num	8		Your age when child died-2nd mention
2202	CN7C_103	Num	8		Your age when child died-3rd mention
2203	CN7C_104	Num	8		Your age when child died-4th mention
2204	CN7C_105	Num	8		Your age when child died-5th mention
2205	CN7C_106	Num	8		Your age when child died-6 mention
2206	CN7C_107	Num	8		Your age when child died-7th mention
2207	CN7C_108	Num	8		Your age when child died-8th mention
2208	CN7C_109	Num	8		Your age when child died-9th mention
2209	CN7C_110	Num	8		Your age when child died-10th mention
2189	CN7D	Num	8	CN7D.	How did the child die
2210	CN7D_101	Num	8	CN7D_10F.	How did your child die-1st mention
2211	CN7D_102	Num	8	CN7D_11F.	How did your child die-2nd mention
2212	CN7D_103	Num	8	CN7D_12F.	How did your child die-3rd mention
2213	CN7D_104	Num	8	CN7D_13F.	How did your child die-4th mention
2214	CN7D_105	Num	8	CN7D_14F.	How did your child die-5th mention
2215	CN7D_106	Num	8	CN7D_15F.	How did your child die-6th mention
2216	CN7D_107	Num	8	CN7D_16F.	How did your child die-7th mention
2217	CN7D_108	Num	8	CN7D_17F.	How did your child die-8th mention
2218	CN7D_109	Num	8	CN7D_18F.	How did your child die-9th mention
2219	CN7D_110	Num	8	CN7D_19F.	How did your child die-10th mention
2220	CN7_2	Num	8	CN7_2FFF.	Got someone pregnant who had miscarriage/stillbirth/abortion

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
2221	CN7_2A	Num	8		Age 1st miscar/stillbirth/abortion with someone you got preg
3714	CPESCASE	Num	8		CPES Case Id
3349	CPESPROJ	Num	8	CPESPROJ.	CPES Project Id/1=NCSR 2=NLAAS 3=NSAL
136	D1	Num	8	D1FFFFFF.	Sad/depr episode - discouraged about life
139	D2	Num	8	D2FFFFFF.	Discouraged about life episode - lost int in enjoy things
140	D9	Num	8	D9FFFFFF.	Lost int in enjoy things episode - felt most of time 2+ wks
144	D12	Num	8	D12FFFFFF.	Sadness episode lasted all day for 2+ wks
146	D14	Num	8	D14FFFFFF.	Sad episode several days almost every month for a year
147	D15	Num	8	D15FFFFFF.	Severe several day episode - # hours sadness/day
148	D16	Num	8	D16FFFFFF.	Severe 2+ wk episode - # hours sadness/day
149	D17	Num	8	D17FFFFFF.	Severity of emotional distress during sad episode
150	D18	Num	8	D18FFFFFF.	Severe sad episode - how often nothing could cheer you
151	D19	Num	8	D19FFFFFF.	Emotional distress so severe could not carry out activities
152	D21	Num	8	D21FFFFFF.	Sleep/energy/appetite/concentration problems
153	D22	Num	8	D22FFFFFF.	Apparent worst episode combining most # of other problems
201	D28	Num	8	D28FFFFFF.	Sadness and probs interfered w/ work/relations/social life
205	D37	Num	8	D37FFFFFF.	Exact age 1st dep episode combined with other problems
208	D38	Num	8	D38FFFFFF.	Sadness episode combined with other probs in past 12 mths
217	D39	Num	8		Longest period had episode w other problem most
3740	D40	Num	8	D40FFFFFF.	Interviewer Query - How long was longest episode
219	D41	Num	8	D41FFFFFF.	Full year with episodes lasting several days + most months
220	D42	Num	8		Age had 1st year of episodes every month
222	D43	Num	8		# of years with episodes nearly every month
223	D46	Num	8	D46FFFFFF.	Full year or longer with episodes most days
224	D47	Num	8		Age at first year with episodes most days
225	D48	Num	8		# of different years in episode most days
226	D50	Num	8		Longest continuous # years in episode most days
227	D52	Num	8		# of episodes with other problems lasting 2+ weeks
229	D54	Num	8		# of different years in life had at least one episode
230	D56	Num	8		Longest continuous # years with at least 1 episode per year
3741	D57	Num	8	D57FFFFFF.	Interviewer Query - How long was longest episode
231	D58	Num	8	D58FFFFFF.	Full year or longer in episode most days
232	D59	Num	8		# of years in life in episode most days
234	D61	Num	8		Longest # continuous years in episodes for most days
246	D68	Num	8		Days in yr totally unable to do usual activities due to sadness
247	D72	Num	8	D72FFFFFF.	Saw professional about sadness

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
249	D86	Num	8	D86FFFF.	Professional treatment for sadness in past 12 mths
250	D87	Num	8	D87FFFF.	Hospitalized overnight for sadness
145	D12A	Num	8		Longest # of days felt sad/discouraged/depressed
137	D1A	Num	8	D1A.	Sad/depr episode - lost interest in enjoyable things
138	D1B	Num	8	D1B.	Sad/depr episode - lost interest in enjoyable things
154	D22A	Num	8		Age worst episode began
155	D22B	Num	8		Length of worst episode
156	D22B1	Num	8	D22B1FFF.	Unit of time of worst episode, D22B
157	D22C	Num	8		Age of last bad sadness/depressed episode
158	D22D	Num	8		Length of last bad sadness/depressed episode
159	D22D1	Num	8	D22D1FFF.	Time unit last sadness/depressed episode,D22D
160	D24A	Num	8	D24A.	Severe dep episode-felt depressed most days
161	D24B	Num	8	D24B.	Severe dep episode-nothing could cheer you most days
162	D24C	Num	8	D24C.	Sev dep episode-discouraged about things in life most days
163	D24D	Num	8	D24D.	Severe dep episode-felt hopeless about future most days
164	D24E	Num	8	D24E.	Severe dep episode-lost int in things you used to think fun
165	D24F	Num	8	D24F.	Sev dep episode-nothing fun though good things happening
166	D26A	Num	8	D26A.	Severe dep episode-small appetite most days
192	D26AA	Num	8	D26AA.	Severe dep episode- often thought of death
167	D26B	Num	8	D26B.	Severe dep episode-larger appetite than usual most days
193	D26BB	Num	8	D26BB.	Severe dep episode-would be better if dead
168	D26C	Num	8	D26C.	Severe dep episode-gained weight without trying
194	D26CC	Num	8	D26CC.	Severe dep episode-thought about suicide
169	D26D	Num	8		Severe dep episode-weight gain in lbs
195	D26DD	Num	8	D26DD.	Severe dep episode-made suicide plan
170	D26E	Num	8	D26E.	Severe dep episode-lost weight without trying
196	D26EE	Num	8	D26EE.	Severe dep episode-attempted suicide
171	D26F	Num	8		Worst dep episode-amt of weight loss
197	D26FF	Num	8	D26FF.	Severe dep episode-unable to cope with daily responsibilities
172	D26G	Num	8	D26G.	Severe dep episode-trouble sleeping most nights
198	D26GG	Num	8	D26GG.	Severe dep episode-alone rather than with friends/relatives
173	D26H	Num	8	D26H.	Severe dep episode-slept more than usual most nights
199	D26HH	Num	8	D26HH.	Severe dep episode-less talkative than usual most nights
174	D26I	Num	8	D26I.	Severe dep episode-slept much less but not tired
200	D26II	Num	8	D26II.	Severe dep episode-cried often
175	D26J	Num	8	D26J.	Severe dep episode-low energy and tired w/out work most days

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
176	D26K	Num	8	D26K.	Severe dep episode-more energy than usual most days
177	D26L	Num	8	D26L.	Severe dep episode-talk/move more slowly than usual most days
178	D26M	Num	8	D26M.	Severe dep episode-others notice talk/move more slowly
179	D26N	Num	8	D26N.	Severe dep episode-so restless couldn't sit still or paced
180	D26O	Num	8	D26O.	Severe dep episode-others notice restlessness
181	D26P	Num	8	D26P.	Severe dep episode-slow or mixed up thoughts most days
182	D26Q	Num	8	D26Q.	Severe dep episode-jumping or racing thoughts hard to track
183	D26R	Num	8	D26R.	Severe dep episode-more trouble concentrating most days
184	D26S	Num	8	D26S.	Severe dep episode-unusual indecisiveness
185	D26T	Num	8	D26T.	Severe dep episode-lost self confidence
186	D26U	Num	8	D26U.	Severe dep episode-felt not as good as others most days
187	D26V	Num	8	D26V.	Severe dep episode-worthless feeling most days
188	D26W	Num	8	D26W.	Severe dep episode-felt guilty most days
189	D26X	Num	8	D26X.	Severe dep episode-felt irritable/grouchy/moody most days
190	D26Y	Num	8	D26Y.	Severe dep episode-felt nervous or anxious most days
191	D26Z	Num	8	D26Z.	Severe dep episode-sudden attacks of intense fear or panic
202	D28A	Num	8	D28A.	Severe depressed episode-unable to perform daily activities
203	D29A	Num	8	D29A.	Severe depressed episodes result of physical causes
204	D29B	Num	8	D29B.	Severe depressed episodes always result of physical causes
206	D37A	Num	8		Age 1st depressed episode
207	D37B	Num	8		Estimate age 1st episode
252	D37B1	Num	8		Estimate age of 1st episode
253	D37B2	Num	8	D37B2FFF.	1st episode before started school
254	D37B3	Num	8	D37B3FFF.	1st episode before teenager
3631	D37B4	Num	8	D37B4FFF.	Not before a teenager
3628	D37B_1	Num	8	D37B_1FF.	1st episode brought on by stress or out of blue
3629	D37C1	Num	8		Approx length of 1st episode
3630	D37C2	Num	8	D37C2FFF.	Unit time 1st episode
209	D38A	Num	8	D38A.	Recent occurrence of sadness + other episode
210	D38A_1	Num	8		# of episodes in the past 12 months
3501	D38A_3	Num	8	D38A_3FF.	Month episode started
3632	D38A_4	Num	8		Length of episode-so far
211	D38A_6	Num	8	D38A_6FF.	Episode ended or ongoing
214	D38A_9	Num	8	D38A_9FF.	Most recent episode ended or ongoing
3739	D38A_3A_5	Num	8	D38A_3AF.	Year episode start
3738	D38A_3_5	Num	8	D38A_3_F.	Month episode start

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
255	D38A_4A	Num	8	D38A_4A.	Unit time of episode
212	D38A_7A	Num	8		Length 1st episode in the past year
213	D38A_7B	Num	8	D38A_7B.	Unit of time 1st episode in the past year,D38A_7
215	D38B	Num	8		# of days in past 365 in episode
216	D38C	Num	8		Age last time with episode
218	D39A	Num	8	D39A.	Unit time longest episode, D39
221	D42_1	Num	8	D42_1FFF.	Episodes brought by stressful exp in 1st year of episodes
228	D53_1	Num	8		Episodes brought by stressful experience
233	D59A	Num	8		Age first time had a year of episodes most days
235	D64A	Num	8		Mark statement- Problems falling asleep-most severe episode
236	D64B	Num	8		Mark statement- Waking up at night-most severe episode
3693	D64C	Num	8		Mark statement- Wake too early in morn-most severe episode
3694	D64D	Num	8		Mark statement- Amount of sleep-most severe episode
237	D64E	Num	8		Mark statement- Feeling sad-most severe episode
238	D64F	Num	8		Mark stmtnt- Concentrate and make dec-most sev episode
239	D64G	Num	8		Mark statement- Feel down on self-most severe episode
240	D64H	Num	8		Mark statement- Int in daily activities-most severe episode
241	D64I	Num	8		Mark statement- Level of energy-most severe episode
242	D66A	Num	8		Severe month in past year interfered w/ home mgmt
243	D66B	Num	8		Severe month in past year interfered w/ ability to work
244	D66C	Num	8		Severe mth in past yr interfered w/ form/maint close relations
245	D66D	Num	8		Severe month in past interfered with social life
248	D72A	Num	8		Age first time talked to professional about sadness/discour
251	D87A	Num	8		Age 1st hospitalized overnight for sadness
141	D9A	Num	8		Longest # of days lost interest in enjoyable things
142	D9A1	Num	8	D9A1FFFF.	Time unit lost interest in enjoy things,D9A
143	D9A2	Num	8	D9A2FFFF.	Longest period of losing interest-3+ days
2242	DA27	Num	8	DA27FFFF.	Identify with others of same racial/ethnic descent
2243	DA28	Num	8	DA28FFFF.	Feel close in your ideas/feelings w/ ppl of same racial descent
2244	DA29	Num	8	DA29FFFF.	Amt time would like to spend w/ ppl of same racial/ethnic grp
2245	DA30	Num	8	DA30FFFF.	Importance for same racial/ethnic group to marry within group
2246	DA31	Num	8	DA31FFFF.	Citizen of the United States
2248	DA33	Num	8	DA33FFFF.	Frequency attend religious services
2249	DA34	Num	8	DA34FFFF.	Importance of religious beliefs in daily life
2250	DA35	Num	8	DA35FFFF.	During difficult times-seek comfort in religion
2251	DA36	Num	8	DA36FFFF.	During decision-making-guided by religious belief

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
2258	DA37	Num	8		Rank how well off now relative to US people
2259	DA38	Num	8		Rank comm standing now relative to people in community
2260	DA39	Num	8	DA39FFFF.	Biological mother still living
2264	DA40	Num	8		Age of mother when you were born
2265	DA48	Num	8	DA48FFFF.	Biological father still living
2269	DA49	Num	8		Age of father when you were born
4026	DA1_S_1	Num	8	DA1_S_1F.	Hispanic or Latino descent
4027	DA1_S_2	Num	8	DA1_S_2F.	Hispanic or Latino descent
4028	DA1_S_3	Num	8	DA1_S_3F.	Hispanic or Latino descent
4072	DA2_01	Num	8	DA2_01FF.	Other main ethnic origins
4073	DA2_02	Num	8	DA2_02FF.	Other main ethnic origins
4074	DA2_03	Num	8	DA2_03FF.	Other main ethnic origins
4075	DA2_04	Num	8	DA2_04FF.	Other main ethnic origins
4076	DA2_05	Num	8	DA2_05FF.	Other main ethnic origins
4029	DA2_01D	Num	8	DA2_01D.	Other main ethnic origins
4030	DA2_02D	Num	8	DA2_02D.	Other main ethnic origins
4031	DA2_03D	Num	8	DA2_03D.	Other main ethnic origins
4032	DA2_04D	Num	8	DA2_04D.	Other main ethnic origins
2247	DA31A	Num	8	DA31A.	Citizenship in another country
4078	DA31B	Num	8	DA31B.	Citizenship in other country - what country
3568	DA31B_101	Num	8	DA31B_1F.	Religious preference:1st mention
3569	DA31B_102	Num	8	DA31B_0F.	Religious preference:2nd mention
3570	DA31B_103	Num	8	DA31B_2F.	Religious preference:3rd mention
2252	DA36_1	Num	8	DA36_1FF.	Length of time homeless since 18 years old
4039	DA36_2	Num	8	DA36_2FF.	Ever in a jail, prison, or correctional facility since age 18
2255	DA36_3	Num	8	DA36_3FF.	Received welfare/pub assistance since turning 18
2253	DA36_1A1	Num	8		How long homeless since 18 years old
2254	DA36_1A2	Num	8	DA36_1AF.	Unit of time homeless since 18, DA36.1A1
4040	DA36_2A1	Num	8	DA36_2AF.	How long altogether in jail since age 18 (ENTER NUMBER)
4041	DA36_2A2	Num	8	DA36_20F.	Unit of time in jail
2256	DA36_3A	Num	8		# total years received public assistance since 18
2257	DA36_3C	Num	8		Age last time received public assistance
2261	DA39A	Num	8		Age biological mother died
2262	DA39B	Num	8		Your age when biological mother died
2263	DA39C	Num	8	DA39C.	Cause of death of biological mother
2266	DA41A	Num	8		Age biological father died

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
2267	DA41B	Num	8		Your age when biological father died
2268	DA41C	Num	8	DA41C.	Cause of death of biological father
4036	DA4B_S_1	Num	8	DA4B_S_F.	Best describe race - mention 1
4037	DA4B_S_2	Num	8	DA4B_S0F.	Best describe race - mention 2
4038	DA4B_S_3	Num	8	DA4B_S1F.	Best describe race - mention 3
4033	DA4_S_1	Num	8	DA4_S_1F.	Respondent race - mention 1
4034	DA4_S_2	Num	8	DA4_S_2F.	Respondent race - mention 2
4035	DA4_S_3	Num	8	DA4_S_3F.	Respondent race - mention 3
3588	DE4	Num	8	DE4FFFFFF.	Country in which you were born
2273	DE7	Num	8	DE7FFFFFF.	Speak language other than English at home when g
2274	DE8	Num	8	DE8FFFFFF.	Also spoke English when growing up
3589	DE20	Num	8	DE20FFFF.	Highest grade of school/college completed: Top/Bot Code
2277	DE20_2	Num	8	DE20_2FF.	Attended all-girls/all-boys school
2293	DE20_5	Num	8	DE20_5FF.	# of different schools attended through high school
2294	DE20_7	Num	8	DE20_7FF.	School system had middle school or junior high
2302	DE20_10	Num	8	DE20_14F.	Importance of religion in your life while growing up
2303	DE20_11	Num	8	DE20_15F.	Raised in large or small city/suburbs/rural/town or village
2304	DE20_12	Num	8	DE20_16F.	# times moved to new neighborhood/town when growing up
2295	DE20_81	Num	8	DE20_81F.	Grades in middle school or junior high school:1st mention
2296	DE20_82	Num	8	DE20_82F.	Grades in middle school or junior high school:2nd mention
2297	DE20_83	Num	8	DE20_83F.	Grades in middle school or junior high school:3rd mention
2298	DE20_84	Num	8	DE20_84F.	Grades in middle school or junior high school:4th mention
2299	DE20_85	Num	8	DE20_85F.	Grades in middle school or junior high school:5th mention
2300	DE20_86	Num	8	DE20_86F.	Grades in middle school or junior high school:6th mention
2279	DE20_401	Num	8	DE20_40F.	Grade attended all-girls/all-boys school:1st mention
2280	DE20_402	Num	8	DE20_41F.	Grade attended all-girls/all-boys school:2nd mention
2281	DE20_403	Num	8	DE20_42F.	Grade attended all-girls/all-boys school:3rd mention
2282	DE20_404	Num	8	DE20_43F.	Grade attended all-girls/all-boys school:4th mention
2283	DE20_405	Num	8	DE20_44F.	Grade attended all-girls/all-boys school:5th mention
2284	DE20_406	Num	8	DE20_45F.	Grade attended all-girls/all-boys school:6th mention
2285	DE20_407	Num	8	DE20_46F.	Grade attended all-girls/all-boys school:7th mention
2286	DE20_408	Num	8	DE20_47F.	Grade attended all-girls/all-boys school:8th mention
2287	DE20_409	Num	8	DE20_48F.	Grade attended all-girls/all-boys school:9th mention
2288	DE20_410	Num	8	DE20_49F.	Grade attended all-girls/all-boys school:10th mention
2289	DE20_411	Num	8	DE20_10F.	Grade attended all-girls/all-boys school:11th mention
2290	DE20_412	Num	8	DE20_11F.	Grade attended all-girls/all-boys school:12th mention

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
2291	DE20_413	Num	8	DE20_12F.	Grade attended all-girls/all-boys school:13th mention
2292	DE20_414	Num	8	DE20_13F.	Grade attended all-girls/all-boys school:14th mention
3571	DE20_901	Num	8	DE20_90F.	Religion when growing up:1st mention
3572	DE20_902	Num	8	DE20_91F.	Religion when growing up:2nd mention
3573	DE20_903	Num	8	DE20_92F.	Religion when growing up:3rd mention
2278	DE20_2A	Num	8	DE20_2A.	# of years attended all-girls/all-boys school
2301	DE20_8A	Num	8	DE20_8A.	In grade school, you were younger/older/average in age
4042	DE4A	Num	8	DE4A.	How old when first came to this country
2271	DE5_1	Num	8	DE5_1FFF.	# parents born in U.S.: Top Code
2272	DE5_2	Num	8		# grandparents born in U.S.
3515	DE9_1	Num	8	DE9_1FFF.	# full brothers and sisters, alive and dead:Topcode
2275	DE9_3	Num	8	DE9_3FFF.	Was your full brother or sister older than you
3516	DE9_4	Num	8	DE9_4FFF.	# of full brothers or sisters older than you:topco
3517	DE9_5	Num	8	DE9_5FFF.	# half/adopted/step brothers and sisters, alive and dead
2276	DE9_7	Num	8	DE9_7FFF.	Was your half/adopted/step brothers or sisters older than you
3518	DE9_8	Num	8	DE9_8FFF.	# half/adopt/step brothers or sisters older than you
2939	DM4	Num	8	DM4FFFFFF.	Illness due to physical/emotional disorder/comb
2940	DM6	Num	8	DM6FFFFFF.	# years school spouse/partner completed: Top/Bot Code
2941	DM7	Num	8	DM7FFFFFF.	Spouse/partner ever work for pay?
4046	DM11	Num	8	DM11FFFF.	Before or after taxes
4095	DM13	Num	8	DM13FFFF.	Spouse/partner income letter
4047	DM14	Num	8	DM14FFFF.	Before or after taxes
3503	DM17	Num	8	DM17FFFF.	# times married: Top Code
3505	DM19	Num	8	DM19FFFF.	# marriages ended in divorce/annulment: Top Code
3507	DM20	Num	8	DM20FFFF.	Age you married 1st time: Top/Bot Code
3509	DM22	Num	8	DM22FFFF.	# living biological children: Top Code
3511	DM23	Num	8	DM23FFFF.	# other living children incl step/adopt/raised 5+ years:Top Code
3542	DM201	Num	8	DM201FFF.	Current employ situation:1st mention: Recoded
3543	DM202	Num	8	DM202FFF.	Current employ situation:2nd mention: Recoded
3544	DM203	Num	8	DM203FFF.	Current employ situation:3rd mention: Recoded
3549	DM801	Num	8	DM801FFF.	Spouse/partner current employ status:1st mention: Recoded
3550	DM802	Num	8	DM802FFF.	Spouse/partner current employ status:2nd mention: Recoded
3551	DM803	Num	8	DM803FFF.	Spouse/partner current employ status:3rd mention: Recoded
3552	DM804	Num	8	DM804FFF.	Spouse/partner current employ status:4th mention: Recoded
4096	DM14_1	Num	8	DM14_1FF.	Total personal earnings income of all other family members before taxes
4048	DM14_2	Num	8	DM14_2FF.	Before or after taxes

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
4091	DM14_3	Num	8	DM14_3FF.	Total family household income from Social Security Retirement benefits
4092	DM14_4	Num	8	DM14_4FF.	Total family household income from government assistance programs
4093	DM14_5	Num	8	DM14_5FF.	Total family household income from any other sources in the past 12 months
2942	DM14_6	Num	8	DM14_6FF.	Money left over after liquidating and paying all debts
4094	DM14_7	Num	8	DM14_7FF.	How much money left over after paying debts
4043	DM1_1	Num	8	DM1_1FFF.	Spanish or Hispanic descent
4079	DM1_02	Num	8	DM1_02FF.	Other main ethnic origins - 1st mention
4080	DM1_03	Num	8	DM1_03FF.	Other main ethnic origins - 2nd mention
4081	DM1_04	Num	8	DM1_04FF.	Other main ethnic origins - 3rd mention
4044	DM1_5	Num	8	DM1_5FFF.	Respondent race
4082	DM1_05	Num	8	DM1_05FF.	Other main ethnic origins - 4th mention
3590	DM1_6	Num	8	DM1_6FFF.	Country in which you were born
4077	DM1_06	Num	8	DM1_06FF.	Other main ethnic origins - 5th mention
2933	DM1_7	Num	8	DM1_7FFF.	# parents born in U.S.
3513	DM1_10	Num	8	DM1_10FF.	# brothers/sisters had while grow up, incl step/half: Top Code
3514	DM1_11	Num	8	DM1_11FF.	# older than you:TopCode
2934	DM1_12	Num	8	DM1_12FF.	Male head of household during most childhood
2936	DM1_13	Num	8	DM1_13FF.	Female head of household during most childhood
3591	DM1_14	Num	8	DM1_14FF.	Highest grade of school/college completed: Top/Bot Code
2938	DM1_15	Num	8		Age 1st yr worked 6 mths + at paid job
2935	DM1_12A	Num	8	DM1_12A.	# years school he/father completed: Top/Bot Code
2937	DM1_13A	Num	8	DM1_13A.	# years school she/mother completed: Top/Bot Code
4045	DM1_6A	Num	8	DM1_6A.	Age when came to U.S.
2943	DM21A	Num	8		Amt of time dated first spouse before married
2944	DM21B	Num	8	DM21B.	Unit of time, DM21A
2945	DM21_3A	Num	8		Length been separated/divorce/widow
2946	DM21_3B	Num	8	DM21_3B.	Unit of time, DM21_3A
2947	DM21_4A	Num	8		Length been married/sep/div/widow from most recent spouse
2948	DM21_4B	Num	8	DM21_4B.	Unit of time, DM21_4A
2949	DM22A	Num	8		# living/biological children under age 5
2950	DM22B	Num	8		# living/biological children between age 5 and 12
2951	DM22C	Num	8		# living/biological children between age 13 and 17
2952	DM23A	Num	8		# other child(ren) under age 5
2953	DM23B	Num	8		# other child(ren) between age 5 and 12
2954	DM23C	Num	8		# other child(ren) between age 13 and 17
3566	DM23_101	Num	8	DM23_10F.	Religious preference:1st mention: Recoded

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
3567	DM23_102	Num	8	DM23_11F.	Religious preference:2nd mention: Recoded
3595	DM_CH8	Num	8	DM_CH8FF.	Male head of household during most childhood
3597	DM_CH13	Num	8	DM_CH13F.	Female head of household during most childhood
3598	DM_CH13A	Num	8	DM_CH13A.	# years school she/mother completed: Top/Bot Code
3596	DM_CH8A	Num	8	DM_CH8A.	# years school he/father completed: Top/Bot Code
3617	DM_CN1	Num	8	DM_CN1FF.	# living biological children: Top Code
3621	DM_CN2	Num	8	DM_CN2FF.	# other living children incl step/adopt/raised 5+ years:Top Code
3618	DM_CN1A	Num	8		# living/biological children under age 5
3619	DM_CN1B	Num	8		# living/biological children between age 5 and 12
3620	DM_CN1C	Num	8		# living/biological children between age 13 and 17
3624	DM_CN2A	Num	8		# other child(ren) under age 5
3625	DM_CN2B	Num	8		# other child(ren) between age 5 and 12
3626	DM_CN2C	Num	8		# other child(ren) between age 13 and 17
3622	DM_DA311	Num	8	DM_DA31F.	Religious preference:1st mention: Recoded
3623	DM_DA312	Num	8	DM_DA30F.	Religious preference:2nd mention: Recoded
2270	DM_DE4	Num	8	DM_DE4FF.	Country in which you were born
3519	DM_DE20	Num	8	DM_DE20F.	Highest grade of school/college completed: Top/Bot Code
3627	DM_DE5_1	Num	8	DM_DE5_F.	# parents born in U.S.
3593	DM_DE9_1	Num	8	DM_DE9_F.	# brothers/sisters had while grow up, incl step/half: Top Code
3594	DM_DE9_3	Num	8	DM_DE90F.	# older than you:TopCode
3599	DM_EM1	Num	8		Age 1st yr worked 6 mths + at paid job
3603	DM_EM10	Num	8	DM_EM10F.	Illness due to physical/emotional disorder/comb
3600	DM_EM7_1	Num	8	DM_EM7_F.	Current employ situation:1st mention: Recoded
3601	DM_EM7_2	Num	8	DM_EM70F.	Current employ situation:2nd mention: Recoded
3602	DM_EM7_3	Num	8	DM_EM71F.	Current employ situation:3rd mention: Recoded
3609	DM_FN12	Num	8	DM_FN12F.	Money left over after liquidating and paying all debts
3611	DM_MR18	Num	8	DM_MR18F.	# marriages ended in divorce/annulment: Top Code
3612	DM_MR19	Num	8	DM_MR19F.	Age you married 1st time: Top/Bot Code
3615	DM_MR20	Num	8		Amt of time dated first spouse before married
3610	DM_MR16A	Num	8	DM_MR16A.	# times married: Top Code
3616	DM_MR20A	Num	8	DM_MR20A.	Unit of time DM_MR20
3613	DM_MR25A	Num	8		Length been married/sep/div/widow from most recent spouse
3614	DM_MR25B	Num	8	DM_MR25B.	Unit of time DM_MR25a
3604	DM_SE2	Num	8	DM_SE2FF.	# years school spouse/partner completed: Top/Bot Code
3606	DM_SE401	Num	8	DM_SE40F.	Spouse/partner current employ status:1st mention: Recoded
3607	DM_SE402	Num	8	DM_SE41F.	Spouse/partner current employ status:2nd mention: Recoded

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
3608	DM_SE403	Num	8	DM_SE42F.	Spouse/partner current employ status:3rd mention: Recoded
3605	DM_SE6A	Num	8	DM_SE6A.	Spouse/partner ever work for pay?
3266	DRA_OND	Num	8	DRA_OND.	DSM-IV Drug Abuse Onset
3306	DRA_ONI	Num	8	DRA_ONI.	ICD Drug Abuse Onset
3267	DRA_RECD	Num	8	DRA_RECD.	DSM-IV Drug Abuse Recency
3307	DRA_RECI	Num	8	DRA_RECI.	ICD Drug Abuse Recency
3268	DRD_OND	Num	8	DRD_OND.	DSM-IV Drug Dependence Onset
3308	DRD_ONI	Num	8	DRD_ONI.	ICD Drug Dependence Onset
3269	DRD_RECD	Num	8	DRD_RECD.	DSM-IV Drug Dependence Recency
3309	DRD_RECI	Num	8	DRD_RECI.	ICD Drug Dependence Recency
3102	DSM_ADD	Num	8	DSM_ADD.	DSM-IV Attention Deficit Disorder (LifeT)
3103	DSM_AGO	Num	8	DSM_AGO.	DSM-IV Agoraphobia without Panic Disorder (LifeT)
3104	DSM_AGP	Num	8	DSM_AGP.	DSM-IV Agoraphobia with Panic Disorder (LifeT)
3105	DSM_ALA	Num	8	DSM_ALA.	DSM-IV Alcohol Abuse (Lifetime)
3106	DSM_ALAH	Num	8	DSM_ALAH.	Lifetime Alcohol Abuse w/ hierarchy
3107	DSM_ALD	Num	8	DSM_ALD.	DSM-IV Alcohol Dependence (Lifetime)
3351	DSM_ANO	Num	8	DSM_ANO.	DSM-IV Anorexia (Lifetime)
3108	DSM_ASA	Num	8	DSM_ASA.	DSM-IV Adult Separation Anxiety Disorder (LifeT)
3353	DSM_BINGEANY	Num	8	DSM_BI2F.	DSM-IV Binge Any (Lifetime)
3352	DSM_BINGEH	Num	8	DSM_BINF.	DSM-IV Binge Eating Disorder w/ hierarchy (Lifetime)
3109	DSM_BIPOLARI	Num	8	DSM_BIPF.	DSM-IV Bi-Polar I (Lifetime)
3110	DSM_BIPOLARII	Num	8	DSM_BI0F.	DSM-IV Bi-Polar II (Lifetime)
3111	DSM_BIPOLARSUB	Num	8	DSM_BI1F.	Lifetime Bi-Polar Subthreshold
3354	DSM_BUL	Num	8	DSM_BUL.	DSM-IV Bulimia (Lifetime)
3355	DSM_BULH	Num	8	DSM_BULH.	DSM-IV Bulimia w/ hierarchy (Lifetime)
3112	DSM_CD	Num	8	DSM_CD.	DSM-IV Conduct Disorder (Lifetime)
3113	DSM_DRA	Num	8	DSM_DRA.	DSM-IV Drug Abuse (Lifetime)
3114	DSM_DRD	Num	8	DSM_DRD.	DSM-IV Drug Dependence (Lifetime)
3115	DSM_DYS	Num	8	DSM_DYS.	DSM-IV Dysthymia (Lifetime)
3116	DSM_DYSH	Num	8	DSM_DYSH.	DSM-IV Dysthymia with hierarchy (LifeT)
3117	DSM_GAD	Num	8	DSM_GAD.	DSM-IV Generalized Anxiety Disorder (LifeT)
3118	DSM_GADH	Num	8	DSM_GADH.	DSM-IV Gen Anxiety Disorder w/hierarchy (LifeT)
3119	DSM_HYP	Num	8	DSM_HYP.	DSM-IV Hypomania (Lifetime)
3120	DSM_IED	Num	8	DSM_IED.	DSM-IV Intermittent Explosive Disorder (LifeT)
3121	DSM_IEDH	Num	8	DSM_IEDH.	DSM-IV Intermittent Explosive Disorder w/ hierarchy (LifeT)
3122	DSM_MAN	Num	8	DSM_MAN.	DSM-IV Mania (Lifetime)

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
3123	DSM_MDDH	Num	8	DSM_MDDH.	DSM-IV Major Depressive Disorder w/ hierarchy (LifeT)
3124	DSM_MDE	Num	8	DSM_MDE.	DSM-IV Major Depressive Episode (Lifetime)
3125	DSM_ODD	Num	8	DSM_ODD.	DSM-IV Oppositional Defiant Disorder (LifeT)
3126	DSM_ODDH	Num	8	DSM_ODDH.	DSM-IV Oppositional Defiant Disorder w/ hierarchy (LifeT)
3127	DSM_PAT	Num	8	DSM_PAT.	DSM-IV Panic Attack (Lifetime)
3128	DSM_PDS	Num	8	DSM_PDS.	DSM-IV Panic Disorder (Lifetime)
3129	DSM_PTS	Num	8	DSM_PTS.	DSM-IV Posttraumatic Stress Disorder (LifeT)
3130	DSM_SAD	Num	8	DSM_SAD.	DSM-IV Separation Anxiety Disorder (LifeT)
3131	DSM_SO	Num	8	DSM_SO.	DSM-IV Social Phobia (Lifetime)
3132	DSM_SP	Num	8	DSM_SP.	DSM-IV Specific Phobia (Lifetime)
3133	DSM_TBD	Num	8	DSM_TBD.	DSM-IV Nicotine Dependence (Lifetime)
3270	DYS_OND	Num	8	DYS_OND.	DSM-IV Dysthymia Onset
3310	DYS_ONI	Num	8	DYS_ONI.	ICD Dysthymia Onset
3271	DYS_RECD	Num	8	DYS_RECD.	DSM-IV Dysthymia Recency
3311	DYS_RECI	Num	8	DYS_RECI.	ICD Dysthymia Recency
3134	D_ADD12	Num	8	D_ADD12F.	DSM-IV Attention Deficit Disorder (12Mo)
3135	D_AGO12	Num	8	D_AGO12F.	DSM-IV Agoraphobia without Panic Disorder (12Mo)
3334	D_AGO30	Num	8	D_AGO30F.	DSM-IV Agoraphobia without Panic Disorder (30Day)
3136	D_AGP12	Num	8	D_AGP12F.	DSM-IV Agoraphobia with Panic Disorder (12Mo)
3335	D_AGP30	Num	8	D_AGP30F.	DSM-IV Agoraphobia with Panic Disorder (30Day)
3137	D_ALA12	Num	8	D_ALA12F.	DSM-IV Alcohol Abuse (12Mo)
3166	D_ALA30	Num	8	D_ALA30F.	DSM-IV Alcohol Abuse (30Day)
3138	D_ALAH12	Num	8	D_ALAH1F.	DSM-IV Alcohol Abuse w/ hierarchy (12Mo)
3167	D_ALAH30	Num	8	D_ALAH3F.	DSM-IV Alcohol Abuse w/hierarchy (30Day)
3139	D_ALD12	Num	8	D_ALD12F.	DSM-IV Alcohol Dependence (12 month)
3168	D_ALD30	Num	8	D_ALD30F.	DSM-IV Alcohol Dependence (30 day)
3356	D_ANO12	Num	8	D_ANO12F.	DSM-IV Anorexia (12Mo)
3361	D_ANO30	Num	8	D_ANO30F.	DSM-IV Anorexia (30Day)
3140	D_ASA12	Num	8	D_ASA12F.	DSM-IV Adult Separation Anxiety Disorder (12Mo)
3169	D_ASA30	Num	8	D_ASA30F.	DSM-IV Adult Separation Anxiety Disorder (30Day)
3358	D_BINGEANY12	Num	8	D_BING0F.	DSM-IV Binge Any (12Mo)
3363	D_BINGEANY30	Num	8	D_BING2F.	DSM-IV Binge Any (30Day)
3357	D_BINGEH12	Num	8	D_BINGEF.	DSM-IV Binge Eating Disorder w/ hierarchy (12Mo)
3362	D_BINGEH30	Num	8	D_BING1F.	DSM-IV Binge Eating Disorder w/ hierarchy (30Day)
3141	D_BIPOLAR12	Num	8	D_BIPOLF.	DSM-IV Bi-polar I (12Mo)
3667	D_BIPOLAR130	Num	8	D_BIPO2F.	DSM-IV Bi-polar I (30Day)

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
3142	D_BIPOLARII12	Num	8	D_BIPO0F.	DSM-IV Bi-polar II (12Mo)
3668	D_BIPOLARII30	Num	8	D_BIPO3F.	DSM-IV Bi-polar II (30Day)
3143	D_BIPOLARSUB12	Num	8	D_BIPO1F.	DSM-IV Bi-Polar Subthreshold (12Mo)
3669	D_BIPOLARSUB30	Num	8	D_BIPO4F.	DSM-IV Bi-Polar Subthreshold (30Day)
3359	D_BUL12	Num	8	D_BUL12F.	DSM-IV Bulimia (12Mo)
3364	D_BUL30	Num	8	D_BUL30F.	DSM-IV Bulimia (30Day)
3360	D_BULH12	Num	8	D_BULH1F.	DSM-IV Bulimia w/ hierarchy (12Mo)
3365	D_BULH30	Num	8	D_BULH3F.	DSM-IV Bulimia w/ hierarchy (30Day)
3144	D_CD12	Num	8	D_CD12FF.	DSM-IV Conduct Disorder (12 month)
3145	D_DRA12	Num	8	D_DRA12F.	DSM-IV Drug Abuse (12 month)
3170	D_DRA30	Num	8	D_DRA30F.	DSM-IV Drug Abuse (30 day)
3146	D_DRAH12	Num	8	D_DRAH1F.	DSM-IV Drug Abuse w/ hierarchy (12 month)
3171	D_DRAH30	Num	8	D_DRAH3F.	DSM-IV Drug Abuse w/ hierarchy (30 day)
3147	D_DRD12	Num	8	D_DRD12F.	DSM-IV Drug Dependence (12 month)
3172	D_DRD30	Num	8	D_DRD30F.	DSM-IV Drug Dependence (30 day)
3148	D_DYS12	Num	8	D_DYS12F.	DSM-IV Dysthymia (12 month)
3173	D_DYS30	Num	8	D_DYS30F.	DSM-IV Dysthymia (30 day)
3149	D_DYSH12	Num	8	D_DYSH1F.	DSM-IV Dysthymia w/hierarchy (12 month)
3174	D_DYSH30	Num	8	D_DYSH3F.	DSM-IV Dysthymia with hierarchy (30 day)
3150	D_GAD12	Num	8	D_GAD12F.	DSM-IV Generalized Anxiety Disorder (12Mo)
3175	D_GAD30	Num	8	D_GAD30F.	DSM-IV Generalized Anxiety Disorder (30Day)
3151	D_GADH12	Num	8	D_GADH1F.	DSM-IV Gen Anxiety Disorder w/hierarchy (12Mo)
3176	D_GADH30	Num	8	D_GADH3F.	DSM-IV Gen Anxiety Disorder w/hierarchy (30Day)
3152	D_HYP12	Num	8	D_HYP12F.	DSM-IV Hypomania (12 month)
3177	D_HYP30	Num	8	D_HYP30F.	DSM-IV Hypomania (30 day)
3153	D_IED12	Num	8	D_IED12F.	DSM-IV Intermittent Explosive Disorder (12Mo)
3178	D_IED30	Num	8	D_IED30F.	DSM-IV Intermittent Explosive Disorder (30day)
3154	D_IEDH12	Num	8	D_IEDH1F.	DSM-IV Intermittent Explosive Disorder w/ hierarchy (12Mo)
3179	D_IEDH30	Num	8	D_IEDH3F.	DSM-IV Intermittent Explosive Disorder w/ hierarchy (30Day)
3155	D_MAN12	Num	8	D_MAN12F.	DSM-IV Mania (12 month)
3180	D_MAN30	Num	8	D_MAN30F.	DSM-IV Mania (30 day)
3156	D_MDDH12	Num	8	D_MDDH1F.	DSM-IV Major Depressive Disorder w/ hierarchy (12Mo)
3181	D_MDDH30	Num	8	D_MDDH3F.	DSM-IV Major Depressive Disorder w/ hierarchy (30Day)
3157	D_MDE12	Num	8	D_MDE12F.	DSM-IV Major Depressive Episode (12Mo)
3182	D_MDE30	Num	8	D_MDE30F.	DSM-IV Major Depressive Episode (30 day)
3158	D_ODD12	Num	8	D_ODD12F.	DSM-IV Oppositional Defiant Disorder (12Mo)

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
3159	D_ODDH12	Num	8	D_ODDH1F.	DSM-IV Oppositional Defiant Disorder w/ hierarchy (12Mo)
3160	D_PAT12	Num	8	D_PAT12F.	DSM-IV Panic Attack (12 month)
3183	D_PAT30	Num	8	D_PAT30F.	DSM-IV Panic Attack (30 day)
3161	D_PDS12	Num	8	D_PDS12F.	DSM-IV Panic Disorder (12 month)
3184	D_PDS30	Num	8	D_PDS30F.	DSM-IV Panic Disorder (30 day)
3162	D_PTS12	Num	8	D_PTS12F.	DSM-IV Posttraumatic Stress Disorder (12Mo)
3670	D_PTS30	Num	8	D_PTS30F.	DSM-IV Posttraumatic Stress Disorder(30Day)
3163	D_SO12	Num	8	D_SO12FF.	DSM-IV Social Phobia (12 month)
3185	D_SO30	Num	8	D_SO30FF.	DSM-IV Social Phobia (30 day)
3164	D_SP12	Num	8	D_SP12FF.	DSM-IV Specific Phobia (12 month)
3186	D_SP30	Num	8	D_SP30FF.	DSM-IV Specific Phobia (30 day)
3165	D_TBD12	Num	8	D_TBD12F.	DSM-IV Nicotine Dependence (12 month)
3336	D_TBD30	Num	8	D_TBD30F.	DSM-IV Nicotine Dependence (30 day)
3387	EA1	Num	8	EA1FFFFFF.	Ever strong fear/concern about being too overweight
3389	EA6	Num	8	EA6FFFFFF.	Afraid of gaining weight when weighed least
3390	EA7	Num	8	EA7FFFFFF.	Do things like dieting or exercise to keep weight low
3391	EA9	Num	8	EA9FFFFFF.	Weighed least on purpose-stopped having periods for 3+ mths
3392	EA10	Num	8	EA10FFFF.	Feel like heavier than should have been/wanted to be
3396	EA12	Num	8	EA12FFFF.	Remember exact age of lowest weight with problems
3399	EA13	Num	8		# different years at lowest weight plus other problems
3400	EA15	Num	8	EA15FFFF.	How recently at lowest weight and have problems ?
3402	EA16	Num	8	EA16FFFF.	Eating binges at least 2 times/week for several months
3403	EA17	Num	8	EA17FFFF.	During binges- eat much more quickly than usual
3412	EA19	Num	8	EA19FFFF.	Remember exact age 1st binged 2 times/week for 3+ mths
3417	EA20	Num	8		# different years binged 2 times/week for 3+ mths
3418	EA22	Num	8	EA22FFFF.	How recently binged 2 times a week
3426	EA25	Num	8	EA25FFFF.	Used weight control method 2 times/week for 3+ mths
3427	EA26	Num	8	EA26FFFF.	Remember exact age 1st weight contr method for 3+ mths
3430	EA27	Num	8		# of differents year used wght control method 2/wk for 3+ mths
3431	EA29	Num	8	EA29FFFF.	How recently did you use weight control strategy
3437	EA34	Num	8		# of days in past year unable to work/acts due to eating probs
3438	EA35	Num	8	EA35FFFF.	Talked to med doctor or other prof about problems w/ eat/wgt
3440	EA37	Num	8	EA37FFFF.	Received helpful/effective treatment for eating/weight probs
3444	EA38	Num	8	EA38FFFF.	Receive prof treatment for eating/weight probin past yr
3393	EA10B	Num	8	EA10B.	Think some parts of body too fat
3394	EA10C	Num	8	EA10C.	Self-esteem/confidence depended on thinness

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
3395	EA10D	Num	8	EA10D.	Anyone tell you your low weight bad for health?
3397	EA12A	Num	8		Age at lowest weight
3398	EA12B1	Num	8		Estimate age of 1st time lowest weight
3401	EA15A	Num	8		Age last at lowest weight
3404	EA17A	Num	8	EA17A.	During binges- eat until uncomfortably full
3405	EA17B	Num	8	EA17B.	During binges- continue to eat even when don't feel hungry
3406	EA17C	Num	8	EA17C.	During binges- eat alone because embarrassed by quantity
3407	EA17D	Num	8	EA17D.	During or after binges- feel guilty/upset/depressed after binged
3408	EA17E	Num	8	EA17E.	Around time of bingeing-afraid you would gain weight
3409	EA17F	Num	8	EA17F.	Felt like self-esteem/conf depended on weight/body shape
3410	EA17G	Num	8	EA17G.	Worry about effect of binge on your health and body
3411	EA17H	Num	8	EA17H.	Often upset that eating out of control during and after binges
3413	EA19A	Num	8		Age of 1st binged 2 times/week for 3+ mths
3414	EA19B	Num	8		Estimate age 1st binged 2/week for 3+ mths-computed
3415	EA19B1	Num	8		Estimate age of 1st binged 2/week for 3+ mths
3416	EA19B2	Num	8	EA19B2FF.	1st binged 2/week for 3+ mths before 20s
3388	EA1A	Num	8	EA1A.	Had strong worry/fear at time when weighed below average
3419	EA22A	Num	8		Age last binged 2 times a week
3420	EA23A	Num	8	EA23A.	After bingeing-fast/liquid diet for 8+ hours to control weight
3421	EA23B	Num	8	EA23B.	Took water pills/diuretics/weight control meds to control weight
3422	EA23C	Num	8	EA23C.	Make yourself vomit to control weight
3423	EA23D	Num	8	EA23D.	Used laxatives or enemas to control weight
3424	EA23E	Num	8	EA23E.	Exercise excessively to control weight
3425	EA23F	Num	8	EA23F.	Chew and then spit out food to control weight
3428	EA26A	Num	8		Age 1st used weight control method for 3+ mths
3429	EA26B1	Num	8		Estimate age used weight control method for 3+ mths
3432	EA29A	Num	8		Age last used weight control strategy
3433	EA32A	Num	8		Worst month past yr-eating/wgt interf with chores at home
3434	EA32B	Num	8		Worst month past yr-eating/wgt interfere with work/school
3435	EA32C	Num	8		Worst month past yr-eating/wgt interf w/ family relations
3436	EA32D	Num	8		Worst month past yr-eating/wgt interfere with social life
3439	EA35A	Num	8		Age 1st saw doctor for eating problems
3441	EA37A	Num	8		Age 1st received helpful treatment for eating/weight probs
3442	EA37B	Num	8		# profs talked to about eat/weight incl helpful trmt doc
3443	EA37C	Num	8		# of professional talked to about eating/weight problem
3340	ED4CAT	Num	8	ED4CAT.	Years of education-4 categories

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
2015	EM1	Num	8		Age 1st yr worked 6 mths + at paid job
2016	EM2	Num	8		# years employed at least 6 mths/year part/full time
2017	EM3	Num	8		# years employed 35+ hrs/wk for 6+ months
2035	EM10	Num	8	EM10FFFF.	Disability due to physical/emotional disorder or combination
2038	EM11	Num	8	EM11FFFF.	Working for pay at present time
3494	EM15	Num	8	EM15FFFF.	Kind of work you normally do: Recoded
3560	EM16	Num	8	EM16FFFF.	Kind of place you work for, they make/do: Recode
2043	EM17	Num	8		# hours work for pay/profit in average week
2044	EM18	Num	8	EM18FFFF.	Last job-had employer or self -employed
3495	EM19	Num	8	EM19FFFF.	Kind of work you did at last job: Recoded
3561	EM20	Num	8	EM20FFFF.	Kind of place you worked for at last job: Recode
2045	EM22	Num	8	EM22FFFF.	Physical/emotional prob prevents you from working for pay
2047	EM23	Num	8	EM23FFFF.	Limited in kind/amount work due to physical /emot health
2049	EM24	Num	8		# full days of work missed in last 30 days
2052	EM26	Num	8		# days missed because of own health problem
2053	EM27	Num	8		# days came in late/went home early in past 30 days
2054	EM28	Num	8		# hours work missed on that day
2057	EM30	Num	8		Average # hours of work missed each day
2058	EM31	Num	8		# days reduced time at work due to own health
2059	EM32	Num	8		# days came early/work late to catch up work in past 30 days
2060	EM34	Num	8		# of extra hours of work in that day
2061	EM35	Num	8		Total # of extra hours of work on those days
3701	EM37	Num	8		Overall performance on days worked in past 30 days
3702	EM38	Num	8		Usual job performance in past year or 2
2072	EM39	Num	8		Usual performance of most workers on your job
2073	EM40	Num	8	EM40FFFF.	Achieved special success/achieve in past 30 days
2074	EM41	Num	8	EM41FFFF.	Work failure any time in past 30 days
2075	EM42	Num	8	EM42FFFF.	Caused accident or created safety risk for others in past mth
2076	EM43	Num	8	EM43FFFF.	Directly supervise others
2041	EM141	Num	8	EM141FFF.	Reason left last job:1st mention
2042	EM142	Num	8	EM142FFF.	Reason left last job:2nd mention
2050	EM251	Num	8	EM251FFF.	Reason missed 1 day of work:1st mention
2051	EM252	Num	8	EM252FFF.	Reason missed 1 day of work:2nd mention
2055	EM291	Num	8	EM291FFF.	Reason missed time:1st mention
2056	EM292	Num	8	EM292FFF.	Reason missed time:2nd mention
2020	EM601	Num	8	EM601FFF.	Reason not work for longest time:1st mention

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
2021	EM602	Num	8	EM602FFF.	Reason not work for longest time:2nd mention
2022	EM603	Num	8	EM603FFF.	Reason not work for longest time:3rd mention
2023	EM604	Num	8	EM604FFF.	Reason not work for longest time:4th mention
2024	EM605	Num	8	EM605FFF.	Reason not work for longest time:5th mention
2036	EM10_1A	Num	8		Length of time expect ill/disability to prevent you from working
2037	EM10_1B	Num	8	EM10_1B.	Unit of time ill/disability prevent from working, EM10_1A
2039	EM12A	Num	8		Length of time since last worked
2040	EM12B	Num	8	EM12B.	Unit of time since last worked, EM12A
4097	EM14A1	Num	8	EM14A1FF.	Month learn going to leave job
4019	EM14A2	Num	8	EM14A2FF.	Year learn going to leave job
4018	EM14A1_5	Num	8	EM14A1_F.	Month learn going to leave job
2046	EM22A	Num	8	EM22A.	Physical health/emotional problem or combination
2048	EM23A	Num	8	EM23A.	Physical health/emotional problem or combination
3700	EM23B	Num	8		Amt of \$ could earn w/ your health/ed/training if employed
2062	EM36A	Num	8	EM36A.	Past month-speed/productivity higher than expected
2063	EM36B	Num	8	EM36B.	Past month-speed/productivity lower than expected
2064	EM36C	Num	8	EM36C.	Past month-didn't work at time supposed to work
2065	EM36D	Num	8	EM36D.	Past month-find yourself not working as carefully as should
2066	EM36E	Num	8	EM36E.	Past month-quality of work lower than expected
2067	EM36F	Num	8	EM36F.	Past month-find yourself daydreaming/ not concentrating
2068	EM36G	Num	8	EM36G.	Past month-freq of trouble getting along with others at work
2069	EM36H	Num	8	EM36H.	Past month-difficulty controlling emotions around co-workers
2070	EM36I	Num	8	EM36I.	Past month-avoided interactions w/ others
2071	EM36J	Num	8	EM36J.	Past month-health problems limited you in kind/amt of work
2077	EM43A	Num	8		# people directly supervise
2078	EM44A	Num	8		Quantity of money give to worker w/ score 0
2079	EM44B	Num	8		Quantity of money give to worker w/ score 2
2080	EM44C	Num	8		Quantity of money give to worker w/ score 4
2081	EM44D	Num	8		Quantity of money give to worker w/ score 6
2082	EM44E	Num	8		Quantity of money give to worker w/ score 8
2083	EM44F	Num	8		Quantity of money give to worker w/ score 10
2018	EM4A	Num	8		Longest time not working for pay excl student/retirement
2019	EM4B	Num	8	EM4B.	Unit of time not working for pay, EM4
2025	EM7A	Num	8		# weeks worked for pay or profit in past 12 mths
2026	EM7B	Num	8		# weeks not working due to unpaid leave in past 12 mths
2027	EM7C	Num	8		# weeks unemployed and looking for job in past 12 mths

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
2028	EM7D	Num	8		# weeks not working or looking for paid job in past 12 mths
2029	EM7E	Num	8	EM7E.	Worked for pay or profit last week
2030	EM7F	Num	8	EM7F.	Disability prevents accepting any kind of work for next 6 mths
2031	EM7H	Num	8	EM7H.	Employed for pay/profit full/part time last week
2032	EM7I	Num	8	EM7I.	Disability prevents accepting any kind of work for next 6 mths
2033	EM7J	Num	8	EM7J.	Disability prevents accepting any kind of work for next 6 mths
2034	EM7K	Num	8	EM7K.	Reason absent from work last week
3545	EM7_101	Num	8	EM7_101F.	Current employ situation:1st mention: Recoded
3546	EM7_102	Num	8	EM7_102F.	Current employ situation:2nd mention: Recoded
3547	EM7_103	Num	8	EM7_103F.	Current employ situation:3rd mention: Recoded
3548	EM7_104	Num	8	EM7_104F.	Current employ situation:4th mention: Recoded
4016	EM8_S_1	Num	8	EM8_S_1F.	Current employment situation - mention 1
4017	EM8_S_2	Num	8	EM8_S_2F.	Current employment situation - mention 2
2671	FB8	Num	8	FB8FFFFF.	Extent health of relative affects your life
2675	FB11	Num	8	FB11FFFF.	Spend time doing other things related to health problem
2676	FB12	Num	8		Amt of time ave week do things related to health probs
2677	FB13	Num	8	FB13FFFF.	Extent health problems cause embarrassment
2678	FB14	Num	8	FB14FFFF.	Extent health problems cause worry and anxiousness
2679	FB15	Num	8	FB15FFFF.	Health problems impact financial expense/loss
2680	FB15A	Num	8		Amount of \$ health probs cost you in ave mth in past yr
2615	FB2INTR1	Num	8		# of close family members alive
2616	FB2INTR2	Num	8		Remind # close family members alive
2617	FB6A	Num	8	FB6A.	Close relative health prob-cancer
2618	FB6A11	Num	8	FB6A11FF.	Close relative with cancer:1st mention
2619	FB6A12	Num	8	FB6A12FF.	Close relative with cancer:2nd mention
2620	FB6A13	Num	8	FB6A13FF.	Close relative with cancer:3rd mention
2621	FB6A14	Num	8	FB6A14FF.	Close relative with cancer:4th mention
2622	FB6A15	Num	8	FB6A15FF.	Close relative with cancer:5th mention
2623	FB6A16	Num	8	FB6A16FF.	Close relative with cancer:6th mention
2624	FB6B	Num	8	FB6B.	Close relative health prob-serious heart problem
2625	FB6B11	Num	8	FB6B11FF.	Close relative with serious heart prob:1st mention
2626	FB6B12	Num	8	FB6B12FF.	Close relative with serious heart prob:2nd mention
2627	FB6B13	Num	8	FB6B13FF.	Close relative with serious heart prob:3rd mention
2628	FB6B14	Num	8	FB6B14FF.	Close relative with serious heart prob:4th mention
2629	FB6C	Num	8	FB6C.	Close relative health prob-serious memory problem
2630	FB6C11	Num	8	FB6C11FF.	Close relative with serious memory prob:1st mention

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
2631	FB6C12	Num	8	FB6C12FF.	Close relative with serious memory prob:2nd mention
2632	FB6C13	Num	8	FB6C13FF.	Close relative with serious memory prob:3rd mention
2633	FB6C14	Num	8	FB6C14FF.	Close relative with serious memory prob:4th mention
2634	FB6C15	Num	8	FB6C15FF.	Close relative with serious memory prob:5th mention
2635	FB6C16	Num	8	FB6C16FF.	Close relative with serious memory prob:6th mention
2636	FB6D	Num	8	FB6D.	Close relative health prob-mental retardation
2637	FB6D11	Num	8	FB6D11FF.	Close relative with mental retardation:1st mention
2638	FB6D12	Num	8	FB6D12FF.	Close relative with mental retardation:2nd mention
2639	FB6E	Num	8	FB6E.	Close relative health prob-perm physical disability
2640	FB6E11	Num	8	FB6E11FF.	Close relative with perm physical disability:1st mention
2641	FB6E12	Num	8	FB6E12FF.	Close relative with perm physical disability:2nd mention
2642	FB6F	Num	8	FB6F.	Close relative health prob-serious chronic phys illness
2643	FB6F11	Num	8	FB6F11FF.	Close relative with other serious chronic phy ill:1st mention
2644	FB6F12	Num	8	FB6F12FF.	Close relative with other serious chronic phy ill:2nd mention
2645	FB6F13	Num	8	FB6F13FF.	Close relative with other serious chronic phy ill:3rd mention
2646	FB6F14	Num	8	FB6F14FF.	Close relative with other serious chronic phy ill:4th mention
2647	FB6G	Num	8	FB6G.	Close relative health prob-drug/alcohol problem
2648	FB6G11	Num	8	FB6G11FF.	Close relative with drug/alcohol problem:1st mention
2649	FB6G12	Num	8	FB6G12FF.	Close relative with drug/alcohol problem:2nd mention
2650	FB6G13	Num	8	FB6G13FF.	Close relative with drug/alcohol problem:3rd mention
2651	FB6G14	Num	8	FB6G14FF.	Close relative with drug/alcohol problem:4th mention
2652	FB6H	Num	8	FB6H.	Close relative health problem-depression
2653	FB6H11	Num	8	FB6H11FF.	Close relative with depression:1st mention
2654	FB6H12	Num	8	FB6H12FF.	Close relative with depression:2nd mention
2655	FB6H13	Num	8	FB6H13FF.	Close relative with depression:3rd mention
2656	FB6H14	Num	8	FB6H14FF.	Close relative with depression:4th mention
2657	FB6H15	Num	8	FB6H15FF.	Close relative with depression:5th mention
2658	FB6I	Num	8	FB6I.	Close relative health problem-anxiety
2659	FB6I11	Num	8	FB6I11FF.	Close relative with anxiety:1st mention
2660	FB6I12	Num	8	FB6I12FF.	Close relative with anxiety:2nd mention
2661	FB6I13	Num	8	FB6I13FF.	Close relative with anxiety:3rd mention
2662	FB6I14	Num	8	FB6I14FF.	Close relative with anxiety:4th mention
2663	FB6I15	Num	8	FB6I15FF.	Close relative with anxiety:5th mention
4015	FB6J	Num	8	FB6J.	Any close relative with Schizophrenia or psychosis?
2664	FB6J11	Num	8	FB6J11FF.	Close relative with schizophrenia/psychosis:1st mention
2665	FB6K	Num	8	FB6K.	Close relative health problem-manic-depressive

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
2666	FB6K11	Num	8	FB6K11FF.	Close relative with manic-depression:1st mention
2667	FB6K12	Num	8	FB6K12FF.	Close relative with manic-depression:2nd mention
2668	FB6K13	Num	8	FB6K13FF.	Close relative with manic-depression:3rd mention
3692	FB6L	Num	8	FB6L.	Close relative health problem-other serious chronic mental prob
2669	FB6L11	Num	8	FB6L11FF.	Close relative with other chronic ment health prob:1st mention
2670	FB6L12	Num	8	FB6L12FF.	Close relative with other chronic ment health prob:2nd mention
2672	FB9A	Num	8	FB9A.	Help relative w/ washing/dressing/eating due to health probs
2673	FB9B	Num	8	FB9B.	Help relative w/ practical things due to health probs
2674	FB9C	Num	8	FB9C.	Spend more time w/ relative because of health probs
1604	FD1	Num	8	FD1FFFFFF.	Status of overall physical health during past 30 days
1606	FD2	Num	8	FD2FFFFFF.	Frequency experienced physical discomfort in past 30 days
1608	FD3	Num	8	FD3FFFFFF.	Overall mental health status in past 30 days
1610	FD4	Num	8		# days in past 30-no work/norm acts due to phys/ment/subst
1613	FD5	Num	8		# days past mth in bed 1/2 day+ due to health/substance
1614	FD7	Num	8		# days in past 30 reduced acts due to phys/ment/subs use
1617	FD8	Num	8		# days in 30 cut quality of work due to phys/ment/subst use
1618	FD9	Num	8		# days in 30 took extreme effort to do usual level of work/acts
1621	FD10	Num	8	FD10FFFF.	Health probs caused diffic w/ concen/mem/think in past mth
1627	FD12	Num	8	FD12FFFF.	Difficulty w/ mobility due to health problems in past 30 days
1632	FD14	Num	8	FD14FFFF.	Health related probs caused diff w/ self care in past 30 days
1637	FD16	Num	8	FD16FFFF.	Health probs caused diffic w/ getting along/maint social life
1648	FD20	Num	8	FD20FFFF.	Amt of embarrassment due to health probs in past 30 days
1649	FD21	Num	8	FD21FFFF.	Amt of discrimination due to health probs in past 30 days
1650	FD22	Num	8	FD22FFFF.	Amt health-related diffic interf w/ life of friends/fam in past mth
1657	FD25	Num	8	FD25FFFF.	Willing to pay \$100 for treatment to get score of 100
1661	FD26	Num	8	FD26FFFF.	Willing to take free treatment even if on bed rest for 3 days
1622	FD10A	Num	8		# days had difficulty w/ concen/mem/think in past 30 days
1623	FD11A	Num	8	FD11A.	Amount of difficulty concentrating for 10 minutes
1624	FD11B	Num	8	FD11B.	Amount of difficulty understanding what was going on
1625	FD11C	Num	8	FD11C.	Amount of difficulty remembering to do important things
1626	FD11D	Num	8	FD11D.	Amount of difficulty learning a new task
1628	FD12A	Num	8		# of days had difficulty w/ mobility in past 30 days
1629	FD13A	Num	8	FD13A.	During mobility problems-difficult standing for 30+ minutes
1630	FD13B	Num	8	FD13B.	During mobility problems-difficulty move around inside home
1631	FD13C	Num	8	FD13C.	During mobility problems-difficulty walking long distance
1633	FD14A	Num	8		# days health-related probs caused difficulty w/ self-care

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
1634	FD15A	Num	8	FD15A.	During self-care probs-amount of difficulty washing whole body
1635	FD15B	Num	8	FD15B.	During self-care probs-amount of difficulty getting dressed
1636	FD15C	Num	8	FD15C.	During self-care probs-amount of diffic staying alone few days
1638	FD16A	Num	8		# of days had diffic getting along/maint social life in past mth
1639	FD17A	Num	8	FD17A.	During trouble getting along-diffic start/maintain conversation
1640	FD17B	Num	8	FD17B.	During trouble getting along-diffic deal w/ people not know well
1641	FD17C	Num	8	FD17C.	During trouble getting along-difficulty maintaining friendships
1642	FD17D	Num	8	FD17D.	During trouble getting along-difficulty making new friends
1643	FD17E	Num	8	FD17E.	During trouble getting along-diffic cont emotions around ppl
1644	FD18A	Num	8	FD18A.	Severity of health-related diffic w/ house respons in past mth
1645	FD18B	Num	8	FD18B.	Severity which emotionally affected by health during past mth
1646	FD18C	Num	8	FD18C.	Severity of health drain on finances for past 30 days
1647	FD18D	Num	8	FD18D.	Severity of problem joining in community acts in past 30 days
1605	FD1A	Num	8	FD1A.	Amount of change in physical health in past 30 days
1651	FD23A	Num	8		Rate health of otherwise healthy person with broken leg
1652	FD23B	Num	8		Rate health of person with severe arthritis
1653	FD23C	Num	8		Rate health of person with terminal cancer
1654	FD23D	Num	8		Rate your own physical and mental health in past
1655	FD24_1A	Num	8		# of months/years your health at this level
1656	FD24_1B	Num	8	FD24_1B.	Unit of time health at this level, FD24_1A
1658	FD25A	Num	8	FD25A.	Willing to pay \$500 for treatment to get score of 100
1659	FD25B	Num	8	FD25B.	Willing to pay \$50 for treatment to get score of 100
1660	FD25C	Num	8		Largest amt willing to pay for treatment to get score of 100
1662	FD26A	Num	8	FD26A.	Willing to take free treatment even if on bed rest for 7 days
1663	FD26B	Num	8	FD26B.	Willing to take free treatment even if on bed rest for 1 day
1664	FD26C1	Num	8		Longest time willing to give up per month for free treatment
1665	FD26C2	Num	8	FD26C2FF.	Unit of time willing to give up for free treatment, FD26C1
1607	FD2A	Num	8	FD2A.	Severity of physical discomfort during past 30 days
1609	FD3A	Num	8	FD3A.	Amount of change in mental health status in past 30 days
1611	FD4A	Num	8	FD4A.	No activities due to emotions/nerves/ment health/subst use
1612	FD4B	Num	8		# days no activities due to emot/nerves/ment health/subst use
1615	FD7A	Num	8	FD7A.	Reduced activities due to emotion/nerves/substance use
1616	FD7B	Num	8		# of reduced act days were due to emotion/nerves/ment/subst
1619	FD9A	Num	8	FD9A.	Extreme effort due to nerves/emotion/substance use
1620	FD9B	Num	8		# days extreme effort due to nerves/emotion/subst use
4085	FN5	Num	8	FN5FFFFF.	Spouse/partners earnings income in the past 12 months

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
4086	FN7	Num	8	FN7FFFFF.	Personal earnings income of all other family members
4087	FN9	Num	8	FN9FFFFF.	Total family household income from Social Security
4088	FN10	Num	8	FN10FFFF.	Total family household income from government assistance programs
4089	FN11	Num	8	FN11FFFF.	Total family household income from other sources in the past 12 months
2089	FN12	Num	8	FN12FFFF.	Would have any money left over after paying debt
4090	FN13	Num	8	FN13FFFF.	Amount left over after paying debts
2090	FN14	Num	8	FN14FFFF.	You have more/just enough/not enough money to meet needs
2092	FN15	Num	8	FN15FFFF.	In past yr-hungry, but didn't eat because couldn't afford food
2093	FN16	Num	8	FN16FFFF.	In past yr-ate less due to lack of money for food
2094	FN18	Num	8	FN18FFFF.	In past yr-how often not enough money to buy food
2095	FN19	Num	8	FN19FFFF.	In past yr-couldn't afford to eat balanced meals
2096	FN20	Num	8		In past yr-cut/skip meal cause not enough money to buy food
2091	FN14A	Num	8	FN14A.	Amt of difficulty paying monthly bills
4083	FN2INTR1	Num	8	FN2INTRF.	Personal earnings income in the past 12 months, before taxes
4084	FN2INTR2	Num	8	FN2INT0F.	Personal earnings income in the past 12 months, before taxes
774	G3	Num	8	G3FFFFFFF.	Ever think worry/anxious/nervous excessive
775	G4	Num	8	G4FFFFFFF.	How often hard to control worry/anxious/nervous
777	G5	Num	8		Longest period mths/years worry/anxious/nerv most days
805	G15	Num	8	G15FFFFFF.	Severity of emotional distress exp due to worry/anxiety
806	G17	Num	8	G17FFFFFF.	Extent which wry/anx/nerv interf with work/social/relations
810	G26	Num	8	G26FFFFFF.	Remember age 1st worry/anxious/nervous + other probs
813	G27	Num	8	G27FFFFFF.	Worry/anxious/nervous epis 1+ mth in past year
824	G28	Num	8		Lifetime # of worry/anxious/nervous episodes 1+ mth
825	G30	Num	8	G30FFFFFF.	Length of worried episode
827	G31	Num	8		Length of longest worried episode
830	G32	Num	8		# years in lifetime having at least 1 episode
831	G34	Num	8		Longest continuous # of years w/ 1 + episodes per year
839	G37	Num	8	G37FFFFFF.	Worried by frightened feeling
844	G40	Num	8		# of days past year unable to work/acts due worry/anxious
845	G44	Num	8	G44FFFFFF.	Saw medical doc or professional for worry/anxious/nervous
847	G56	Num	8	G56FFFFFF.	Received helpful/effective treatment for worry/anxious/nerv
851	G58	Num	8	G58FFFFFF.	Received professional treatment for worry in past 12 mths
852	G59	Num	8	G59FFFFFF.	Hospitalized overnight for worry/anxious/nervous
748	G101	Num	8	G101FFFF.	Worried period-what was anxious about-1st mention
749	G102	Num	8	G102FFFF.	Worried period-what was anxious about-2nd mention
750	G103	Num	8	G103FFFF.	Worried period-what was anxious about-3rd mention

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
751	G104	Num	8	G104FFFF.	Worried period-what was anxious about-4th mention
752	G105	Num	8	G105FFFF.	Worried period-what was anxious about-5th mention
753	G106	Num	8	G106FFFF.	Worried period-what was anxious about-6th mention
754	G107	Num	8	G107FFFF.	Worried period-what was anxious about-7th mention
755	G108	Num	8	G108FFFF.	Worried period-what was anxious about-8th mention
756	G109	Num	8	G109FFFF.	Worried period-what was anxious about-9th mention
757	G110	Num	8	G110FFFF.	Worried period-what was anxious about-10th mention
758	G111	Num	8	G111FFFF.	Worried period-what was anxious about-11th mention
759	G112	Num	8	G112FFFF.	Worried period-what was anxious about-12th mention
760	G113	Num	8	G113FFFF.	Worried period-what was anxious about-13th mention
761	G114	Num	8	G114FFFF.	Worried period-what was anxious about-14th mention
762	G115	Num	8	G115FFFF.	Worried period-what was anxious about-15th mention
763	G116	Num	8	G116FFFF.	Worried period-what was anxious about-16th mention
764	G117	Num	8	G117FFFF.	Worried period-what was anxious about-17th mention
765	G118	Num	8	G118FFFF.	Worried period-what was anxious about-18th mention
766	G119	Num	8	G119FFFF.	Worried period-what was anxious about-19 mention
767	G120	Num	8	G120FFFF.	Worried period-what was anxious about-20th mention
768	G121	Num	8	G121FFFF.	Worried period-what was anxious about-21st mention
769	G122	Num	8	G122FFFF.	Worried period-what was anxious about-22nd mention
770	G123	Num	8	G123FFFF.	Worried period-what was anxious about-23th mention
771	G124	Num	8	G124FFFF.	Worried period-what was anxious about-24th mention
772	G125	Num	8	G125FFFF.	Worried period-what was anxious about-25th mention
773	G126	Num	8	G126FFFF.	Worried period-what was anxious about-26th mention
785	G10A	Num	8	G10A.	Worst worried mth +-heart racing
786	G10B	Num	8	G10B.	Worst worried mth +-often sweat
787	G10C	Num	8	G10C.	Worst worried mth +- tremble
788	G10D	Num	8	G10D.	Worst worried mth +- had dry mouth
789	G10E	Num	8	G10E.	Worst worried mth +- felt sad/depressed most of time
790	G13A	Num	8	G13A.	Worst worried mth +- feel dizzy/lightheaded
791	G13B	Num	8	G13B.	Worst worried month +-short of breath
792	G13C	Num	8	G13C.	Worst worried mth +-felt like choking
793	G13D	Num	8	G13D.	Worst worried month+- had chest pain
794	G13E	Num	8	G13E.	Worst worried month +- had stomach pain
795	G13F	Num	8	G13F.	Worst worried mth +-felt nausea
796	G13G	Num	8	G13G.	Worst worried mth +-feel unreal
797	G13H	Num	8	G13H.	Worst worried mth +-feel things unreal

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
798	G13I	Num	8	G13I.	Worst worried mth +-fear of losing control/going crazy
799	G13J	Num	8	G13J.	Worst worried mth +-fear passing out
800	G13K	Num	8	G13K.	Worst worried mth +-afraid you might die
801	G13L	Num	8	G13L.	Worst worried mth +hot flushes/chills
802	G13M	Num	8	G13M.	Worst worried mth +-numbness
803	G13N	Num	8	G13N.	Worst worried mth +-lump in throat
804	G13O	Num	8	G13O.	Worst worried mth +-easily startled
807	G17A	Num	8	G17A.	How often unable work/acts due to worry/anxious/nervous
808	G18A	Num	8	G18A.	Worry/anxious/nervous ever due to phys ill/med/drugs/alc
809	G18B	Num	8	G18B.	Worry/anxious/nervous always due to phys ill/med/drug/alc
811	G26A	Num	8		Age 1st worry/anxious/nervous episode + other probs
3744	G26B	Num	8	G26B.	About how old - first worry episode
812	G26C	Num	8	G26C.	1st worry/anx/nerv episode due to stressful exp/out of blue
814	G27A	Num	8	G27A.	Recent worry/anxiety episode
815	G27A_1	Num	8		# of worry/anxious/nervous episodes past year
3745	G27A_3	Num	8	G27A_3FF.	Worry episode 1+ month - month start
816	G27A_4	Num	8		Length so far of last worried episode
818	G27A_6	Num	8	G27A_6FF.	Worried episode ended or still ongoing
819	G27A_7	Num	8		Length of 1st worried episode in past year
821	G27A_9	Num	8	G27A_9FF.	Recent worried episode ended or ongoing
3746	G27A_3A	Num	8	G27A_3A.	Worry episode 1+ month - year start
817	G27A_4A	Num	8	G27A_4A.	Unit of time of last worried episode, G27A.4A
820	G27A_7A	Num	8	G27A_7A.	Unit of time of 1st worried episode in past yr, G27A.7
822	G27B	Num	8		# of months in past year had worried episode
823	G27C	Num	8		Age last time had 1 of these worried episodes
826	G30A	Num	8		Unit time episode last
828	G31A	Num	8		Unit time longest episode
829	G31_1	Num	8		# episodes brought on by stressful experience
832	G36A	Num	8	G36A.	Worst worried mth +-often tense
833	G36B	Num	8	G36B.	Worst worried mth +-often butterflies in stomach
834	G36C	Num	8	G36C.	Worst worried mth +-often restless
835	G36D	Num	8	G36D.	Worst worried mth +-often sudden panic
836	G36E	Num	8	G36E.	Worst worried mth +-often worrying thoughts
837	G36F	Num	8	G36F.	Worst worried mth +-often at ease and relaxed
838	G36G	Num	8	G36G.	Worst worried mth +-often frighten/awful going to happen
840	G38A	Num	8		Extent which severe worry interfered w/ home mgmt

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
841	G38B	Num	8		Extent which severe worry interfered w/ ability to work
842	G38C	Num	8		Extent which severe worry interf w/ form/maint relations
843	G38D	Num	8		Extent which severe worry interfered w/ social life
846	G44A	Num	8		Age 1st talked to med professional about worry/anx/nerv
776	G4A	Num	8	G4A.	Freq so nervous that could not think of else regardless
848	G56A	Num	8		Age 1st received helpful/effective trmt for worry/anx/nerv
849	G56B	Num	8		# prof talked to for worry/anxiety incl helpful trmt doc
850	G56C	Num	8		# professional talked to about worry/anxious/nervous
853	G59A	Num	8		Age 1st hospitalized overnight for worry/anxious/nervous
854	G59_1	Num	8		# close relatives were worried/anxious people
778	G5A	Num	8	G5A.	Unit of time worried 1+ mths, G5
779	G9A	Num	8	G9A.	Worst worried mth +- felt restless/on edge
780	G9B	Num	8	G9B.	Worst worried mth +- got tired easily
781	G9C	Num	8	G9C.	Worst worried mth +- more irritable
782	G9D	Num	8	G9D.	Worst worried mth + - difficulty concentrate
783	G9E	Num	8	G9E.	Worst worried mth +- tense/sore muscles
784	G9F	Num	8	G9F.	Worst worried mth +-sleep problems
3272	GAD_OND	Num	8	GAD_OND.	DSM-IV Generalized Anxiety Disorder Onset
3688	GAD_ONI	Num	8	GAD_ONI.	ICD Generalized Anxiety Disorder Onset
3273	GAD_RECD	Num	8	GAD_RECD.	DSM-IV Generalized Anxiety Disorder Recency
3689	GAD_RECI	Num	8	GAD_RECI.	ICD Generalized Anxiety Disorder Recency
1903	GM1	Num	8	GM1FFFF.	# of times in life made bet of any kind
1915	GM2	Num	8		Age 1st placed bet or gambled with money
1916	GM4	Num	8	GM4FFFF.	Gambled at least weekly for 6 months or more in a row
1917	GM5	Num	8		Age 1st started gambling weekly for 6 months in a row
1918	GM6	Num	8		Largest amount of money lost in single year
1952	GM13	Num	8	GM13FFFF.	Trying to cut down gambling make you feel restless/irritable
1955	GM16	Num	8	GM16FFFF.	Remember exact age of very 1st gambling problem
1960	GM17	Num	8	GM17FFFF.	Recent problem because of gambling in past months
1961	GM18	Num	8		Age of last problem because of gambling
1962	GM19	Num	8		# of diff years in life ever had problem because of gambling
1963	GM20	Num	8	GM20FFFF.	Remember exact age 1st gambling problem
1968	GM21	Num	8	GM21FFFF.	Recent problems because of gambling in past months
1969	GM22	Num	8		Age last time any problems because of gambling
1972	GM23	Num	8		# of different years in life at least 1 gambling problem
1973	GM24	Num	8	GM24FFFF.	Had 5 or more gambling problems in same year

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
1974	GM25	Num	8		Age 1st had 5 or more of gambling problems in same year
1919	GM27	Num	8		# of days made any sort of bet in past year
1920	GM29	Num	8	GM29FFFF.	Overall ahead or behind in all losses and wins over past year
1922	GM30	Num	8	GM30FFFF.	Year in life when gambled more frequently than in past year
1923	GM31	Num	8	GM31FFFF.	Prefer to gamble alone or with friends
1924	GM32	Num	8	GM32FFFF.	If same payoff, would pick instant ticket or wait to hear ticket
1925	GM33	Num	8		Age last bet or gambled
1926	GM34	Num	8		In year gambled most-# days bet or gambled
1927	GM35	Num	8	GM35FFFF.	In year gambled most-prefer to gamble alone or w/ friends
1928	GM36	Num	8	GM36FFFF.	During gambl pick instant/wait to hear ticket for same payoff
1977	GM40	Num	8	GM40FFFF.	Talked to professional about problems with gambling
1980	GM41	Num	8	GM41FFFF.	Went to self-help group for people w/ gambling problems
1983	GM43	Num	8	GM43FFFF.	Received helpful/effective trmt/cousel for gambling problem
1940	GM10A	Num	8	GM10A.	Spend lots of time thinking about gambling when shouldn't
1941	GM10B	Num	8	GM10B.	Lots of time planning bets or studying odds when shouldn't
1942	GM10C	Num	8	GM10C.	Increased amt of bets over time to keep it exciting
1943	GM10D	Num	8	GM10D.	Often used betting/gambling to improve mood
1944	GM10E	Num	8	GM10E.	Gamble to escape or stop thinking about personal problems
1945	GM10F	Num	8	GM10F.	After losing money would return soon to win back losses
1946	GM10G	Num	8	GM10G.	Gambled more in hope of winning back big gambling debt
1947	GM10H	Num	8	GM10H.	Try to raise gambling money by writing bad checks/steal/illegal
1948	GM10I	Num	8	GM10I.	Repeatedly borrow from family/friends to support gambling
1949	GM10J	Num	8	GM10J.	Strong irresistible desire to bet/gamble
1950	GM10K	Num	8	GM10K.	Gambled when promised self not to/bet more than intended
1951	GM10L	Num	8		# of serious attempts to cut down/stop gambling
1953	GM14A	Num	8		Since 1st tried to stop, longest time not gambled
1954	GM14B	Num	8	GM14B.	Unit of time longest period of not gambling, GM14
1956	GM16A	Num	8		Exact age of 1st problem because of gambling
1958	GM16A1	Num	8	GM16A1FF.	Age 1st problem because of gambling before teens
1959	GM16A2	Num	8	GM16A2FF.	Age 1st problem because of gambling before 20s
1957	GM16B	Num	8		Estimate age 1st problem because of gambling
1904	GM1_1A	Num	8	GM1_1A.	# times in life bet on sports w/ friends or office pool
1905	GM1_1B	Num	8	GM1_1B.	# times in life bet on sports w/ bookie or parlay cards
1906	GM1_1C	Num	8	GM1_1C.	# times in life played cards/dice/chess/mental skill for money
1907	GM1_1D	Num	8	GM1_1D.	# times in life played games of physical skill for money
1908	GM1_1E	Num	8	GM1_1E.	# times in life specul on high risk stocks/real estate/futures

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
1909	GM1_1F	Num	8	GM1_1F.	# times in life playing #s/lotto/video lottery/inst lotto
1910	GM1_1G	Num	8	GM1_1G.	# times in life gambling on internet
1911	GM1_1H	Num	8	GM1_1H.	# times in life playing video poker/other gambling machines
1912	GM1_1I	Num	8	GM1_1I.	# times in life playing slot machines/bingo/pull tabs
1913	GM1_1J	Num	8	GM1_1J.	# times in life betting on horse/dog races or dog/cock fights
1914	GM1_1K	Num	8	GM1_1K.	# times in life gambling at casino
1964	GM20A	Num	8		Exact age 1st gambling problem
1965	GM20B	Num	8		Estimate age 1st problems because of gambling
1966	GM20B1	Num	8	GM20B1FF.	Age 1st problems because of gambling before teens
1967	GM20B2	Num	8	GM20B2FF.	Age 1st problems because of gambling before 20s
1970	GM22A1	Num	8	GM22A1FF.	Age last time problems because of gambling before teens
1971	GM22A2	Num	8	GM22A2FF.	Age last time problems because of gambling before 20s
1975	GM25A1	Num	8	GM25A1FF.	Age 1st had 5 or more of gamb probs same year before teens
1976	GM25A2	Num	8	GM25A2FF.	Age 1st had 5 or more of gamb probs same year before 20s
1921	GM29A	Num	8		How much ahead/behind over past year
1929	GM37A	Num	8	GM37A.	Extent gambled for excitement
1930	GM37B	Num	8	GM37B.	Extent gambled to relax/have fun
1931	GM37C	Num	8	GM37C.	Extent gambled to win money
1932	GM37D	Num	8	GM37D.	Extent gambled to be with/make new friends
1933	GM38A	Num	8	GM38A.	Lost track of time when gambling
1934	GM38B	Num	8	GM38B.	In trance-like state when gambling
1935	GM38C	Num	8	GM38C.	Feel you are watching yourself gamble
1978	GM40A	Num	8		Age 1st talked to professional about gambling problems
1979	GM40B	Num	8		# of visits to professional about gambling probs in past year
1981	GM41A	Num	8		Age 1st went to self-help group for gambling problems
1982	GM41B	Num	8		# of self-help group phone calls/mtgs attended in past year
1984	GM43A	Num	8		Age 1st helpful treatment/counsel for gambling problem
1985	GM43B	Num	8		# of different profs seen for gambling incl helpful trmt doc
1986	GM43C	Num	8		# of different profs or self-help groups seen for gambling probs
1936	GM8A	Num	8	GM8A.	Gambling interfered with work/school/home
1937	GM8B	Num	8	GM8B.	Gambling caused argument/probs w/ family/friends/coworkers
1938	GM8C	Num	8	GM8C.	Tried to keep family/friends from knowing how much gambled
1939	GM8D	Num	8	GM8D.	Sometimes claimed to be winning when actually losing
3586	HEIGHT	Num	8	HEIGHT.	Total height-inches
4110	HHID	Num	8	HHID.	Household Id: Used to link primary and secondary respondents per household
3710	HHINC	Num	8	HHINC.	Household Income : Topcode

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
5	HHSIZE	Num	8	HHSIZE.	Total number of HH members
3187	ICD_ADD	Num	8	ICD_ADD.	ICD Attention Deficit Disorder (Lifetime)
3188	ICD_AGP	Num	8	ICD_AGP.	ICD Agoraphobia with Panic Disorder (LifeT)
3189	ICD_ALA	Num	8	ICD_ALA.	ICD Alcohol Abuse (Lifetime)
3190	ICD_ALAH	Num	8	ICD_ALAH.	ICD Lifetime Alcohol Abuse w/ hierarchy
3191	ICD_ALD	Num	8	ICD_ALD.	ICD Alcohol Dependence (Lifetime)
3366	ICD_ANO	Num	8	ICD_ANO.	ICD Anorexia (Lifetime)
3367	ICD_ANOH	Num	8	ICD_ANOH.	ICD Anorexia w/ hierarchy (Lifetime)
3671	ICD_ASA	Num	8	ICD_ASA.	ICD Adult Separation Anxiety Disorder(LifeT)
3672	ICD_ASAH	Num	8	ICD_ASAH.	ICD Adult Separation Anxiety Dis w/hier(LifeT)
3368	ICD_BUL	Num	8	ICD_BUL.	ICD Bulimia (Lifetime)
3192	ICD_CD	Num	8	ICD_CD.	ICD Conduct Disorder (Lifetime)
3193	ICD_CDH	Num	8	ICD_CDH.	ICD Conduct Disorder w/ hierarchy (LifeT)
3194	ICD_DRA	Num	8	ICD_DRA.	ICD Drug Abuse (Lifetime)
3195	ICD_DRD	Num	8	ICD_DRD.	ICD Drug Dependence (Lifetime)
3196	ICD_DYS	Num	8	ICD_DYS.	ICD Dysthymia (Lifetime)
3197	ICD_DYSH	Num	8	ICD_DYSH.	ICD Dysthymia w/ hierarchy (Lifetime)
3673	ICD_GAD	Num	8	ICD_GAD.	ICD Generalized Anxiety Disorder(Lifetime)
3674	ICD_GADH	Num	8	ICD_GADH.	ICD Generalized Anxiety Disorder w/hier(LifeT)
3198	ICD_HYP	Num	8	ICD_HYP.	ICD Hypomania (Lifetime)
3199	ICD_MAN	Num	8	ICD_MAN.	ICD Mania (Lifetime)
3200	ICD_MDE	Num	8	ICD_MDE.	ICD Severe Depressive Episode (Lifetime)
3201	ICD_MDEH	Num	8	ICD_MDEH.	ICD Severe Depressive Episode w/ hierarchy (LifeT)
3202	ICD_ODD	Num	8	ICD_ODD.	ICD Oppositional Defiant Disorder (LifeT)
3203	ICD_PAT	Num	8	ICD_PAT.	ICD Panic Attack (Lifetime)
3204	ICD_PDS	Num	8	ICD_PDS.	ICD Panic Disorder (Lifetime)
3675	ICD_PTS	Num	8	ICD_PTS.	ICD Posttraumatic Stress Disorder(LifeT)
3676	ICD_SAD	Num	8	ICD_SAD.	ICD Separation Anxiety Disorder(Lifetime)
3677	ICD_SADH	Num	8	ICD_SADH.	ICD Separation Anxiety Disorder w/hier(LifeT)
3205	ICD_SO	Num	8	ICD_SO.	ICD Social Phobia (Lifetime)
3206	ICD_SP	Num	8	ICD_SP.	ICD Specific Phobia (Lifetime)
3207	ICD_TBD	Num	8	ICD_TBD.	ICD Nicotine Dependence (Lifetime)
3704	ID	Num	8	ID.	Medication ID #:1st mention
3705	ID2	Num	8	ID2FFFFFF.	Medication ID #:2nd mention
3706	ID3	Num	8	ID3FFFFFF.	Medication ID #:3rd mention
2689	ID4	Num	8	ID4FFFFFF.	Medication ID #:4th mention

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
2690	ID5	Num	8	ID5FFFFF.	Medication ID #:5th mention
2691	ID6	Num	8	ID6FFFFF.	Medication ID #:6th mention
2692	ID7	Num	8	ID7FFFFF.	Medication ID #:7th mention
2693	ID8	Num	8	ID8FFFFF.	Medication ID #:8th mention
2694	ID9	Num	8	ID9FFFFF.	Medication ID #:9th mention
2695	ID10	Num	8	ID10FFFF.	Medication ID #:10th mention
2696	ID11	Num	8	ID11FFFF.	Medication ID #:11th mention
2697	ID12	Num	8	ID12FFFF.	Medication ID #:12th mention
2698	ID13	Num	8	ID13FFFF.	Medication ID #:13th mention
2699	ID14	Num	8	ID14FFFF.	Medication ID #:14th mention
2700	ID15	Num	8	ID15FFFF.	Medication ID #:15th mention
2701	ID16	Num	8	ID16FFFF.	Medication ID #:16th mention
2702	ID17	Num	8	ID17FFFF.	Medication ID #:17th mention
860	IED5	Num	8	IED5FFFF.	Anger attacks occurred without good reason
863	IED6	Num	8	IED6FFFF.	Unavoidable impulse to blow-up before attack
864	IED7	Num	8	IED7FFFF.	Anger out of control during typical attack
865	IED9	Num	8	IED9FFFF.	Anger attack usually occurs because of drinking/drug use
867	IED10	Num	8	IED10FFF.	Anger attacks ever result of physical illness or meds
869	IED11	Num	8	IED11FFF.	Anger attack occur when sad/depressed
871	IED13	Num	8		Cost/replace value of things broken during anger attack
872	IED15	Num	8		# anger attacks hurt someone that needed med attention
873	IED16	Num	8	IED16FFF.	Extent anger attacks interfere w/ work/social life/relations
875	IED17	Num	8	IED17FFF.	Guilty/embarrassed/regret after anger attack
876	IED18	Num	8	IED18FFF.	Remember exact age 1st anger attack
881	IED19	Num	8		# different years in lifetime having at least 1 anger attack
882	IED20	Num	8		Largest # anger attacks in single month
883	IED21	Num	8		Largest # of anger attacks in single year
884	IED22	Num	8	IED22FFF.	Occurrence of recent anger attack
886	IED23	Num	8		# weeks in past year had at least one anger attack
887	IED24	Num	8		# total attacks during past 12 months
900	IED28	Num	8		# days past yr unable carry out normal acts due to anger
901	IED29	Num	8	IED29FFF.	Talked to medical doc or professional about anger attacks
903	IED30	Num	8	IED30FFF.	Received helpful/effective treatment for anger attack
907	IED32	Num	8	IED32FFF.	Receive professional treatment for anger past yr
908	IED33	Num	8	IED33FFF.	Hospitalized overnight for anger
868	IED10B	Num	8	IED10B.	Anger attacks ever not result of physical illness or meds

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
870	IED11A	Num	8	IED11A.	Anger attacks ever occur when not sad/depressed
874	IED16A	Num	8	IED16A.	Unable to carry out daily activities due to anger
877	IED18A	Num	8		Remember exact age 1st anger attack
878	IED18B	Num	8		Approx age 1st attack
879	IED18C	Num	8	IED18C.	1st anger attack before 1st started school, IED1
880	IED18D	Num	8	IED18D.	1st anger attack before a teenager, IED18B
885	IED22A	Num	8		Age last attack
888	IED25A	Num	8		During attack in week-slam door/kick chair/throw clothes
889	IED25B	Num	8		During attack in week-break something
890	IED25C	Num	8		During attack in week-broke several things
891	IED25D	Num	8		During attack in week-set fire or destroyed property
892	IED25E	Num	8		During attack in week-injured/tortured animal
893	IED25F	Num	8		During attack in week-threatend someone
894	IED25G	Num	8		Attack in week-hurt someone that needed med attention
895	IED25H	Num	8		Attack in week-hurt someone didn't need medical attention
896	IED26A	Num	8		Extent severe attack interfere home management
897	IED26B	Num	8		Extent severe attack interfere with ability to work
898	IED26C	Num	8		Extent severe attack interfere with form/maint relations
899	IED26D	Num	8		Extent severe attack interfere social life
902	IED29A	Num	8		Age 1st talk to profssional about anger attacks
904	IED30A	Num	8		Age 1st got helpful/effective treatment for anger
905	IED30B	Num	8		Total profs seen for anger incl helpful treatment doc
906	IED30C	Num	8		# professional ever talked to about anger attack
909	IED33A	Num	8		Age 1st hospitalized overnight for anger
910	IED33_1	Num	8		# of close relatives had repeated anger attacks
855	IED3A	Num	8		# attacks in life lost control/broke things/hurt or threaten
856	IED3B	Num	8		# attacks in life lost control/broke things/hurt or threaten
857	IED3C	Num	8		# attack in life lost control/broke or smash something
858	IED3D	Num	8		# attacks lost control/hurt or threaten to hurt someone
859	IED3E	Num	8		# attack lost control/threatened to hurt someone
861	IED5A	Num	8	IED5A.	Anger occur in situations most people wouldn't have attack
862	IED5B	Num	8	IED5B.	Lot more angry than most during attack
866	IED9A	Num	8	IED9A.	Anger attacks ever occur when not drinking/using drugs
3274	IED_OND	Num	8	IED_OND.	DSM-IV Intermittent Explosive Disorder Onset
3275	IED_RECDD	Num	8	IED_RECDD.	DSM-IV Intermittent Explosive Disorder Recency
3580	IO3	Num	8	IO3FFFFF.	Present during how much of the interview

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
3581	IO4	Num	8	IO4FFFF.	How much was R distracted
3582	IO5	Num	8	IO5FFFF.	How well did R understand Qs
3583	IO6	Num	8	IO6FFFF.	How cooperative was R
3584	IO7	Num	8	IO7FFFF.	How much effort did R put in
3574	IO1A	Num	8	IO1A.	Anyone else present during interview
3575	IO2_1	Num	8	IO2_1FFF.	Who was present 1st mention
3576	IO2_2	Num	8	IO2_2FFF.	Who was present 2nd mention
3577	IO2_3	Num	8	IO2_3FFF.	Who was present 3rd mention
3578	IO2_4	Num	8	IO2_4FFF.	Who was present 4th mention
3579	IO2_5	Num	8	IO2_5FFF.	Who was present 5th mention
340	IR2	Num	8	IR2FFFF.	Period of being irritable + other problems for most of 2 weeks
342	IR4	Num	8	IR4FFFF.	Irritable + other probs sev days every mth of year
343	IR7	Num	8	IR7FFFF.	Irritable + largest # other probs episode that stands out
361	IR10	Num	8	IR10FFFF.	Irritability + other probs interfered w/ work/social life/relations
363	IR11	Num	8	IR11FFFF.	Amount of time irritability lasted
368	IR20	Num	8	IR20FFFF.	Remember exact age 1st irritable period + other probs
376	IR21	Num	8	IR21FFFF.	Irritable episodes past 12 months
389	IR35	Num	8		# irritability episodes in lifetime
393	IR39	Num	8		# years with at least one irritable ep/mth for 2+ weeks/mth
397	IR49	Num	8	IR49FFFF.	Worst month in past year-still enjoyed things you used to
405	IR52	Num	8		# days in past year unable to do usual activities due to irritab
406	IR56	Num	8	IR56FFFF.	Talked to professional about irritability
408	IR68	Num	8	IR68FFFF.	Received helpful/effective treatment for irritability
412	IR70	Num	8	IR70FFFF.	Receive professional treatment for irritability in past year
413	IR71	Num	8	IR71FFFF.	Hospitalized overnight for irritability
362	IR10A	Num	8	IR10A.	Unable to carry out daily activities because of irrit + other prob
364	IR11_1	Num	8	IR11_1FF.	Severity of irritability during episode
365	IR11_2	Num	8	IR11_2FF.	So irritable that nothing could bring good mood
366	IR12A	Num	8	IR12A.	Irritability due to physical causes or med/drugs/alcohol
367	IR12B	Num	8	IR12B.	Irritability always from physical causes
338	IR1A	Num	8	IR1A.	Other problems during irritable episode
339	IR1B	Num	8	IR1B.	Other problems during irritable episode for several days +
369	IR20A	Num	8		Age in years 1st irritable episode + other probs
3634	IR20B	Num	8		About how old first time had an episode of this sort
370	IR20B1	Num	8		Approximate age 1st irritable episode + other probs
371	IR20B2	Num	8	IR20B2FF.	Irritability + other probs before 1st started school, IR20B1

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
372	IR20B3	Num	8	IR20B3FF.	Irritability + other probs before a teenager, IR20B1
3635	IR20B4	Num	8	IR20B4FF.	Not before a teenager
373	IR20C	Num	8	IR20C.	1st time because stress experience or out of blue
374	IR20D1	Num	8		Approx length 1st time irritable + other probs
375	IR20D2	Num	8	IR20D2FF.	Unit time, IR20D1
377	IR21A	Num	8	IR21A.	Most recent irritable episode
378	IR21A_1	Num	8		# different irritable episodes past 12 months
383	IR21A_6	Num	8	IR21A_6F.	Has this episode ended or still going on
386	IR21A_9	Num	8	IR21A_9F.	Most recent episode ended or ongoing
379	IR21A_3A	Num	8	IR21A_3A.	Month irritable episode started
380	IR21A_3B	Num	8		Year irritable episode started
381	IR21A_4A	Num	8		Length of irritable episode
382	IR21A_4B	Num	8	IR21A_4B.	Unit time, IR21A.4A
384	IR21A_7A	Num	8		Length 1st irritable episode lasted
385	IR21A_7B	Num	8	IR21A_7B.	Unit time, IR21A.7A
387	IR21B	Num	8		# of days irritable episodes past year
388	IR21C	Num	8		Age last time had irritable episode
341	IR2A	Num	8		Longest # days when irritable + other probs most of day
390	IR36_1	Num	8		# episodes brought on by stressful experience
391	IR38A	Num	8		Length of longest irritable episode
392	IR38B	Num	8	IR38B.	Unit time, IR38A
394	IR48A	Num	8	IR48A.	Worst month in past year-feel cheerful
395	IR48B	Num	8	IR48B.	Worst month in past year-feel slowed down
396	IR48C	Num	8	IR48C.	Worst month in past year-enjoy book/radio/TV
398	IR49A	Num	8	IR49A.	Worst month in past year-laugh/see funny side
399	IR49B	Num	8	IR49B.	Worst month in past year-interest in physical appearance
400	IR49C	Num	8	IR49C.	Worst month in past year-look forward w/ enjoyment to things
401	IR50A	Num	8		Exent to which irritability interfered with home mgmt
402	IR50B	Num	8		Exent to which irritability interfered with work
403	IR50C	Num	8		Extent to which irritability interf w/ form/maint close relations
404	IR50D	Num	8		Extent to which irritability interfered with social life
407	IR56A	Num	8		Age 1st talk to medical professional about irritability
409	IR68A	Num	8		Age 1st time got helpful/effective treatment for irritability
410	IR68B	Num	8		Total profs seen for irritability incl helpful treatment doc
411	IR68C	Num	8		# professionals ever talk to about irritability
414	IR71A	Num	8		Age 1st time hospitalized overnight for irritability

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
415	IR71_1	Num	8		# close relatives had irritable episode
344	IR7A	Num	8		Age worst episode occurred
345	IR7B1	Num	8		Length irritable episode + largest # other probs
346	IR7B2	Num	8	IR7B2FFF.	Unit of time irritable episode + largest # other probs, IR7B1
347	IR7C	Num	8	IR7C.	Experiences most day, every day last time irritable + other
348	IR8A	Num	8	IR8A.	In worst ep-feel discouraged about how things going in life
349	IR8B	Num	8	IR8B.	In worst episode-lose ability take pleasure in good happenings
350	IR8C	Num	8	IR8C.	In worst episode-much larger appetite nearly every day
351	IR8D	Num	8	IR8D.	In worst episode-much smaller appetite nearly every day
352	IR8E	Num	8	IR8E.	In worst episode-have trouble sleeping
353	IR8F	Num	8	IR8F.	In worst episode-sleep too much nearly every night
354	IR8G	Num	8	IR8G.	In worst episode-lot more energy nearly every day
355	IR8H	Num	8	IR8H.	In worst episode-lot less energy nearly every day
356	IR8I	Num	8	IR8I.	In worst episode-nerv/jittery so can't sit still or pace
357	IR8J	Num	8	IR8J.	In worst episode-trouble concentrating nearly every day
358	IR8K	Num	8	IR8K.	In worst episode-lose your self-confidence
359	IR8L	Num	8	IR8L.	In worst episode-think about committing suicide
360	IR8M	Num	8	IR8M.	In worst episode-think about harming someone else
4111	IWMONTH	Num	8	IWMONTH.	What month was the interview taken in.
4071	IWYEAR	Num	8	IWYEAR.	Year of interview
3208	I_ADD12	Num	8	I_ADD12F.	ICD Attention Deficit Disorder (12 month)
3209	I_AGP12	Num	8	I_AGP12F.	ICD Agoraphobia with Panic Disorder (12Mo)
3229	I_AGP30	Num	8	I_AGP30F.	ICD Agoraphobia with Panic Disorder (30 day)
3210	I_ALA12	Num	8	I_ALA12F.	ICD Alcohol Abuse (12 month)
3230	I_ALA30	Num	8	I_ALA30F.	ICD Alcohol Abuse (30 day)
3211	I_ALAH12	Num	8	I_ALAH1F.	ICD Alcohol Abuse w/ hierarchy (12Mo)
3231	I_ALAH30	Num	8	I_ALAH3F.	ICD Alcohol Abuse w/ hierarchy (30Day)
3212	I_ALD12	Num	8	I_ALD12F.	ICD Alcohol Dependence (12 month)
3232	I_ALD30	Num	8	I_ALD30F.	ICD Alcohol Dependence (30 day)
3369	I_ANO12	Num	8	I_ANO12F.	ICD Anorexia (12Mo)
3372	I_ANO30	Num	8	I_ANO30F.	ICD Anorexia (30Day)
3370	I_ANOH12	Num	8	I_ANOH1F.	ICD Anorexia w/ hierarchy (12Mo)
3373	I_ANOH30	Num	8	I_ANOH3F.	ICD Anorexia w/ hierarchy (30Day)
3678	I_ASA12	Num	8	I_ASA12F.	ICD Adult Separation Anxiety Disorder(12Mo)
3683	I_ASA30	Num	8	I_ASA30F.	ICD Adult Separation Anxiety Disorder(30Day)
3679	I_ASAH12	Num	8	I_ASAH1F.	ICD Adult Separation Anxiety Dis w/hier(12Mo)

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
3684	I_ASAH30	Num	8	I_ASAH3F.	ICD Adult Separation Anxiety Dis w/hier(30Day)
3371	I_BUL12	Num	8	I_BUL12F.	ICD Bulimia (12Mo)
3374	I_BUL30	Num	8	I_BUL30F.	ICD Bulimia (30Day)
3213	I_CD12	Num	8	I_CD12FF.	ICD Conduct Disorder (12 month)
3214	I_CDH12	Num	8	I_CDH12F.	ICD Conduct Disorder w/ hierarchy (12Mo)
3215	I_DRA12	Num	8	I_DRA12F.	ICD Drug Abuse (12 month)
3233	I_DRA30	Num	8	I_DRA30F.	ICD Drug Abuse (30 day)
3216	I_DRD12	Num	8	I_DRD12F.	ICD Drug Dependence (12 month)
3234	I_DRD30	Num	8	I_DRD30F.	ICD Drug Dependence (30 day)
3217	I_DYS12	Num	8	I_DYS12F.	ICD Dysthymia (12 month)
3235	I_DYS30	Num	8	I_DYS30F.	ICD Dysthymia (30 day)
3218	I_DYSH12	Num	8	I_DYSH1F.	ICD Dysthymia with hierarchy (12 month)
3236	I_DYSH30	Num	8	I_DYSH3F.	ICD Dysthymia with hierarchy (30 day)
3680	I_GAD12	Num	8	I_GAD12F.	ICD Generalized Anxiety Disorder(12Mo)
3685	I_GAD30	Num	8	I_GAD30F.	ICD Generalized Anxiety Disorder(30 day)
3681	I_GADH12	Num	8	I_GADH1F.	ICD Generalized Anxiety Disorder w/hier(12Mo)
3686	I_GADH30	Num	8	I_GADH3F.	ICD Generalized Anxiety Disorder w/hier(30Day)
3219	I_HYP12	Num	8	I_HYP12F.	ICD Hypomania (12 month)
3237	I_HYP30	Num	8	I_HYP30F.	ICD Hypomania (30 day)
3220	I_MAN12	Num	8	I_MAN12F.	ICD Mania (12 month)
3238	I_MAN30	Num	8	I_MAN30F.	ICD Mania (30 day)
3221	I_MDE12	Num	8	I_MDE12F.	ICD Severe Depressive Episode (12 month)
3239	I_MDE30	Num	8	I_MDE30F.	ICD Severe Depressive Episode (30 day)
3222	I_MDEH12	Num	8	I_MDEH1F.	ICD Severe Depressive Episode w/ hierarchy (12Mo)
3240	I_MDEH30	Num	8	I_MDEH3F.	ICD Severe Depressive Episode w/ hierarchy (30Day)
3223	I_ODD12	Num	8	I_ODD12F.	ICD Oppositional Defiant Disorder (12Mo)
3224	I_PAT12	Num	8	I_PAT12F.	ICD Panic Attack (12 month)
3241	I_PAT30	Num	8	I_PAT30F.	ICD Panic Attack (30 day)
3225	I_PDS12	Num	8	I_PDS12F.	ICD Panic Disorder (12 month)
3242	I_PDS30	Num	8	I_PDS30F.	ICD Panic Disorder (30 day)
3682	I_PTS12	Num	8	I_PTS12F.	ICD Posttraumatic Stress Disorder(12Mo)
3687	I_PTS30	Num	8	I_PTS30F.	ICD Posttraumatic Stress Disorder(30 day)
3226	I_SO12	Num	8	I_SO12FF.	ICD Social Phobia (12 month)
3243	I_SO30	Num	8	I_SO30FF.	ICD Social Phobia (30 day)
3227	I_SP12	Num	8	I_SP12FF.	ICD Specific Phobia (12 month)
3244	I_SP30	Num	8	I_SP30FF.	ICD Specific Phobia (30 day)

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
3228	I_TBD12	Num	8	I_TBD12F.	ICD Nicotine Dependence (12 month)
3245	I_TBD30	Num	8	I_TBD30F.	ICD Nicotine Dependence (30 day)
256	M1	Num	8	M1FFFFFF.	Behavioral changes during episode of excitement
257	M3	Num	8	M3FFFFFF.	One episode where large # behavior changes stand out
264	M4	Num	8	M4FFFFFF.	During recent episode, so grouchy started argue/shout/hit
265	M5	Num	8	M5FFFFFF.	Behavioral changes during irritable episode
266	M6	Num	8	M6FFFFFF.	While irritable, one episode with large # behav changes
288	M9	Num	8	M9FFFFFF.	Episode + problems affected work/social/relations
293	M18	Num	8	M18FFFFF.	Exact age of 1st excited/grouchy episode + behav changes
301	M19	Num	8	M19FFFFF.	Excited/grouchy + behav episode anytime in the past 12 mths
306	M20	Num	8		# excited/grouchy + behav episodes lasted 1 week or more
307	M21	Num	8		# excited/grouchy + behav episodes lasted less than week
311	M23	Num	8		# of different years with excited/grouchy + behav episode
316	M29	Num	8		# days in year unable carry out normal acts due to episodes
328	M33	Num	8	M33FFFFFF.	Ever talk to mdical doctor professional for epis
330	M45	Num	8	M45FFFFFF.	Received helpful/effective treatment
334	M47	Num	8	M47FFFFFF.	Received professional treatment any time past 12 mths
335	M48	Num	8	M48FFFFFF.	Hospitalized overnight for episode
291	M10A	Num	8	M10A.	Excite/grouchy episode result of phys cause or drug/alcohol
292	M10B	Num	8	M10B.	All excite/grouchy episodes result of physical cause
294	M18A	Num	8		Age of 1st excited/grouchy episode + behav changes
295	M18B	Num	8		Estimate age 1st excited/grouchy episode + behav changes
3633	M18B1	Num	8		Estimate age 1st excited/grouchy episode + behav changes
296	M18B2	Num	8	M18B2FFF.	1st excited/grouchy + behav episode before started school
297	M18B3	Num	8	M18B3FFF.	1st excited/grouchy + behav episode before teenager
298	M18C	Num	8	M18C.	1st excited/grouchy + behav episode due to stress or sudden
299	M18D1	Num	8		Length 1st excited/grouchy + behav episode
300	M18D2	Num	8	M18D2FFF.	Unit time 1st excited/grouchy + behav episode
302	M19A	Num	8	M19A.	How recent last excited/grouchy + behav episode
303	M19B	Num	8		# excited/grouchy + behav episodes in past year
304	M19C	Num	8		Weeks in past yr had excited/grouchy + behav episodes
305	M19D	Num	8		Age last time excited/grouchy + behav episodes
308	M21_1	Num	8		# of episodes brought by on stress
309	M22A	Num	8		Length longest excited/grouchy + behav episode ever had
310	M22B	Num	8	M22B.	Unit of time length longest excited/grouchy + behav ep M22A
312	M27A	Num	8		Severe month past year-exc/grouch ep interfered home mgmt

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
313	M27B	Num	8		Severe month in past year-exc/grouch ep interfered w/ work
314	M27C	Num	8		Severe mth in past year-ep interf with form/maint close friends
315	M27D	Num	8		Severe mth in past yr-exc/grouch ep interfered w/ social life
317	M30A	Num	8	M30A.	Worst episode in past year-mood
318	M30B	Num	8	M30B.	Worst episode in past year-physical arousal
319	M30C	Num	8	M30C.	Worst episode in past year-sexual interest
320	M30D	Num	8	M30D.	Worst episode in past year-quantity of sleep
321	M30E	Num	8	M30E.	Worst episode in past year-irritable
322	M30F	Num	8	M30F.	Worst episode in past year-talkative
323	M30G	Num	8	M30G.	Worst episode in past year-racing thoughts/disorg thinking
324	M30H	Num	8	M30H.	Worst episode in past year-unrealistic thinking
325	M30I	Num	8	M30I.	Worst episode in past year-disruptive behavior
326	M30J	Num	8	M30J.	Worst episode in past year-appearance
327	M30K	Num	8	M30K.	Worst episode in past year-you thought you had problem
329	M33A	Num	8		Age 1st time talk to professional
258	M3A	Num	8		Age at episode where large # behavior changes stand out
259	M3B1	Num	8		Length of episode where large # behavior changes stand out
260	M3B2	Num	8	M3B2FFFF.	Unit length of excited period, M3B1
261	M3C	Num	8		Age at recent episode where large # behav changes stand out
262	M3D1	Num	8		Length recent episode where large # behav changes stand out
263	M3D2	Num	8	M3D2FFFF.	Unit length of recent episode w/ large # behavior changes
331	M45A	Num	8		Age 1st time received helpful/effective treatment for episodes
332	M45B	Num	8		Total profs seen for excited/grouchy eps incl helful trmt doc
333	M45C	Num	8		# professionals ever seen about episodes
336	M48A	Num	8		Age 1st time hospitalized overnight for episode
337	M48_1	Num	8		# close relatives that have excited/grouchy episodes
267	M6A	Num	8		Age at irritable period with most behavioral changes
268	M6B1	Num	8		Length irritable period with most behav changes
269	M6B2	Num	8	M6B2FFFF.	Unit of time of irritable period with most behav changes
270	M6C	Num	8		Age most recent irritable period with most behav changes
271	M6D1	Num	8		Length most recent irritable period with most behav changes
272	M6D2	Num	8	M6D2FFFF.	Unit of time of irritable period w/ most behav changes, M6D1
273	M7A	Num	8	M7A.	Irritable episode-so restless, couldn't sit still or paced
274	M7B	Num	8	M7B.	Irritable episode-more int in sex than usual/diff partners
275	M7C	Num	8	M7C.	Irritable episode-overly friendly with people
276	M7D	Num	8	M7D.	Irritable episode-inappropriate behavior

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
277	M7E	Num	8	M7E.	Irritable episode-take on impossible tasks/lg amts of work
278	M7F	Num	8	M7F.	Irritable episode-talked more than usual
279	M7G	Num	8	M7G.	Irritable episode-constantly change plans/activities
280	M7H	Num	8	M7H.	Episode hard keep mind things
281	M7I	Num	8	M7I.	Irritable episode-thoughts jumping/racing unable to keep track
282	M7J	Num	8	M7J.	Irritable episode-sleep less than usual but not tired
283	M7K	Num	8	M7K.	Irritable episode-involved in foolish investments/money making
284	M7L	Num	8	M7L.	Irritable episode-financial trouble due to spending too much
285	M7M	Num	8	M7M.	Irritable episode-seeking pleasure doing risky things
286	M7N	Num	8	M7N.	Irritable episode-exaggerated sense of self-confidence
287	M7O	Num	8	M7O.	Irritable episode-identity problems or false connection to celeb
289	M9A	Num	8	M9A.	Unable do normal activities due to episode + problems
290	M9B	Num	8	M9B.	Others say anything or worry about actions
3339	MAR3CAT	Num	8	MAR3CAT.	Marital Status-3 categories
3276	MDDH_OND	Num	8	MDDH_OND.	DSM-IV Major Depressive Disorder w/ hierarchy Onset
3277	MDDH_RECD	Num	8	MDDH_REF.	DSM-IV Major Depression w/ hierarchy Recency
3278	MDE_OND	Num	8	MDE_OND.	DSM-IV Major Depressive Episode Onset
3312	MDE_ONI	Num	8	MDE_ONI.	ICD Severe Depressive Episode Onset
3279	MDE_RECD	Num	8	MDE_RECD.	DSM-IV Major Depressive Episode Recency
3313	MDE_RECI	Num	8	MDE_RECI.	ICD Severe Depressive Episode Recency
3477	MEDICATION	Num	8	MEDICATF.	Medication names:1st mention
3478	MEDICATION2	Num	8	MEDICA0F.	Medication names:2nd mention
3479	MEDICATION3	Num	8	MEDICA1F.	Medication names:3rd mention
3480	MEDICATION4	Num	8	MEDICA2F.	Medication names:4th mention
3481	MEDICATION5	Num	8	MEDICA3F.	Medication names:5th mention
3482	MEDICATION6	Num	8	MEDICA4F.	Medication names:6th mention
3483	MEDICATION7	Num	8	MEDICA5F.	Medication names:7th mention
3484	MEDICATION8	Num	8	MEDICA6F.	Medication names:8th mention
3485	MEDICATION9	Num	8	MEDICA7F.	Medication names:9th mention
3486	MEDICATION10	Num	8	MEDICA8F.	Medication names:10th mention
3487	MEDICATION11	Num	8	MEDICA9F.	Medication names:11th mention
3488	MEDICATION12	Num	8	MEDIC10F.	Medication names:12th mention
3489	MEDICATION13	Num	8	MEDIC11F.	Medication names:13th mention
3490	MEDICATION14	Num	8	MEDIC12F.	Medication names:14th mention
3491	MEDICATION15	Num	8	MEDIC13F.	Medication names:15th mention
3492	MEDICATION16	Num	8	MEDIC14F.	Medication names:16th mention

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
3493	MEDICATION17	Num	8	MEDIC15F.	Medication names:17th mention
2099	MR3	Num	8		# different people dated before age 21
2101	MR5	Num	8		# relationships you did list things on list A to your date
2102	MR6	Num	8		# relationships your date did things on list A to you
2103	MR7	Num	8		# relationships you did things on list B to your date
2104	MR8	Num	8		# relationships your date did things on list B to you
2108	MR11	Num	8	MR11FFFF.	Person did anything on list A to you
2109	MR12	Num	8	MR12FFFF.	Ever did anything on list B to this person
2110	MR13	Num	8	MR13FFFF.	Person did anything on list B to you
2111	MR15	Num	8	MR15FFFF.	Who started physical arguments
3506	MR18	Num	8	MR18FFFF.	# marriages ended in divorce/annulment: Top Code
3508	MR19	Num	8	MR19FFFF.	Age you married 1st time: Top/Bot Code
2112	MR20	Num	8		Length dated 1st spouse before marriage
2114	MR23	Num	8	MR23FFFF.	First marriage ended in divorce or widowed
2115	MR24	Num	8		Age separated 1st spouse for last time
4021	MR25	Num	8	MR25FFFF.	How old when first spouse died
2118	MR35	Num	8		Length of time living together
2120	MR36	Num	8		Length of time married to current spouse
2122	MR37	Num	8		Rate current marriage/relationship
2132	MR41	Num	8	MR41FFFF.	Who has final say in major decisions
2143	MR42	Num	8	MR42FFFF.	Freq do things on list A to current spouse/partner
2145	MR43	Num	8	MR43FFFF.	Freq spouse/partner do things on list A to you
2147	MR44	Num	8	MR44FFFF.	Freq do things on list B to spouse/partner
2149	MR45	Num	8	MR45FFFF.	Freq spouse/partner do things on list B to you
2151	MR47	Num	8	MR47FFFF.	Who starts physical arguments
2160	MR50	Num	8	MR50FFFF.	How often spouse/partner has trouble holding job
4022	MR51	Num	8	MR51FFFF.	Spouse/partner ever get involved in criminal activity
4023	MR52	Num	8	MR52FFFF.	Spouse/partner ever arrested or sent to prison
2105	MR10_0	Num	8	MR10_0FF.	Person older/younger/same age as you
2106	MR10_1	Num	8		# years older/younger
2107	MR10_2	Num	8	MR10_2FF.	Ever did anything on list A to this person
3504	MR16A	Num	8	MR16A.	# times married: Top Code
2098	MR1B	Num	8	MR1B.	First date before 21
2097	MR1_2	Num	8		Age at first date
2113	MR20A	Num	8	MR20A.	Unit of time dated 1st spouse before married, MR20
4020	MR21_4	Num	8	MR21_4FF.	Confirm first spouse died

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
2116	MR25_4A	Num	8		Length time separate/divorce/widow from most recent spouse
2117	MR25_4B	Num	8	MR25_4B.	Unit of time separate/divorce/widow from spouse, MR25_4A
2119	MR35A	Num	8	MR35A.	Unit of time living together, MR35
2121	MR36A	Num	8	MR36A.	Unit of time married to current spouse, MR36
2123	MR40A	Num	8	MR40A.	Freq you and spouse disagree on handling family finances
2124	MR40B	Num	8	MR40B.	Freq you and spouse disagree on matters of recreation
2125	MR40C	Num	8	MR40C.	Freq you and spouse disagree on friends
2126	MR40D	Num	8	MR40D.	Freq you and spouse disagree on philosophy of life
2127	MR40E	Num	8	MR40E.	Freq you and spouse disagree on making major decisions
2128	MR40F	Num	8	MR40F.	Freq you think things between you and partner are going well
2129	MR40G	Num	8	MR40G.	Freq you and your spouse quarrel
2130	MR40H	Num	8	MR40H.	Freq regret ever marry/live together
2131	MR40I	Num	8	MR40I.	Freq think about divorce/ending relationship
2133	MR41A	Num	8	MR41A.	Lot more/somewhat/only a little more to say than spouse/part
2134	MR41B	Num	8	MR41B.	Spouse/part has lot more/somewhat/only a little more to say
2135	MR41_1A	Num	8	MR41_1A.	Spouse/partner really cares about you
2136	MR41_1B	Num	8	MR41_1B.	Spouse/partner understands the way you feel
2137	MR41_1C	Num	8	MR41_1C.	Can rely on spouse/partner to help with serious problems
2138	MR41_1D	Num	8	MR41_1D.	Can open up and discuss worries with spouse/partner
2139	MR41_2A	Num	8	MR41_2A.	Spouse/partner makes too many demands on you
2140	MR41_2B	Num	8	MR41_2B.	Spouse/partner criticizes you
2141	MR41_2C	Num	8	MR41_2C.	Spouse/partner lets you down when counting on them
2142	MR41_2D	Num	8	MR41_2D.	Spouse/partner gets on nerves
2144	MR42A	Num	8		# days did things on list A to current spouse in past year
2146	MR43A	Num	8		# days spouse/partner did things on list A to you in past year
2148	MR44A	Num	8		# days did things on list B to spouse/partner in past year
2150	MR45A	Num	8		# days spouse/partner did things on list B to you in past year
2152	MR49A	Num	8	MR49A.	How often spouse/partner drinks/use drugs too much
2153	MR49B	Num	8	MR49B.	How often spouse/part wastes money needed for other things
2154	MR49C	Num	8	MR49C.	How often spouse/partner has extramarital affair
2155	MR49D	Num	8	MR49D.	How often spouse/part so depressed interfere w/ normal acts
2156	MR49E	Num	8	MR49E.	How often spouse/partner very disagreeable
2157	MR49F	Num	8	MR49F.	How often spouse/partner threaten to end relationship
2158	MR49G	Num	8	MR49G.	How often spouse/partner has temper tantrums
2159	MR49H	Num	8	MR49H.	How often spouse/partner so nervous interfere w/ normal acts
2100	MR4_5	Num	8		# of your dates at least 2 years older

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
2161	MR53A	Num	8	MR53A.	You and spouse engage in outside interests together
2162	MR53B	Num	8	MR53B.	How often you and spouse work together on project
2163	MR53C	Num	8	MR53C.	How often you and spouse calmly discuss something
2164	MR53D	Num	8	MR53D.	How often you and spouse laugh together
2165	MR53E	Num	8	MR53E.	How often you and spouse exchange ideas
1546	N1	Num	8	N1FFFFFF.	Sev mths + when tired/weak after minor phys/mental tasks
1547	N2	Num	8	N2FFFFFF.	After rest, fully regained energy/strength or still tired
1548	N3	Num	8	N3FFFFFF.	During worst episode-how often get tired
1549	N4	Num	8	N4FFFFFF.	Exent to which tiredness interfered w work/soc life/relations
1559	N7	Num	8	N7FFFFFF.	Talked to medical doctor about tiredness and related probs
1572	N10	Num	8	N10FFFFFF.	Tiredness always result of medication/drug/alcohol
1573	N13	Num	8	N13FFFFFF.	Abnormality found when examined/tested/X-ray
1574	N14	Num	8	N14FFFFFF.	Frequent tiredness always result of physical illness/injury
1575	N15	Num	8	N15FFFFFF.	Psychological factors played part in tiredness and other probs
1576	N16	Num	8	N16FFFFFF.	Exact age 1st time sev mths+ when easily tired + other probs
1579	N17	Num	8	N17FFFFFF.	Period 1 month + had tiredness and other probs in past year
1583	N18	Num	8		Total # episodes of tiredness lasting for several months +
1588	N22	Num	8		# different years in life at least 1 episode of tiredness
1593	N28	Num	8		# days past yr unable to work/normal activities due to tired
1594	N31	Num	8		Age 1st talked to professional about tiredness
1595	N32	Num	8	N32FFFFFF.	Ever talked to professional about tiredness
1597	N44	Num	8	N44FFFFFF.	Received helpful/effective treatment for tiredness
1601	N46	Num	8	N46FFFFFF.	Received professional treatment for tiredness in past year
1602	N47	Num	8	N47FFFFFF.	Hospitalized overnight for tiredness
1562	N801	Num	8	N801FFFF.	Cause of tiredness according to doctor:1st mention
1563	N802	Num	8	N802FFFF.	Cause of tiredness according to doctor:2nd mention
1564	N803	Num	8	N803FFFF.	Cause of tiredness according to doctor:3rd mention
1565	N804	Num	8	N804FFFF.	Cause of tiredness according to doctor:4th mention
1566	N805	Num	8	N805FFFF.	Cause of tiredness according to doctor:5th mention
1567	N806	Num	8	N806FFFF.	Cause of tiredness according to doctor:6th mention
1568	N807	Num	8	N807FFFF.	Cause of tiredness according to doctor:7th mention
1569	N808	Num	8	N808FFFF.	Cause of tiredness according to doctor:8th mention
1570	N809	Num	8	N809FFFF.	Cause of tiredness according to doctor:9th mention
1571	N810	Num	8	N810FFFF.	Cause of tiredness according to doctor:10th mention
1577	N16A	Num	8		Age 1st time sev mths+ when easily tired + other probs
1578	N16B	Num	8		Approx age of very 1st tiredness + other problems sev mths +

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
1580	N17A	Num	8	N17A.	Most recent tiredness with other probs
1581	N17B	Num	8		# months in past year had frequent tiredness + other probs
1582	N17C	Num	8		Age last time frequent tiredness + other problems
1584	N20A	Num	8		# of months/years episode of tiredness lasted
1585	N20B	Num	8	N20B.	Unit of time, N20A
1586	N21A	Num	8		# months/years the longest episode of tiredness lasted
1587	N21B	Num	8	N21B.	Unit of time, N21A
1589	N26A	Num	8		Worst month past yr-tiredness interfered w/ home mgmt
1590	N26B	Num	8		Worst month past year-tiredness interfered w/ ability to work
1591	N26C	Num	8		Worst month past year-tiredness interf w/ form/maint relations
1592	N26D	Num	8		Worst month past year-tiredness interfered w/ social life
1596	N32A	Num	8		Age 1st talked to professional about tiredness
1598	N44A	Num	8		Age 1st received helpful/effective treatment for tiredness
1599	N44B	Num	8		# prof talked to about tiredness include effective trmt doc
1600	N44C	Num	8		# professionals ever talked to about tiredness
1603	N47A	Num	8		Age 1st hospitalized overnight for tiredness
1550	N4A	Num	8	N4A.	Frequency too tired to carry out daily activities
1551	N5A	Num	8	N5A.	Worst episode of tiredness- have frequent headaches
1552	N5B	Num	8	N5B.	Worst episode of tiredness-oversleep/wake unrefreshed
1553	N5C	Num	8	N5C.	Worst episode of tiredness-frequent muscle pain
1554	N5D	Num	8	N5D.	Worst episode of tiredness-often feel dizzy
1555	N5E	Num	8	N5E.	Worst episode of tiredness-often unable to relax
1556	N5F	Num	8	N5F.	Worst month past year-often felt impatient and irritable
1557	N5G	Num	8	N5G.	Worst episode of tiredness-often sad and depressed
1558	N5H	Num	8	N5H.	Worst episode of tiredness-often nervous or worried
1560	N7A	Num	8	N7A.	Tiredness ever occurred as result of physical cause
1561	N7B	Num	8	N7B.	Tiredness always result of physical cause
3709	NCSRWTLG	Num	8		NCSR sample part 2 weight
3708	NCSRWTSH	Num	8		NCSR sample part 1 weight
3343	NEWCARESCORE	Num	8		WHODAS self-care score
3344	NEWCOGSCORE	Num	8		WHODAS cognitive score
3345	NEWMOVESCORE	Num	8		WHODAS mobility score
3346	NEWOUTROLESCORE	Num	8		WHODAS time out of role score
3347	NEWROLEIMPSCORE	Num	8		WHODAS role impairment score
3348	NEWSOCIALSCORE	Num	8		WHODAS social interaction score
1666	NSD1	Num	8	NSD1FFFF.	Past mth-felt a lot of psychological distress

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
1695	NSD3	Num	8	NSD3FFFF.	Past month-negative feelings occur
1667	NSD1A	Num	8	NSD1A.	Past mth-feel trapped/caught
1668	NSD1B	Num	8	NSD1B.	Past month suddenly scared no reason
1669	NSD1C	Num	8	NSD1C.	Past month blame self for things
1670	NSD1D	Num	8	NSD1D.	Past month how often feel lonely
1671	NSD1E	Num	8	NSD1E.	Past month-feel blue
1672	NSD1F	Num	8	NSD1F.	Past month worry too much about things
1673	NSD1G	Num	8	NSD1G.	Past month-feel no interest in things
1674	NSD1H	Num	8	NSD1H.	Past mth-feel frightened
1675	NSD1I	Num	8	NSD1I.	Past month feel hopeless about future
1676	NSD1J	Num	8	NSD1J.	Past month-had trouble concentrating
1677	NSD1K	Num	8	NSD1K.	Past month-feel tense/keyed up
1678	NSD1L	Num	8	NSD1L.	Past month feel everything is an effort
1679	NSD1M	Num	8	NSD1M.	Past month-feel worthless
1680	NSD1N	Num	8	NSD1N.	Past month-feel exhausted for no good reason
1681	NSD2K	Num	8	NSD2K.	Past month-feel irritable/grumpy
1682	NSD2L	Num	8	NSD2L.	Past month-feel mad/angry
1683	NSD2M	Num	8	NSD2M.	Past month-feel angry and out of control
1684	NSD2N	Num	8	NSD2N.	Past month-feel urge hit/push/hurt someone
1685	NSD2O	Num	8	NSD2O.	Past month-urge to break/smash something
1686	NSD2P	Num	8	NSD2P.	Past month-everything in slow motion
1687	NSD2Q	Num	8	NSD2Q.	Past month-muscles tense/sore/aching
1688	NSD2R	Num	8	NSD2R.	Past month-heart race without exercise
1689	NSD2S	Num	8	NSD2S.	Past month-short of breath
1690	NSD2T	Num	8	NSD2T.	Past month-had indigest/upset stomach
1691	NSD2U	Num	8	NSD2U.	Past month-feel dizzy
1692	NSD2V	Num	8	NSD2V.	Past month-feel trembly/shaky
1693	NSD2W	Num	8	NSD2W.	Past month-had dry mouth
1694	NSD2X	Num	8	NSD2X.	Past month-had hot/cold spells
1696	NSD3A	Num	8	NSD3A.	Past month-felt lot more, the same, little more full of life
1697	NSD3B	Num	8	NSD3B.	Past month-felt lot less, the same, little less full of life
1698	NSD3_1A	Num	8	NSD3_1A.	Past month feel confident
1699	NSD3_1B	Num	8	NSD3_1B.	Past month feel optimistic
1700	NSD3_1C	Num	8	NSD3_1C.	Past month feel happy
1701	NSD3_1D	Num	8	NSD3_1D.	Past month-feel full of life
1702	NSD4A	Num	8	NSD4A.	Past month-find new things not remember buying

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
1703	NSD4B	Num	8	NSD4B.	Past month-feel standing beside and watching self
1704	NSD4C	Num	8	NSD4C.	Past month-not recognize friends/family
1705	NSD4D	Num	8	NSD4D.	Past month-objects/people/world not real
1706	NSD4E	Num	8	NSD4E.	Past month-feel body not belong to you
1707	NSD4F	Num	8	NSD4F.	Past month-feel like two different people
1708	NSD4G	Num	8	NSD4G.	Past month-feel voices in your head
1709	NSD5A	Num	8	NSD5A.	Worst month in past year-tired for no reason
1710	NSD5B	Num	8	NSD5B.	Worst month in past year-feel nervous
1711	NSD5C	Num	8	NSD5C.	Worst month in past year-so nervous, nothing could calm
1712	NSD5D	Num	8	NSD5D.	Worst month in past year-feel hopeless
1713	NSD5E	Num	8	NSD5E.	Worst month in past year- restless/fidgety
1714	NSD5F	Num	8	NSD5F.	Worst month in past year-so restless couldn't sit still
1715	NSD5G	Num	8	NSD5G.	Worst month in past year-feel depressed
1716	NSD5H	Num	8	NSD5H.	Worst month in past year-so depressed nothing could cheer up
1717	NSD5I	Num	8	NSD5I.	Worst month in past year-felt everything is effort
1718	NSD5J	Num	8	NSD5J.	Worst month in past year-feel worthless
1811	O7	Num	8	O7FFFFFF.	Amt time spent w/ unpleasant thoughts/image/impul on mind
1812	O8	Num	8	O8FFFFFF.	Amt of time spend on repetitive behav or mental acts
1813	O10	Num	8	O10FFFFFF.	Considered thoughts/impulses excessive and unreasonable
1815	O11	Num	8	O11FFFFFF.	Thoughts/images/impulses make you anxious
1816	O12	Num	8	O12FFFFFF.	Extent to which thoughts/imulses interf w/ work/soc/relation
1817	O13	Num	8	O13FFFFFF.	Attempted to get thoughts/images/impulses out of mind
1818	O14	Num	8	O14FFFFFF.	Thoughts/images/imp so strong couldn't get out of head
1819	O16	Num	8	O16FFFFFF.	Had thoughts/images/impulses 2+ weeks in past year
1825	O18	Num	8	O18FFFFFF.	Extent these images/impul make you upset/anxious in past yr
1826	O19	Num	8	O19FFFFFF.	Amt effort to resist thoughts/images/impul in past yr
1827	O20	Num	8	O20FFFFFF.	When tried to resist, how much control over thoughts/impul
1828	O22	Num	8	O22FFFFFF.	Considered repeated behavior excessive or unreasonable
1830	O23	Num	8	O23FFFFFF.	Feel bad thing will happen if not repetitive
1831	O24	Num	8	O24FFFFFF.	Exent which repetitiveness inferf w/ work/social life/relations
1833	O25	Num	8	O25FFFFFF.	Tried to resist doing things over and over
1835	O26	Num	8	O26FFFFFF.	Upset when prevented from carrying out repeated behavior
1836	O28	Num	8	O28FFFFFF.	Repeated behav/mental acts most days 2+ wks in past yr
1842	O30	Num	8	O30FFFFFF.	Extent repeated behaviors make you upset/anxious in past yr
1844	O31	Num	8	O31FFFFFF.	Extent effort to resist repetitive behavior/mental acts
1845	O32	Num	8	O32FFFFFF.	When tried to resist, amt of control over doing repetitive behav

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
1850	O45	Num	8	O45FFFFFF.	Remember exact age of very 1st OCD behavior of 2+ wks
1856	O46	Num	8		# different years had OCD most days for 2+ weeks
1863	O51	Num	8		# days in past year unable to work/normal acts due to OCD
1865	O54	Num	8		Age 1st talked professional about OCD behavior
1866	O67	Num	8	O67FFFFFF.	Received helpful/effective treatment for OCD behavior
1870	O69	Num	8	O69FFFFFF.	Received professional treatment for OCD behav in past yr
1871	O70	Num	8	O70FFFFFF.	Hospitalized overnight for OCD behavior
1814	O10A	Num	8	O10A.	Pay more attention to images/impulses than deserved
1820	O16A	Num	8	O16A.	Recent month had thoughts/images/impulses
1821	O16B	Num	8		# weeks had thoughts/images/impulses most days in past yr
1822	O16C	Num	8		Age last had thoughts/images/impul most days for 2+ wks
1823	O17A	Num	8		# mintes/hours in past yr had thought, image, im
1824	O17B	Num	8	O17B.	Unit of time, O17A
3659	O17C	Num	8	O17C.	At least 60 minutes a day
1796	O1A	Num	8	O1A.	Recurrent concern about germs/wash/dirt for 2+ weeks
1797	O1B	Num	8	O1B.	Recurrent impulse to re-check things for 2+ weeks
1798	O1C	Num	8	O1C.	Recurrent impulse to arrange/order things for 2+ weeks
1799	O1D	Num	8	O1D.	Compulsion to save unneeded things for 2+ weeks
1800	O1E	Num	8	O1E.	Recurrent disturb sexual/religious thoughts for 2+ weeks
1801	O1F	Num	8	O1F.	Recurrent unpleasant thought about morality/sin for 2+ weeks
1802	O1G	Num	8	O1G.	Recurrent concern might do something terrible for 2+ weeks
1803	O1H	Num	8	O1H.	Recurrent concern about illness/no symptoms for 2+ weeks
1804	O1I	Num	8	O1I.	Other recurrent bothersome comp to repeat for 2+ weeks
1829	O22A	Num	8	O22A.	Think behaviors were useless and unnecessary/overdone
1832	O24A	Num	8	O24A.	Freq unable to conduct normal activities due to behaviors
1834	O25A	Num	8	O25A.	Impul/urges so strong that couldn't resist regardless of effort
1837	O28A	Num	8	O28A.	Recent repeated behav/mental acts
1838	O28B	Num	8		# weeks carried out repeated behav/mental acts in past yr
1839	O28C	Num	8		Age last carried out repet behavior most days for 2+ weeks
1840	O29A	Num	8		# mins/hours spend each day conducting repetitive behavior
1841	O29B	Num	8	O29B.	Unit of time spent conduct repetitive behavior each day, O29A
1843	O30A	Num	8	O30A.	Extent upset when prevented from repetitive behavior in past yr
1846	O37A	Num	8	O37A.	OCDB behavior ever result of physical cause
1847	O37B	Num	8	O37B.	OCD behavior always result of physical cause
1848	O37C01	Num	8	O37C01FF.	Physical cause resulting in OCD behavior-1st mention
1849	O37C02	Num	8	O37C02FF.	Physical cause resulting in OCD behavior-2nd mention

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
1805	O3A	Num	8		Freq OCD exp-# mins/hours each day exp OCD behavior (all)
1806	O3B	Num	8	O3B.	Unit of time # mins/hours experienced OCD, O3A
1807	O3C	Num	8	O3C.	Experienced OCD behavior at least 60 min/day (all)
1851	O45A	Num	8		Age of very 1st OCD behavior of 2+ wks
1852	O45B	Num	8		Estimate age of 1st time OCD behavior of 2+ wks
1853	O45B1	Num	8		Estimate age of 1st time OCD behavior of 2+ wks
1854	O45B2	Num	8	O45B2FFF.	1st OCD behavior of 2+ weeks before started school
1855	O45B3	Num	8	O45B3FFF.	1st OCD behavior of 2+ weeks before teens
1857	O47A	Num	8		Longest continous # wk/mth/year had OCD most days
1858	O47B	Num	8	O47B.	Unit of time of longest continuous OCD most days, O47A
1859	O49A	Num	8		Worst mth past yr-OCD behav interfere w/ home mgmt
1860	O49B	Num	8		Worst mth past yr-OCD behav interfere w/ ability to work
1861	O49C	Num	8		Worst mth past yr-OCD behav interf w/ form/maint relations
1862	O49D	Num	8		Worst mth past yr-OCD behav interfere with social life
1864	O53A	Num	8	O53A.	Talked to professional about OCD behavior
1808	O5A	Num	8		Freq OCD exp-# mins/hours each day exp OCD behav (gt eq3)
1809	O5B	Num	8	O5B.	Unit of time # mins/hours experienced OCD behavior, O5A
1810	O5C	Num	8	O5C.	Experienced OCD behavior at least 60 min/day (gt eq3)
1867	O67A	Num	8		Age 1st received helpful/effective treatment for OCD behavior
1868	O67B	Num	8		# prof talked to about OCD behavior incl helpful trmt doc
1869	O67C	Num	8		# professionals ever talked to about OCD behavior
1872	O70A	Num	8		Age 1st hospitalized overnight for OCD behavior
1873	O70B	Num	8		# of separate times hospitalized for OCD behavior
3341	OBES6CAT	Num	8	OBES6CF.	Obesity-recode of BMI
3500	OCC28MOG	Num	8	OCC28MOG.	Occupation-Bureau Labor Stats-28 MOGs: Recoded
2486	OD3	Num	8	OD3FFFFFF.	Remember exact age 1st behavior problems for 6+ mths
2491	OD4	Num	8	OD4FFFFFF.	Had behavior trouble in past year
2493	OD5	Num	8		Total # of years had trouble with behavior
2494	OD6	Num	8	OD6FFFFFF.	Extent behavior trouble interf w/ school/work/social/relations
2499	OD10	Num	8		# days past yr unable to work due to behavior
2500	OD12	Num	8	OD12FFFF.	Ever talked to prof about behavior
2502	OD23	Num	8	OD23FFFF.	Received helpful/effective treatment for behavior
2506	OD25	Num	8	OD25FFFF.	Received professional treatment for behaviors in past 12 mths
2507	OD26	Num	8	OD26FFFF.	Hospitalized overnight for behavior
2501	OD12A	Num	8		Age 1st talked to professional about behavior
2475	OD1A	Num	8	OD1A.	In childhood or adol-often lose temper

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
2476	OD1B	Num	8	OD1B.	In childhood or adol-often argue with adults
2477	OD1C	Num	8	OD1C.	In childhood or adol-often disobey rules
2478	OD1D	Num	8	OD1D.	In childhood or adol-refuse to follow directions from adults
2479	OD1E	Num	8	OD1E.	In childhood or adol- angry a lot of the time
2480	OD1F	Num	8	OD1F.	In childhood or adol-felt you were treated unfairly
2481	OD1G	Num	8	OD1G.	In childhood or adol-annoy people on purpose
2482	OD1H	Num	8	OD1H.	In childhood or adol-blame others for your mistakes/behavior
2483	OD1I	Num	8	OD1I.	In childhood or adol-did mean things to pay people back
2484	OD1J	Num	8	OD1J.	In childhood or adol-easily take offense at way ppl treated you
2485	OD1K	Num	8	OD1K.	In childhood or adol-easily annoyed by others
2503	OD23A	Num	8		Age 1st got helpful/effective treatment for behavior
2504	OD23B	Num	8		# profs talked to about behavior incl helpful trmt doc
2505	OD23C	Num	8		# professionals ever talked to about behavior
2508	OD26A	Num	8		Age 1st hospitalized overnight for behavior
2509	OD3A	Num	8		Exact age 1st behavior problems for 6+ mths
2487	OD3B	Num	8		Estimate age of 1st behavior problems for 6+ mths-compute
2488	OD3B1	Num	8		Estimate age 1st behavior problems for 6+ mths
2489	OD3B2	Num	8	OD3B2FFF.	1st behavior problems for 6+ mths before first started school
2490	OD3B3	Num	8	OD3B3FFF.	1st behavior problems for 6+ mths before teen
2492	OD4A	Num	8		Age last had behavior trouble for 6+ months
2495	OD8A	Num	8		Worst month in past year-behavior interfered w/ home mgmt
2496	OD8B	Num	8		Worst month in past year-behavior interfered w/ ability to work
2497	OD8C	Num	8		Worst month in past year-behav interf w/ form/maint relations
2498	OD8D	Num	8		Worst month in past year-behavior interfered w/ social life
3280	ODD_OND	Num	8	ODD_OND.	DSM-IV Oppositional Defiant Disorder Onset
3314	ODD_ONI	Num	8	ODD_ONI.	ICD Oppositional Defiant Disorder Onset
3281	ODD_RECDD	Num	8	ODD_RECDD.	DSM-IV Oppositional Defiant Disorder Recency
3315	ODD_RECI	Num	8	ODD_RECI.	ICD Oppositional Defiant Disorder Recency
3282	PAT_OND	Num	8	PAT_OND.	DSM-IV Panic Attack Onset
3316	PAT_ONI	Num	8	PAT_ONI.	ICD Panic Attack Onset
3283	PAT_RECDD	Num	8	PAT_RECDD.	DSM-IV Panic Attack Recency
3317	PAT_RECI	Num	8	PAT_RECI.	ICD Panic Attack Recency
432	PD3	Num	8	PD3FFFFFF.	Attack symptoms began and reached peak within 10 min
433	PD4	Num	8		# of sudden attacks in lifetime
434	PD6	Num	8	PD6FFFFFF.	When did attack occur
435	PD7	Num	8	PD7FFFFFF.	Remember exact age at attack

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
440	PD8	Num	8	PD8FFFF.	Situation in which attack occurred
441	PD9	Num	8	PD9FFFF.	Remember exact age of 1st attack
446	PD10	Num	8	PD10FFFF.	Any attack in past year
451	PD11	Num	8		Largest number attacks in any single year
452	PD12	Num	8		# of separate years at least had 1 attack
457	PD15	Num	8		Age 1st mth of worry/change activities/avoid sits due to attack
458	PD16	Num	8	PD16FFFF.	Month of worry or change in activities in past 12 mths
464	PD17	Num	8	PD17FFFF.	Ever have attack occur unexpectedly out of blue
466	PD18	Num	8		# of lifetime attacks due to unreasonable fear of situation
467	PD19	Num	8		# of lifetime attacks due to real danger
3638	PD21	Num	8		Age 1st out of blue attack-computed
471	PD22	Num	8	PD22FFFF.	Sudden attacks interfere w/ work/social life/relationships
472	PD24	Num	8	PD24FFFF.	Sudden attack occurred while asleep
476	PD36	Num	8		# unexpected sudden attacks in past year
479	PD38	Num	8	PD38FFFF.	How recently in past year did attack occur
480	PD40	Num	8	PD40FFFF.	Severity of emotional distress during attacks in last 12 mths
481	PD41	Num	8	PD41FFFF.	Upset by physical sensations remind of attack in last 12 mths
483	PD42	Num	8	PD42FFFF.	Avoid situations caused physical sensation in past 12 mths
484	PD43	Num	8	PD43FFFF.	Avoidance of situation interfered with work/social life/relations
489	PD46	Num	8		# of days in yr unable to carry out activities due to attack
490	PD50	Num	8	PD50FFFF.	Ever talked to professional about panic attacks
492	PD62	Num	8	PD62FFFF.	Received helpful/effective treatment for attack
496	PD64	Num	8	PD64FFFF.	Receive professional treatment for attacks in past 12 mths
497	PD65	Num	8	PD65FFFF.	Hospitalized overnight for attacks
447	PD10A	Num	8	PD10A.	How recent in past year attack occurred
448	PD10B	Num	8		# of weeks in past year had at least one attack
449	PD10C	Num	8		Total # of attacks in past year
450	PD10D	Num	8		Age at last attack
453	PD13A	Num	8	PD13A.	After attack, worried for month or more about another attack
454	PD13B	Num	8	PD13B.	Worried for mth or more something terrible might happen
455	PD13C	Num	8	PD13C.	Changed everyday activities for month or more
456	PD13D	Num	8	PD13D.	Avoided situations due to fear another attack for mth or more
459	PD16A	Num	8	PD16A.	How recent the worry and change in activities
460	PD16B	Num	8		# of months of worry or change in activities in past 12 mths
461	PD16C	Num	8	PD16C.	Frequency of worry in severe episode in past 12 mths
462	PD16D	Num	8	PD16D.	Severity of worry during severe episode

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
463	PD16E	Num	8		Age last time had month of worry about attack
465	PD17A	Num	8		# of lifetime attacks occur unexpectedly
416	PD1A	Num	8	PD1A.	During attack-heart racing
417	PD1B	Num	8	PD1B.	During attack-short of breath
418	PD1C	Num	8	PD1C.	During attack-nausea/stomach discomfort
419	PD1D	Num	8	PD1D.	During attack-feel dizzy
420	PD1E	Num	8	PD1E.	During attack-sweating
421	PD1F	Num	8	PD1F.	During attack-trembling or shaking
422	PD1G	Num	8	PD1G.	During attack-dry mouth
423	PD1H	Num	8	PD1H.	During attack-felt you are choking
424	PD1I	Num	8	PD1I.	During attack-chest discomfort
425	PD1J	Num	8	PD1J.	During attack-might lose control or go crazy
426	PD1K	Num	8	PD1K.	During attack-felt you were not really there
427	PD1L	Num	8	PD1L.	During attack-feel things around you unreal/dreamlike
428	PD1M	Num	8	PD1M.	During attack-afraid of passing out
429	PD1N	Num	8	PD1N.	During attack-afraid might die
430	PD1O	Num	8	PD1O.	During attack-hot flushes or chills
431	PD1P	Num	8	PD1P.	During attack-numbness or tingling
468	PD21B1	Num	8		Age of 1st out of blue attack
469	PD21B2	Num	8	PD21B2FF.	1st sudden attack before started school, PD21B1
470	PD21B3	Num	8	PD21B3FF.	1st sudden attack before teenager, PD21B1
473	PD24A	Num	8		# sudden attacks occurring while asleep
474	PD25A	Num	8	PD25A.	Sudden attacks ever due to physical illness or med/drug/alc
475	PD25B	Num	8	PD25B.	All sudden attacks due to physical causes
477	PD37A	Num	8		Age at last sudden attack
478	PD37B	Num	8		# of weeks in past year had at least one sudden attack
482	PD41A	Num	8	PD41A.	Severity of discomf from physical sensations in last 12 mths
485	PD44A	Num	8		Worst month in past year-attack interfered with home mgmt
486	PD44B	Num	8		Worst month in past year-attack interfered with work
487	PD44C	Num	8		Worst month in past year-attack interf w/ form/maint relations
488	PD44D	Num	8		Worst month in past year-attack interfere with social life
491	PD50A	Num	8		Age 1st see professional for attacks
493	PD62A	Num	8		Age 1st got helpful treatment for attack
494	PD62B	Num	8		Total profs seen for panic incl helpful treatment doc
495	PD62C	Num	8		# professionals ever talk to about panic attacks
498	PD65A	Num	8		Age 1st time hospitalized overnight for attacks

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
499	PD65_1	Num	8		# close relatives ever had panic attacks
436	PD7A	Num	8		Age at attack
3636	PD7B	Num	8		Estimate age at attack-computed
437	PD7B1	Num	8		Estimate age at attack
438	PD7B2	Num	8	PD7B2FFF.	Attack before started school
439	PD7B3	Num	8	PD7B3FFF.	Attack before teenager
442	PD9A	Num	8		Age 1st attack
3637	PD9B	Num	8		Estimate age 1st attack-computed
443	PD9B1	Num	8		Estimate age 1st attack
444	PD9B2	Num	8	PD9B2FFF.	1st attack before started school
445	PD9B3	Num	8	PD9B3FFF.	1st attack before teenager
3284	PD_OND	Num	8	PD_OND.	DSM-IV Panic Disorder Onset
3318	PD_ONI	Num	8	PD_ONI.	ICD Panic Disorder Onset
3285	PD_RECDD	Num	8	PD_RECDD.	DSM-IV Panic Disorder Recency
3319	PD_RECI	Num	8	PD_RECI.	ICD Panic Disorder Recency
1188	PEA40	Num	8	PEA40FFF.	Never met person didn't like
1189	PEA41	Num	8	PEA41FFF.	Have always told the truth
1190	PEA42	Num	8	PEA42FFF.	I always win at games
1191	PEA43	Num	8	PEA43FFF.	Have never been bored
1192	PEA44	Num	8	PEA44FFF.	Never get lost even in unfamiliar place
1193	PEA45	Num	8	PEA45FFF.	Never annoyed when others cut ahead in line
1194	PEA46	Num	8	PEA46FFF.	Table manners at home as good as in restaurant
1195	PEA47	Num	8	PEA47FFF.	Have never lost anything
1196	PEA48	Num	8	PEA48FFF.	Regardless of temperature, always comfortable
1197	PEA49	Num	8	PEA49FFF.	Not bothered by someone taking advantage of me
1198	PEA50	Num	8	PEA50FFF.	Show my feelings for everyone to see
1199	PEA51	Num	8	PEA51FFF.	Get in intense relationships that don't last
1200	PEA52	Num	8	PEA52FFF.	Often feel empty inside
1201	PEA53	Num	8	PEA53FFF.	I'm very moody
1202	PEA54	Num	8	PEA54FFF.	Giiving into urges gets me in trouble
1203	PEA55	Num	8	PEA55FFF.	Have tantrums/angry outbursts
1204	PEA56	Num	8	PEA56FFF.	When under stress, things around don't seem real
1205	PEA57	Num	8	PEA57FFF.	Go to extremes to keep people from leaving me
1206	PEA58	Num	8	PEA58FFF.	Can't decide what kind of person I want to be
1207	PEA59	Num	8	PEA59FFF.	Never been arrested
1208	PEA60	Num	8	PEA60FFF.	Done things that could get person arrested

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
1209	PEA61	Num	8	PEA61FFF.	Feel bad when hurt or upset someone
1210	PEA62	Num	8	PEA62FFF.	Refused to hold job, even when expected
1211	PEA63	Num	8	PEA63FFF.	Will lie/con to serve my purpose
1212	PEA64	Num	8	PEA64FFF.	Lose temper and get in physical fights
1213	PEA65	Num	8	PEA65FFF.	Take chances/do reckless things
1214	PEA66	Num	8	PEA66FFF.	Hard to stay out of trouble
1215	PEA67	Num	8	PEA67FFF.	At times, fail to meet financial obligations
1216	PEA68	Num	8	PEA68FFF.	Intentionally damaged others' things
1217	PEA69	Num	8	PEA69FFF.	Will give false info about self to keep job/impress
1218	PEA70	Num	8	PEA70FFF.	Argue/fight when people try to stop me from actions
1219	PEA71	Num	8	PEA71FFF.	Feelings always changing
1220	PEA72	Num	8	PEA72FFF.	Get so angry, I sometimes break/smash things
1221	PEA73	Num	8	PEA73FFF.	Let others make my big decisions
1222	PEA74	Num	8	PEA74FFF.	Feel uncomfortable/helpless when alone
1223	PEA75	Num	8	PEA75FFF.	Ask advice/reassurance about everyday decisions
1224	PEA76	Num	8	PEA76FFF.	Keep to myself even when others around
1225	PEA77	Num	8	PEA77FFF.	People think I am too strict about rules/regs
1226	PEA78	Num	8	PEA78FFF.	People think I am too stiff/formal
1227	PEA79	Num	8	PEA79FFF.	Feel awkward in social situation
1228	PEA80	Num	8	PEA80FFF.	Others make fun behind my back
1229	PEA81	Num	8	PEA81FFF.	Prefer activities I can do by myself
1230	PEA82	Num	8	PEA82FFF.	Held grudges for years
1231	PEA83	Num	8	PEA83FFF.	Convinced conspiracy behind many things in world
2925	PH1	Num	8		# diff kinds of prescrip meds taken during past 7 days
2926	PH2	Num	8		# diff kinds of non-prescrip meds taken during past 7 days
2839	PH15	Num	8	PH15FFFF.	Med1-took under supervision or on own
2841	PH16	Num	8		Med1-typical month-# days forget or take less
2842	PH17	Num	8	PH17FFFF.	Med1-still taking medicine
2843	PH19	Num	8	PH19FFFF.	Med1-health professional tell you stop taking
2845	PH20	Num	8	PH20FFFF.	Med1-stopped taking because better or other reason
2880	PH22	Num	8	PH22FFFF.	Med2-took under supervision or on own
2882	PH23	Num	8		Med2-typical month-# days forget to take
2883	PH24	Num	8	PH24FFFF.	Med2-still taking med
2884	PH26	Num	8	PH26FFFF.	Med2-health professional tell you to stop taking
2886	PH27	Num	8	PH27FFFF.	Med2-stopped because no longer needed or other reason
2908	PH29	Num	8	PH29FFFF.	Med3-took under supervision or on own

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
2910	PH30	Num	8		Med3-typical month-# days forget to take
2911	PH31	Num	8	PH31FFFF.	Med3-still taking med
2912	PH33	Num	8	PH33FFFF.	Med3-health professional tell you to stop taking
2914	PH34	Num	8	PH34FFFF.	Med3-stopped because no longer needed or other reason
2738	PH10_01	Num	8		Med6-# days taken in past month
2739	PH10_02	Num	8		Med6-# days taken in past year
2744	PH10_06	Num	8		Med6-milligrams of dosage
3988	PH10_03A	Num	8	PH10_03A.	Best estimate of the month took MedName for the first time in past 365 days
2740	PH10_03B	Num	8		Med6-day took for the first time in the past yr
3989	PH10_04A	Num	8	PH10_04A.	Best estimate of the month took MedName most recently
2741	PH10_04B	Num	8		Med6-estimate of day took most recently
2742	PH10_05A	Num	8		Med6-amount taken on medicated days
2743	PH10_05B	Num	8	PH10_05B.	Med6-method of dosage
2745	PH11_01	Num	8		Med7-# days taken in past month
2746	PH11_02	Num	8		Med7-# days taken in past year
2751	PH11_06	Num	8		Med7-milligrams of dosage
3990	PH11_03A	Num	8	PH11_03A.	Best estimate of the month took MedName for the first time in past 365 days
2747	PH11_03B	Num	8		Med7-day took for the first time in the past yr
3991	PH11_04A	Num	8	PH11_04A.	Best estimate of the month took MedName most recently
2748	PH11_04B	Num	8		Med7-estimate of day took most recently
2749	PH11_05A	Num	8		Med7-amount taken on medicated days
2750	PH11_05B	Num	8	PH11_05B.	Med7-method of dosage
2752	PH12_01	Num	8		Med8-# days taken in past month
2753	PH12_02	Num	8		Med8-# days taken in past year
2758	PH12_06	Num	8		Med8-milligrams of dosage
3992	PH12_03A	Num	8	PH12_03A.	Best estimate of the month took MedName for the first time in past 365 days
2754	PH12_03B	Num	8		Med8-day took for the first time in the past yr
3993	PH12_04A	Num	8	PH12_04A.	Best estimate of the month took MedName most recently
2755	PH12_04B	Num	8		Med8-estimate of day took most recently
2756	PH12_05A	Num	8		Med8-amount taken on medicated days
2757	PH12_05B	Num	8	PH12_05B.	Med8-method of dosage
2759	PH13_01	Num	8		Med9-# days taken in past month
2760	PH13_02	Num	8		Med9-# days taken in past year
2765	PH13_06	Num	8		Med9-milligrams of dosage
3994	PH13_03A	Num	8	PH13_03A.	Best estimate of the month took MedName for the first time in past 365 days
2761	PH13_03B	Num	8		Med9-day took for the first time in the past yr

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
3995	PH13_04A	Num	8	PH13_04A.	Best estimate of the month took MedName most recently
2762	PH13_04B	Num	8		Med9-estimate of day took most recently
2763	PH13_05A	Num	8		Med9-amount taken on medicated days
2764	PH13_05B	Num	8	PH13_05B.	Med9-method of dosage
2766	PH14_01	Num	8		Med10-# days taken in past month
2838	PH14_2	Num	8	PH14_2FF.	Med1-overall effectiveness
2767	PH14_02	Num	8		Med10-# days taken in past year
2772	PH14_06	Num	8		Med10-milligrams of dosage
2822	PH14_101	Num	8	PH14_10F.	Med1-problems took medicine for:1st mention
2823	PH14_102	Num	8	PH14_11F.	Med1-problems took medicine for:2nd mention
2824	PH14_103	Num	8	PH14_12F.	Med1-problems took medicine for:3rd mention
2825	PH14_104	Num	8	PH14_13F.	Med1-problems took medicine for:4th mention
2826	PH14_105	Num	8	PH14_14F.	Med1-problems took medicine for:5th mention
2827	PH14_106	Num	8	PH14_15F.	Med1-problems took medicine for:6th mention
2828	PH14_107	Num	8	PH14_16F.	Med1-problems took medicine for:7th mention
2829	PH14_108	Num	8	PH14_17F.	Med1-problems took medicine for:8th mention
2830	PH14_109	Num	8	PH14_18F.	Med1-problems took medicine for:9th mention
2831	PH14_110	Num	8	PH14_19F.	Med1-problems took medicine for:10th mention
2832	PH14_111	Num	8	PH14_20F.	Med1-problems took medicine for:11th mention
2833	PH14_112	Num	8	PH14_21F.	Med1-problems took medicine for:12th mention
2834	PH14_113	Num	8	PH14_22F.	Med1-problems took medicine for:13th mention
2835	PH14_114	Num	8	PH14_23F.	Med1-problems took medicine for:14th mention
2836	PH14_115	Num	8	PH14_24F.	Med1-problems took medicine for:15th mention
2837	PH14_116	Num	8	PH14_25F.	Med1-problems took medicine for:16th mention
3996	PH14_03A	Num	8	PH14_03A.	Best estimate of the month took MedName for the first time in past 365 days
2768	PH14_03B	Num	8		Med10-day took for the first time in the past yr
3997	PH14_04A	Num	8	PH14_04A.	Best estimate of the month took MedName most recently
2769	PH14_04B	Num	8		Med10-estimate of day took most recently
2770	PH14_05A	Num	8		Med10-amount taken on medicated days
2771	PH14_05B	Num	8	PH14_05B.	Med10-method of dosage
2840	PH15_1	Num	8	PH15_1FF.	Med1-who prescribed
2773	PH15_01	Num	8		Med11-# days taken in past month
2774	PH15_02	Num	8		Med11-# days taken in past year
2779	PH15_06	Num	8		Med11-milligrams of dosage
3998	PH15_03A	Num	8	PH15_03A.	Best estimate of the month took MedName for the first time in past 365 days
2775	PH15_03B	Num	8		Med11-Day took for the first time in the past yr

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
3999	PH15_04A	Num	8	PH15_04A.	Best estimate of the month took MedName most recently
2776	PH15_04B	Num	8		Med11-estimate of day took most recently
2777	PH15_05A	Num	8		Med11-amount taken on medicated days
2778	PH15_05B	Num	8	PH15_05B.	Med11-method of dosage
2780	PH16_01	Num	8		Med12-# days taken in past month
2781	PH16_02	Num	8		Med12-# days taken in past year
2786	PH16_06	Num	8		Med12-milligrams of dosage
4000	PH16_03A	Num	8	PH16_03A.	Best estimate of the month took MedName for the first time in past 365 days
2782	PH16_03B	Num	8		Med12-day took for the first time in the past yr
4001	PH16_04A	Num	8	PH16_04A.	Best estimate of the month took MedName most recently
2783	PH16_04B	Num	8		Med12-estimate of day took most recently
2784	PH16_05A	Num	8		Med12-amount taken on medicated days
2785	PH16_05B	Num	8	PH16_05B.	Med12-method of dosage
2787	PH17_01	Num	8		Med13-# days taken in past month
2788	PH17_02	Num	8		Med13-# days taken in past year
2793	PH17_06	Num	8		Med13-milligrams of dosage
4002	PH17_03A	Num	8	PH17_03A.	Best estimate of the month took MedName for the first time in past 365 days
2789	PH17_03B	Num	8		Med13-day took for the first time in the past yr
4003	PH17_04A	Num	8	PH17_04A.	Best estimate of the month took MedName most recently
2790	PH17_04B	Num	8		Med13-estimate of day took most recently
2791	PH17_05A	Num	8		Med13-amount taken on medicated days
2792	PH17_05B	Num	8	PH17_05B.	Med13-method of dosage
2794	PH18_01	Num	8		Med14-# days taken in past month
2795	PH18_02	Num	8		Med14-# days taken in past year
2800	PH18_06	Num	8		Med14-milligrams of dosage
4004	PH18_03A	Num	8	PH18_03A.	Best estimate of the month took MedName for the first time in past 365 days
2796	PH18_03B	Num	8		Med14-day took for the first time in the past yr
4005	PH18_04A	Num	8	PH18_04A.	Best estimate of the month took MedName most recently
2797	PH18_04B	Num	8		Med14-estimate of day took most recently
2798	PH18_05A	Num	8		Med14-amount taken on medicated days
2799	PH18_05B	Num	8	PH18_05B.	Med14-method of dosage
2844	PH19A	Num	8	PH19A.	Med1-health professional agree with stop taking
2801	PH19_01	Num	8		Med15-# days taken in past month
2802	PH19_02	Num	8		Med15-# days taken in past year
2807	PH19_06	Num	8		Med15-milligrams of dosage
4006	PH19_03A	Num	8	PH19_03A.	Best estimate of the month took MedName for the first time in past 365 days

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
2803	PH19_03B	Num	8		Med15-day took for the first time in the past yr
4007	PH19_04A	Num	8	PH19_04A.	Best estimate of the month took MedName most recently
2804	PH19_04B	Num	8		Med15-estimate of day took most recently
2805	PH19_05A	Num	8		Med15-amount taken on medicated days
2806	PH19_05B	Num	8	PH19_05B.	Med15-method of dosage
2846	PH20A1	Num	8	PH20A1FF.	Med1-reason stop taking:1st mention
2847	PH20A2	Num	8	PH20A2FF.	Med1-reason stop taking:2nd mention
2848	PH20A3	Num	8	PH20A3FF.	Med1-reason stop taking:3rd mention
2849	PH20A4	Num	8	PH20A4FF.	Med1-reason stop taking:4th mention
2850	PH20A5	Num	8	PH20A5FF.	Med1-reason stop taking:5th mention
2851	PH20B01	Num	8	PH20B01F.	Med1-side effects made you stop:1st mention
2852	PH20B02	Num	8	PH20B02F.	Med1-side effects made you stop:2nd mention
2853	PH20B03	Num	8	PH20B03F.	Med1-side effects made you stop:3rd mention
2854	PH20B04	Num	8	PH20B04F.	Med1-side effects made you stop:4th mention
2855	PH20B05	Num	8	PH20B05F.	Med1-side effects made you stop:5th mention
2856	PH20B06	Num	8	PH20B06F.	Med1-side effects made you stop:6th mention
2857	PH20B07	Num	8	PH20B07F.	Med1-side effects made you stop:7th mention
2858	PH20B08	Num	8	PH20B08F.	Med1-side effects made you stop:8th mention
2859	PH20B09	Num	8	PH20B09F.	Med1-side effects made you stop:9th mention
2860	PH20B10	Num	8	PH20B10F.	Med1-side effects made you stop:10th mention
2861	PH20B11	Num	8	PH20B11F.	Med1-side effects made you stop:11th mention
2862	PH20B12	Num	8	PH20B12F.	Med1-side effects made you stop:12th mention
2808	PH20_01	Num	8		Med16-# days taken in past month
2809	PH20_02	Num	8		Med16-# days taken in past year
2814	PH20_06	Num	8		Med16-milligrams of dosage
4008	PH20_03A	Num	8	PH20_03A.	Best estimate of the month took MedName for the first time in past 365 days
2810	PH20_03B	Num	8		Med16-Mth and day took for the first time in the past yr
4009	PH20_04A	Num	8	PH20_04A.	Best estimate of the month took MedName most recently
2811	PH20_04B	Num	8		Med16-estimate of day took most recently
2812	PH20_05A	Num	8		Med16-amount taken on medicated days
2813	PH20_05B	Num	8	PH20_05B.	Med16-method of dosage
2815	PH21_01	Num	8		Med17-# days taken in past month
2879	PH21_2	Num	8	PH21_2FF.	Med2-overall effectiveness
2816	PH21_02	Num	8		Med17-# days taken in past year
2821	PH21_06	Num	8		Med17-milligrams of dosage
2863	PH21_101	Num	8	PH21_10F.	Med2-problems took medicine for:1st mention

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
2864	PH21_102	Num	8	PH21_11F.	Med2-problems took medicine for:2nd mention
2865	PH21_103	Num	8	PH21_12F.	Med2-problems took medicine for:3rd mention
2866	PH21_104	Num	8	PH21_13F.	Med2-problems took medicine for:4th mention
2867	PH21_105	Num	8	PH21_14F.	Med2-problems took medicine for:5th mention
2868	PH21_106	Num	8	PH21_15F.	Med2-problems took medicine for:6th mention
2869	PH21_107	Num	8	PH21_16F.	Med2-problems took medicine for:7th mention
2870	PH21_108	Num	8	PH21_17F.	Med2-problems took medicine for:8th mention
2871	PH21_109	Num	8	PH21_18F.	Med2-problems took medicine for:9th mention
2872	PH21_110	Num	8	PH21_19F.	Med2-problems took medicine for:10th mention
2873	PH21_111	Num	8	PH21_20F.	Med2-problems took medicine for:11th mention
2874	PH21_112	Num	8	PH21_21F.	Med2-problems took medicine for:12th mention
2875	PH21_113	Num	8	PH21_22F.	Med2-problems took medicine for:13th mention
2876	PH21_114	Num	8	PH21_23F.	Med2-problems took medicine for:14th mention
2877	PH21_115	Num	8	PH21_24F.	Med2-problems took medicine for:15th mention
2878	PH21_116	Num	8	PH21_25F.	Med2-problems took medicine for:16th mention
4010	PH21_03A	Num	8	PH21_03A.	Best estimate of the month took MedName for the first time in past 365 days
2817	PH21_03B	Num	8		Med17-Day took 1st time in past yr
4011	PH21_04A	Num	8	PH21_04A.	Best estimate of the month took MedName most recently
2818	PH21_04B	Num	8		Med17-estimate of day took most recently
2819	PH21_05A	Num	8		Med17-amount taken on medicated days
2820	PH21_05B	Num	8	PH21_05B.	Med17-method of dosage
2881	PH22_1	Num	8	PH22_1FF.	Med2-who prescribed
2885	PH26A	Num	8	PH26A.	Med2-health professional agree with stop taking
2887	PH27A1	Num	8	PH27A1FF.	Med2-reason stop taking:1st mention
2888	PH27A2	Num	8	PH27A2FF.	Med2-reason stop taking:2nd mention
2889	PH27A3	Num	8	PH27A3FF.	Med2-reason stop taking:3rd mention
2890	PH27A4	Num	8	PH27A4FF.	Med2-reason stop taking:4th mention
2891	PH27A5	Num	8	PH27A5FF.	Med2-reason stop taking:5th mention
2892	PH27B01	Num	8	PH27B01F.	Med2-side effects made you stop:1st mention
2893	PH27B02	Num	8	PH27B02F.	Med2-side effects made you stop:2nd mention
2894	PH27B03	Num	8	PH27B03F.	Med2-side effects made you stop:3rd mention
2895	PH27B04	Num	8	PH27B04F.	Med2-side effects made you stop:4th mention
2896	PH27B05	Num	8	PH27B05F.	Med2-side effects made you stop:5th mention
2907	PH28_2	Num	8	PH28_2FF.	Med3-overall effectiveness
2897	PH28_101	Num	8	PH28_10F.	Med3-problems took medicine for:1st mention
2898	PH28_102	Num	8	PH28_11F.	Med3-problems took medicine for:2nd mention

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
2899	PH28_103	Num	8	PH28_12F.	Med3-problems took medicine for:3rd mention
2900	PH28_104	Num	8	PH28_13F.	Med3-problems took medicine for:4th mention
2901	PH28_105	Num	8	PH28_14F.	Med3-problems took medicine for:5th mention
2902	PH28_106	Num	8	PH28_15F.	Med3-problems took medicine for:6th mention
2903	PH28_107	Num	8	PH28_16F.	Med3-problems took medicine for:7th mention
2904	PH28_108	Num	8	PH28_17F.	Med3-problems took medicine for:8th mention
2905	PH28_109	Num	8	PH28_18F.	Med3-problems took medicine for:9th mention
2906	PH28_110	Num	8	PH28_19F.	Med3-problems took medicine for:10th mention
2909	PH29_1	Num	8	PH29_1FF.	Med3-who prescribed
2932	PH2_3	Num	8	PH2_3FFF.	Scrip meds for emotions, sleep, stress, etc in past 12 mths
2927	PH2_1A	Num	8	PH2_1A.	Took sleeping pills/sed under doc super in past 12 mths
2928	PH2_1B	Num	8	PH2_1B.	Prescrip meds taken in last 12 mths-anti-depressants
2929	PH2_1C	Num	8	PH2_1C.	Prescrip meds taken in last 12 mths-tranquilizers
2930	PH2_1D	Num	8	PH2_1D.	Prescrip meds taken in last 12 mths-amphetamines/stims
2931	PH2_1E	Num	8	PH2_1E.	Prescrip meds taken in last 12 mths-anti-psychotic meds
2913	PH33A	Num	8	PH33A.	Med3-health professional agree with stop taking
2915	PH34A1	Num	8	PH34A1FF.	Med3-reason stop taking:1st mention
2916	PH34A2	Num	8	PH34A2FF.	Med3-reason stop taking:2nd mention
2917	PH34A3	Num	8	PH34A3FF.	Med3-reason stop taking:3rd mention
2918	PH34A4	Num	8	PH34A4FF.	Med3-reason stop taking:4th mention
2919	PH34A5	Num	8	PH34A5FF.	Med3-reason stop taking:5th mention
2920	PH34B01	Num	8	PH34B01F.	Med3-side effects made you stop:1st mention
2921	PH34B02	Num	8	PH34B02F.	Med3-side effects made you stop:2nd mention
2922	PH34B03	Num	8	PH34B03F.	Med3-side effects made you stop:3rd mention
2923	PH34B04	Num	8	PH34B04F.	Med3-side effects made you stop:4th mention
2924	PH34B05	Num	8	PH34B05F.	Med3-side effects made you stop:5th mention
2703	PH5_01	Num	8		Med1-# days taken in past month
2704	PH5_02	Num	8		Med1-# days taken in past year
2709	PH5_06	Num	8		Med1-milligrams of dosage
3978	PH5_03A	Num	8	PH5_03A.	Best estimate of the month took MedName for the first time in past 365 days
2705	PH5_03B	Num	8		Med1-day took for the first time in the past yr
3979	PH5_04A	Num	8	PH5_04A.	Best estimate of the month took MedName most recently
2706	PH5_04B	Num	8		Med1-estimate of day took most recently
2707	PH5_05A	Num	8		Med1-amount taken on medicated days
2708	PH5_05B	Num	8	PH5_05B.	Med1-method of dosage
2710	PH6_01	Num	8		Med2-# days taken in past month

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
2711	PH6_02	Num	8		Med2-# days taken in past year
2716	PH6_06	Num	8		Med2-milligrams of dosage
3980	PH6_03A	Num	8	PH6_03A.	Best estimate of the month took MedName for the first time in past 365 days
2712	PH6_03B	Num	8		Med2-day took for the first time in the past yr
3981	PH6_04A	Num	8	PH6_04A.	Best estimate of the month took MedName most recently
2713	PH6_04B	Num	8		Med2-estimate of day took most recently
2714	PH6_05A	Num	8		Med2-amount taken on medicated days
2715	PH6_05B	Num	8	PH6_05B.	Med2-method of dosage
2717	PH7_01	Num	8		Med3-# days taken in past month
2718	PH7_02	Num	8		Med3-# days taken in past year
2723	PH7_06	Num	8		Med3-milligrams of dosage
3982	PH7_03A	Num	8	PH7_03A.	Best estimate of the month took MedName for the first time in past 365 days
2719	PH7_03B	Num	8		Med3-day took for the first time in the past yr
3983	PH7_04A	Num	8	PH7_04A.	Best estimate of the month took MedName most recently
2720	PH7_04B	Num	8		Med3-estimate of day took most recently
2721	PH7_05A	Num	8		Med3-amount taken on medicated days
2722	PH7_05B	Num	8	PH7_05B.	Med3-method of dosage
2724	PH8_01	Num	8		Med4-# days taken in past month
2725	PH8_02	Num	8		Med4-# days taken in past year
2730	PH8_06	Num	8		Med4-milligrams of dosage
3984	PH8_03A	Num	8	PH8_03A.	Best estimate of the month took MedName for the first time in past 365 days
2726	PH8_03B	Num	8		Med4-day took for the first time in the past yr
3985	PH8_04A	Num	8	PH8_04A.	Best estimate of the month took MedName most recently
2727	PH8_04B	Num	8		Med4-estimate of day took most recently
2728	PH8_05A	Num	8		Med4-amount taken on medicated days
2729	PH8_05B	Num	8	PH8_05B.	Med4-method of dosage
2731	PH9_01	Num	8		Med5-# days taken in past month
2732	PH9_02	Num	8		Med5-# days taken in past year
2737	PH9_06	Num	8		Med5-milligrams of dosage
3986	PH9_03A	Num	8	PH9_03A.	Best estimate of the month took MedName for the first time in past 365 days
2733	PH9_03B	Num	8		Med5-day took for the first time in the past yr
3987	PH9_04A	Num	8	PH9_04A.	Best estimate of the month took MedName most recently
2734	PH9_04B	Num	8		Med5-estimate of day took most recently
2735	PH9_05A	Num	8		Med5-amount taken on medicated days
2736	PH9_05B	Num	8	PH9_05B.	Med5-method of dosage
3342	POST911	Num	8	POST911F.	R interviewed post September 11 2001

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
3711	POVINDEX	Num	8	POVINDEX.	Census 2001 income-to-needs ratio: hhinc/povthre
2681	PP1	Num	8	PP1FFFFF.	1 or 2 national/world events especially import in past 70 yrs
2682	PP1AA	Num	8	PP1AA.	Any other important national/world event in past 70 yrs
3445	PR2	Num	8		Age of 1st period
1763	PR3	Num	8	PR3FFFFF.	1st period earlier/later/same time compared to friends
1765	PR4	Num	8	PR4FFFFF.	Taken birth control pills
1769	PR5	Num	8	PR5FFFFF.	Operation to remove ovaries/uterus
1771	PR6	Num	8	PR6FFFFF.	Still menstruating/stopped temporarily/stopped permanently
1772	PR7	Num	8		Age last period
1773	PR8	Num	8	PR8FFFFF.	Taken hormone replacement pills for menopausal symptoms
1774	PR9	Num	8		Age 1st taken hormone replacements
1775	PR10	Num	8	PR10FFFF.	Still take hormone replacements
1776	PR11	Num	8		Age stopped taking hormone replacements
1779	PR13	Num	8	PR13FFFF.	Ever had PMS
1780	PR14	Num	8		Most sev-# mths/yr mood changes worse wk before period
1781	PR16	Num	8	PR16FFFF.	Most sev-# mths/yr mood changes worse wk before period
1783	PR19	Num	8	PR19FFFF.	PMS interfered with work/social life/relationships
1785	PR20	Num	8	PR20FFFF.	Remember exact age 1st had PMS
1789	PR21	Num	8	PR21FFFF.	Had PMS in past 12 months
1792	PR22	Num	8		# different years in life with PMS
1793	PR27	Num	8	PR27FFFF.	Talked to professional about PMS
1795	PR30	Num	8	PR30FFFF.	Received professional treatment for PMS in past year
1777	PR121	Num	8	PR121FFF.	Why periods have stopped-1st mention
1778	PR122	Num	8	PR122FFF.	Why periods have stopped-2nd mention
1782	PR16A	Num	8	PR16A.	Also had probs like concentration/tired/change in app/sleep
1784	PR19A	Num	8	PR19A.	Unable to work/acts due to PMS
1786	PR20A	Num	8		Age 1st had PMS
1787	PR20B	Num	8		Estimate age 1st PMS
1788	PR20B1	Num	8		Estimate age 1st PMS
3660	PR20B2	Num	8	PR20B2FF.	1st PMS before 20s
1790	PR21A	Num	8	PR21A.	How recently in past months had PMS
1791	PR21B	Num	8		Age last time had PMS
1794	PR27A	Num	8		Age 1st talked to professional about PMS
1764	PR3A	Num	8	PR3A.	1st period a lot/little earlier/later than friends
1766	PR4A	Num	8		Age 1st taken birth control pills
1767	PR4B	Num	8	PR4B.	Still take birth control pills

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
1768	PR4C	Num	8		Age stopped taking birth control pills
1770	PR5A	Num	8		Age ovaries/uterus removed
3690	PS2	Num	8	PS2FFFF.	INTERVIEWER CHECKPOINT
1892	PS3	Num	8		Age 1st psychotic experience
1893	PS4	Num	8	PS4FFFF.	Had psychotic experience in past 12 months
1894	PS5	Num	8		# of days had psychotic experience in past 12 months
1895	PS6	Num	8		# times ever had psychotic experiences
1896	PS7	Num	8	PS7FFFF.	Talked to professional about dealing w/ psychotic experiences
3967	PS9	Num	8	PS9FFFF.	Hospitalized due to psychotic experiences
1901	PS10	Num	8	PS10FFFF.	Took listed medication(s) for psychosis
1897	PS81	Num	8	PS81FFFF.	Psychotic diagnosis-1st mention
1898	PS82	Num	8	PS82FFFF.	Psychotic diagnosis-2nd mention
1899	PS83	Num	8	PS83FFFF.	Psychotic diagnosis-3rd mention
1900	PS84	Num	8	PS84FFFF.	Psychotic diagnosis-4th mention
1902	PS10A	Num	8	PS10A.	Took listed medication(s) for psychosis in past year
1874	PS1A	Num	8	PS1A.	Ever see vision that others couldn't see
1875	PS1A1	Num	8	PS1A1FFF.	Ever see vision others didn't when not dream/asleep/subs use
1876	PS1A2	Num	8		# times see vision when not dream/asleep/subs use
1877	PS1B	Num	8	PS1B.	Ever hear voices others couldn't hear
1878	PS1B1	Num	8	PS1B1FFF.	Ever hear voices when not dream/asleep/subs use
1879	PS1B2	Num	8		# times hear voices when not dream/asleep/subs use
1880	PS1C	Num	8	PS1C.	Ever have mind control experience
1881	PS1C1	Num	8	PS1C1FFF.	Ever mind controlled when not dream/asleep/subs use
1882	PS1C2	Num	8		# times mind controlled when not dream/asleep/subs use
1883	PS1D	Num	8	PS1D.	Ever feel mind taken over by strange forces
1884	PS1D1	Num	8	PS1D1FFF.	Ever feel mind taken over when not dream/asleep/subs use
1885	PS1D2	Num	8		# times felt your mind taken over-not dream/asleep/subs use
1886	PS1E	Num	8	PS1E.	Ever exp communication attempts from strange forces
1887	PS1E1	Num	8	PS1E1FFF.	Ever exp comm attempts when not dream/asleep/subs use
1888	PS1E2	Num	8		# times exp comm attempts when not dream/asleep/subs use
1889	PS1F	Num	8	PS1F.	Unjust plot to harm you/have people follow-nobody believe
1890	PS1F1	Num	8	PS1F1FFF.	Ever unjust plot to harm you when not dream/asleep/subs use
1891	PS1F2	Num	8		# of times believe plot to harm you
3691	PS_FLAG	Num	8	PS_FLAG.	Primary/Secondary adult in household
3747	PT1	Num	8	PT1FFFF.	Ever participate in combat
3748	PT2	Num	8	PT2FFFF.	Ever serve as peacekeeper or relief worker in war

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
3749	PT3	Num	8	PT3FFFFFF.	Ever unarmed civilian where there was a war, revolution, coup, invasion
3750	PT4	Num	8	PT4FFFFFF.	Ever live as a civilian where there was ongoing terror
3751	PT5	Num	8	PT5FFFFFF.	Ever a refugee
4102	PT6	Num	8	PT6FFFFFF.	Ever kidnapped or held captive
4103	PT7	Num	8	PT7FFFFFF.	Ever exposed to a toxic chem/substance that could cause you serious harm
4104	PT8	Num	8	PT8FFFFFF.	Ever involved in a life-threatening automobile accident
4105	PT9	Num	8	PT9FFFFFF.	Ever have any other life-threatening accident, including on your job
3752	PT10	Num	8	PT10FFFF.	Ever involved in a major natural disaster
3753	PT11	Num	8	PT11FFFF.	Ever in a man-made disaster
3754	PT12	Num	8	PT12FFFF.	Ever have a life-threatening illness
3755	PT13	Num	8	PT13FFFF.	Ever badly beaten by parents
3756	PT14	Num	8	PT14FFFF.	Ever badly beaten up by spouse or romantic partner
3757	PT15	Num	8	PT15FFFF.	Ever badly beaten up by anyone else
3758	PT16	Num	8	PT16FFFF.	Ever mugged, held up, or threatened with a weapon
3759	PT17	Num	8	PT17FFFF.	Ever raped
3760	PT18	Num	8	PT18FFFF.	Ever sexually assaulted other than rape
3761	PT19	Num	8	PT19FFFF.	Ever been stalked
3762	PT20	Num	8	PT20FFFF.	Someone very close to respondent ever die unexpectedly
3763	PT21	Num	8	PT21FFFF.	Ever have child with life-threatening illness or injury
3764	PT22	Num	8	PT22FFFF.	Anyone very close ever have extremely traumatic experience
3766	PT23	Num	8	PT23FFFF.	Ever see someone badly injured or killed / unexpectedly see dead body
3767	PT24	Num	8	PT24FFFF.	Ever do something that accidentally led to serious injury/death of another
3768	PT25	Num	8	PT25FFFF.	Ever purposefully seriously injure, torture, or kill another
3769	PT26	Num	8	PT26FFFF.	Ever see atrocities or carnage
3770	PT27	Num	8	PT27FFFF.	Ever experience any other extremely traumatic or life-threatening event
3771	PT28	Num	8	PT28FFFF.	Ever have traumatic event that dont want to talk about
4116	PT29	Num	8		
3778	PT30	Num	8	PT30FFFF.	Ever serve as peacekeeper or relief worker in war
3785	PT31	Num	8	PT31FFFF.	Ever an unarmed civilian in war zone
3792	PT32	Num	8	PT32FFFF.	Ever live as a civilian where there was ongoing terror
3799	PT33	Num	8	PT33FFFF.	Ever a refugee
3806	PT34	Num	8	PT34FFFF.	Ever kidnapped or held hostage
3813	PT35	Num	8	PT35FFFF.	Ever exposed to a toxic chemical
3816	PT36	Num	8	PT36FFFF.	Ever involved in life-threatening automobile accident
3819	PT37	Num	8	PT37FFFF.	Ever in any other life-threatening accident
3822	PT38	Num	8	PT38FFFF.	Ever involved in major natural disaster

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
3825	PT39	Num	8	PT39FFFF.	Ever involved in man-made disaster
3828	PT40	Num	8	PT40FFFF.	Ever have life-threatening illness
3831	PT41	Num	8	PT41FFFF.	Ever badly beaten up by parents
3834	PT42	Num	8	PT42FFFF.	Ever beaten by spouse/partner
3837	PT43	Num	8	PT43FFFF.	Ever beaten by anyone else
3840	PT44	Num	8	PT44FFFF.	Ever mugged, held up, or threatened with a weapon
3843	PT45	Num	8	PT45FFFF.	Ever raped
3846	PT46	Num	8	PT46FFFF.	Ever sexually assaulted other than rape
3849	PT47	Num	8	PT47FFFF.	Ever been stalked
3852	PT48	Num	8	PT48FFFF.	Someone very close ever die unexpectedly
3855	PT49	Num	8	PT49FFFF.	Ever have child with life-threatening illness or injury
3858	PT50	Num	8	PT50FFFF.	Anyone close ever have traumatic experience
3864	PT51	Num	8	PT51FFFF.	Ever see someone badly injured or killed / unexpectedly see dead body
3867	PT52	Num	8	PT52FFFF.	Ever do something that accidentally led to serious injury/death of another
3870	PT53	Num	8	PT53FFFF.	Ever purposefully seriously injure, torture, or kill
3873	PT54	Num	8	PT54FFFF.	Ever see atrocities or carnage
3876	PT55	Num	8	PT55FFFF.	Ever experience any other extremely traumatic or life threatening event
3878	PT57	Num	8	PT57FFFF.	Ever have traumatic event that dont want to talk about
4098	PT59	Num	8	PT59FFFF.	Select random event from events reported
2967	PT64	Num	8	PT64FFFF.	Event that led to most problems
2969	PT67	Num	8	PT67FFFF.	During worst event- felt terrified/very frightened
2973	PT68	Num	8	PT68FFFF.	Tried not to think about worst event in following wks/mths/yrs
2974	PT69	Num	8	PT69FFFF.	Purposely avoided reminder of worst event
2975	PT70	Num	8	PT70FFFF.	Unable to remember details of worst event
2976	PT71	Num	8	PT71FFFF.	Lost interest in enjoyable things after worst event
2977	PT72	Num	8	PT72FFFF.	Emotionally distant after worst event
2978	PT73	Num	8	PT73FFFF.	Trouble feeling love/happy/warmth to others after worst event
2979	PT74	Num	8	PT74FFFF.	No future plan because would be cut short after worst event
4148	PT75	Num	8		
2980	PT86	Num	8	PT86FFFF.	Had repeated unwanted memory of worst event
2981	PT87	Num	8	PT87FFFF.	Had repeated unpleasant dreams after worst event
2982	PT88	Num	8	PT88FFFF.	Had flashbacks after worst event happening
2983	PT89	Num	8	PT89FFFF.	Upset when reminded of worst event
2984	PT90	Num	8	PT90FFFF.	Had physical reactions when reminded of worst event
4149	PT91	Num	8		
2985	PT102	Num	8	PT102FFF.	Trouble sleeping during most affected time after worst event

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
2986	PT103	Num	8	PT103FFF.	Irritable during most affected time after worst event
2987	PT104	Num	8	PT104FFF.	Trouble concentrate during most affect time after worst event
2988	PT105	Num	8	PT105FFF.	More alert during most affected time after worst event
2989	PT106	Num	8	PT106FFF.	Jumpy during most affected time after worst event
4150	PT107	Num	8		
4140	PT110	Num	8		
4151	PT111	Num	8		
2993	PT113	Num	8	PT113FFF.	Frequency of intense reactions to worst event
2994	PT114	Num	8	PT114FFF.	Amount of distress caused by reactions to worst event
2995	PT115	Num	8	PT115FFF.	Amount worst event reactions disrupt/interfere with daily life
2996	PT118	Num	8	PT118FFF.	Next questions refer RANDOM EVENT
2997	PT119	Num	8		Age at RANDOM EVENT
2999	PT120	Num	8		Age at random event (2)
3000	PT122	Num	8	PT122FFF.	# of R's random event type
3881	PT125	Num	8	PT125FFF.	See anyone killed when refugee
3887	PT126	Num	8	PT126FFF.	Anyone (else) close suddenly die unexpectedly
3890	PT127	Num	8	PT127FFF.	Anyone (else) close seriously harmed or imprisoned
3897	PT128	Num	8	PT128FFF.	Ever suffer greatly from lack of food, water, shelter
3900	PT132	Num	8	PT132FFF.	Number times go on combat patrol or have other danger
3901	PT133	Num	8	PT133FFF.	Number times fire rounds at the enemy
3902	PT134	Num	8	PT134FFF.	Number times see someone get hit by incoming or outgoing rounds
3903	PT135	Num	8	PT135FFF.	Number times in danger of being injured or killed
3904	PT136	Num	8	PT136FFF.	Number times surrounded by the enemy
3905	PT137	Num	8	PT137FFF.	Percentage of personnel in unit killed, wounded or missing in action
3908	PT146	Num	8	PT146FFF.	Driving, a passenger, or a pedestrian (RANDOM EVENT: AUTO ACCIDENT)
3910	PT148	Num	8	PT148FFF.	Anyone killed (RANDOM EVENT: AUTO ACCIDENT)
3913	PT149	Num	8	PT149FFF.	Anyone seriously injured (RANDOM EVENT: AUTO ACCIDENT)
3923	PT156	Num	8	PT156FFF.	See anyone die during random event
3927	PT157	Num	8	PT157FFF.	Anyone else close die during random event
3932	PT158	Num	8	PT158FFF.	Anyone close seriously injured during random event
3937	PT159	Num	8	PT159FFF.	Forced to leave home during random event
3943	PT171	Num	8	PT171FFF.	One-time occurrence or happen repeatedly
3946	PT172	Num	8	PT172FFF.	Anything could have done to prevent event happening
3947	PT173	Num	8	PT173FFF.	Unexpected death of loved one - relationship to R
3948	PT174	Num	8	PT174FFF.	Unexpected death of loved one - how did person die
3952	PT175	Num	8	PT175FFF.	Unexpected death of loved one - age of person at time of death

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
3953	PT176	Num	8	PT176FFF.	Unexpected death of loved one - anything could have done
3001	PT207	Num	8	PT207FFF.	During random event-felt terrified/very frightened
3007	PT208	Num	8	PT208FFF.	Tried not to think about random event wks/mths/yrs after
3008	PT209	Num	8	PT209FFF.	Purposely avoid reminders of random event
3009	PT210	Num	8	PT210FFF.	Unable to remember details of random event
3010	PT211	Num	8	PT211FFF.	Lost interest in things previously enjoyed after random event
3011	PT212	Num	8	PT212FFF.	Felt emotionally distant from others after random event
3012	PT213	Num	8	PT213FFF.	Trouble feeling normal feelings for others after random event
3013	PT214	Num	8	PT214FFF.	No future plan after random event
4153	PT215	Num	8		
4154	PT216	Num	8		
4190	PT217	Num	8		
4141	PT218	Num	8		
3018	PT219	Num	8	PT219FFF.	Freq most intense reactions occurred
3019	PT220	Num	8	PT220FFF.	Severity of distress reactions caused you
3020	PT221	Num	8	PT221FFF.	Extent to which reactions interfered with daily life
3021	PT222	Num	8	PT222FFF.	Had repeated unwanted memories of random event
3022	PT223	Num	8	PT223FFF.	Had repeated unpleasant dreams about random event
3023	PT224	Num	8	PT224FFF.	Had flashbacks of random event
3024	PT225	Num	8	PT225FFF.	Upset when reminded of random event
3025	PT226	Num	8	PT226FFF.	Had physial reaction when reminded of random event
4155	PT227	Num	8		
4191	PT228	Num	8		
4142	PT229	Num	8		
3030	PT230	Num	8	PT230FFF.	Frequency GRP2 most intense reactions occurred
3031	PT231	Num	8	PT231FFF.	Distress reactions to random event caused you
3032	PT232	Num	8	PT232FFF.	Extent to which reactions interfered with daily life
3033	PT233	Num	8	PT233FFF.	Trouble sleeping during most affected time after random event
3034	PT234	Num	8	PT234FFF.	More irritable during most affected time after random event
3035	PT235	Num	8	PT235FFF.	Trouble concentrate during most affected time after rand evnt
3036	PT236	Num	8	PT236FFF.	More alert/watchful during most affected time after rand evnt
3037	PT237	Num	8	PT237FFF.	Jumpy during most affected time after random event
4156	PT238	Num	8		
4192	PT239	Num	8		
4143	PT240	Num	8		
3042	PT241	Num	8	PT241FFF.	Frequency of intense reaction times after random event

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
3043	PT242	Num	8	PT242FFF.	Severity of distress reactions caused you
3044	PT243	Num	8	PT243FFF.	Extent to which reactions interfered with daily life
4157	PT244	Num	8		
3045	PT246	Num	8	PT246FFF.	Ever talk professional about reaction RAND EVENT
3047	PT256	Num	8	PT256FFF.	Received helpful/effective treatment for reactions
3051	PT261	Num	8	PT261FFF.	3 or more reactions assoc w/ trauma in past 12 mths
3052	PT262	Num	8	PT262FFF.	Last time had any reactions
3053	PT263	Num	8		# weeks past year have any reactions
3054	PT267	Num	8	PT267FFF.	1 event caused most upsetting reaction in past 12 mths
3055	PT268	Num	8	PT268FFF.	Event that caused most upsetting reaction in past 12 mths
3056	PT269	Num	8	PT269FFF.	Worst month past year- lose interest in enjoyable things
3057	PT270	Num	8	PT270FFF.	Worst month past year-felt emotionally distant
3058	PT271	Num	8	PT271FFF.	Worst month in past year-trouble feeling love/happy/warmth
3059	PT272	Num	8	PT272FFF.	Worst mth past yr-no future plans
3060	PT273	Num	8	PT273FFF.	Worst month past year-trouble sleeping
3061	PT274	Num	8	PT274FFF.	Worst month past year-felt more jumpy
3062	PT275	Num	8	PT275FFF.	Worst month past year-avoid reminders of event
3067	PT280	Num	8		# days past year unable to work/normal acts due to PTSD
3068	PT281	Num	8	PT281FFF.	Received prof treatment for PTSD in past 12 mths
4106	PT1311	Num	8	PT1311FF.	Affiliation dur combat - mention 1
4108	PT1701	Num	8	PT1701FF.	Who did this to you - mention 1
4107	PT16101	Num	8	PT16101F.	Kind nat disaster - mention 1
3086	PT26501	Num	8	PT26501F.	Trauma event caused recent reaction-1st mention
3087	PT26502	Num	8	PT26502F.	Trauma event caused recent reaction-2nd mention
3088	PT26503	Num	8	PT26503F.	Trauma event caused recent reaction-3rd mention
3089	PT26504	Num	8	PT26504F.	Trauma event caused recent reaction-4th mention
3090	PT26505	Num	8	PT26505F.	Trauma event caused recent reaction-5th mention
3091	PT26506	Num	8	PT26506F.	Trauma event caused recent reaction-6th mention
3092	PT26507	Num	8	PT26507F.	Trauma event caused recent reaction-7th mention
3093	PT26508	Num	8	PT26508F.	Trauma event caused recent reaction-8th mention
3094	PT26509	Num	8	PT26509F.	Trauma event caused recent reaction-9th mention
3095	PT26510	Num	8	PT26510F.	Trauma event caused recent reaction-10 mention
3096	PT26511	Num	8	PT26511F.	Trauma event caused recent reaction-11 mention
3097	PT26512	Num	8	PT26512F.	Trauma event caused recent reaction-12 mention
3098	PT26513	Num	8	PT26513F.	Trauma event caused recent reaction-13 mention
3099	PT26514	Num	8	PT26514F.	Trauma event caused recent reaction-14 mention

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
3100	PT26515	Num	8	PT26515F.	Trauma event caused recent reaction-15 mention
3101	PT26516	Num	8	PT26516F.	Trauma event caused recent reaction-16 mention
2990	PT110A	Num	8		Duration continued reactions to worst event
2991	PT110B	Num	8	PT110B.	Unit time continued reactions to worst event
2992	PT110C	Num	8	PT110C.	Reactions to worst event continued over 1 month
4200	PT110y	Num	8		
2998	PT119A	Num	8	PT119A.	Correct age at random event
3879	PT119A_1	Num	8	PT119A_F.	Would you give me your correct age?
3654	PT120A	Num	8	PT120A.	Correct age at random event
3880	PT120A_1	Num	8	PT120A_F.	Would you give me your correct age?
3069	PT121A01	Num	8	PT121A0F.	RAND/OTH EVNT link:1st mention
3070	PT121A02	Num	8	PT121A1F.	RAND/OTH EVNT link:2nd mention
3071	PT121A03	Num	8	PT121A2F.	RAND/OTH EVNT link:3rd mention
3072	PT121A04	Num	8	PT121A3F.	RAND/OTH EVNT link:4th mention
3073	PT121A05	Num	8	PT121A4F.	RAND/OTH EVNT link:5th mention
3074	PT121A06	Num	8	PT121A5F.	RAND/OTH EVNT link:6th mention
3075	PT121A07	Num	8	PT121A6F.	RAND/OTH EVNT link:7th mention
3076	PT121A08	Num	8	PT121A7F.	RAND/OTH EVNT link:8th mention
3077	PT121A09	Num	8	PT121A8F.	RAND/OTH EVNT link:9th mention
3078	PT121A10	Num	8	PT121A9F.	RAND/OTH EVNT link:10th mention
3079	PT121A11	Num	8	PT12110F.	RAND/OTH EVNT link:11th mention
3080	PT121A12	Num	8	PT12111F.	RAND/OTH EVNT link:12th mention
3081	PT121A13	Num	8	PT12112F.	RAND/OTH EVNT link:13th mention
3082	PT121A14	Num	8	PT12113F.	RAND/OTH EVNT link:14th mention
3083	PT121A15	Num	8	PT12114F.	RAND/OTH EVNT link:15th mention
3084	PT121A16	Num	8	PT12115F.	RAND/OTH EVNT link:16th mention
3085	PT121A17	Num	8	PT12116F.	RAND/OTH EVNT link:17th mention
3883	PT125A6	Num	8	PT125A6F.	Number friends see die when refugee
3884	PT125A7	Num	8	PT125A7F.	Number acquaintances see die when refugee
3885	PT125A8	Num	8	PT125A8F.	Number strangers see die when refugee
3882	PT125A_S_1	Num	8	PT125A_F.	Who see die when refugee - first mention
3886	PT125A_S_2	Num	8	PT125A0F.	Who see die when refugee - second mention
3889	PT126A6	Num	8	PT126A6F.	Number friends died unexpectedly
3888	PT126A_S_1	Num	8	PT126A_F.	Who close suddenly died unexpectedly
3892	PT127A7	Num	8	PT127A7F.	Number friends seriously harmed
3893	PT127A8	Num	8	PT127A8F.	Number acquaintances seriously harmed

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
3891	PT127A_S_1	Num	8	PT127A_F.	Who close suddenly seriously harmed - first mention
3894	PT127A_S_2	Num	8	PT127A0F.	Who close suddenly seriously harmed - second mention
3895	PT127A_S_3	Num	8	PT127A1F.	Who close suddenly seriously harmed - third mention
3896	PT127A_S_4	Num	8	PT127A2F.	Who close suddenly seriously harmed - fourth mention
4100	PT129A	Num	8	PT129A.	Country of traumatic event/random event
3898	PT129A1	Num	8	PT129A1F.	Did R offer another mention?
3899	PT131_S_1	Num	8	PT131_SF.	Affiliation during combat experience
3906	PT138A	Num	8	PT138A.	Amount of time altogether under enemy fire: number
3907	PT138B	Num	8	PT138B.	Amount of time altogether under enemy fire: unit of time
3909	PT147_S_1	Num	8	PT147_SF.	Whose fault was the accident (RANDOM EVENT: AUTO ACCIDENT)
3912	PT148A7	Num	8	PT148A7F.	Acquaintances killed (RANDOM EVENT: AUTO ACCIDENT)
3911	PT148A_S_1	Num	8	PT148A_F.	Who killed (RANDOM EVENT: AUTO ACCIDENT)
3915	PT149A3	Num	8	PT149A3F.	Number parents seriously injured (RANDOM EVENT: AUTO ACCIDENT)
3916	PT149A4	Num	8	PT149A4F.	Number children seriously injured (RANDOM EVENT: AUTO ACCIDENT)
3917	PT149A5	Num	8	PT149A5F.	Number siblings seriously injured (RANDOM EVENT: AUTO ACCIDENT)
3918	PT149A6	Num	8	PT149A6F.	Number other relatives seriously injured (RANDOM EVENT: AUTO ACCIDENT)
3919	PT149A7	Num	8	PT149A7F.	Number friends seriously injured (RANDOM EVENT: AUTO ACCIDENT)
3920	PT149A8	Num	8	PT149A8F.	Number acquaintances seriously injured (RANDOM EVENT: AUTO ACCIDENT)
3914	PT149A_S_1	Num	8	PT149A_F.	Who seriously injured - first mention (RANDOM EVENT: AUTO ACCIDENT)
3921	PT149A_S_2	Num	8	PT149A0F.	Who seriously injured - second mention (RANDOM EVENT: AUTO ACCIDENT)
3922	PT149A_S_3	Num	8	PT149A1F.	Who seriously injured - third mention (RANDOM EVENT: AUTO ACCIDENT)
3925	PT156A6	Num	8	PT156A6F.	Number of friends died during random event
3926	PT156A8	Num	8	PT156A8F.	Number of strangers died during random event
3924	PT156A_S_1	Num	8	PT156A_F.	Who died during random event - first mention
3929	PT157A6	Num	8	PT157A6F.	Number of friends died during random event
3928	PT157A_S_1	Num	8	PT157A_F.	Who else died during random event
3930	PT157A_S_2	Num	8	PT157A0F.	Who else died during random event
3931	PT157A_S_3	Num	8	PT157A1F.	Who else died during random event
3934	PT158A6	Num	8	PT158A6F.	Number other relatives injured during random event
3935	PT158A7	Num	8	PT158A7F.	Number friends injured during random event
3936	PT158A8	Num	8	PT158A8F.	Number acquaintances injured during random event
3933	PT158A_S_1	Num	8	PT158A_F.	Who injured during random event - first mention
3938	PT159A	Num	8	PT159A.	Leave home permanently or temporarily
3939	PT161_S_1	Num	8	PT161_SF.	What kind of natural disaster - first mention
3940	PT170_S_1	Num	8	PT170_SF.	Who did this (RANDOM OCCURRENCE OF RANDOM EVENT)
3941	PT170_S_2	Num	8	PT170_0F.	Who did this (RANDOM OCCURRENCE OF RANDOM EVENT)

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
3942	PT170_S_3	Num	8	PT170_1F.	Who did this (RANDOM OCCURRENCE OF RANDOM EVENT)
3944	PT171A1	Num	8	PT171A1F.	How long continue: number
3945	PT171A2	Num	8	PT171A2F.	How long continue: unit of time
3949	PT174A	Num	8	PT174A.	Unexpected death of loved one - person been ill
3950	PT174B1	Num	8	PT174B1F.	Unexpected death of loved one - how long ill: number
3951	PT174B2	Num	8	PT174B2F.	Unexpected death of loved one - how long ill: unit of time
3002	PT207A	Num	8	PT207A.	During random event-felt helpless
3003	PT207B	Num	8	PT207B.	During random event-shocked/horrified
3004	PT207C	Num	8	PT207C.	During random event-felt numb
3005	PT207_1	Num	8	PT207_1F.	Had emotional problems after random event
3006	PT207_2	Num	8	PT207_2F.	Reactions to random event last 30 days or more
3014	PT217A	Num	8		Time frame reactions began after random event
3015	PT217B	Num	8	PT217B.	Unit time, PT217A
4197	PT217y	Num	8		
3016	PT218A	Num	8		# weeks/years had reactions after random event
3017	PT218B	Num	8	PT218B.	Unit time had reactions after random event, PT218A
3954	PT218C	Num	8	PT218C.	At least once a month
4201	PT218y	Num	8		
3026	PT228A	Num	8		How soon after random event reactions occurred
3027	PT228B	Num	8	PT228B.	Unit time, PT228A
4198	PT228y	Num	8		
3028	PT229A	Num	8		Duration of GRP2 reactions to random event
3029	PT229B	Num	8	PT229B.	Unit time, PT229A
3955	PT229C	Num	8	PT229C.	At least once a month
4202	PT229y	Num	8		
3765	PT22_1	Num	8	PT22_1FF.	Ever witness serious physical fights at home as a child
3038	PT239A	Num	8		How soon after RAND EVENT have reactions
3039	PT239B	Num	8	PT239B.	Unit time, PT239A
4199	PT239y	Num	8		
3040	PT240A	Num	8		Duration continued reactions to random event
3041	PT240B	Num	8	PT240B.	Unit time, PT240A
3956	PT240C	Num	8	PT240C.	At least once a month
4203	PT240y	Num	8		
3046	PT246A	Num	8		Age 1st talk professional about reaction
3048	PT256A	Num	8		Age 1st received helpful/effective treatment for reactions
3049	PT256B	Num	8		# of profs talked to about reactions incl helpful treatment doc

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
3050	PT256C	Num	8		# professionals ever talked to about reactions
3063	PT278A	Num	8		Worst month past year-PTSD interfered with home mgmt
3064	PT278B	Num	8		Worst month past year-PTSD interfered with work
3065	PT278C	Num	8		Worst month past year-PTSD interf w/ form/maint relations
3066	PT278D	Num	8		Worst month past year-PTSD interfered with social life
4146	PT278NUM	Num	8		
3772	PT29A	Num	8	PT29A.	How old when first combat experience
3773	PT29B1	Num	8	PT29B1FF.	How long serve in first combat: number
3774	PT29B2	Num	8	PT29B2FF.	How long serve in first combat: unit of time
3775	PT29C	Num	8	PT29C.	How old when second combat experience
3776	PT29D1	Num	8	PT29D1FF.	How long serve in second combat: number
3777	PT29D2	Num	8	PT29D2FF.	How long serve in second combat: unit of time
3779	PT30A	Num	8	PT30A.	How old first time peacekeeper
3780	PT30B1	Num	8	PT30B1FF.	How long serve first time peacekeeper: number
3781	PT30B2	Num	8	PT30B2FF.	How long serve first time peacekeeper: unit of time
3782	PT30C	Num	8	PT30C.	How old second time peacekeeper
3783	PT30D1	Num	8	PT30D1FF.	How long serve second time peacekeeper: number
3784	PT30D2	Num	8	PT30D2FF.	How long serve second time peacekeeper: unit of time
3786	PT31A	Num	8	PT31A.	How old first time unarmed civilian
3787	PT31B1	Num	8	PT31B1FF.	How long serve first time unarmed civilian: number
3788	PT31B2	Num	8	PT31B2FF.	How long serve first time unarmed civilian: unit of time
3789	PT31C	Num	8	PT31C.	How old second time unarmed civilian
3790	PT31D1	Num	8	PT31D1FF.	How long serve second time unarmed civilian: number
3791	PT31D2	Num	8	PT31D2FF.	How long serve second time unarmed civilian: unit of time
3793	PT32A	Num	8	PT32A.	How old first time civilian in terror zone
3794	PT32B1	Num	8	PT32B1FF.	How long serve first time civilian in terror zone
3795	PT32B2	Num	8	PT32B2FF.	How long serve first time civilian in terror zone
3796	PT32C	Num	8	PT32C.	How old second time civilian in terror zone
3797	PT32D1	Num	8	PT32D1FF.	How long serve second time civilian in terror zone
3798	PT32D2	Num	8	PT32D2FF.	How long serve second time civilian in terror zone
3800	PT33A	Num	8	PT33A.	How old first time refugee
3801	PT33B1	Num	8	PT33B1FF.	How long serve first time refugee: number
3802	PT33B2	Num	8	PT33B2FF.	How long serve first time refugee: unit of time
3803	PT33C	Num	8	PT33C.	How old second time refugee
3804	PT33D1	Num	8	PT33D1FF.	How long serve second time refugee: number
3805	PT33D2	Num	8	PT33D2FF.	How long serve second time refugee: unit of time

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
3807	PT34A	Num	8	PT34A.	How old first time kidnapped
3808	PT34B1	Num	8	PT34B1FF.	How long held captive first time: number
3809	PT34B2	Num	8	PT34B2FF.	How long held captive first time: unit of time
3810	PT34C	Num	8	PT34C.	How old second time kidnapped
3811	PT34D1	Num	8	PT34D1FF.	How long held captive second time: number
3812	PT34D2	Num	8	PT34D2FF.	How long held captive second time: unit of time
3814	PT35A	Num	8	PT35A.	How old first time exposed
3815	PT35B	Num	8	PT35B.	How many times exposed in lifetime
3817	PT36A	Num	8	PT36A.	How old first time auto accident
3818	PT36B	Num	8	PT36B.	How many times auto accident in lifetime
3820	PT37A	Num	8	PT37A.	How old first time in life-threatening accident
3821	PT37B	Num	8	PT37B.	How many times life-threatening accident in lifetime
3823	PT38A	Num	8	PT38A.	How old first time in major natural disaster
3824	PT38B	Num	8	PT38B.	How many times major natural disaster in lifetime
3826	PT39A	Num	8	PT39A.	How old first time in man-made disaster
3827	PT39B	Num	8	PT39B.	How many times man-made disaster in lifetime
3829	PT40A	Num	8	PT40A.	How old first time have life-threatening illness
3830	PT40B	Num	8	PT40B.	How many times life-threatening illness in lifetime
3832	PT41A	Num	8	PT41A.	How old first time beaten by parents
3833	PT41B	Num	8	PT41B.	How many times beaten by parents in lifetime
3835	PT42A	Num	8	PT42A.	How old first time beaten by spouse/partner
3836	PT42B	Num	8	PT42B.	How many times beaten by spouse/partner
3838	PT43A	Num	8	PT43A.	How old first time beaten by someone else
3839	PT43B	Num	8	PT43B.	How many times beaten by someone else in lifetime
3841	PT44A	Num	8	PT44A.	How old first time mugged
3842	PT44B	Num	8	PT44B.	How many times mugged in lifetime
3844	PT45A	Num	8	PT45A.	How old first time raped
3845	PT45B	Num	8	PT45B.	How many times raped in lifetime
3847	PT46A	Num	8	PT46A.	How old first time sexually assaulted
3848	PT46B	Num	8	PT46B.	How many times sexually assaulted in lifetime
3850	PT47A	Num	8	PT47A.	How old first time stalked
3851	PT47B	Num	8	PT47B.	How many times stalked in lifetime
3853	PT48A	Num	8	PT48A.	How old first time someone close die unexpectedly
3854	PT48B	Num	8	PT48B.	How many times someone close die unexpectedly
3856	PT49A	Num	8	PT49A.	How old first time child had life-threatening illness
3857	PT49B	Num	8	PT49B.	How many times child had life-threatening illness

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
3859	PT50A	Num	8	PT50A.	How old first time someone close have traumatic experience
3860	PT50B	Num	8	PT50B.	How many times someone close have traumatic experience
3861	PT50_1	Num	8	PT50_1FF.	Ever witness serious physical fights at home as a child
3862	PT50_1A	Num	8	PT50_1A.	How old first time witness physical fights at home
3863	PT50_1B	Num	8	PT50_1B.	How many times witness physical fights at home
3865	PT51A	Num	8	PT51A.	How old first time see someone badly injured
3866	PT51B	Num	8	PT51B.	How many times see someone badly injured
3868	PT52A	Num	8	PT52A.	How old first time do something to acc injure/cause death of another
3869	PT52B	Num	8	PT52B.	How many times do something to accidentally injure/cause death of another
3871	PT53A	Num	8	PT53A.	How old first time purposefully injure someone
3872	PT53B	Num	8	PT53B.	How many times purposefully injure someone in life
3874	PT54A	Num	8	PT54A.	How old first time see atrocities
3875	PT54B	Num	8	PT54B.	How many times see atrocities in lifetime
3877	PT55B	Num	8	PT55B.	One-time event or on-going
3651	PT55C	Num	8		Age when event, PT55 happened
3652	PT55D1	Num	8		Duration situation, PT55
3653	PT55D2	Num	8	PT55D2FF.	Unit time PT55D1
2955	PT57A1	Num	8		Age at most upsetting traumatic event not reported
2956	PT57A2	Num	8		Duration of traumatic event not reported
2957	PT57A3	Num	8	PT57A3FF.	Unit time traumatic event not reported
2958	PT58A	Num	8		TOTAL EVENT TYPE RECORDED
2959	PT58B	Num	8	PT58B.	RANDOMLY ASSIGNED EVENT TYPE
2960	PT58C	Num	8		TOTAL # RANDOM EVENT OCCURED
2961	PT58D	Num	8	PT58D.	(RANDOM) OCCURRENCE OF RANDOM EVENT
4099	PT59A	Num	8	PT59A.	Select random occurrence from events reported
3502	PT59B	Num	8		Age RANDOM EVENT
2962	PT59B_5	Num	8		Age at time of random event
4196	PT59by	Num	8		
2966	PT62_1	Num	8	PT62_1FF.	Post-traumatic stress for 30+ days after worst traumatic exp
2963	PT62_INTRO2	Num	8	PT62_INF.	Post-traumatic stress following traumatic experiences
2964	PT62_INTRO3	Num	8	PT62_I0F.	Post-traumatic stress-2-3 traumatic exp
2965	PT62_INTRO4	Num	8	PT62_I1F.	Post-traumatic stress-3+ traumatic exp
2968	PT64A	Num	8		Age at worst event
2970	PT67A	Num	8	PT67A.	During worst event- felt helpless
2971	PT67B	Num	8	PT67B.	During worst event-felt shock or horrified
2972	PT67C	Num	8	PT67C.	During worst event-felt numb

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
3328	PTS_OND	Num	8	PTS_OND.	DSM-IV Posttraumatic Stress Disorder Onset
3330	PTS_ONI	Num	8	PTS_ONI.	ICD Posttraumatic Stress Disorder Onset
3329	PTS_RECD	Num	8	PTS_RECD.	DSM-IV Posttraumatic Stress Disorder Recency
3331	PTS_RECI	Num	8	PTS_RECI.	ICD Posttraumatic Stress Disorder Recency
3587	RANCEST	Num	8	RANCEST.	Race/Ancestry
4113	RBLK	Num	8		
3338	REGION	Num	8	REGION.	Region of country
4112	RHISP	Num	8		
4114	ROTH	Num	8		
2558	SA4	Num	8	SA4FFFF.	Sev sep anx as youth-frequency of separation anxiety
2559	SA5	Num	8	SA5FFFF.	Sev sep anx as youth-severity of emotional distress
2560	SA6	Num	8	SA6FFFF.	Sev sep anx as youth-nothing could cheer/calm due to sep anx
2561	SA7	Num	8	SA7FFFF.	Extent sep anx interfered w/ school/work/social/relations
2563	SA8	Num	8	SA8FFFF.	Remember exact age of 1st sep anx of 1+ mths from person
2569	SA9	Num	8		# of different years had separation anxiety 1+ mths
2584	SA14	Num	8	SA14FFFF.	Sev sep anx for 1+ mth-freq of separation anxiety
2585	SA15	Num	8	SA15FFFF.	Sev sep anx for 1+ mth-severity of emotions
2586	SA16	Num	8	SA16FFFF.	Sev sep anx for 1+ mth-nothing could cheer/calm you
2587	SA17	Num	8	SA17FFFF.	Sev sep anx for 1+ mth-interf with life/work/social/relations
2588	SA18	Num	8	SA18FFFF.	How often sep anx so severe couldn't do daily acts
2589	SA19	Num	8	SA19FFFF.	Remember age of very 1st fam/part/friend sep anx for 1+ mths
2595	SA20	Num	8	SA20FFFF.	Concerns about sep from person for 1+ mths in past year
2599	SA21	Num	8		# years had separation anxiety for 1+ mths
2600	SA23	Num	8		Longest continuous # years had separation anxiety 1+ mths
2605	SA27	Num	8		# days in past yr unable to work due to separation anx
2606	SA43	Num	8	SA43FFFF.	Talked to prof about separation anxiety
2608	SA44	Num	8	SA44FFFF.	Received helpful/effective treatment for sep anxiety
2612	SA46	Num	8	SA46FFFF.	Receive prof trmt for sep anx in past 12 mths
2613	SA47	Num	8	SA47FFFF.	Hospitalized overnight for separation anxiety
2570	SA11A	Num	8	SA11A.	Sad/worried/upset when apart from person
2571	SA11B	Num	8	SA11B.	Away from person could not care about anything else
2572	SA11C	Num	8	SA11C.	Worry something bad happen you when separated
2573	SA11D	Num	8	SA11D.	Worry something happen make person leave you
2574	SA11E	Num	8	SA11E.	Something bad happen to you separate you from person
2575	SA11F	Num	8	SA11F.	Something happen prevent you from seeing person again
2576	SA11G	Num	8	SA11G.	Stay home or not go other places stay near person

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
2577	SA11H	Num	8	SA11H.	Going places without person bother you, refuse to go
2578	SA11I	Num	8	SA11I.	Plead with person stay with you or take you along
2579	SA11J	Num	8	SA11J.	Worry that person thought you were too dependent
2580	SA11K	Num	8	SA11K.	Have physical symptoms when apart from person
2581	SA11L	Num	8	SA11L.	Could not sleep at night unless they were near you
2582	SA11M	Num	8	SA11M.	Did you refuse to sleep away from this person
2583	SA11N	Num	8	SA11N.	Repeated nightmares about person harmed/separated from
2590	SA19A	Num	8		Age of very 1st fam/part/friend separation anxiety
2591	SA19B	Num	8		Estimate age of 1st fam/part/friend separation anxiety-comp
2592	SA19B1	Num	8		Estimate age 1st fam/part/friend separation anxiety
2593	SA19B2	Num	8	SA19B2FF.	1st fam/part/friend separation anxiety before school
2594	SA19B3	Num	8	SA19B3FF.	1st fam/part/friend separation anxiety before teen
2547	SA1A	Num	8	SA1A.	Sep anxiety after 5-sad apart from person
2548	SA1B	Num	8	SA1B.	Sep anxiety after 5-fear person in accident
2549	SA1C	Num	8	SA1C.	Sep anxiety after 5-worry something bad would happen to you
2550	SA1D	Num	8	SA1D.	Sep anxiety after 5-happening keep you from seeing person
2551	SA1E	Num	8	SA1E.	Sep anxiety after 5-often want to stay home with person
2552	SA1F	Num	8	SA1F.	Sep anxiety after 5-refuse to go places without person
2553	SA1G	Num	8	SA1G.	Sep anxiety after 5-plead to stay w/ person
2554	SA1H	Num	8	SA1H.	Sep anxiety after 5-ill when apart from person
2555	SA1I	Num	8	SA1I.	Sep anxiety after 5-sleep only if near person for 1+ mths
2556	SA1J	Num	8	SA1J.	Sep anxiety after 5-refuse sleep away from home
2557	SA1K	Num	8	SA1K.	Sep anxiety after 5-dream person harmed
2596	SA20A	Num	8	SA20A.	Recently had concerns about sep from person 1+ mths
2597	SA20B	Num	8		# weeks in past year had separation anxiety
2598	SA20C	Num	8		Age last had separation anxiety for 1+ mths
2601	SA25A	Num	8		Sev sep anx past yr-interf with home mgmt
2602	SA25B	Num	8		Sev sep anx past yr-interfere w/ ability to work
2603	SA25C	Num	8		Sev sep anx past yr-interf w/ ability to form/maint relations
2604	SA25D	Num	8		Sev sep anx past yr-interfere w/ social life
2607	SA43A	Num	8		Age 1st talked to prof for separation anxiety
2609	SA44A	Num	8		Age 1st received helpful/effective treatment for sep anx
2610	SA44B	Num	8		# prof talked to for sep anx incl helpful trmt doc
2611	SA44C	Num	8		# professional ever talk about Separation Anxiet
2614	SA47A	Num	8		Age 1st hospitalized overnight for separation anxiety
4064	SA47B	Num	8	SA47B.	How many separate times hospitalized for separation anxiety

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
2562	SA7A	Num	8	SA7A.	Freq emot distress so severe couldn't do daily activities
2564	SA8A	Num	8		Age of 1st specific sep anx of 1+ mths
2565	SA8B	Num	8		Estimate age of 1st specific sep anx of 1+ mths-com
2566	SA8B1	Num	8		Estimate age of 1st sep anx of 1+ mths
2567	SA8B2	Num	8	SA8B2FFF.	1st specific separation anxiety before school
2568	SA8B3	Num	8	SA8B3FFF.	1st specific separation anxiety before teen
3286	SAD_OND	Num	8	SAD_OND.	DSM-IV Separation Anxiety Disorder Onset
3320	SAD_ONI	Num	8	SAD_ONI.	ICD Separation Anxiety Disorder Onset
3287	SAD_RECD	Num	8	SAD_RECD.	DSM-IV Separation Anxiety Disorder Recency
3321	SAD_RECI	Num	8	SAD_RECI.	ICD Separation Anxiety Disorder Recency
4206	SC1	Num	8		
3715	SC2	Num	8	SC2FFFFFF.	How long lived at current address: unit
3720	SC3	Num	8	SC3FFFFFF.	Marital status
6	SC7	Num	8	SC7FFFFFF.	Smoker
91	SC19	Num	8	SC19FFFF.	Willing careful response for following questions
92	SC20	Num	8	SC20FFFF.	Fear or panic attack leaving frightened/anxious/uneasy
97	SC21	Num	8	SC21FFFF.	Sad/empty/depressed for several day period
98	SC22	Num	8	SC22FFFF.	Discouraged about life for several day period
99	SC23	Num	8	SC23FFFF.	Lost interest in enjoyable things for several day period
100	SC24	Num	8	SC24FFFF.	Energetic/restless/talkative/unusual behavior period
101	SC25	Num	8	SC25FFFF.	Irritable/grumpy/bad mood for several day period
103	SC26	Num	8	SC26FFFF.	Worried more than others about same problems
119	SC29	Num	8	SC29FFFF.	Extremely afraid or shy in social situations
124	SC30	Num	8	SC30FFFF.	Afraid of crowds/public places/traveling
128	SC31	Num	8	SC31FFFF.	6-10 more troub than most with concentration for 6+ mths
129	SC32	Num	8	SC32FFFF.	Restless led to interrupt/troub wait turn 6+ mths in chldhd
130	SC33	Num	8	SC33FFFF.	Freq in trouble with adults for 6+ mths in chldhd or adol
134	SC34	Num	8	SC34FFFF.	Separation anxiety for 1+ mth as child
135	SC35	Num	8	SC35FFFF.	Ever separation prob gt 1mo when adult
29	SC10_2	Num	8	SC10_2FF.	Require help w/ personal care needs
30	SC10_3	Num	8	SC10_3FF.	Require help w/ routine needs
3736	SC10_6	Num	8	SC10_6FF.	Strangers on the street consider R disabled
90	SC10_14	Num	8		# describes amt health probs limit activities in past 3 mths
87	SC10_12A	Num	8		How long activities limited because condition/problem
88	SC10_12B	Num	8	SC10_12B.	Unit of time activities limited
89	SC10_12C	Num	8	SC10_12C.	Activities limited longer than 3 months

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
22	SC10_1A	Num	8	SC10_1A.	Difficulty in learn/remember/concentrate due to condition
23	SC10_1B	Num	8	SC10_1B.	Difficulty getting along with others due to condition
24	SC10_1C	Num	8	SC10_1C.	Difficulty dress/bathe/getting around house due to cond
25	SC10_1D	Num	8	SC10_1D.	Difficulty leave home alone/go doctor due to condition
26	SC10_1E	Num	8	SC10_1E.	Difficulty working at job/business due to condition
27	SC10_1F	Num	8	SC10_1F.	Difficulty participating in school/housework/daily activities
28	SC10_1H	Num	8	SC10_1H.	Limited in past 3 months due to health problem
3722	SC10_4A	Num	8	SC10_4A.	Blindness-deafness-serious speech problem
3723	SC10_4B	Num	8	SC10_4B.	Hearing problem even with hearing aid
3724	SC10_4C	Num	8	SC10_4C.	Vision problem even with glasses or contacts
31	SC10_4D	Num	8	SC10_4D.	Have learning disability
32	SC10_4E	Num	8	SC10_4E.	Have physical disability
33	SC10_4F	Num	8	SC10_4F.	Have cond that substantially limits physical activity
34	SC10_4G	Num	8	SC10_4G.	Have emotional/mental disability
3725	SC10_5A1	Num	8	SC10_5AF.	Respondent blind
3726	SC10_5A2	Num	8	SC10_50F.	Respondent deaf
3727	SC10_5A3	Num	8	SC10_51F.	Respondent speech impaired
3728	SC10_5A4	Num	8	SC10_52F.	Respondent hearing impaired
3729	SC10_5A5	Num	8	SC10_53F.	Respondent vision impaired
35	SC10_5C1	Num	8	SC10_5CF.	Learning disability:1st mention
36	SC10_5C2	Num	8	SC10_50F.	Learning disability:2nd mention
37	SC10_5E1	Num	8	SC10_5EF.	Other physical disability:1st mention
38	SC10_5E2	Num	8	SC10_51F.	Other physical disability:2nd mention
39	SC10_5E3	Num	8	SC10_52F.	Other physical disability:3rd mention
40	SC10_5E4	Num	8	SC10_53F.	Other physical disability:4th mention
41	SC10_5E5	Num	8	SC10_54F.	Other physical disability:5th mention
42	SC10_5E11	Num	8	SC10_55F.	Learning disability:1st mention
3523	SC10_5E201	Num	8	SC10_29F.	Physical illness:1st mention
3524	SC10_5E202	Num	8	SC10_30F.	Physical illness:2nd mention
3525	SC10_5E203	Num	8	SC10_31F.	Physical illness:3rd mention
3526	SC10_5E204	Num	8	SC10_32F.	Physical illness:4th mention
3527	SC10_5E205	Num	8	SC10_33F.	Physical illness:5th mention
3528	SC10_5E206	Num	8	SC10_34F.	Physical illness:6th mention
3529	SC10_5E207	Num	8	SC10_35F.	Physical illness:7th mention
3530	SC10_5E208	Num	8	SC10_36F.	Physical illness:8th mention
43	SC10_5E301	Num	8	SC10_56F.	Mental illness:1st mention

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
44	SC10_5E302	Num	8	SC10_57F.	Mental illness:2nd mention
45	SC10_5E303	Num	8	SC10_58F.	Mental illness:3rd mention
46	SC10_5E304	Num	8	SC10_59F.	Mental illness:4th mention
47	SC10_5E305	Num	8	SC10_10F.	Mental illness:5th mention
48	SC10_5E306	Num	8	SC10_11F.	Mental illness:6th mention
49	SC10_5E307	Num	8	SC10_12F.	Mental illness:7th mention
3592	SC10_5EB01	Num	8	SC10_46F.	Physical Handicap: Recoded to Number of Mentions
4101	SC10_5EB_S_1	Num	8	SC10_58F.	Physical handicap - mention 1
3730	SC10_5EB_S_2	Num	8	SC10_5EF.	Physical handicap - mention 2
3731	SC10_5EB_S_3	Num	8	SC10_54F.	Physical handicap - mention 3
3732	SC10_5EB_S_4	Num	8	SC10_55F.	Physical handicap - mention 4
3733	SC10_5G_S_1	Num	8	SC10_5GF.	Physical handicap - mention 1
3734	SC10_5G_S_2	Num	8	SC10_56F.	Physical handicap - mention 2
3735	SC10_5G_S_3	Num	8	SC10_57F.	Physical handicap - mention 3
50	SC10_5I01	Num	8	SC10_5IF.	Mentioned mental or emotion disability:1st mention
51	SC10_5I02	Num	8	SC10_13F.	Mentioned mental or emotion disability:2nd mention
52	SC10_5I03	Num	8	SC10_14F.	Mentioned mental or emotion disability:3rd mention
53	SC10_5I04	Num	8	SC10_15F.	Mentioned mental or emotion disability:4th mention
54	SC10_5I05	Num	8	SC10_16F.	Mentioned mental or emotion disability:5th mention
55	SC10_5I06	Num	8	SC10_17F.	Mentioned mental or emotion disability:6th mention
56	SC10_5I07	Num	8	SC10_18F.	Mentioned mental or emotion disability:7th mention
57	SC10_5I08	Num	8	SC10_19F.	Mentioned mental or emotion disability:8th mention
58	SC10_5I09	Num	8	SC10_20F.	Mentioned mental or emotion disability:9th mention
59	SC10_5I10	Num	8	SC10_21F.	Mentioned mental or emotion disability:10th mention
60	SC10_5I11	Num	8	SC10_22F.	Mentioned mental or emotion disability:11th mention
3737	SC10_6A	Num	8	SC10_6A.	People who know R consider R disabled
3520	SC10_7A01	Num	8	SC10_72F.	Physical handicap:1st mention
3531	SC10_7A201	Num	8	SC10_73F.	Physical illness:1st mention
3532	SC10_7A202	Num	8	SC10_74F.	Physical illness:2nd mention
62	SC10_7A301	Num	8	SC10_70F.	Mental illness:1st mention
63	SC10_7A302	Num	8	SC10_71F.	Mental illness:2nd mention
61	SC10_7AA1	Num	8	SC10_7AF.	What disability would they think you have:1st mention
64	SC10_8B	Num	8		How long had these difficulties mentioned
65	SC10_8B1	Num	8	SC10_8BF.	Difficulties unit of time, SC10.8B
66	SC10_8B2	Num	8	SC10_80F.	Had difficulties longer than 3 months
67	SC10_8C	Num	8		How long limited activity due to difficulties in 3 mths

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
68	SC10_8C1	Num	8	SC10_8CF.	Limited activity unit of time
69	SC10_8D	Num	8		How long assisted care for personal/routine needs
70	SC10_8D1	Num	8	SC10_8DF.	Assisted care unit time, SC10.8D
71	SC10_8D2	Num	8	SC10_81F.	Has assisted care longer than 3 months
3521	SC10_8F01	Num	8	SC10_27F.	Physical handicap:1st mention
74	SC10_8F21	Num	8	SC10_83F.	Learning disability:1st mention
3533	SC10_8F201	Num	8	SC10_37F.	Physical illness:1st mention
3534	SC10_8F202	Num	8	SC10_38F.	Physical illness:2nd mention
3535	SC10_8F203	Num	8	SC10_39F.	Physical illness:3rd mention
3536	SC10_8F204	Num	8	SC10_40F.	Physical illness:4th mention
3537	SC10_8F205	Num	8	SC10_41F.	Physical illness:5th mention
75	SC10_8F301	Num	8	SC10_84F.	Mental illness:1st mention
76	SC10_8F302	Num	8	SC10_85F.	Mental illness:2nd mention
77	SC10_8F303	Num	8	SC10_86F.	Mental illness:3rd mention
78	SC10_8F304	Num	8	SC10_87F.	Mental illness:4th mention
79	SC10_8F305	Num	8	SC10_88F.	Mental illness:5th mention
80	SC10_8F306	Num	8	SC10_89F.	Mental illness:6th mention
81	SC10_8F307	Num	8	SC10_23F.	Mental illness:7th mention
72	SC10_8FF1	Num	8	SC10_8FF.	What phys or emo cond causes difficulty:1st mention
73	SC10_8FF2	Num	8	SC10_82F.	What phys or emo cond causes difficulty:2nd mention
3522	SC10_8G01	Num	8	SC10_28F.	Physical handicap:1st mention
3538	SC10_8G201	Num	8	SC10_42F.	Physical illness:1st mention
3539	SC10_8G202	Num	8	SC10_43F.	Physical illness:2nd mention
3540	SC10_8G203	Num	8	SC10_44F.	Physical illness:3rd mention
3541	SC10_8G204	Num	8	SC10_45F.	Physical illness:4th mention
84	SC10_8G301	Num	8	SC10_25F.	Mental illness:1st mention
85	SC10_8G302	Num	8	SC10_26F.	Mental illness:2nd mention
82	SC10_8GG1	Num	8	SC10_8GF.	Disability causes limitations past 3 mths:1st mention
83	SC10_8GG2	Num	8	SC10_24F.	Disability causes limitations past 3 mths:2nd mention
86	SC10_8HH1	Num	8	SC10_8HF.	Disab causes assist care for pers/rout needs:1st mention
93	SC20A	Num	8	SC20A.	Attack leads to phys symptoms/loss control/dire outcome
94	SC20_1	Num	8	SC20_1FF.	Anger attack leading to breaking item of some value
95	SC20_2	Num	8	SC20_2FF.	Anger attack leading to hitting/attempt hitting person
96	SC20_3	Num	8	SC20_3FF.	Anger attack leading to threat of harm to person
102	SC25A	Num	8	SC25A.	Irritation led to shout/argue/hit for several day period
104	SC26A	Num	8	SC26A.	More nervous/anxious than most with same problems

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
105	SC26B	Num	8	SC26B.	Anxious/worried most days for one month or more
106	SC26_1	Num	8	SC26_1FF.	Family worried about health due to excess smoking
107	SC26_2	Num	8	SC26_2FF.	Family worried or compl about drug/alcohol use
108	SC26_3	Num	8	SC26_3FF.	Alcohol/drug use caused problems/argue with others
109	SC26_4	Num	8	SC26_4FF.	Alcohol/drugs interfered with responsibilities
110	SC27A	Num	8	SC27A.	Strong fear of bugs, snakes, animals
111	SC27B	Num	8	SC27B.	Strong fear of still water/weather events
112	SC27C	Num	8	SC27C.	Strong fear of going to doc or hosp/injections/blood/injury
113	SC27D	Num	8	SC27D.	Strong fear of closed spaces
114	SC27E	Num	8	SC27E.	Strong fear of heights
115	SC27F	Num	8	SC27F.	Strong fear of flying/airplanes
116	SC27_2	Num	8	SC27_2FF.	Upset/nervous when faced specified fear(s)
117	SC27_3	Num	8	SC27_3FF.	Avoid situation(s) due to fear
118	SC27_4	Num	8	SC27_4FF.	Think fear stronger than normal
120	SC29A	Num	8	SC29A.	Afraid/uncomfortable with public speaking
121	SC29_1	Num	8	SC29_1FF.	Very upset/nervous in social sit or in front of group
122	SC29_2	Num	8	SC29_2FF.	Avoid social sit or activity in front of group due to fear
123	SC29_3	Num	8	SC29_3FF.	Think social fear stronger than normal
3716	SC2A	Num	8	SC2A.	How long lived at current address: time period
3717	SC2_1	Num	8	SC2_1FFF.	Years lived in this state
3718	SC2_2	Num	8	SC2_2FFF.	Miles live from place raised
3719	SC2_3	Num	8	SC2_3FFF.	Number of homes since age 18
125	SC30_1	Num	8	SC30_1FF.	Upset/nervous when in crowds/public places/traveling
126	SC30_2	Num	8	SC30_2FF.	Avoid crowds/public places/traveling due to fear
127	SC30_3	Num	8	SC30_3FF.	Think fear stronger than normal
131	SC33_1	Num	8	SC33_1FF.	Lie/steal/break rules as child or teen
132	SC33_2	Num	8	SC33_2FF.	Broke into cars/set fires/destroy prop as child/teen
133	SC33_3	Num	8	SC33_3FF.	Run away/freq hooky/stay out too late as child/teen
3721	SC3A	Num	8	SC3A.	Living in marriage-like relationship
7	SC8_1	Num	8	SC8_1FFF.	Physical health rating
8	SC8_2	Num	8	SC8_2FFF.	Mental health rating
9	SC9A	Num	8	SC9A.	General health status compared to year ago
10	SC9B	Num	8	SC9B.	General health how much better/worse than year ago
11	SC9C	Num	8	SC9C.	Frequency trouble sleeping or staying asleep
12	SC9D	Num	8	SC9D.	Frequency bothered by nervousness, fidgety, tense
13	SC9E	Num	8	SC9E.	Frequency bothered by headaches

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
14	SC9F	Num	8	SC9F.	Frequency of loss of appetite
15	SC9G	Num	8	SC9G.	Freq bothered by upset stomach
16	SC9H	Num	8	SC9H.	Extent health probs put in risk of dying earlier than age grp
21	SC9_1	Num	8		# days past month PH/MH/SU limit daily activities
17	SC9_01	Num	8	SC9_01FF.	Freq of vig activity in summer greater than 15min
18	SC9_02	Num	8	SC9_02FF.	Freq of vig activity in winter greater than 15min
19	SC9_03	Num	8	SC9_03FF.	Freq of mod activity in summer greater than 30min
20	SC9_04	Num	8	SC9_04FF.	Freq of mod activity in winter greater than 30min
911	SD2	Num	8	SD2FFFFFF.	Seriously thought about committing suicide
913	SD3	Num	8	SD3FFFFFF.	Seriously thought about committing suicide in past 12 mths
915	SD4	Num	8	SD4FFFFFF.	Made plan for committing suicide
917	SD5	Num	8	SD5FFFFFF.	Made suicide plan in past 12 mths
919	SD6	Num	8	SD6FFFFFF.	Ever attempted suicide
921	SD8	Num	8		Age 1st time attempted suicide
922	SD9	Num	8	SD9FFFFFF.	Situation during 1st suicide attempt
923	SD10	Num	8	SD10FFFF.	Attempted suicide in past 12 mths
3968	SD11	Num	8	SD11FFFF.	Injury or poisoning - first suicide attempt
3969	SD12	Num	8	SD12FFFF.	Medical attention needed - first suicide attempt
3970	SD13	Num	8	SD13FFFF.	Overnight hospitalization - first suicide attempt
925	SD14	Num	8	SD14FFFF.	Situation during last suicide attempt
926	SD15	Num	8	SD15FFFF.	Seriously thought about committing suicide
928	SD16	Num	8	SD16FFFF.	Seriously thought about committing suicide in past 12 mths
930	SD17	Num	8	SD17FFFF.	Made plan for committing suicide
932	SD18	Num	8	SD18FFFF.	Made suicide plan in last 12 mths
934	SD19	Num	8	SD19FFFF.	Ever attempted suicide
936	SD21	Num	8		Age 1st time attempted suicide
937	SD22	Num	8	SD22FFFF.	Situation during 1st suicide attempt
938	SD23	Num	8	SD23FFFF.	Attempted suicide in past 12 mths
3974	SD24	Num	8	SD24FFFF.	Injury or poisoning - last suicide attempt
3975	SD25	Num	8	SD25FFFF.	Medical attention needed - last suicide attempt
3976	SD26	Num	8	SD26FFFF.	Overnight hospitalization - last suicide attempt
940	SD27	Num	8	SD27FFFF.	Situation during last suicide attempt
3977	SD29	Num	8	SD29FFFF.	Method used - last suicide attempt
924	SD10A	Num	8		Age last time attempted suicide
4109	SD14_201	Num	8	SD14_22F.	What method - mention 1
3971	SD14_2_S_1	Num	8	SD14_2_F.	What method did you use? - mention 1

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
3972	SD14_2_S_2	Num	8	SD14_20F.	What method did you use? - mention 2
3973	SD14_2_S_3	Num	8	SD14_21F.	What method did you use? - mention 3
927	SD15A	Num	8		Age 1st thought of committing suicide
929	SD16A	Num	8		Age last thoughts about committing suicide
931	SD17A	Num	8		Age 1st made suicide plan
933	SD18A	Num	8		Age last made suicide plan
935	SD19A	Num	8	SD19A.	# of times attempted suicide in lifetime
939	SD23A	Num	8		Age last time attempted suicide
912	SD2A	Num	8		Age 1st thought seriously about committing suicide
914	SD3A	Num	8		Age last seriously thought about suicide
916	SD4A	Num	8		Age 1st made suicide plan
918	SD5A	Num	8		Age last made suicide plan
920	SD6A	Num	8		# suicide attempts in lifetime
2084	SE2	Num	8	SE2FFFFFF.	# years school spouse/partner completed: Top/Bot Code
2085	SE5	Num	8	SE5FFFFFF.	Spouse/partner working for pay at present time
3497	SE7	Num	8	SE7FFFFFF.	Kind work spouse/partner did last job: Recoded
3563	SE8	Num	8	SE8FFFFFF.	Kind of place your spouse/partner worked:Rcde
3496	SE9	Num	8	SE9FFFFFF.	Kind work spouse/partner does: Recoded
3562	SE10	Num	8	SE10FFFF.	Kind of place your spouse/partner work: Recode
2088	SE11	Num	8		# hours spouse/partner works for pay in average week
3553	SE401	Num	8	SE401FFF.	Spouse/partner current employ status:1st mention: Recoded
3554	SE402	Num	8	SE402FFF.	Spouse/partner current employ status:2nd mention: Recoded
3555	SE403	Num	8	SE403FFF.	Spouse/partner current employ status:3rd mention: Recoded
2086	SE6A	Num	8		Length of time since spouse/partner worked
2087	SE6B	Num	8	SE6B.	Unit of time since spouse/partner worked, SE6
3666	SECLUSTER	Num	8		SAMPLING ERROR CLUSTER
3665	SESTRAT	Num	8		SAMPLING ERROR STRATUM
3350	SEX	Num	8	SEX.	Sex
4115	SEXF	Num	8		
2227	SN1	Num	8	SN1FFFFFF.	Freq talk on phone/get w/ relatives who don't live w/ you
2228	SN2	Num	8	SN2FFFFFF.	Freq rely on relatives who don't live w/ you for serious prob
2229	SN3	Num	8	SN3FFFFFF.	Freq can rely on relatives who don't live w/ you to disc worries
2230	SN4	Num	8	SN4FFFFFF.	How often relatives make too many demands on you
2231	SN5	Num	8	SN5FFFFFF.	How often your relatives argue with you
2232	SN6	Num	8	SN6FFFFFF.	How often talk on phone or get together with friends
2233	SN7	Num	8	SN7FFFFFF.	How much can rely on friends when have serious problem

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
2234	SN8	Num	8	SN8FFFF.	How much can you open up to friends and talk about worries
2235	SN9	Num	8	SN9FFFF.	How often friends make too many demands on you
2236	SN10	Num	8	SN10FFFF.	How often your friends argue with you
2237	SN12	Num	8	SN12FFFF.	How often you let relatives know about your problems
2238	SN13	Num	8	SN13FFFF.	How often you let someone else know about your problems
2239	SN14	Num	8	SN14FFFF.	Easy to get close to and depend on others/no fear of abandon
2240	SN15	Num	8	SN15FFFF.	Uncomfortable being close/trusting others/nerv when too close
2241	SN16	Num	8	SN16FFFF.	Others reluctant to get too close/won't stay w/ me/scare away
626	SO9	Num	8	SO9FFFF.	Ever have 2 or more shyness reactions
642	SO10	Num	8	SO10FFFF.	Social fear situation-fear of panic attack
644	SO11	Num	8	SO11FFFF.	Social fear situation-fear of being trapped
645	SO12	Num	8	SO12FFFF.	Social fear situation-fear embarrassment/humiliation
647	SO13	Num	8	SO13FFFF.	Social fear situation-fear someone look/talk/negative resp
648	SO14	Num	8	SO14FFFF.	Social fear situation-fear of being focus of attention
650	SO15	Num	8	SO15FFFF.	Social fear due to phys or mental disability embarrassmt
656	SO16	Num	8	SO16FFFF.	Extent to which social fear interf w/ work/social life/relat
657	SO17	Num	8	SO17FFFF.	Emotionally upset/worried/disappt self due to social fear
658	SO18	Num	8	SO18FFFF.	Last time strongly feared/avoided social situation
660	SO19	Num	8	SO19FFFF.	Severity of social fear if faced today
661	SO20	Num	8	SO20FFFF.	# times avoided social fear in last 12 mths
665	SO23	Num	8		Days in past yr unable to do normal acts due to social fear
666	SO25	Num	8	SO25FFFF.	Talk to medical doc or professional about social fear
668	SO36	Num	8	SO36FFFF.	Received helpful treatment for social fear
672	SO38	Num	8	SO38FFFF.	Received prof treatment for social fear in past 12 mths
673	SO39	Num	8	SO39FFFF.	Hospitalized overnight for social fear
643	SO10A	Num	8	SO10A.	Social fear situation-ever had panic attack
646	SO12A	Num	8	SO12A.	Social fear situation-fear of embarrassing others
649	SO14A	Num	8	SO14A.	Feared most during social fear situation:1st mention
651	SO15A1	Num	8	SO15A1FF.	Social fear due to health problem-1st mention
652	SO15A2	Num	8	SO15A2FF.	Social fear due to health problem-2nd mention
653	SO15A3	Num	8	SO15A3FF.	Social fear due to health problem-3rd mention
654	SO15A4	Num	8	SO15A4FF.	Social fear due to health problem-4th mention
655	SO15A5	Num	8	SO15A5FF.	Social fear due to health problem-5th mention
659	SO18A	Num	8		Age last strongly feared or avoided social situation
600	SO1A	Num	8	SO1A.	Shy/afraid/uncomfortable meeting new people
601	SO1B	Num	8	SO1B.	Shy/afraid/uncomfortable talking to authority

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
602	SO1C	Num	8	SO1C.	Shy/afraid/uncomfortable talking in meeting/class
603	SO1D	Num	8	SO1D.	Shy/afraid/uncomfortable at parties and social gatherings
604	SO1E	Num	8	SO1E.	Shy/afraid/uncomfortable performing in front of audience
605	SO1F	Num	8	SO1F.	Shy/afraid/uncomfortable taking imp exam though ready
606	SO1G	Num	8	SO1G.	Shy/afraid/uncomfort working while someone watches
607	SO1H	Num	8	SO1H.	Shy/afraid/uncomf entering room when others are present
608	SO1I	Num	8	SO1I.	Shy/afraid/uncomf talking to people don't know well
609	SO1J	Num	8	SO1J.	Shy/afraid/uncomf disagree with people don't know well
610	SO1K	Num	8	SO1K.	Shy/afraid/uncomf write/eat/drink while other watches
611	SO1L	Num	8	SO1L.	Shy/afraid/uncomf using public bathroom
612	SO1M	Num	8	SO1M.	Shy/afraid/uncomf in dating situation
613	SO1N	Num	8	SO1N.	Shy/afraid/uncomf being center of att/embarrassing sit
662	SO21A	Num	8		Worst mth in yr-extent to which fear interf with home mgmt
3703	SO21B	Num	8		Worst mth in yr-extent to which fear interfered with work
663	SO21C	Num	8		Worst mth in yr-extent to which fear interf with relations
664	SO21D	Num	8		Worst mth in yr-extent to which fear interf with social life
667	SO25A	Num	8		Age 1st see professional for social fear
669	SO36A	Num	8		Age 1st received helpful treatment for social fear
670	SO36B	Num	8		Total profs seen for social fear incl helpful treatment doc
671	SO36C	Num	8		# professional ever talked to about social fear
674	SO39A	Num	8		Age 1st hospitalized overnight for social fear
675	SO39_1	Num	8		# close relatives with strong fear of social perf situations
616	SO3A	Num	8		Age 1st fear of social situations
3742	SO3B	Num	8	SO3B.	About how old was respondent
614	SO3INTR1	Num	8	SO3INTRF.	Remember exact age 1st social fear situation
615	SO3INTR2	Num	8	SO3INT0F.	Remember exact age 1st fear of social or perf situation
3743	SO6A	Num	8	SO6A.	How old when first avoided social performance
623	SO8A	Num	8	SO8A.	Social fear situation-blush/shake
624	SO8B	Num	8	SO8B.	Social fear situation-fear bladder/bowel problem
625	SO8C	Num	8	SO8C.	Social fear situation-fear vomiting
627	SO9A	Num	8	SO9A.	Social fear situation-heart pound
628	SO9B	Num	8	SO9B.	Social fear situation-sweat
629	SO9C	Num	8	SO9C.	Social fear situationr-tremble
630	SO9D	Num	8	SO9D.	Social fear situation-sick to stomach
631	SO9E	Num	8	SO9E.	Social fear situation-dry mouth
632	SO9F	Num	8	SO9F.	Social fear situation-chills/hot flushes

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
633	SO9G	Num	8	SO9G.	Social fear situation-numbness/tingling sensation
634	SO9H	Num	8	SO9H.	Social fear situation-trouble breathing normally
635	SO9I	Num	8	SO9I.	Social fear situationr-feel like choking
636	SO9J	Num	8	SO9J.	Social fear situation-pain/discomfort in chest
637	SO9K	Num	8	SO9K.	Social fear situation-feel dizzy or faint
638	SO9L	Num	8	SO9L.	Social fear situation-afraid might die
639	SO9M	Num	8	SO9M.	Social fear situation-fear losing control/go crazy/pass out
640	SO9N	Num	8	SO9N.	Social fear situation-feel distant, not really there
641	SO9O	Num	8	SO9O.	Social fear situation-feel things unreal/dreamlike
3288	SO_OND	Num	8	SO_OND.	DSM-IV Social Phobia Onset
3322	SO_ONI	Num	8	SO_ONI.	ICD Social Phobia Onset
3289	SO_RECD	Num	8	SO_RECD.	DSM-IV Social Phobia Recency
3323	SO_RECI	Num	8	SO_RECI.	ICD Social Phobia Recency
3639	SP3	Num	8		How old first time feared some type of animal
3641	SP5	Num	8		How old first time feared storms or still water
3643	SP7	Num	8		How old first time feared going to doctor
3645	SP9	Num	8		How old first time feared closed spaces
3647	SP11	Num	8		How old was respondent the first time feared high places
3649	SP13	Num	8		How old first time feared flying
563	SP16	Num	8	SP16FFFF.	Extent fear/avoidance interfered w/ work/social life/relations
564	SP17	Num	8	SP17FFFF.	Time felt emotion upset/disapp/worried because of fear/avoid
565	SP18	Num	8	SP18FFFF.	During time of severe fear, have 2 or more problems
581	SP19	Num	8	SP19FFFF.	Last time in months strongly feared or avoided things
582	SP20	Num	8		Age last time strongly feared or avoided things
583	SP21	Num	8	SP21FFFF.	Severity of fear if faced today w/ thing that scares you most
584	SP22	Num	8	SP22FFFF.	Avoided feared things in past 12 months
589	SP25	Num	8		# days past yr unable carry out normal activities due to fear
590	SP27	Num	8	SP27FFFF.	Ever talk to medical doctor or professional about fear
592	SP38	Num	8	SP38FFFF.	Received helpful/effective treatment for fear
596	SP40	Num	8	SP40FFFF.	Received treatment for fear in past 12 mths
597	SP41	Num	8	SP41FFFF.	Hospitalized overnight for fear
538	SP11A	Num	8	SP11A.	Time when always upset/anxious about high places
539	SP11A1	Num	8		Age 1st feared high places
540	SP11A2	Num	8	SP11A2FF.	Before 1st started school, SP11A1
541	SP11A3	Num	8	SP11A3FF.	Before a teenager, SP11A1
542	SP11B	Num	8	SP11B.	Avoid high places because of fear

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
3648	SP11C	Num	8		How old was respondent the first time avoided high places
543	SP11C1	Num	8		Age 1st avoided high places
544	SP11C2	Num	8	SP11C2FF.	Before 1st started school, SP11C1
545	SP11C3	Num	8	SP11C3FF.	Before a teenager, SP11C1
546	SP11F	Num	8	SP11F.	Fear about high places-get dizzy and fall
547	SP11G	Num	8	SP11G.	Fear about high places-might jump
548	SP11H	Num	8	SP11H.	Fear about high places-panic attack/no help
549	SP11I	Num	8	SP11I.	Fear about high places-physical illness/no help
550	SP13A	Num	8	SP13A.	Time when always upset/anxious about flying
551	SP13A1	Num	8		Age 1st feared flying
552	SP13A2	Num	8	SP13A2FF.	Before 1st started school, SP13A1
553	SP13A3	Num	8	SP13A3FF.	Before a teenager, SP13A1
554	SP13B	Num	8	SP13B.	Avoid flying because of fear
3650	SP13C	Num	8		How old first time avoided flying
555	SP13C1	Num	8		Age 1st avoided flying
556	SP13C2	Num	8	SP13C2FF.	Before 1st started school, SP13C2
557	SP13C3	Num	8	SP13C3FF.	Before a teenager, SP13C2
558	SP13F	Num	8	SP13F.	Fear about flying-being high in the air
559	SP13G	Num	8	SP13G.	Fear about flying-being in closed space
560	SP13H	Num	8	SP13H.	Fear about flying-panic attack/no help
561	SP13I	Num	8	SP13I.	Fear about flying-physical illness/no help
562	SP13J	Num	8	SP13J.	Fear about flying-plane might crash
566	SP18A	Num	8	SP18A.	In most severe fear-heart pound/race
567	SP18B	Num	8	SP18B.	In most severe fear-sweat
568	SP18C	Num	8	SP18C.	In most severe fear-tremble
569	SP18D	Num	8	SP18D.	In most severe fear-feel sick to stomach
570	SP18E	Num	8	SP18E.	In most severe fear-dry mouth
571	SP18F	Num	8	SP18F.	In most severe fear-chill/hot flush
572	SP18G	Num	8	SP18G.	In most severe fear-numb/tingle
573	SP18H	Num	8	SP18H.	In most severe fear-trouble breathing normally
574	SP18I	Num	8	SP18I.	In most severe fear-feel like choking
575	SP18J	Num	8	SP18J.	In most severe fear-pain/discomfort in chest
576	SP18K	Num	8	SP18K.	In most severe fear-feel dizzy/faint
577	SP18L	Num	8	SP18L.	In most severe fear-afraid might die
578	SP18M	Num	8	SP18M.	In most severe fear-fear losing control/going crazy/pass out
579	SP18N	Num	8	SP18N.	In most severe fear-like not really there

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
580	SP18O	Num	8	SP18O.	In most severe fear-feel surrounding unrea/dreamlike
500	SP1_11	Num	8	SP1_11FF.	Specific group endorsement
585	SP23A	Num	8		Exent to which fear interfered with home management
586	SP23B	Num	8		Exent to which fear interfered with ability to work
587	SP23C	Num	8		Exent to which fear interfered with form/maint close relations
588	SP23D	Num	8		Exent to which fear interfered with social life
591	SP27A	Num	8		Age 1st talk to medical doc/professional about fear
593	SP38A	Num	8		Age 1st received helpful/effective treatment for fear
594	SP38B	Num	8		Total profs seen for fear incl helpful treatment doc
595	SP38C	Num	8		# of professionals ever talked to about fear
501	SP3A	Num	8	SP3A.	Time when always anxious/upset faced with feared animal
502	SP3A1	Num	8		Age 1st time feared some type of animal
503	SP3A2	Num	8	SP3A2FFF.	Before 1st started school, SP3A1
504	SP3A3	Num	8	SP3A3FFF.	Before a teenager, SP3A1
505	SP3B	Num	8	SP3B.	Avoid situation w/ risk to see animal because of fear
3640	SP3C	Num	8		How old first time avoided some type of animal
506	SP3C1	Num	8		Age 1st avoided situations to see animals
507	SP3C2	Num	8	SP3C2FFF.	Before 1st started school, SP3C1
508	SP3C3	Num	8	SP3C3FFF.	Before a teenager, SP3C1
599	SP41A	Num	8		Age 1st hospitalized overnight for fear
598	SP41_1	Num	8		# close relatives had strong fear of something
509	SP5A	Num	8	SP5A.	Time when always upset/anx when faced with scary situation
510	SP5A1	Num	8		Age 1st time fear of storm or still water
511	SP5A2	Num	8	SP5A2FFF.	Before 1st started school, SP5A1
512	SP5A3	Num	8	SP5A3FFF.	Before a teenager, SP5A1
513	SP5B	Num	8	SP5B.	Avoid situation being in storm or still water because of fear
3642	SP5C	Num	8		Hold old first time avoided storms or still water
514	SP5C1	Num	8		Age 1st avoid situation like storm or still water
515	SP5C2	Num	8	SP5C2FFF.	Before 1st started school, SP5C1
516	SP5C3	Num	8	SP5C3FFF.	Before a teenager, SP5C1
517	SP7A	Num	8	SP7A.	Time when always anx/upset seeing doc/inject/blood/injury
518	SP7A1	Num	8		Age 1st time fear doc/inject/blood/injury experience
519	SP7A2	Num	8	SP7A2FFF.	Before 1st started school, SP7A1
520	SP7A3	Num	8	SP7A3FFF.	Before a teenager, SP7A1
521	SP7B	Num	8	SP7B.	Ever avoid doc/inject/blood/injury due to fear
3644	SP7C	Num	8		How old first time avoided going to doctor

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
522	SP7C1	Num	8		Age 1st avoid doc/inject/blood/injury
523	SP7C2	Num	8	SP7C2FFF.	Before 1st started school, SP7C1
524	SP7C3	Num	8	SP7C3FFF.	Before a teenager, SP7C1
525	SP7F	Num	8	SP7F.	Fainted when saw blood
526	SP9A	Num	8	SP9A.	Time always upset/anx when faced with closed space
527	SP9A1	Num	8		Age 1st time feared closed spaces
528	SP9A2	Num	8	SP9A2FFF.	Before 1st started school, SP9A1
529	SP9A3	Num	8	SP9A3FFF.	Before a teenager, SP9A1
530	SP9B	Num	8	SP9B.	Avoided closed spaces because of fear
3646	SP9C	Num	8		How old when first avoided closed spaces
531	SP9C1	Num	8		Age 1st avoided closed spaces
532	SP9C2	Num	8	SP9C2FFF.	Before 1st started school, SP9C1
533	SP9C3	Num	8	SP9C3FFF.	Before a teenager, SP9C1
534	SP9F	Num	8	SP9F.	Feared about closed spaces-trapped/unable to escape
535	SP9G	Num	8	SP9G.	Fear about closed spaces-panic attack/no help
536	SP9H	Num	8	SP9H.	Fear about closed spaces-physical illness/no help
537	SP9I	Num	8	SP9I.	Fear about closed spaces-not able to breathe
3324	SPONI	Num	8	SPONI.	ICD Specific Phobia Onset
3325	SPRECI	Num	8	SPRECI.	ICD Specific Phobia Recency
3290	SP_OND	Num	8	SP_OND.	DSM-IV Specific Phobia Onset
3291	SP_RECD	Num	8	SP_RECD.	DSM-IV Specific Phobia Recency
941	SR2	Num	8	SR2FFFFF.	Overnight stay in hosp/facility for mental health/drug-alc use
942	SR3	Num	8	SR3FFFFF.	# times hospitalized for mental health/substance use
949	SR7	Num	8		Age 1st hospitalized overnight for mental health/sub use
950	SR8	Num	8	SR8FFFFF.	Hospitalized for mental health in past 12 mths
957	SR10	Num	8	SR10FFFF.	Attend self-help group for emotions in lifetime
961	SR11	Num	8	SR11FFFF.	Used hotline for problems with emotions/nerve
965	SR12	Num	8	SR12FFFF.	Professional psych counsel or therapy for 30 min +
967	SR13	Num	8	SR13FFFF.	Received meds for emotions/mental health from professional
969	SR16	Num	8	SR16FFFF.	Seen professional for emotions/nerve/sub use in lifetime
980	SR19	Num	8		Age 1st talk to psychiatrist about emotion/mental health
981	SR20	Num	8	SR20FFFF.	Last time talk to psychiatrist about emotion/mental health
982	SR21	Num	8		Age last saw psychiatrist
983	SR22	Num	8		# visits to psychiatrist for emotions/sub use past year
985	SR23	Num	8	SR23FFFF.	Satisfaction w/ treatment/serv from psychiatrist past year
986	SR24	Num	8	SR24FFFF.	Amount psychiatrist helped

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
987	SR25	Num	8	SR25FFFF.	Stopped seeing psychiatrist or ongoing treatment
989	SR27	Num	8		Age 1st saw medical doctor for mental health/sub use
990	SR28	Num	8	SR28FFFF.	Last saw medical doctor for mental health/sub use
991	SR29	Num	8		Age last saw medical doctor for mental health/sub use
992	SR30	Num	8	SR30FFFF.	Medical doctor recommend clinic for emotions
993	SR31	Num	8		Age 1st clinic/specialist referral for ment health/sub use
994	SR33	Num	8	SR33FFFF.	Med doctor recommend specialist/clinic past 12 mths
995	SR35	Num	8		# visits to med doc for emotions/sub use past 12 mths
997	SR36	Num	8	SR36FFFF.	Satisfaction w/ med doc treat/services past 12 mths
998	SR37	Num	8	SR37FFFF.	Amount medical doctor helped
999	SR38	Num	8	SR38FFFF.	Stopped seeing medical doctor or ongoing treatment
1001	SR40	Num	8		Age 1st saw psychologist about mental health/sub use
1002	SR41	Num	8	SR41FFFF.	Last time saw psychologist for emotions/sub use
1003	SR42	Num	8		Age last saw psychologist for emotions/sub use
1004	SR43	Num	8		# of psychologist visits in past 12 mths
1006	SR44	Num	8	SR44FFFF.	Satisfaction w/ psychologist treat/services past 12 mths
1007	SR45	Num	8	SR45FFFF.	Amount psychologist helped
1010	SR48	Num	8		Age 1st saw social worker for mental health/sub use
1011	SR49	Num	8	SR49FFFF.	Last time saw social worker for mental health/sub use
1012	SR50	Num	8		Age last saw social worker for mental health/sub use
1013	SR51	Num	8		# social worker visits for mental health/sub use past 12 mths
1020	SR53	Num	8	SR53FFFF.	Satisfaction w/ social worker treat/services past 12 mths
1021	SR54	Num	8	SR54FFFF.	Amount social worker helped
1022	SR55	Num	8	SR55FFFF.	Stopped seeing social worker or ongoing treatment
1024	SR57	Num	8		Age 1st saw counselor for mental health/sub use
1025	SR58	Num	8	SR58FFFF.	Last time saw counselor for mental health/sub use
1026	SR59	Num	8		Age last saw counselor for mental health/sub use
1027	SR60	Num	8		# counselor visits for mental health/sub use past 12 mths
1029	SR62	Num	8	SR62FFFF.	Satisfaction w/ counselor treat/services past 12 mths
1030	SR63	Num	8	SR63FFFF.	Amount counselor helped
1031	SR64	Num	8	SR64FFFF.	Stopped seeing counselor or ongoing treatment
1033	SR66	Num	8		Age 1st saw other ment health prof for ment health/sub use
1034	SR67	Num	8	SR67FFFF.	Last saw other mental health professional
1035	SR68	Num	8		Age last saw mental health professional about emotions
1036	SR69	Num	8		# other prof visits for mental health/sub use past 12 mths
1038	SR70	Num	8	SR70FFFF.	Satisf w/ non-MD health prof treat/services past 12 mths

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
1039	SR71	Num	8	SR71FFFF.	Amount professional helped
1040	SR72	Num	8	SR72FFFF.	Stopped seeing professional or ongoing treatment
1042	SR74	Num	8		Age 1st saw nurse/ot/non MD prof for ment health/sub use
1043	SR75	Num	8	SR75FFFF.	Last time saw nurse/ot/non MD prof for emotions
1044	SR76	Num	8		Age last saw nurse/ot/non MD prof for emotions
1045	SR77	Num	8	SR77FFFF.	Nurse/ot/non MD prof recom ment health spec/clinic
1046	SR78	Num	8		Age 1st time nurse/ot/non MD prof recommended clinic
1047	SR80	Num	8	SR80FFFF.	Other non MD prof recom mental health clinic past 12 mths
1048	SR82	Num	8		# visits to non-MD health prof in past 12 mths
1050	SR83	Num	8	SR83FFFF.	Satisf w/ spiritual advisor treat/services past 12 mths
1051	SR84	Num	8	SR84FFFF.	Amount non-MD health professional helped
1052	SR85	Num	8	SR85FFFF.	Stopped seeing non-MD health prof or ongoing treatment
1054	SR87	Num	8		Age 1st saw spiritual advisor for ment health/sub use
1055	SR88	Num	8	SR88FFFF.	Last saw spiritual advisor for ment health/sub use
1056	SR89	Num	8		Age last saw spiritual advisor for ment health/sub use
1057	SR90	Num	8	SR90FFFF.	Spiritual advisor recom ment health specialist/clinic
1058	SR91	Num	8		Age spiritual advisor 1st refer to ment health spec/clinic
1059	SR93	Num	8	SR93FFFF.	Spiritual advisor refer mental health spec/clinic past yr
1060	SR95	Num	8		# visits to spiritual advisor in past 12 mths
1062	SR96	Num	8	SR96FFFF.	Satisfaction w/ spirit advisor treat/services past 12 mths
1063	SR97	Num	8	SR97FFFF.	Amount spiritual advisor helped
1064	SR98	Num	8	SR98FFFF.	Stopped seeing spiritual advisor or ongoing treatment
1066	SR100	Num	8		Age 1st saw healer for mental health/substance use
1067	SR101	Num	8	SR101FFF.	Last saw healer for mental health/substance use
1068	SR102	Num	8		Age last saw healer for mental health/substance use
1069	SR103	Num	8		# visits to healer in past 12 mths
1070	SR104	Num	8		Average # of mins healer visits lasted
1078	SR106	Num	8	SR106FFF.	Satisfaction w/ treatment/services from healer past 12 mths
1079	SR107	Num	8	SR107FFF.	Amount healer helped
1080	SR108	Num	8	SR108FFF.	Stopped seeing healer or ongoing treatment
1082	SR110	Num	8		Unreimbursed costs of trmnt of emotional probs past year
1083	SR111	Num	8	SR111FFF.	Volunteer or pressured to see prof about emot past yr
1084	SR112	Num	8	SR112FFF.	Reason didn't want to see professional
1085	SR113	Num	8	SR113FFF.	Encouraged or pressured to see prof about emotions
1086	SR114	Num	8		Amout of time thinking needed to see prof before treated
1102	SR117	Num	8	SR117FFF.	Reason delay treatment-other reason

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
1126	SR121	Num	8	SR121FFF.	Reason quit treatment-other
1127	SR122	Num	8	SR122FFF.	Needed to see prof because of emotions/sub use past yr
1130	SR123	Num	8	SR123FFF.	Reason did not see professional
1131	SR124	Num	8	SR124FFF.	Encour/pressured to see prof about ment health past yr
1147	SR127	Num	8	SR127FFF.	Reason not get help-other
1148	SR128	Num	8	SR128FFF.	Used alternative therapies for emot/nerves in past 12 mths
1173	SR131	Num	8	SR131FFF.	Talked to telephone psychic in past 12 months
1187	SR135	Num	8	SR135FFF.	Relationship of self-help group to professional help
1015	SR521	Num	8	SR521FFF.	Location saw social worker-1st mention
1016	SR522	Num	8	SR522FFF.	Location saw social worker-2nd mention
1017	SR523	Num	8	SR523FFF.	Location saw social worker-3rd mention
1018	SR524	Num	8	SR524FFF.	Location saw social worker-4th mention
1019	SR525	Num	8	SR525FFF.	Location saw social worker-5th mention
3556	SR611	Num	8	SR611FFF.	Location saw counselor-1st mention
3557	SR612	Num	8	SR612FFF.	Location saw counselor-2nd mention
3558	SR613	Num	8	SR613FFF.	Location saw counselor-3rd mention
3559	SR614	Num	8	SR614FFF.	Location saw counselor-4th mention
1103	SR1181	Num	8	SR1181FF.	Main hope from tx:1st mention
1104	SR1182	Num	8	SR1182FF.	Main hope from tx:2nd mention
1105	SR1183	Num	8	SR1183FF.	Main hope from tx:3rd mention
1106	SR1184	Num	8	SR1184FF.	Main hope from tx:4th mention
1107	SR1185	Num	8	SR1185FF.	Main hope from tx:5th mention
1108	SR1186	Num	8	SR1186FF.	Main hope from tx:6th mention
1109	SR1187	Num	8	SR1187FF.	Main hope from tx:7th mention
1110	SR1188	Num	8	SR1188FF.	Main hope from tx:8th mention
1161	SR1301	Num	8	SR1301FF.	Herbal meds for emtions/nerves/ment health:1st mention
1162	SR1302	Num	8	SR1302FF.	Herbal meds for emtions/nerves/ment health:2nd mention
1163	SR1303	Num	8	SR1303FF.	Herbal meds for emtions/nerves/ment health:3rd mention
1164	SR1304	Num	8	SR1304FF.	Herbal meds for emtions/nerves/ment health:4th mention
1165	SR1305	Num	8	SR1305FF.	Herbal meds for emtions/nerves/ment health:5th mention
1166	SR1306	Num	8	SR1306FF.	Herbal meds for emtions/nerves/ment health:6th mention
1167	SR1307	Num	8	SR1307FF.	Herbal meds for emtions/nerves/ment health:7th mention
970	SR1701	Num	8	SR1701FF.	Talked to professional about mental health:1st mention
971	SR1702	Num	8	SR1702FF.	Talked to professional about mental health:2nd mention
972	SR1703	Num	8	SR1703FF.	Talked to professional about mental health:3rd mention
973	SR1704	Num	8	SR1704FF.	Talked to professional about mental health:4th mention

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
974	SR1705	Num	8	SR1705FF.	Talked to professional about mental health:5th mention
975	SR1706	Num	8	SR1706FF.	Talked to professional about mental health:6th mention
976	SR1707	Num	8	SR1707FF.	Talked to professional about mental health:7th mention
977	SR1708	Num	8	SR1708FF.	Talked to professional about mental health:8th mention
978	SR1709	Num	8	SR1709FF.	Talked to professional about mental health:9th mention
979	SR1710	Num	8	SR1710FF.	Talked to professional about mental health:10th mention
1071	SR10501	Num	8	SR10501F.	Type of healer:1st mention
1072	SR10502	Num	8	SR10502F.	Type of healer:2nd mention
1073	SR10503	Num	8	SR10503F.	Type of healer:3rd mention
1074	SR10504	Num	8	SR10504F.	Type of healer:4th mention
1075	SR10505	Num	8	SR10505F.	Type of healer:5th mention
1076	SR10506	Num	8	SR10506F.	Type of healer:6th mention
1077	SR10507	Num	8	SR10507F.	Type of healer:7th mention
1181	SR13301	Num	8	SR13301F.	Type of self-help group attended in past 12 mths:1st mention
1182	SR13302	Num	8	SR13302F.	Type of self-help group attended in past 12 mths:2nd mention
1183	SR13303	Num	8	SR13303F.	Type of self-help group attended in past 12 mths:3rd mention
1184	SR13304	Num	8	SR13304F.	Type of self-help group attended in past 12 mths:4th mention
1185	SR13305	Num	8	SR13305F.	Type of self-help group attended in past 12 mths:5th mention
1186	SR13306	Num	8	SR13306F.	Type of self-help group attended in past 12 mths:6th mention
1081	SR108A	Num	8	SR108A.	Completed healer course of treatment
958	SR10A	Num	8		Age 1st self-help group for emotions
959	SR10B	Num	8	SR10B.	Last time used self-help group for emotion
960	SR10C	Num	8		# times self-help group meetings for emotions in past year
1087	SR114A	Num	8	SR114A.	Unit time thought should see professional
1088	SR116A	Num	8	SR116A.	Reason delay treatment-insurance
1089	SR116B	Num	8	SR116B.	Reason delay treatment-problem get better by itself
1090	SR116C	Num	8	SR116C.	Reason delay treatment-problem didn't bother you at 1st
1091	SR116D	Num	8	SR116D.	Reason delay treatment-handle problem on own
1092	SR116E	Num	8	SR116E.	Reason delay treatment-think treatment not work
1093	SR116F	Num	8	SR116F.	Reason delay treatment-treatment didn't work before
1094	SR116G	Num	8	SR116G.	Reason delay treatment-too expensive
1095	SR116H	Num	8	SR116H.	Reason delay treatment-worry what people think
1096	SR116I	Num	8	SR116I.	Reason delay treatment-conflicts/hard to get to trmnt
1097	SR116J	Num	8	SR116J.	Reason delay treatment-unsure who/where to see/go
1098	SR116K	Num	8	SR116K.	Reason delay treatment-time consuming/inconvenient
1099	SR116L	Num	8	SR116L.	Reason delay treatment-could not get appointment

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
1100	SR116M	Num	8	SR116M.	Reason delay treatment-scared of hospital against will
1101	SR116N	Num	8	SR116N.	Reason delay treatment-dislike service options
962	SR11A	Num	8		Age 1st used hotline for emotions/nerves
963	SR11B	Num	8	SR11B.	Last time used hotline for emotions/nerves
964	SR11C	Num	8		# of times used hotline for emotions/nerves in past year
1111	SR120A	Num	8	SR120A.	Reason quit treatment-got better
1112	SR120B	Num	8	SR120B.	Reason quit treatment-did not need more help
1113	SR120C	Num	8	SR120C.	Reason quit treatment-not getting better
1114	SR120D	Num	8	SR120D.	Reason quit treatment-handle problems on own
1115	SR120E	Num	8	SR120E.	Reason quit treatment-bad exp w/ treatment providers
1116	SR120F	Num	8	SR120F.	Reason quit treatment-worry what people think
1117	SR120G	Num	8	SR120G.	Reason quit treatment-treated unfairly
1118	SR120H	Num	8	SR120H.	Reason quit treatment-therapist left
1119	SR120I	Num	8	SR120I.	Reason quit treatmt-felt out of place
1120	SR120J	Num	8	SR120J.	Reason quit treatment-policies were hassle
1121	SR120K	Num	8	SR120K.	Reason quit treatment-scheduling
1122	SR120L	Num	8	SR120L.	Reason quit treatment-you moved
1123	SR120M	Num	8	SR120M.	Reason quit treatment-expensive
1124	SR120N	Num	8	SR120N.	Reason quit treatment-insurance stop paying
1125	SR120O	Num	8	SR120O.	Reason quit treatment-family wanted stop
1128	SR122A	Num	8		Amt of time thought needed professional help
1129	SR122B	Num	8	SR122B.	Unit time thought need professional help
1132	SR126A	Num	8	SR126A.	Reason not get help-insurance won't cover
1133	SR126B	Num	8	SR126B.	Reason not get help-problem went away/didn't need help
1134	SR126C	Num	8	SR126C.	Reason not get help-think improve on own
1135	SR126D	Num	8	SR126D.	Reason not get help-expensive
1136	SR126E	Num	8	SR126E.	Reason not get help-unsure who to see
1137	SR126F	Num	8	SR126F.	Reason not get help-not think treatment work
1138	SR126G	Num	8	SR126G.	Reason not get help-worry what other think
1139	SR126H	Num	8	SR126H.	Reason not get help-time consuming/inconvenient
1140	SR126I	Num	8	SR126I.	Reason not get help-want handle on own
1141	SR126J	Num	8	SR126J.	Reason not get help-could not get appointment
1142	SR126K	Num	8	SR126K.	Reason not get help-scared of hospital against will
1143	SR126L	Num	8	SR126L.	Reason quit treatment-dislike service options
1144	SR126M	Num	8	SR126M.	Reason not get help-previous treatment failed
1145	SR126N	Num	8	SR126N.	Reason not get help-problem didn't bother much

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
1146	SR126O	Num	8	SR126O.	Reason not get help-scheduling
1149	SR128A01	Num	8	SR128A0F.	Alternative therapies used-1st mention
1150	SR128A02	Num	8	SR128A1F.	Alternative therapies used-2nd mention
1151	SR128A03	Num	8	SR128A2F.	Alternative therapies used-3rd mention
1152	SR128A04	Num	8	SR128A3F.	Alternative therapies used-4th mention
1153	SR128A05	Num	8	SR128A4F.	Alternative therapies used-5th mention
1154	SR128A06	Num	8	SR128A5F.	Alternative therapies used-6th mention
1155	SR128A07	Num	8	SR128A6F.	Alternative therapies used-7th mention
1156	SR128A08	Num	8	SR128A7F.	Alternative therapies used-8th mention
1157	SR128A09	Num	8	SR128A8F.	Alternative therapies used-9th mention
1158	SR128A10	Num	8	SR128A9F.	Alternative therapies used-10th mention
1159	SR128A11	Num	8	SR12810F.	Alternative therapies used-11th mention
1160	SR128A12	Num	8	SR12811F.	Alternative therapies used-12th mention
966	SR12A	Num	8		Age 1st session of psych counsel/therapy
1168	SR130A	Num	8		# of days past year used herbal medicines
1169	SR130B	Num	8	SR130B.	Professional advised use of herbal medicines
1170	SR130C01	Num	8	SR130C0F.	Professional advised use of herbal medicines:1st mention
1171	SR130C02	Num	8	SR130C1F.	Professional advised use of herbal medicines:2nd mention
1172	SR130C03	Num	8	SR130C2F.	Professional advised use of herbal medicines:3rd mention
1174	SR131A	Num	8		# times talked to telephone psychic in past year
1175	SR131B	Num	8		Average # minutes calls to telephone psychic lasted
1176	SR131C1	Num	8	SR131C1F.	Discussed w/ phone psychic-1st mention
1177	SR131C2	Num	8	SR131C2F.	Discussed w/ phone psychic-2nd mention
1178	SR131C3	Num	8	SR131C3F.	Discussed w/ phone psychic-3rd mention
1179	SR131C4	Num	8	SR131C4F.	Discussed w/ phone psychic-4th mention
1180	SR131C5	Num	8	SR131C5F.	Discussed w/ phone psychic-5th mention
968	SR13A	Num	8		Age 1st prescription for emotions
984	SR22A	Num	8		Average # of mins psychiatrist visits last
988	SR25A	Num	8	SR25A.	Completed psychiatrist treatment or quit
996	SR35A	Num	8		Average # min med doc visits lasted for emotions/sub use
1000	SR38A	Num	8	SR38A.	Completed medical doctor treatment or quit
1005	SR43A	Num	8		Average # of minutes psychologist visits lasted
1008	SR46A	Num	8	SR46A.	Stopped seeing psychologist or ongoing treatment
1009	SR46B	Num	8	SR46B.	Completed psychologist treatment or quit
1014	SR51A	Num	8		Average # of minutes social worker visits lasted
1023	SR55A	Num	8	SR55A.	Completed social worker treatment or quit

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
943	SR5A	Num	8	SR5A.	When overnight stay in hosp/facility for mental health/drug-alc
944	SR5B	Num	8		Age hospitalized overnight for mental health/substance use
945	SR5C	Num	8		Length hospitalization mental health/substance use
946	SR5D	Num	8	SR5D.	Unit time hospitalized mental health/substance use
1028	SR60A	Num	8		Average # of minutes counselor visits lasted
1032	SR64A	Num	8	SR64A.	Complete counselor treatments
1037	SR69A	Num	8		Average # of minutes professional visits lasted
947	SR6A	Num	8		Duration all hospitalizations mental health
948	SR6B	Num	8	SR6B.	Unit time hospitalized mental health/substance use
1041	SR72A	Num	8	SR72A.	Completed mental health professional treatments
1049	SR82A	Num	8		Ave # of minutes non-MD health prof visits lasted
1053	SR85A	Num	8	SR85A.	Completed non-MD health professional treatments
951	SR8A	Num	8		Age most recent hospitalization for mental health
1061	SR95A	Num	8		Average # of mins spiritual advisor visits lasted
1065	SR98A	Num	8	SR98A.	Completed spiritual advisor treatments
952	SR9A	Num	8		Past year-duration hospitalized mental health
953	SR9B	Num	8	SR9B.	Unit of time hospitalized for mental health in past 12 mths
954	SR9_1	Num	8	SR9_1FFF.	Internet support group/chat room for help w/ emotions/nerves
955	SR9_1A	Num	8	SR9_1A.	Last time used online support group for help w/ emotions
956	SR9_1B	Num	8		# of times used online support group for emot in past 12 mths
1232	SU1	Num	8		Age 1st drank alcohol
1233	SU2	Num	8		Age 1st drank 12 drinks per year-compute
1236	SU3	Num	8	SU3FFFFFF.	# times at least 1 drink past 12 mths
1237	SU4	Num	8		# drinks per day each time you drank
1238	SU5	Num	8	SU5FFFFFF.	Ever a year in life when drank more than past year
1239	SU8	Num	8	SU8FFFFFF.	Years when drank most-# times had at least one drink
1240	SU9	Num	8		Years when drank most-# drinks per day
1241	SU12	Num	8	SU12FFFF.	Drinking ever interfered w/ work/school/job/home
1251	SU16	Num	8	SU16FFFF.	How recently had problem because of drinking
1252	SU17	Num	8		Age last problem because of drinking
1253	SU18	Num	8		# of different years in life had problem because of drinking
1254	SU19	Num	8	SU19FFFF.	Ever had irresistible urge to drink
1265	SU26	Num	8	SU26FFFF.	Recency had alcohol problems
1266	SU28	Num	8		# of years in life had 1 or more alcohol problems
1267	SU29	Num	8	SU29FFFF.	Had 3 or more alcohol problems in same year
1268	SU30	Num	8		Age 1st had 3 alcohol problems same in a year-comput

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
1271	SU32	Num	8		After problems began, # of attempts to quit drinking
1274	SU36	Num	8		# of times not drinking 3 or more months
1280	SU41	Num	8	SU41FFFF.	Ever used marijuana/hashish
1281	SU42	Num	8	SU42FFFF.	Ever used cocaine in any form
1282	SU43	Num	8	SU43FFFF.	Ever abused prescription
1283	SU44	Num	8	SU44FFFF.	Ever used other drugs
1310	SU65	Num	8	SU65FFFF.	Drug use frequently interfered with job/home/school
1317	SU69	Num	8	SU69FFFF.	Recently had problem because of drug use
1318	SU70	Num	8		Age last problem because of drug use
1319	SU71	Num	8		# of different years had drug problems
1320	SU72	Num	8	SU72FFFF.	Ever had irresistible urge to use drug
1330	SU79	Num	8	SU79FFFF.	How recent had problem because of drug use
1331	SU81	Num	8		# of years had at least 1 drug problem
1332	SU82	Num	8	SU82FFFF.	Ever had 3 or more drug problems in the same year
1333	SU83	Num	8		Age 1st had 3 drug problems same year-compute
1347	SU95	Num	8	SU95FFFF.	Ever see doctor about drugs
1349	SU102	Num	8	SU102FFF.	Received helpful/effective treatment for drug/alcohol problem
1353	SU103	Num	8	SU103FFF.	Received prof treatment for use of drug/alcohol in past year
1354	SU119	Num	8	SU119FFF.	Hospitalized overnight for drug problems
1350	SU102A	Num	8		Age 1st got helpful/effective treatment for drug/alcohol prob
1351	SU102B	Num	8		# of professionals ever talked to incl helpful treatment doctor
1352	SU102C	Num	8		# of professionals ever talked to about drug/alc problem
1355	SU119_1	Num	8		Age 1st hospitalized overnight for drug problems
1356	SU119_2	Num	8	SU119_2F.	Ever go to self-help group for drug/alc problems
1357	SU119_3	Num	8		Age 1st went to self-help group for drug/alc problems
1358	SU119_4	Num	8		# of self-help meetings attended for drug/alc in past year
1359	SU119_5	Num	8		# of relatives ever had drug/alcohol problems
1242	SU12A	Num	8	SU12A.	Drinking problem cause family/friend argue/probs
1243	SU12B	Num	8	SU12B.	Continue drinking though caused problem w/ people
1244	SU12C	Num	8	SU12C.	Ever jeopardized safety due to drinking
3965	SU12D	Num	8	SU12D.	Arrested or stopped by police because of drinking
1247	SU15A	Num	8		Age 1st drinking problem occurred
1248	SU15B	Num	8		Estimate age 1st drinking problems-compute
3656	SU15B1	Num	8		Estimate age 1st drinking problems
1249	SU15B2	Num	8	SU15B2FF.	Drinking problems occurred before teens
1250	SU15B3	Num	8	SU15B3FF.	Drinking problems occurred before 20s

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
1245	SU15INTR1	Num	8	SU15INTF.	Remember exact age 1st time had drinking issue/problem
1246	SU15INTR2	Num	8	SU15IN0F.	Remember age 1st drinking probs
1255	SU19A	Num	8	SU19A.	Ever need more alcohol for buzz than used to
1256	SU19B	Num	8	SU19B.	Ever feel sick when stopped/slowed drinking
1257	SU19C	Num	8	SU19C.	Ever drank to avoid feeling ill when you stopped drinking
1258	SU19D	Num	8	SU19D.	Ever drank when planned not to or drank more than intended
1259	SU19E	Num	8	SU19E.	Ever drank more often than intended
1260	SU19F	Num	8	SU19F.	Ever got drunk when didn't want to
1261	SU19G	Num	8	SU19G.	Ever unable to stop/cut down drinking when tried
1262	SU19H	Num	8	SU19H.	Ever spent many days recovering
1263	SU19I	Num	8	SU19I.	Ever gave up activities due to drinking
1264	SU19J	Num	8	SU19J.	Ever cont'd drinking though it caused phys or emo problems
3655	SU2A	Num	8		Age 1st drank 12 drinks per year
1234	SU2B	Num	8	SU2B.	1st drank 12 drinks per year before teenager
1235	SU2C	Num	8	SU2C.	1st drank 12 drinks per year before your 20s
3657	SU30A	Num	8		Age 1st had 3 alcohol problems in same year
1269	SU30B	Num	8	SU30B.	3 drinking problems same year before teens
1270	SU30C	Num	8	SU30C.	3 drinking problems same year before 20s
1272	SU34A	Num	8		Longest time period without drinking
1273	SU34B	Num	8	SU34B.	Unit time no drinking
1275	SU38A	Num	8	SU38A.	Past year-how often drinking hurt health
1276	SU38B	Num	8	SU38B.	Past year-how often drinking hurt family
1277	SU38C	Num	8	SU38C.	Past year-did impulsive things due to drinking
1278	SU38D	Num	8	SU38D.	Past year-failed expectations due to drinking
1279	SU38E	Num	8	SU38E.	Past year-felt unhappy due to drinking
1284	SU45A	Num	8		Age 1st used marijuana/hash
1285	SU45A1	Num	8	SU45A1FF.	Used marijuana/hash before teens
1286	SU45A2	Num	8	SU45A2FF.	Used marijuana/hash before 20s
1287	SU45B	Num	8		Age 1st used cocaine
1288	SU45B1	Num	8	SU45B1FF.	Used cocaine before teens
1289	SU45B2	Num	8	SU45B2FF.	Used cocaine before 20s
1290	SU45C	Num	8		Age 1st abused prescription
1291	SU45C1	Num	8	SU45C1FF.	Abused prescription before teens
1292	SU45C2	Num	8	SU45C2FF.	Abused prescription before 20s
1293	SU45D	Num	8		Age 1st used other drugs
1294	SU45D1	Num	8	SU45D1FF.	Used other drugs before teens

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
1295	SU45D2	Num	8	SU45D2FF.	Used other drugs before 20s
1296	SU47A	Num	8	SU47A.	Used marijuana/hash in past 12 mths
1297	SU47B	Num	8	SU47B.	Used cocaine in past 12 mths
1298	SU47C	Num	8	SU47C.	Use prescription without recommendation in past 12 mths
1299	SU47D	Num	8	SU47D.	Used other drugs in past 12 mths
1300	SU48A	Num	8	SU48A.	Frequency of marijuana/hash use in past 12 mths
1301	SU48B	Num	8	SU48B.	Frequency of cocaine use in past 12 mths
1302	SU48C	Num	8	SU48C.	Freq of non-recommended prescrip drugs use in past 12 mths
1303	SU48D	Num	8	SU48D.	Frequency of other drug use in past 12 mths
1311	SU65A	Num	8	SU65A.	Drug use caused problems/argue with family and friends
1312	SU65B	Num	8	SU65B.	Continued drug use regardless of problems w/ family/friends
1313	SU65C	Num	8	SU65C.	Jeopardized safety due to drugs
3966	SU65D	Num	8	SU65D.	Arrested or stopped more than once because of alcohol/drugs
1316	SU68A	Num	8		Age 1st drug problems occurred
3658	SU68B	Num	8		Estimate age 1st drug problem occurred - computed
1304	SU68B1	Num	8		Estimate age 1st drug problem occurred
1305	SU68B2	Num	8	SU68B2FF.	1st drug problem before teens
1306	SU68B3	Num	8	SU68B3FF.	1st drug problem before 20s
1314	SU68INTR1	Num	8	SU68INTF.	Remember exact age 1st had drug problem
1315	SU68INTR2	Num	8	SU68IN0F.	Remember exact age 1st had drug problem
1321	SU72A	Num	8	SU72A.	Ever need more drugs to get high than before
1322	SU72B	Num	8	SU72B.	Had ill feelings when stopped/cut down drug use
1323	SU72C	Num	8	SU72C.	Used drugs to avoid ill feelings when trying to stop/cut down
1324	SU72D	Num	8	SU72D.	Used drugs when had no intention to
1325	SU72E	Num	8	SU72E.	Ever used drugs more than intended
1326	SU72F	Num	8	SU72F.	Ever tried stop/cut down on drugs and not able
1327	SU72G	Num	8	SU72G.	Ever spent several days recovering from drug use
1328	SU72H	Num	8	SU72H.	Ever gave up/reduced activities due to drugs
1329	SU72I	Num	8	SU72I.	Ever cont'd drug use though it caused phys or emo problems
1307	SU83A	Num	8		Age 1st had 3 drug problems same year
1308	SU83B	Num	8	SU83B.	1st had 3 drug problems same year before teens
1309	SU83C	Num	8	SU83C.	1st had 3 drug problems same year before 20s
1334	SU86A	Num	8	SU86A.	Past year-drugs hurt health
1335	SU86B	Num	8	SU86B.	Past year-drugs hurt family
1336	SU86C	Num	8	SU86C.	Past year-regretted impulsive things due to drugs
1337	SU86D	Num	8	SU86D.	Past year-failed expectations due to drug

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
1338	SU86E	Num	8	SU86E.	Past year-unhappy due to drugs
1339	SU87A	Num	8		Age 1st opportunity to use alcohol
1340	SU87A2	Num	8	SU87A2FF.	1st alcohol opportunity before teens
1341	SU87A3	Num	8	SU87A3FF.	1st alcohol opportunity before 20s
1342	SU87B	Num	8		Age 1st opportunity to use drugs
1343	SU87B2	Num	8	SU87B2FF.	1st drug opportunity before teens
1344	SU87B3	Num	8	SU87B3FF.	1st drug opportunity before 20s
1345	SU88A	Num	8		# of opportunities before trying alcohol
1346	SU88B	Num	8		# of opportunities before trying drugs
1348	SU95A	Num	8		Age 1st see doctor about drugs
2683	T1	Num	8	T1FFFFFF.	Know anyone killed in 911 attack
2684	T2	Num	8	T2FFFFFF.	Know anyone injured but survived 911 attack
2685	T3	Num	8	T3FFFFFF.	Close friend/relative near site but not injured in 911 attack
4065	T4	Num	8	T4FFFFFF.	Witnessed attacks or disaster scene a few days after attacks?
2686	T3A01	Num	8	T3A01FFF.	Close friend/rel near site/not injured in 911:1st mention
2687	T3A02	Num	8	T3A02FFF.	Close friend/rel near site/not injured in 911:2nd mention
2688	T3A03	Num	8	T3A03FFF.	Close friend/rel near site/not injured in 911:3rd mention
4066	T4B_S_1	Num	8	T4B_S_1F.	Briefly, where were you and what did you see? - mention 1
4067	T4B_S_2	Num	8	T4B_S_2F.	Briefly, where were you and what did you see? - mention 2
4068	T4B_S_3	Num	8	T4B_S_3F.	Briefly, where were you and what did you see? - mention 3
4069	T4B_S_4	Num	8	T4B_S_4F.	Briefly, where were you and what did you see? - mention 4
4070	T4B_S_5	Num	8	T4B_S_5F.	Briefly, where were you and what did you see? - mention 5
1719	TB2	Num	8	TB2FFFFFF.	Ever smoke cigarette/cigar/pipe, even single puff
3957	TB3	Num	8	TB3FFFFFF.	How old first time smoked
1720	TB4	Num	8	TB4FFFFFF.	Ever smoke at least 1/week for 2 months or more
3960	TB6	Num	8	TB6FFFFFF.	How old first time smoked once a week for at least two months
3707	TB9	Num	8		Past 12 months-# days smoked at least 1 cigarette/cigar/pipe
1721	TB10	Num	8		Days smoked in past year-# of cigarettes per day
1724	TB11	Num	8	TB11FFFF.	Year in life when smoked more than past year
1725	TB12	Num	8		Year(s) smoked freq-# days at least 1 cigarette/cigar/pipe
1729	TB14	Num	8		# of different years in life smoked daily/almost daily
1730	TB15	Num	8	TB15FFFF.	Ever had irresistible desire to smoke that couldn't think of else
1745	TB21	Num	8	TB21FFFF.	Remember exact age 1st time any smoking related problems
1747	TB22	Num	8	TB22FFFF.	Recent time of smoking related problems
3963	TB23	Num	8	TB23FFFF.	About how old - last time problems due to smoking
1748	TB24	Num	8		# different years ever had at least 1 smoking problem

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
1749	TB25	Num	8	TB25FFFF.	Had 3 or more smoking related problems in same year
3964	TB26	Num	8	TB26FFFF.	How old first time three or more problems due to smoking
1750	TB31	Num	8	TB31FFFF.	How soon after waking you smoke 1st cigarette/cigar/pipe
1751	TB32	Num	8	TB32FFFF.	Difficult to refrain from smoking in forbidden places
1752	TB33	Num	8	TB33FFFF.	Cigarette/cigar/pipe would most hate to give up
1753	TB34	Num	8	TB34FFFF.	Smoke more frequently first hours after waking than rest of day
1754	TB35	Num	8	TB35FFFF.	Smoke even when so ill and in bed most of day
1755	TB36	Num	8		# different times seriously attempted to quit smoking
1756	TB38	Num	8		Since serious attempt to quit, longest gone without smoking
1758	TB40	Num	8		# different times gone without smoking for 3 months +
1722	TB10A	Num	8		Days smoked in past year-# of cigars per day
1723	TB10B	Num	8		Days smoked in past year-# of pipes per day
1726	TB13A	Num	8		Year(s) smoked freq-# cigarette/cigar/pipe per day
1727	TB13B	Num	8		Year(s) smoked freq-# cigars smoked per day
1728	TB13C	Num	8		Year(s) smoked freq-# pipes smoked per day
1731	TB15A	Num	8	TB15A.	Developed physical tolerance over time so no negative effects
1732	TB15B	Num	8	TB15B.	Exp physical symptoms when cut down/stop smoking
1733	TB15C	Num	8	TB15C.	Exp emotional symptoms when cut down/stop smoking
1734	TB15D	Num	8	TB15D.	Smoked to avoid physical/emotional symptoms
1735	TB15E	Num	8	TB15E.	Smoked even though promised self not to
1736	TB15F	Num	8	TB15F.	Smoked more frequently/days in row than intended
1737	TB15G	Num	8	TB15G.	Tried to cut down/stop smoking and unable to do so
1738	TB15H	Num	8	TB15H.	Chain smoked for several days or more
1739	TB15I	Num	8	TB15I.	Reduced/gave up important activities for month or more
1740	TB15J	Num	8	TB15J.	Tobacco ever caused physical problems
1741	TB15K	Num	8	TB15K.	Continue smoking regardless of physical problems
1742	TB15L	Num	8	TB15L.	Tobacco ever caused emotional problems
1743	TB15M	Num	8	TB15M.	Continue smoking regardless of emotional problems
1744	TB16_1	Num	8	TB16_1FF.	Remember exact age of very 1st smoking problem
1746	TB21A	Num	8		Age of very 1st smoking related problems
3962	TB21B	Num	8	TB21B.	About how old - first time problems due to smoking
1757	TB38A	Num	8	TB38A.	Unit of time longest gone without smoking, TB38
1759	TB41A	Num	8	TB41A.	Used nicotine gum or patch to quit smoking
1760	TB41B	Num	8	TB41B.	Used prescription medication to quit smoking
1761	TB41C	Num	8	TB41C.	Used nicotine-free cigarettes to quit smoking
1762	TB41D	Num	8	TB41D.	Went to groups or classes to quit smoking

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
3958	TB5INTR1	Num	8	TB5INTRF.	How old first time smoked - current smoker
3959	TB5INTR2	Num	8	TB5INT0F.	How old first time smoked - former smoker
3961	TB6A	Num	8	TB6A.	How old first time smoked nearly everyday for at least two months
3292	TBD_OND	Num	8	TBD_OND.	DSM-IV Nicotine Dependence Onset
3326	TBD_ONI	Num	8	TBD_ONI.	ICD Nicotine Dependence Onset
3293	TBD_RECDD	Num	8	TBD_RECDD.	DSM-IV Nicotine Dependence Recency
3327	TBD_RECI	Num	8	TBD_RECI.	ICD Nicotine Dependence Recency
3713	VERSION	Num	8	VERSION.	Version Release Number
3585	WEIGHT	Num	8	WEIGHT.	Weight in pounds
3712	WKSTAT3C	Num	8	WKSTAT3C.	Work Status 3 categories
1998	WU2	Num	8	WU2FFFFF.	Extent to which you worry about such things?
2009	WU4	Num	8	WU4FFFFF.	All together, extent of happiness these days
2010	WU5	Num	8	WU5FFFFF.	Compare with others, extent to which bad things happen
2011	WU6	Num	8	WU6FFFFF.	Find it hard to handle when bad things happen
1987	WU101	Num	8	WU101FFF.	Things worry about most:1st mention
1988	WU102	Num	8	WU102FFF.	Things worry about most:2nd mention
1989	WU103	Num	8	WU103FFF.	Things worry about most:3rd mention
1990	WU104	Num	8	WU104FFF.	Things worry about most:4th mention
1991	WU105	Num	8	WU105FFF.	Things worry about most:5th mention
1992	WU106	Num	8	WU106FFF.	Things worry about most:6th mention
1993	WU107	Num	8	WU107FFF.	Things worry about most:7th mention
1994	WU108	Num	8	WU108FFF.	Things worry about most:8th mention
1995	WU109	Num	8	WU109FFF.	Things worry about most:9th mention
1996	WU110	Num	8	WU110FFF.	Things worry about most:10th mention
1997	WU111	Num	8	WU111FFF.	Things worry about most:11th mention
1999	WU301	Num	8	WU301FFF.	Things not too happy about:1st mention
2000	WU302	Num	8	WU302FFF.	Things not too happy about:2nd mention
2001	WU303	Num	8	WU303FFF.	Things not too happy about:3rd mention
2002	WU304	Num	8	WU304FFF.	Things not too happy about:4th mention
2003	WU305	Num	8	WU305FFF.	Things not too happy about:5th mention
2004	WU306	Num	8	WU306FFF.	Things not too happy about:6th mention
2005	WU307	Num	8	WU307FFF.	Things not too happy about:7th mention
2006	WU308	Num	8	WU308FFF.	Things not too happy about:8th mention
2007	WU309	Num	8	WU309FFF.	Things not too happy about:9th mention
2008	WU310	Num	8	WU310FFF.	Things not too happy about:10th mention
2012	WU6A	Num	8	WU6A.	Extent to which hard to handle bad things

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
2013	WU6B	Num	8		Last time that was hard to handle bad things
2014	WU6C	Num	8	WU6C.	Unit of time hard to handle bad things, WU6B
4159	drpts	Num	8		
4161	drpts1	Num	8		
4163	drpts2	Num	8		
4165	drpts3	Num	8		
4167	drpts4	Num	8		
4169	drpts5	Num	8		
4121	drptsa	Num	8		
4119	drpts2a	Num	8		
4127	drptsb	Num	8		
4123	drptsb1	Num	8		
4125	drptsb2	Num	8		
4133	drptsc	Num	8		
4129	drptsc1	Num	8		
4131	drptsc2	Num	8		
4139	drptsd	Num	8		
4135	drptsd1	Num	8		
4137	drptsd2	Num	8		
4145	drptse	Num	8		
4152	drptsf	Num	8		
4170	dsm_pts1	Num	8		
4171	dsm_pts2	Num	8		
4172	dsm_pts3	Num	8		
4173	dsm_pts4	Num	8		
4174	dsm_pts5	Num	8		
4117	dsmpsa1	Num	8		
4158	dwpts	Num	8		
4160	dwpts1	Num	8		
4162	dwpts2	Num	8		
4164	dwpts3	Num	8		
4166	dwpts4	Num	8		
4168	dwpts5	Num	8		
4120	dwpts2a	Num	8		
4118	dwpts2a2	Num	8		
4126	dwptsb	Num	8		

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
4122	dwptsb1	Num	8		
4124	dwptsb2	Num	8		
4132	dwptsc	Num	8		
4128	dwptsc1	Num	8		
4130	dwptsc2	Num	8		
4138	dwptsd	Num	8		
4134	dwptsd1	Num	8		
4136	dwptsd2	Num	8		
4144	dwptse	Num	8		
4147	dwptsf	Num	8		
4175	icdptsa	Num	8		
4195	irpts	Num	8		
4181	irptsb	Num	8		
4177	irptsb1	Num	8		
4179	irptsb2	Num	8		
4183	irptsc	Num	8		
4189	irptsd	Num	8		
4185	irptsd1	Num	8		
4187	irptsd2	Num	8		
4193	irptse	Num	8		
4194	iwpts	Num	8		
4180	iwptsb	Num	8		
4176	iwptsb1	Num	8		
4178	iwptsb2	Num	8		
4182	iwptsc	Num	8		
4188	iwptsd	Num	8		
4184	iwptsd1	Num	8		
4186	iwptsd2	Num	8		
4207	pts_onr	Num	8		
4204	pts_onw	Num	8		
4211	pts_perd	Num	8		
4212	pts_peri	Num	8		
4210	pts_perr	Num	8		
4209	pts_perw	Num	8		
4208	pts_recr	Num	8		

The CONTENTS Procedure

Alphabetic List of Variables and Attributes					
#	Variable	Type	Len	Format	Label
4205	pts_recw	Num	8		
4213	pts_smpl	Num	8		