

```
import pymongo
client=pymongo.MongoClient("mongodb://localhost:27017")
db=client.test

db=client['Bakadb']

collection = db["Student"]
```

1. Write a MongoDB query to find all students excluding _id and LastName Field

```
for i in db.Student.find({"_id": 0, "LastName": 0}):
    print(i)
```

2. Update the student's age with Rollnum 67 to 26 years

```
db.Student.update_one({"RollNum" : 67}, {"$set": {"Age": 26}})
db.Student.find_one({"RollNum": 67})

{'_id': ObjectId('6548eeaa087e94747106aafb'),
 'RollNum': 67,
 'FirstName': 'Alice',
 'LastName': 'Smith',
 'Age': 26,
 'Department': 'Physics',
 'Mark': 59}
```

3. Increase the Age of all students by 1

```
db.Student.update_many({}, {"$inc": {"Age": 1}})
for i in db.Student.find():
    print(i)

{'_id': ObjectId('6548eeaa087e94747106aafa'), 'RollNum': 43,
 'FirstName': 'John', 'LastName': 'Doe', 'Age': 21, 'Department':
 'Computer Science', 'Mark': 78}
{'_id': ObjectId('6548eeaa087e94747106aafb'), 'RollNum': 67,
 'FirstName': 'Alice', 'LastName': 'Smith', 'Age': 27, 'Department':
 'Physics', 'Mark': 59}
{'_id': ObjectId('6548eeaa087e94747106aaafc'), 'RollNum': 23,
 'FirstName': 'Bob', 'LastName': 'Johnson', 'Age': 22, 'Department':
 'Computer Science', 'Mark': 81}
{'_id': ObjectId('6548eeaa087e94747106aaafd'), 'RollNum': 18,
 'FirstName': 'Eve', 'LastName': 'Adams', 'Age': 20, 'Department':
 'Mathematics', 'Mark': 56}
{'_id': ObjectId('6548eeaa087e94747106aaafe'), 'RollNum': 84,
 'FirstName': 'Mike', 'LastName': 'Brown', 'Age': 24, 'Department':
 'Physics', 'Mark': 92}
```

4. Increment 5 Mark for all students in the "Computer Science" department.

```

db.Student.update_many({"Department": "Computer Science"}, {"$inc":
{"Mark": 5}})
for i in db.Student.find():
    print(i)

{'_id': ObjectId('6548eeaa087e94747106aafa'), 'RollNum': 43,
'FirstName': 'John', 'LastName': 'Doe', 'Age': 21, 'Department':
'Computer Science', 'Mark': 83}
{'_id': ObjectId('6548eeaa087e94747106aafb'), 'RollNum': 67,
'FirstName': 'Alice', 'LastName': 'Smith', 'Age': 27, 'Department':
'Physics', 'Mark': 59}
{'_id': ObjectId('6548eeaa087e94747106aaafc'), 'RollNum': 23,
'FirstName': 'Bob', 'LastName': 'Johnson', 'Age': 22, 'Department':
'Computer Science', 'Mark': 86}
{'_id': ObjectId('6548eeaa087e94747106aaafd'), 'RollNum': 18,
'FirstName': 'Eve', 'LastName': 'Adams', 'Age': 20, 'Department':
'Mathematics', 'Mark': 56}
{'_id': ObjectId('6548eeaa087e94747106aaafe'), 'RollNum': 84,
'FirstName': 'Mike', 'LastName': 'Brown', 'Age': 24, 'Department':
'Physics', 'Mark': 92}

```

5.Reduce 10 Marks for all students in the "Mathematics" department.

```

db.Student.update_many({"Department": "Mathematics"}, {"$inc":
{"Mark": -10}})
for i in db.Student.find():
    print(i)

{'_id': ObjectId('6548eeaa087e94747106aafa'), 'RollNum': 43,
'FirstName': 'John', 'LastName': 'Doe', 'Age': 21, 'Department':
'Computer Science', 'Mark': 83}
{'_id': ObjectId('6548eeaa087e94747106aafb'), 'RollNum': 67,
'FirstName': 'Alice', 'LastName': 'Smith', 'Age': 27, 'Department':
'Physics', 'Mark': 59}
{'_id': ObjectId('6548eeaa087e94747106aaafc'), 'RollNum': 23,
'FirstName': 'Bob', 'LastName': 'Johnson', 'Age': 22, 'Department':
'Computer Science', 'Mark': 86}
{'_id': ObjectId('6548eeaa087e94747106aaafd'), 'RollNum': 18,
'FirstName': 'Eve', 'LastName': 'Adams', 'Age': 20, 'Department':
'Mathematics', 'Mark': 46}
{'_id': ObjectId('6548eeaa087e94747106aaafe'), 'RollNum': 84,
'FirstName': 'Mike', 'LastName': 'Brown', 'Age': 24, 'Department':
'Physics', 'Mark': 92}

```

6.Update the Department name of all students in the "Physics" department to "Physical Science".

```

db.Student.update_many({"Department": "Physics"}, {"$set":
{"Department": "Physical Science"}})

```

```

for i in db.Student.find():
    print(i)

{'_id': ObjectId('6548eeaa087e94747106aafa'), 'RollNum': 43,
'FirstName': 'John', 'LastName': 'Doe', 'Age': 21, 'Department':
'Computer Science', 'Mark': 83}
{'_id': ObjectId('6548eeaa087e94747106aafb'), 'RollNum': 67,
'FirstName': 'Alice', 'LastName': 'Smith', 'Age': 27, 'Department':
'Physical Science', 'Mark': 59}
{'_id': ObjectId('6548eeaa087e94747106aaaf'), 'RollNum': 23,
'FirstName': 'Bob', 'LastName': 'Johnson', 'Age': 22, 'Department':
'Computer Science', 'Mark': 86}
{'_id': ObjectId('6548eeaa087e94747106aaaf'), 'RollNum': 18,
'FirstName': 'Eve', 'LastName': 'Adams', 'Age': 20, 'Department':
'Mathematics', 'Mark': 46}
{'_id': ObjectId('6548eeaa087e94747106aaaf'), 'RollNum': 84,
'FirstName': 'Mike', 'LastName': 'Brown', 'Age': 24, 'Department':
'Physical Science', 'Mark': 92}

```

7. Calculate the average age of all students.

```

pipeline = [
    {"$group": {"_id": "null", "averageAge": {"$avg": "$Age"}}}
]
result = list(db.Student.aggregate(pipeline))
print(result)

[{'_id': 'null', 'averageAge': 22.8}]

```

8. Calculate the average Mark of all students in the "Physical Science" department.

```

pipeline = [
    {"$match": {"Department": "Physical Science"}},
    {"$group": {"_id": "null", "averageMark": {"$avg": "$Mark"}}}
]
result = list(db.Student.aggregate(pipeline))
print(result)

[{'_id': 'null', 'averageMark': 75.5}]

```

9. Remove all the students of the "Mathematics" department.

```

db.Student.delete_many({"Department": "Mathematics"})
for i in db.Student.find():
    print(i)

{'_id': ObjectId('6548eeaa087e94747106aafa'), 'RollNum': 43,
'FirstName': 'John', 'LastName': 'Doe', 'Age': 21, 'Department':
'Computer Science', 'Mark': 83}

```

```
{'_id': ObjectId('6548eeaa087e94747106aafb'), 'RollNum': 67,
'FirstName': 'Alice', 'LastName': 'Smith', 'Age': 27, 'Department':
'Physical Science', 'Mark': 59}
{'_id': ObjectId('6548eeaa087e94747106aafc'), 'RollNum': 23,
'FirstName': 'Bob', 'LastName': 'Johnson', 'Age': 22, 'Department':
'Computer Science', 'Mark': 86}
{'_id': ObjectId('6548eeaa087e94747106aafe'), 'RollNum': 84,
'FirstName': 'Mike', 'LastName': 'Brown', 'Age': 24, 'Department':
'Physical Science', 'Mark': 92}
```

10.Remove all the students whose mark is less than 60.

```
db.Student.delete_many({"Mark": {"$lt": 60}})
for i in db.Student.find():
    print(i)

{'_id': ObjectId('6548eeaa087e94747106aafa'), 'RollNum': 43,
'FirstName': 'John', 'LastName': 'Doe', 'Age': 21, 'Department':
'Computer Science', 'Mark': 83}
{'_id': ObjectId('6548eeaa087e94747106aafc'), 'RollNum': 23,
'FirstName': 'Bob', 'LastName': 'Johnson', 'Age': 22, 'Department':
'Computer Science', 'Mark': 86}
{'_id': ObjectId('6548eeaa087e94747106aafe'), 'RollNum': 84,
'FirstName': 'Mike', 'LastName': 'Brown', 'Age': 24, 'Department':
'Physical Science', 'Mark': 92}
```