

EarsForYou: Admin API Documentation

This document outlines all available REST API endpoints for the **Admin Dashboard**.

Authentication Note: Protected endpoints require a valid JWT Access Token in the `Authorization` header (`Bearer <token>`). Token refreshing relies on a secure `HttpOnly` cookie named `admin_refresh_token` . Your Axios/Fetch requests **must** include `withCredentials: true` to pass the cookie successfully.

1. Authentication, Login & Sessions (`/api/v1/auth`)

- **POST** `/admin-login`
 - **Description:** Authenticates the admin with email and password.
 - **Returns:** JSON with the `accessToken` and automatically sets the `admin_refresh_token` `HttpOnly` cookie.
- **POST** `/admin-refresh`
 - **Description:** The browser sends the `admin_refresh_token` cookie, and the server replies with a brand new 15-minute Access Token.
- **POST** `/logout`
 - **Description:** Securely logs the admin out. Blacklists the active JWT and clears the `HttpOnly` cookies.

2. Password Reset & Account Recovery

- **POST** `/api/v1/auth/forgot-admin-password` (Params: `adminEmail`)
 - **Description:** Initiates password reset by sending an OTP.
- **POST** `/api/v1/auth/resend-admin-forgotten-password-otp` (Params: `adminEmail`)
 - **Description:** Resends the password reset OTP.
- **POST** `/api/v1/auth/reset-admin-password`



- **Description:** Validates the OTP and updates the forgotten password.
- **POST** /api/v1/auth/recovery/admin/initiate (Params: adminEmail)
 - **Description:** Initiates full account recovery.
- **POST** /api/v1/auth/recovery/admin/confirm (Params: adminEmail , otp)
 - **Description:** Confirms the recovery OTP and instantly logs the admin in (returns Access Token and sets Cookie).

3. Admin Registration & Profile (/api/v1/admins)

- **POST** /register-admin
 - **Description:** Initiates admin account creation and sends an OTP.
- **POST** /verify-admin
 - **Description:** Verifies OTP. Returns the Access Token and Refresh Token (HttpOnly Cookie).
- **GET** /me
 - **Description:** Retrieves the authenticated admin's profile.
- **PUT** /me
 - **Description:** Updates the admin's profile details.
- **DELETE** /me
 - **Description:** Deletes the admin's account.

Logged-In Credential Changes & OTPs

- **POST** /change-admin-password/initiate
- **POST** /change-admin-password/verify
- **POST** /change-admin-email/initiate
- **POST** /change-admin-email/verify

- **POST** /resend-registration-otp (Params: adminEmail)
- **POST** /resend-recovery-otp (Params: adminEmail)
- **POST** /resend-password-change-otp
- **POST** /resend-email-change-otp

4. Main Dashboard & Analytics (/api/v1/admins/dashboard & /analytics)

- **GET** /api/v1/admins/dashboard
 - **Description:** Fetches top-level metrics for the main admin dashboard overview.
- **GET** /api/v1/admins/dashboard/exports
 - **Description:** Generates and downloads a .csv file of platform metrics.
- **GET** /api/v1/admins/dashboard/notifications
 - **Description:** Fetches historical data regarding sent platform broadcasts.
- **GET** /api/v1/admins/analytics
 - **Description:** Fetches detailed time-series chart arrays (User Growth, Moods, AI usage) for the Analytics Dashboard.

5. User Management & Support Overrides (/api/v1/admins/users)

- **GET** /api/v1/admins/users
 - **Description:** Fetches a paginated, filterable list of all platform users.
- **PUT** /api/v1/admins/users/suspend (Params: userEmail)
 - **Description:** Suspends a user account.
- **PUT** /api/v1/admins/users/reactivate (Params: userEmail)
 - **Description:** Lifts a user suspension.

- **PUT** /api/v1/admins/users/change-email (Params: userEmail , newPassword)
 - **Description:** Direct override to fix a user's email typo without OTP.
- **GET** /api/v1/admins/audit-logs
 - **Description:** Fetches recent system audit logs of admin actions.

Support Failover (Manual OTP Generation)

Generates OTPs manually for users who cannot receive emails.

- **POST** /api/v1/admins/users/failover/registration-otp (Params: userEmail)
- **POST** /api/v1/admins/users/failover/password-otp (Params: userEmail)
- **POST** /api/v1/admins/users/failover/email-otp (Params: userEmail)
- **POST** /api/v1/admins/users/failover/password-change-otp (Params: userEmail)

6. Emergency Resources (/api/v1/admins/emergency-resources)

- **GET** /emergency/dashboard
 - **Description:** Fetches metrics for the emergency resources dashboard.
- **GET** /resources
 - **Description:** Returns a complete list of all global emergency resources.
- **POST** /resources
 - **Description:** Adds a new emergency resource.
- **PUT** /resources/{id}
 - **Description:** Updates an existing resource.
- **DELETE** /resources/{id}
 - **Description:** Deletes a resource.

7. Dynamic System Settings (/api/v1/admins/settings)

- **GET** /
 - **Description:** Retrieves all dynamic system settings (Rate limits, Token Expiries, AI System Prompts) from Redis.
- **PATCH** /
 - **Description:** Updates specific system settings in real-time.
- **DELETE** /{key}
 - **Description:** Resets a specific setting back to its factory default.

8. AI Telemetry (/api/v1/admins/telemetry)

- **GET** /
 - **Description:** Fetches AI provider live health status, average latency, and success/failure charts.

9. Broadcasts (/api/v1/admins/broadcast)

- **POST** /
 - **Description:** Triggers a platform-wide or segment-specific push notification broadcast via Kafka.