

EarsForYou: User API Documentation

This document outlines all available REST API endpoints for the **User Application**.

Authentication Note: Protected endpoints require a valid JWT Access Token in the `Authorization` header (`Bearer <token>`). Token refreshing relies on a secure, cross-domain `HttpOnly` cookie named `user_refresh_token` . Your Axios/Fetch requests **must** include `withCredentials: true` to attach this cookie successfully.

1. Authentication, Login & Sessions (`/api/v1/auth`)

- **POST** `/user-login`
 - **Description:** Authenticates the user with email and password.
 - **Returns:** JSON with the `accessToken` and automatically sets the `user_refresh_token` `HttpOnly` cookie.
- **POST** `/user-refresh`
 - **Description:** Silent background endpoint. The browser sends the `user_refresh_token` cookie, and the server replies with a brand new 15-minute Access Token.
- **POST** `/logout`
 - **Description:** Securely logs the user out. Blacklists the active JWT and commands the browser to instantly delete the `HttpOnly` cookies.

2. Password Reset & Account Recovery

If a user forgets their password or loses access to their account.

- **POST** `/api/v1/auth/forgot-password` (Params: `email`)
 - **Description:** Initiates the password reset process by sending an OTP to the user's email.



- **POST** /api/v1/auth/resend-forgotten-password-otp (Params: email)
 - **Description:** Resends the password reset OTP.
- **POST** /api/v1/auth/reset-password
 - **Description:** Validates the OTP and updates the forgotten password.
- **POST** /api/v1/auth/recovery/initiate (Params: email)
 - **Description:** Initiates full account recovery. Sends an OTP to the email.
- **POST** /api/v1/auth/recovery/confirm (Params: email , otp)
 - **Description:** Confirms the recovery OTP and instantly logs the user in (returns Access Token and sets Cookie).

3. Account Registration & Profile (/api/v1/users)

- **POST** /register-user
 - **Description:** Initiates account creation. Returns a pending user object and sends an OTP to the email.
- **POST** /verify-user
 - **Description:** Verifies the registration OTP. Completes registration and logs the user in (returns Access Token and sets Cookie).
- **GET** /me
 - **Description:** Retrieves the authenticated user's complete profile.
- **PUT** /me
 - **Description:** Updates the user's profile details.
- **DELETE** /me
 - **Description:** Permanently deletes the user's account.
- **GET** /ping

- **Description:** Refreshes the active Redis session timeout. Hit this when the user clicks "Keep me logged in" on the idle warning popup.

Logged-In Credential Changes & OTPs

- **POST** /change-password/initiate
- **POST** /change-password/verify
- **POST** /change-email/initiate
- **POST** /change-email/verify
- **POST** /resend-registration-otp (Params: email)
- **POST** /resend-recovery-otp (Params: email)
- **POST** /resend-password-change-otp
- **POST** /resend-email-change-otp

4. Dashboard & Home (/api/v1/dashboard)

- **GET** /home
 - **Description:** Fetches data for the main user dashboard, including the dynamic greeting, daily affirmation, day streak, and recent mood levels.

5. Mood Tracking & Analytics (/api/v1/mood)

- **POST** /log
 - **Description:** Saves a new mood check-in (Primary mood, intensity, stress, energy).
- **GET** /analytics
 - **Description:** Fetches time-series data for the "Insights" page charts and the dynamic personalized text insight.
- **GET** /streak

- **Description:** Returns the user's current consecutive daily check-in streak.

6. Journaling (/api/v1/journal)

- **POST** /entry
 - **Description:** Creates a new private journal entry.
- **GET** /history
 - **Description:** Retrieves a list of all historical journal entries for the user.
- **GET** /retrieve/{id}
 - **Description:** Fetches a specific journal entry by its ID.
- **PUT** /update-journal/{id}
 - **Description:** Edits an existing journal entry.
- **DELETE** /delete-journal/{id}
 - **Description:** Deletes a specific journal entry.

7. AI Chat Therapist (/api/v1/users/chat)

- **POST** /
 - **Description:** Sends a message to the AI therapist. Automatically triggers the background crisis-analysis Kafka event. Expect a 2-5 second delay for generation.

8. Notifications & Alerts (/api/v1/users/notifications)

- **GET** /
 - **Description:** Fetches an array of all unread notifications.
- **GET** /unread-count
 - **Description:** Returns a JSON object with the total count of unread notifications for the UI badge.

- **PATCH** `/{{id}}/read`
 - **Description:** Marks a specific notification as read.
- **GET** `/settings`
 - **Description:** Retrieves the user's current notification toggle preferences (push, email, reminder times).
- **PUT** `/settings`
 - **Description:** Updates the user's notification toggle preferences.

9. Emergency Support (`/api/v1/users/support`)

- **GET** `/emergency-resources`
 - **Description:** Fetches active emergency hotlines and clinics specific to the user's registered country.