Neovim Keymaps

Leader key: `<Space>` · Local leader: \ (default)

Splits (`<leader>s`)

Key	Action
`<leader>sv`	Vertical split
`<leader>sh`	Horizontal split
`<leader>se`	Equalise splits
`<leader>sx`	Close split
`<leader>sm`	Maximise/minimise split

Navigation & resize

Key	Action
`<C-h/j/k/l>`	Move to split (also across tmux panes)
`<A-h/j/k/l>`	Swap split in direction
`<A-Left/Right>`	Resize vertical (normal and terminal mode)
`<A-Up/Down>`	Resize horizontal (normal and terminal mode)

Tabs (`<leader>t`)

Key	Action
`<leader>to`	New tab
`<leader>tx`	Close tab
`<leader>tn`	Next tab
`<leader>tp`	Previous tab
`<leader>tf`	Buffer to new tab
`<leader>tl`	List tabs

Terminal (`<leader><CR>`)

Key	Action
`<leader><CR>h`	Open horizontal terminal
`<leader><CR>v`	Open vertical terminal
`<Esc>`	Normal mode (in terminal; in the Claude terminal it goes to Claude)
`<C-S-c>`	Normal mode in the Claude terminal

Explorer (<leader>e)

Key	Action
<leader>ee	Toggle file explorer
<leader>ef	Focus explorer on current file
<leader>ec	Collapse explorer
<leader>er	Refresh explorer

Inside nvim-tree

Key	Action
<leader>d	Drag file(s) out (ripdrag)
<leader>P	Play video fullscreen (kitty overlay)

Find (<leader>f)

Key	Action
<leader>ff	Find files in cwd
<leader>fh	Find files in home directory
<leader>fr	Recent files
<leader>fs	Live grep
<leader>fc	Grep word under cursor

Code (<leader>c)

Key	Action
<leader>ca	Code action
<leader>cr	Rename symbol
<leader>cf	Format file/range
<leader>cd	Generate docstring
<leader>cl	Trigger linting
<leader>cx	Toggle focused diagnostics popup

LSP navigation

Key	Action
gd	Go to definition
gR	Go to references

Key	Action
K	Hover docs (nvim default)
[d /]d	Previous/next diagnostic (nvim default)

Diagnostics (<leader>x)

Key	Action
<leader>xw	Workspace diagnostics (Trouble)
<leader>xd	Document diagnostics (Trouble)
<leader>xq	Quickfix list (Trouble)
<leader>xl	Location list (Trouble)
<leader>xt	Todos (Trouble)

Text objects and motions (treesitter)

Select with a/i + suffix (outer/inner), e.g. daf, yim:

Suffix	Object
=	Assignment (l= / r= for left/right side)
:	Object property, JS/TS (l: / r: for key/value)
a	Parameter/argument
i	Conditional
l	Loop
f	Function call
m	Method/function definition
c	Class

Jump with]/[(start) and]/[+ uppercase (end):

Key	Target
]f [f]F [F	Function call
]m [m]M [M	Method/function definition
]k [k]K [K	Class
]i [i]I [I	Conditional
]o [o]O [O	Loop
]x	Next scope
]z	Next fold
; / ,	Repeat last jump (also f/F/t/T) forward/back

Swap (<leader>m)

Key	Action
<leader>ma / <leader>mA	Swap argument with next/previous
<leader>mp / <leader>mP	Swap property with next/previous
<leader>mf / <leader>mF	Swap function with next/previous

Git (<leader>g)

Key	Action
<leader>gg	LazyGit

Claude / AI (<leader>a)

Key	Action
<leader>ac	Toggle Claude
<leader>an	New Claude chat
<leader>aC	Continue last Claude session
<leader>af	Focus Claude
<leader>ar	Resume Claude (pick session)
<leader>am	Select model
<leader>ab	Add current buffer
<leader>as	Send selection to Claude (visual)
<leader>aa	Accept diff
<leader>ad	Deny diff

Lazy / Mason (<leader>l)

Key	Action
<leader>ls	Lazy sync
<leader>lu	Lazy update
<leader>lx	Lazy clean
<leader>lz	Open Lazy
<leader>lm	Open Mason

Noice (<leader>n)

Key	Action
`<leader>nl`	Last message
`<leader>nh`	Message history

Notes / Neorg (`<leader>o`)

Key	Action
`<leader>oo`	Notes index (`~/notes`)
`<leader>or`	Close notes, back to previous buffers
`<leader>oj`	Journal: today

In `.norg` files, Neorg's own keys sit under the local leader: `\t` todo states, `\l` lists, `\i` insert date, `\n` new note, `\c` magnify code block; `<C-Space>` cycles a task, `<CR>` follows a link.

Markdown (`<leader>p`)

Key	Action
`<leader>pt`	Preview (vellum)
`<leader>pz`	Zoom diagram/image under cursor
`<leader>pp`	Render to PDF (pandoc)

View (`<leader>v`)

Key	Action
`<leader>vc`	Toggle CSV view (CSV files)

Zen (`<leader>z`)

Key	Action
`<leader>zz`	Zen mode

Video

Opening a video file (mp4, mkv, webm, mov, avi, m4v) plays it in that window.

Key	Action
`p`	Play/pause (plays again after stop or end)
`q`	Stop
`h` / `l`	Seek -5s / +5s
`m`	Mute

Misc

Key	Action
`<Esc>`	Clear search highlights
`j` / `k`	Move by visual line; by real line with a count (`5j`)