API: `POST /api/v1/product-offering/certificate`

Certification intake from the DOME Marketplace (machine-to-machine).

Document version	2.0, 2026-10-30. Replaces the September 2025 version
Applies to	certification backend **1.4.5** and later (the changes are marked **[1.4.5]**)
Audience	DOME Marketplace (FICODES) and anyone integrating with the certification tool

1. Purpose and flow

The certification tool **does not fetch offerings from the Marketplace**. The Marketplace must call this endpoint for every product offering that needs certification. Without this call the offering never reaches the certifiers.

```
Marketplace ──POST /certificate──▶ Certification tool: request created (IN_PROGRESS), email to t
he provider
                                          │
                                          ▼  certifier reviews the documents and decides
                          VALIDATED ──▶ email to the provider; Issuer issues a gx:LabelCredential
(JWT) ──▶ Marketplace
                                          (delivered to {marketplace}/admin/uploadcertificate/{pro
duct spec URN},
                                           stored on the product specification as the Compliance:V
C characteristic)
                          REJECTED  ──▶ email to the provider
```

Request states: `IN_PROGRESS` → `VALIDATED` or `REJECTED` (with the certifier's comments). A validated request becomes `EXPIRED` when its validity ends. The provider is emailed two months before expiry and again at expiry.

When to call: the event that triggers the call is decided by the Marketplace. The tool accepts it at any point. The certification gate sits on **offer publication**, so the call must happen no later than when an offer is created or launched for the product specification.

2. Endpoints per environment

Environment	Endpoint
SBX	`https://dome-certification-api.dome-marketplace-sbx.org/api/v1/product-offering/certificate`
DEV2	`https://dome-certification-api.dome-marketplace-dev2.org/api/v1/product-offering/certificate`
PRD	`https://dome-certification-api.dome-marketplace.eu/api/v1/product-offering/certificate`

3. Authentication

```
Authorization: Bearer <m2m_token>
```

The token is a JWT issued by **that environment's DOME verifier**. The tool checks:

Check	Requirement
Algorithm	`alg` must be an ECDSA algorithm (`ES256` …). **RS256 tokens are rejected**
Key	the header `kid` must be present in the verifier's JWKS at `{verifier}/oidc/jwks` (keys cached 5 minutes)
Signature	valid for that key
Expiry	`exp` not passed

Verifier JWKS per environment (the PRD value was confirmed 2026-10-30; the others are the environment defaults):

Environment	JWKS
SBX	`https://verifier.dome-marketplace-sbx.org/oidc/jwks`
DEV2	`https://verifier.dome-marketplace-dev2.org/oidc/jwks`
PRD	`https://verifier.dome-marketplace.eu/oidc/jwks`

The tool does **not** currently check the `iss` or `aud` claims.

4. Request

`Content-Type: multipart/form-data`. Every text field is a multipart part.

Part	Required	Description
`product_specification_id`	yes	Product specification ID. Sent with or without the `urn:ngsi-ld:product-specification:` prefix; the tool stores it without
`service_name`	yes	Service name shown to certifiers and in emails
`service_version`	yes	Service version
`organization_name`	yes	Provider organisation name
`organization_address`	yes	Provider address
`organization_country`	yes	Country (ISO 3166-1 alpha-2 recommended, e.g. `ES`)
`organization_email`	yes	Contact email. Receives the status notifications
`organization_url`	yes	Provider website
`organization_vat_id`	yes	Organisation identifier as used in DOME, e.g. `VATES-B12345678`
`requested_compliance_level`	yes	Level the provider asks for: `Baseline`, `Professional` or `Professional+`. **[1.4.5]** Variants are also accepted (`BL`,

Part	Required	Description
		`P`, `PP`, `Professional Plus`, any case). Blank or unknown values are treated as `Baseline` and logged. Before 1.4.5, any value other than the three exact strings failed with 500
`files`	**[1.4.5] no** (was required)	Zero or more compliance documents: the self-attestation and certificates, usually PDF. Repeat the part for several files. A request without documents is accepted and reaches the certifier with no evidence, so the provider will be asked for documents

Notes: - **Only presence is checked.** The text fields are not validated for format: no email, URL or country checks. - **File size:** the maximum size per file and per request is set per deployment (the reference configuration is 10 MB). Larger uploads are rejected with 500. - **Integrity:** the tool computes a SHA-256 of each file. That hash goes into the issued label credential (`gx:digestSRI`, format `sha256-<base64>`), so the document a label was based on can be verified later. - **Repeat calls: each call creates a new certification request.** There is no de-duplication on `product_specification_id` yet, so a retry or a resend produces a duplicate request. Until this changes, send each offering once, and coordinate any bulk resend with the certification team. *(Proposed, not yet implemented: a repeat call for a request still `IN_PROGRESS` adds its documents to that request; a call after `VALIDATED` or `REJECTED` opens a new request, as for a renewal.)*

5. Responses

Status	When	Body
201 Created	Request created	`{"statusCode": 201, "message": null, "data": null}` (JSON)
400 Bad Request	**[1.4.5]** A required part is missing	`{"statusCode": 400, "message": "Missing required part: <part>", "data": null}` (JSON)
401 Unauthorized	Token missing, invalid or expired	**Plain text** giving the reason, e.g. `M2M token missing or invalid`, `M2M token expired: …`, `M2M token kid not found in JWKS: …`, `M2M token uses unsupported algorithm: …`, `Error fetching JWKS: …`
500	Documents could not be stored	`{"statusCode": 500, "message": null, "data": null}`
500	Any other error (e.g. not multipart, upload too large)	`{"statusCode": 500, "message": "Unexpected error", "data": null}`, or `"Error interno del servidor"`

Treat 201 as final. On 401 or 500, fix the cause before retrying; a blind retry can create duplicates once the first attempt has actually succeeded (see “Repeat calls”).

6. Example

```
curl -X POST "https://dome-certification-api.dome-marketplace-sbx.org/api/v1/product-offering/certificate" \
  -H "Authorization: Bearer <ES256 M2M token from the SBX verifier>" \
  -F "product_specification_id=urn:ngsi-ld:product-specification:7436c6e6-5d98-491d-b160-fed5bc9aeb49" \
  -F "service_name=Payment Gateway API" \
  -F "service_version=2.1" \
  -F "organization_name=TechCorp Solutions" \
  -F "organization_address=Calle Mayor 123, 28001 Madrid" \
  -F "organization_country=ES" \
  -F "organization_email=compliance@techcorp.example" \
  -F "organization_url=https://www.techcorp.example" \
  -F "organization_vat_id=VATES-A12345678" \
  -F "requested_compliance_level=Baseline" \
  -F "files=@self-attestation.pdf" \
  -F "files=@iso27001-certificate.pdf"
```

7. What happens after a 201

- The request appears to certifiers as `IN_PROGRESS`, and an email (“Compliance of created”) goes to `organization_email`. If the email fails, the request is still created.
- The certifier classifies each document (certificate or self-attestation), and the tool derives the label level (Baseline / Professional / Professional+).
- On validation, the tool asks the DOME Issuer for a `gx:LabelCredential`. The Issuer delivers it to the Marketplace at `{marketplace}/admin/uploadcertificate/urn:ngsi-ld:product-specification:{id}`. A new upload **replaces** the previous label.
- Each intake call is logged with its product ID, and rejected calls are logged with the reason **[1.4.5]**. Give the certification team the product IDs when you need a call investigated.

8. Change log

Version	Date	Changes
2.0	2026-10-30	Rewritten against the code. **[1.4.5]**: `files` optional; `requested_compliance_level` variants accepted; missing part → 400 (was 500); one log line per intake call, rejections logged at WARN; uploaded files stored under unique names (identically named documents from different providers no longer overwrite each other); label credential `gx:digestSRI` in SRI form and `gx:validatedCriteria` as `https://w3id.org/gaia-x/specs/cd25.03/criterion/…`. Corrections to v1: endpoint host (`dome-certification-api.…`), ES256-only tokens (the v1 example showed RS256), the format validations v1 listed don’t exist, 401 is plain text, levels are not “Baseline only”, and `product_specification_id` uniqueness is not enforced

Version	Date	Changes
1.0	2025-09	First version