API: `POST /api/v1/product-offering/certificate`

Certification intake from the DOME Marketplace (machine-to-machine).

Document version	2.1, 2026-10-30. Replaces the September 2025 version
Applies to	certification backend **1.4.5** and later (the changes are marked **[1.4.5]**)
Audience	DOME Marketplace (FICODES) and anyone integrating with the certification tool

1. Purpose and flow

The certification tool **does not fetch offerings from the Marketplace**. The Marketplace must call this endpoint for every product offering that needs certification. Without this call the offering never reaches the certifiers.

```
Marketplace ──POST /certificate──▶ Certification tool: request created (IN_PROGRESS), email to t
he provider
                                          │
                                          ▼  certifier reviews the documents and decides
                          VALIDATED ──▶ email to the provider; Issuer issues a gx:LabelCredential
(JWT) ──▶ Marketplace
                                          (delivered to {marketplace}/admin/uploadcertificate/{pro
duct spec URN},
                                           stored on the product specification as the Compliance:V
C characteristic)
                          REJECTED  ──▶ email to the provider
```

Request states: `IN_PROGRESS` → `VALIDATED` or `REJECTED` (with the certifier's comments). A validated request becomes `EXPIRED` when its validity ends. The provider is emailed two months before expiry and again at expiry.

When to call: the event that triggers the call is decided by the Marketplace. The tool accepts it at any point. The certification gate sits on **offer publication**, so the call must happen no later than when an offer is created or launched for the product specification.

2. Endpoints per environment

Environment	Endpoint
SBX	`https://dome-certification-api.dome-marketplace-sbx.org/api/v1/product-offering/certificate`
DEV2	`https://dome-certification-api.dome-marketplace-dev2.org/api/v1/product-offering/certificate`
PRD	`https://dome-certification-api.dome-marketplace.eu/api/v1/product-offering/certificate`

3. Authentication

```
Authorization: Bearer <m2m_token>
```

The token is a JWT issued by **that environment's DOME verifier**. The tool checks:

Check	Requirement
Algorithm	`alg` must be an ECDSA algorithm (`ES256` …). **RS256 tokens are rejected**
Key	the header `kid` must be present in the verifier's JWKS at `{verifier}/oidc/jwks` (keys cached 5 minutes)
Signature	valid for that key
Expiry	`exp` not passed

Verifier JWKS per environment (the PRD value was confirmed 2026-10-30; the others are the environment defaults):

Environment	JWKS
SBX	`https://verifier.dome-marketplace-sbx.org/oidc/jwks`
DEV2	`https://verifier.dome-marketplace-dev2.org/oidc/jwks`
PRD	`https://verifier.dome-marketplace.eu/oidc/jwks`

The tool does **not** currently check the `iss` or `aud` claims.

4. Request

`Content-Type: multipart/form-data`. Every text field is a multipart part.

Part	Required	Description
`product_specification_id`	yes	Product specification ID. Sent with or without the `urn:ngsi-ld:product-specification:` prefix; the tool stores it without
`service_name`	yes	Service name shown to certifiers and in emails
`service_version`	yes	Service version
`organization_name`	yes	Provider organisation name
`organization_address`	yes	Provider address
`organization_country`	yes	Country (ISO 3166-1 alpha-2 recommended, e.g. `ES`)
`organization_email`	yes	Contact email. Receives the status notifications
`organization_url`	yes	Provider website
`organization_vat_id`	yes	Organisation identifier as used in DOME, e.g. `VATES-B12345678`
`requested_compliance_level`	yes	Level the provider asks for: `Baseline`, `Professional` or `Professional+`. **[1.4.5]** Variants are also accepted (`BL`,

Part	Required	Description
		`P`, `PP`, `Professional Plus`, any case). Blank or unknown values are treated as `Baseline` and logged. Before 1.4.5, any value other than the three exact strings failed with 500
`files`	**[1.4.5] no** (was required)	Zero or more compliance documents: the self-attestation and certificates, usually PDF. Repeat the part for several files. A request without documents is accepted and reaches the certifier with no evidence, so the provider will be asked for documents

Notes: - **Only presence is checked.** The text fields are not validated for format: no email, URL or country checks. - **File size:** the maximum size per file and per request is set per deployment (the reference configuration is 10 MB). Larger uploads are rejected with 500. - **Integrity:** the tool computes a SHA-256 of each file. That hash goes into the issued label credential (`gx:digestSRI`, format `sha256-<base64>`), so the document a label was based on can be verified later. - **Repeat calls [1.4.5]** are matched on `product_specification_id` against the latest request for that product:

Latest request for the product	Effect of the call	Response
none	New request created	201
`IN_PROGRESS`	**Documents added to that request.** Files identical to one already attached (same SHA-256) are skipped, so a plain retry changes nothing	200
`VALIDATED`, `REJECTED` or `EXPIRED`	**New request** (resubmission after rejection, renewal, or adding a certificate to reach a higher level). The earlier request stays as history; a validated label stays until the new decision	201

Retries and bulk resends are therefore safe. Documents with the same filename are kept separately and shown with their upload time. (Before 1.4.5, every call created a new request.)

5. Responses

Status	When	Body
201 Created	New request created	`{"statusCode": 201, "message": null, "data": null}` (JSON)
200 OK	**[1.4.5]** Request already in progress: documents added	`{"statusCode": 200, "message": "Added to the request in progress: N document(s) added, M identical skipped", "data": null}` (JSON)
400 Bad Request	**[1.4.5]** A required part is missing	`{"statusCode": 400, "message": "Missing required part: <part>", "data": null}` (JSON)

Status	When	Body
401 Unauthorized	Token missing, invalid or expired	**Plain text** giving the reason, e.g. `M2M token missing or invalid`, `M2M token expired: …`, `M2M token kid not found in JWKS: …`, `M2M token uses unsupported algorithm: …`, `Error fetching JWKS: …`
500	Documents could not be stored	`{"statusCode": 500, "message": null, "data": null}`
500	Any other error (e.g. not multipart, upload too large)	`{"statusCode": 500, "message": "Unexpected error", "data": null}`, or `"Error interno del servidor"`

Treat 200 and 201 as success. On 401 or 500, fix the cause before retrying. From 1.4.5 retries are safe (see “Repeat calls”); on earlier versions a retry after a success creates a duplicate request.

6. Example

```
curl -X POST "https://dome-certification-api.dome-marketplace-sbx.org/api/v1/product-offering/certificate" \
  -H "Authorization: Bearer <ES256 M2M token from the SBX verifier>" \
  -F "product_specification_id=urn:ngsi-ld:product-specification:7436c6e6-5d98-491d-b160-fed5bc9aeb49" \
  -F "service_name=Payment Gateway API" \
  -F "service_version=2.1" \
  -F "organization_name=TechCorp Solutions" \
  -F "organization_address=Calle Mayor 123, 28001 Madrid" \
  -F "organization_country=ES" \
  -F "organization_email=compliance@techcorp.example" \
  -F "organization_url=https://www.techcorp.example" \
  -F "organization_vat_id=VATES-A12345678" \
  -F "requested_compliance_level=Baseline" \
  -F "files=@self-attestation.pdf" \
  -F "files=@iso27001-certificate.pdf"
```

7. What happens after a 201

- The request appears to certifiers as `IN_PROGRESS`, and an email (“Compliance of created”) goes to `organization_email`. If the email fails, the request is still created. No email is sent when documents are added to a request already in progress (200).
- The certifier classifies each document (certificate or self-attestation), and the tool derives the label level (Baseline / Professional / Professional+).
- On validation, the tool asks the DOME Issuer for a `gx:LabelCredential`. The Issuer delivers it to the Marketplace at `{marketplace}/admin/uploadcertificate/urn:ngsi-ld:product-specification:{id}`. A new upload **replaces** the previous label.
- Each intake call is logged with its product ID, and rejected calls are logged with the reason **[1.4.5]**. Give the certification team the product IDs when you need a call investigated.

8. Change log

Version	Date	Changes
2.1	2026-10-30	**[1.4.5]** Repeat calls: documents added to the request in progress (200), identical files skipped; a new request only after a decision. Upload time shown per document
2.0	2026-10-30	Rewritten against the code. **[1.4.5]**: `files` optional; `requested_compliance_level` variants accepted; missing part → 400 (was 500); one log line per intake call, rejections logged at WARN; uploaded files stored under unique names (identically named documents from different providers no longer overwrite each other); label credential `gx:digestSRI` in SRI form and `gx:validatedCriteria` as `https://w3id.org/gaia-x/specs/cd25.03/criterion/…`. Corrections to v1: endpoint host (`dome-certification-api.…`), ES256-only tokens (the v1 example showed RS256), the format validations v1 listed don't exist, 401 is plain text, levels are not "Baseline only", and `product_specification_id` uniqueness is not enforced
1.0	2025-09	First version