

Acceptance tests

<AcmeGym> <1.0>

Development team	
Identifier	<i>Dev-Team-1</i>
Members	<i>Delgado Chaves, Gonzalo Escobar Aguilera, Jesús Javier López Muñoz, Juan Carlos Padial González, Laura Sánchez Reyes, Adrián Valle Zarza, Juan José</i>
Testing team	
Identifier	<i>Test-Team-1</i>
Members	<i>Carrascosa Oliva, Sergio Macías López, Pablo Reina López, Pablo Luque Mendoza, José Manuel</i>
Indexing data	
Test designers	<i>Delgado Chaves, Gonzalo Escobar Aguilera, Jesús Javier López Muñoz, Juan Carlos Padial González, Laura Sánchez Reyes, Adrián Valle Zarza, Juan José</i>
Testers	<i>Carrascosa Oliva, Sergio Macías López, Pablo Reina López, Pablo Luque Mendoza, José Manuel</i>
Notes	

Table of contents

Use case <001> <Browsing the catalogue of activities and navigating to gyms and trainers>.....	2
Use case <002> <Registering as a Customer>.....	3
Use case <003> <Registering as a Manager>	5
Use case <004> <Registering a new trainer>	7
Use case <005> <Browsing the catalogue of gyms and navigating to the activities that they organise and the trainers who offer them>.....	9
Use case <006> <Searching for activities that contain a single key word in their title or descriptions and are organised on a given day at a given time>	11
Use case <007> <Editing Personal Data>	12
Use case <008> <Managing a manager's gyms>.....	13
Use case <009> <Managing the activities of a gym>	17

Use case <010> <Listing and searching trainers by a single key word that must be contained in their names or surnames>	20
Use case <011> <Associating a trainer to a gym>	21
Use case <012> <Joining or leaving a gym>	22
Use case <013> <Joining or leaving an activity>	22
Use case <014> <Banning or unbanning managers>	23
Use case <015> <Administrator's Dashboard>	24
Use case <016> <Browsing annotations>	25
Use case <017> <Writing annotations>	26
Use case <018> <Deleting annotations>	27

Use case <001> <Browsing the catalogue of activities and navigating to gyms and trainers>

Description

Any user can see the non-deleted activities registered to the system, and from them access the gyms that offer them and the trainers associated with them.

Access

This case of use is available to any user, using the 'Activities' tab in the main menu.

Tests

Test <#001>																						
Description	Any user, authenticated or not, can access the list of activities through the corresponding tab.																					
Expected	Upon clicking the tab, a new view such as this is expected (must work in Spanish and English): <div><div>List of Activities</div><div><div>Title or description</div><div><input type="text"/></div><div>Day</div><div><input type="text"/></div><div>Hour</div><div><input type="text"/></div><div>Search</div></div><table><thead><tr><th>Title</th><th>Pictures</th><th>Description</th><th>Day of Week</th><th>Start Time</th><th>End Time</th><th>Number of Seats</th></tr></thead><tbody><tr><td>Spinning</td><td></td><td>A very funny class</td><td>1</td><td>09:00</td><td>10:00</td><td>22</td></tr><tr><td>Tabata</td><td></td><td>A very funny class</td><td>2</td><td>18:00</td><td>19:00</td><td>33</td></tr></tbody></table></div>	Title	Pictures	Description	Day of Week	Start Time	End Time	Number of Seats	Spinning		A very funny class	1	09:00	10:00	22	Tabata		A very funny class	2	18:00	19:00	33
Title	Pictures	Description	Day of Week	Start Time	End Time	Number of Seats																
Spinning		A very funny class	1	09:00	10:00	22																
Tabata		A very funny class	2	18:00	19:00	33																
Outcome	The outcome is as expected.																					

Notes

Test <#002>											
Description	<i>The links from any activity to their associated gym and list of trainers must be verified.</i>										
Expected	<i>The link to an activity's list of trainers produces a new view such as this:</i>										
	<div><h3>List of Trainers</h3><table><tr><th>Name</th><th>Surname</th><th>Email</th><th>Phone</th><th>Postal Address</th></tr><tr><td>Brook</td><td>Lopez</td><td>Brook@hotmail.com</td><td>+5 (10) 9142</td><td>41001</td></tr></table></div>	Name	Surname	Email	Phone	Postal Address	Brook	Lopez	Brook@hotmail.com	+5 (10) 9142	41001
	Name	Surname	Email	Phone	Postal Address						
	Brook	Lopez	Brook@hotmail.com	+5 (10) 9142	41001						
<i>The link to an activity's gym must lead to this view:</i>											
<div><h3>List of Gyms</h3><table><tr><th>Logo</th><th>Name</th><th>Address</th><th>Fee (euros)</th></tr><tr><td>https://i.ytimg.com/vi/Wm0beJM6BK/maxresdefault.jpg</td><td>gym rock</td><td>pueblo paleta</td><td>22.33</td></tr></table></div>	Logo	Name	Address	Fee (euros)	https://i.ytimg.com/vi/Wm0beJM6BK/maxresdefault.jpg	gym rock	pueblo paleta	22.33			
Logo	Name	Address	Fee (euros)								
https://i.ytimg.com/vi/Wm0beJM6BK/maxresdefault.jpg	gym rock	pueblo paleta	22.33								
	<i>Both views must work in both languages.</i>										
Outcome	<i>The outcome is as expected. It works in both languages.</i>										
Notes											

Use case <002> <Registering as a Customer>

Description

A non-authenticated user must be able to register to the system as a customer.

Access

In this case of use, any non-authenticated user can register as a customer.

Tests

Test <#003>	
Description	<i>Registry of a new user as a customer. To the effect, the user must press the tab 'Signup' and on the dropdown menu 'Customer'.</i>
Expected	<i>The tab must lead to the following form:</i>

<div><div>Signup</div><div><div><div>Username</div><div></div></div><div><div>Password</div><div></div></div><div><div>Name</div><div></div></div><div><div>Surname</div><div></div></div><div><div>Email</div><div></div></div><div><div>Phone</div><div></div></div><div><div>Postal address</div><div></div></div><div><div>City</div><div></div></div><div><div>Country</div><div></div></div><div><div>Save</div><div>Cancel</div></div></div></div>	
<i>The view must work correctly in both languages.</i>	
Outcome	<i>It works in both languages as expected.</i>
Notes	

Test <#004>	
Description	<i>Check the form to verify all required fields are checked, and no incorrect data is introduced.</i>
Expected	<i>The form works correctly and checks all introduced data.</i>
Outcome	<i>The outcome is not the expected. When I click on save the validation doesn't work.</i>

Notes	Registrarse	
	Nombre de usuario	<input type="text" value="pepe123"/>
	Contraseña	<input type="password"/>
	Nombre	<input type="text" value="pepe123"/>
	Apellidos	<input type="text" value="pepe123"/>
	Email	<input type="text" value="pepe123"/>
	Teléfono	<input type="text" value="pepe123"/>
	Dirección postal	<input type="text" value="pepe123"/>
	Ciudad	<input type="text" value="pepe123"/>
	País	<input type="text" value="pepe123"/>
	<input type="button" value="Guardar"/>	<input type="button" value="Cancelar"/>

Use case <003> <Registering as a Manager>

Description

A non-authenticated user must be able to register to the system as a manager.

Access

In this case of use, any non-authenticated user can register as a manager.

Tests

Test <#005>	
Description	Check the form for registering as manager. To that effect, a non-authenticated user must press the tab 'Signup' and on the dropdown menu 'Manager'.
Expected	<p>Pressing the tab will present the following form. It must work in Spanish and English:</p> <div><h3>Signup</h3><p>Username</p><input type="text"/><p>Password</p><input type="password"/><p>Name</p><input type="text"/><p>Surname</p><input type="text"/><p>Email</p><input type="text"/><p>Phone</p><input type="text"/><p>Postal address</p><input type="text"/><p>City</p><input type="text"/><p>Country</p><input type="text"/><p><input type="button" value="Save"/> <input type="button" value="Cancel"/></p></div>
Outcome	<i>It works in both languages as expected.</i>
Notes	

Test <#006>	
Description	Check the form to verify all required fields are checked, and no incorrect data is introduced.
Expected	The form works correctly and checks all introduced data.
Outcome	<i>The outcome is not the expected. When I click on save the validation doesn't work.</i>

Registrar	Registrar	
	Nombre de usuario	
	<input type="text" value="managerx"/>	
	Contraseña	
	<input type="password" value="*****"/>	
	Nombre	
	<input type="text" value="managerx"/>	
	Apellidos	
	<input type="text" value="managerx"/>	
	Email	
	<input type="text" value="managerx"/>	
	Teléfono	
<input type="text" value="managerx"/>		
Dirección postal		
<input type="text" value="managerx"/>		
Ciudad		
<input type="text" value="managerx"/>		
País		
<input type="text" value="managerx"/>		
<input type="button" value="Guardar"/>		
<input type="button" value="Cancelar"/>		
Notes		

Use case <004> <Registering a new trainer>

Description

A manager can register a new trainer to the system.

Access

In this case of use, only managers can register new trainers. To access as a manager, use any of the following credentials:


User: manager1

Password: manager1

User: manager2

Password: manager2

Tests

Test <#007>	
Description	Check the new trainer registry form as a manager. Press the 'Trainers' tab, and on the dropdown menu 'Create trainer'.
Expected	Pressing the tab must lead to this form. It must work correctly in both languages: 
Outcome	The outcome is as expected. It works in both languages.
Notes	

Test <#008>	
Description	Check that the form works correctly and checks for invalid or missing data.
Expected	The form works correctly and checks the validity of the required data.
Outcome	The outcome is not the expected. When I click on save the validation doesn't work.

	<h2>Registrarse</h2> <p>Nombre de usuario</p> <input type="text" value="trainerx"/> <p>Contraseña</p> <input type="password" value="....."/> <p>Nombre</p> <input type="text" value="trainerx"/> <p>Apellidos</p> <input type="text" value="trainerx"/> <p>Email</p> <input type="text" value="trainerx"/> <p>Teléfono</p> <input type="text" value="trainerx"/> <p>Dirección postal</p> <input type="text" value="trainerx"/> <p>Ciudad</p> <input type="text" value="trainerx"/> <p>País</p> <input type="text" value="trainerx"/> <p><input type="button" value="Guardar"/> <input type="button" value="Cancelar"/></p>	
Notes		

Use case <005> <Browsing the catalogue of gyms and navigating to the activities that they organise and the trainers who offer them>

Description

Any user, authenticated or not, can browse the catalogue of gyms, and from each of them list the activities they have and the associated trainers.

Access

This case of use can be tested by non-authenticated users, or users authenticated as manager, trainer or customer.

User: manager1

Password: manager1

User: trainer1

Password: trainer1

User: customer1

Password: customer1

Tests

Test <#009>													
Description	Check that the list of gyms is displayed correctly, for authenticated and non-authenticated users.												
Expected	<p>Once pressed the 'Gyms' tab, a view such as this must be presented. It must work in both languages:</p> <div><h3>List of Gyms</h3><table><tr><th>Logo</th><th>Name</th><th>Address</th><th>Fee (euros)</th></tr><tr><td>https://i.ytimg.com/vi/Wm0beJM6Bk/maxresdefault.jpg</td><td>gym rock</td><td>pueblo paleta</td><td>22.33</td></tr><tr><td>https://i.ytimg.com/vi/Wm0beJM6Bk/maxresdefault.jpg</td><td>gym water</td><td>pueblo paleta</td><td>22.33</td></tr></table></div>	Logo	Name	Address	Fee (euros)	https://i.ytimg.com/vi/Wm0beJM6Bk/maxresdefault.jpg	gym rock	pueblo paleta	22.33	https://i.ytimg.com/vi/Wm0beJM6Bk/maxresdefault.jpg	gym water	pueblo paleta	22.33
Logo	Name	Address	Fee (euros)										
https://i.ytimg.com/vi/Wm0beJM6Bk/maxresdefault.jpg	gym rock	pueblo paleta	22.33										
https://i.ytimg.com/vi/Wm0beJM6Bk/maxresdefault.jpg	gym water	pueblo paleta	22.33										
Outcome	The outcome is as expected. It works in both languages and with non-authenticate and authenticate users.												
Notes	Logos should be pictures and not URLs.												

Test <#010>															
Description	Check that the view of a gym's activities works correctly.														
Expected	<p>Pressing the 'Activities' link for one of the gyms presents the following view. It must work in both languages:</p> <div><h3>List of Activities</h3><p>Title or description <input type="text"/> Day <input type="text"/> Hour <input type="text"/> <input type="button" value="Search"/></p><table><tr><th>Title</th><th>Pictures</th><th>Description</th><th>Day of Week</th><th>Start Time</th><th>End Time</th><th>Number of Seats</th></tr><tr><td>Spinning</td><td></td><td>A very funny class</td><td>1</td><td>09:00</td><td>10:00</td><td>22</td></tr></table></div>	Title	Pictures	Description	Day of Week	Start Time	End Time	Number of Seats	Spinning		A very funny class	1	09:00	10:00	22
Title	Pictures	Description	Day of Week	Start Time	End Time	Number of Seats									
Spinning		A very funny class	1	09:00	10:00	22									
Outcome	The outcome was not the expected. The search's fields are in Spanish when the page is in English.														

Use case <006> <Searching for activities that contain a single key word in their title or descriptions and are organised on a given day at a given time>

Description

Any user can make use of the search function to filter activities by key word or date.

Access

Any user, authenticated or not, can access the search function.

Tests

Test <#011>

Description	<i>Check that the search function works for any key word or date that matches one of the activities.</i>												
Expected	<p><i>The 'Activities' tab has a search function. Introducing a key word, date or hour will return the activities which match the search terms. Leaving the search blank will return the full list of activities:</i></p> <div><h3>List of Activities</h3><div><div>Title or description</div><div><input type="text" value="tabata"/></div><div>Day</div><div><input type="text"/></div><div>Hour</div><div><input type="text"/></div><div>Search</div></div><table><thead><tr><th>Title</th><th>Pictures</th><th>Description</th><th>Day of Week</th><th>Start Time</th><th>End Time</th></tr></thead><tbody><tr><td>Tabata</td><td></td><td>A very funny class</td><td>2</td><td>18:00</td><td>19:00</td></tr></tbody></table></div>	Title	Pictures	Description	Day of Week	Start Time	End Time	Tabata		A very funny class	2	18:00	19:00
Title	Pictures	Description	Day of Week	Start Time	End Time								
Tabata		A very funny class	2	18:00	19:00								
	<p><i>The function must work in both languages.</i></p>												
Outcome	<p><i>The outcome is as expected. It works in both languages.</i></p>												
Notes													

Use case <007> <Editing Personal Data>

Description

Any authenticated actor can edit his or her personal data at any time.

Access

This case of use must be tested by an authenticated user.

User: manager1

Password: manager1

User: trainer1

Password: trainer1

User: customer2

Password: customer2

Tests

Test <#012>	
Description	<i>An authenticated user can access their personal profile. There, he or she can edit and save his or her personal data.</i>
Expected	<i>Pressing the 'My Profile' tab, and 'Personal Data' on the dropdown menu will take us to the following view:</i>

	<div> <h2>Edit profile</h2> <div> <div>Name</div> <input type="text" value="Brook"/> </div> <div> <div>Surname</div> <input type="text" value="Lopez"/> </div> <div> <div>Email</div> <input type="text" value="Brook@hotmail.com"/> </div> <div> <div>Phone</div> <input type="text" value="+5 (10) 9151"/> </div> <div> <div>Postal address</div> <input type="text" value="41001"/> </div> <div> <div>City</div> <input type="text" value="Sevilla"/> </div> <div> <div>Country</div> <input type="text" value="España"/> </div> <div> <input type="button" value="Save"/> <input type="button" value="Cancel"/> </div> </div> <p>The form must work correctly in both languages, and validate all data so no incorrect values are introduced.</p>
Outcome	The outcome is not correct. If I empty all the fields it doesn't launch the validate errors.
Notes	

Use case <008> <Managing a manager's gyms>

Description

An user authenticated as manager can manage his or her gyms: listing, creating, editing and deleting them.

Access

An user can sign in as a manager with any of the following credentials:

Usuario: manager1

Contraseña: manager1

Usuario: manager2

Tests

Test <#013>													
Description	Listing a manager's gyms.												
Expected	<p>Pressing the 'My Gyms' tab and on the dropdown menu 'List of Gyms' will lead to the following view:</p> <div><div>List of Gyms</div><table><tr><th>Logo</th><th>Name</th><th>Address</th><th>Fee (euros)</th><th>Activities</th><th>Annotations</th></tr><tr><td>https://i.ytimg.com/vi/Wm0beJM6Bk/maxresdefault.jpg</td><td>gym rock</td><td>pueblo paleta</td><td>22.33</td><td>Activities</td><td>Annotations</td></tr></table></div> <p>It must work correctly in both languages.</p>	Logo	Name	Address	Fee (euros)	Activities	Annotations	https://i.ytimg.com/vi/Wm0beJM6Bk/maxresdefault.jpg	gym rock	pueblo paleta	22.33	Activities	Annotations
Logo	Name	Address	Fee (euros)	Activities	Annotations								
https://i.ytimg.com/vi/Wm0beJM6Bk/maxresdefault.jpg	gym rock	pueblo paleta	22.33	Activities	Annotations								
Outcome	It works correctly in both languages.												
Notes													

Test <#014>	
Description	Creating a new gym.
Expected	<p>Pressing the 'My Gyms' tab and on the dropdown menu 'Create Gym' will lead to the following view:</p>

Create Gym

Logo

Name

Address

Fee (euros)

The form must work correctly and check the validity of all data in both languages.

Outcome

The outcome is not correct. I can introduce a negative value in the fee field and I can introduce html code in the fields.

Crear Gimnasio

Logo

Nombre

Direccion

Cuota (euros)

Lista de Gimnasios

Logo	Nombre	Direccion	Cuota (euros)
https://i.ytimg.com/vi/Wm0beJM6Bk/maxresdefault.jpg	gym rock	pueblo paleta	22.33
http://www.picture.com		Calle omg	-5.0

Gimnasio haha

Notes

Test <#015>													
Description	Editing a gym's properties.												
Expected	Pressing the edit button on a gym will lead to the edit view: <div><div><h2>Edit Gym</h2><div><div>Logo</div><div><div>https://i.ytimg.com/vi/iWm0beJM6Bk/maxresdefault</div></div></div><div><div>Name</div><div><div>gym rock</div></div></div><div><div>Address</div><div><div>pueblo paleta</div></div></div><div><div>Fee (euros)</div><div><div>22.33</div></div></div><div><div>Save</div><div>Cancel</div></div></div></div> <div>The form must work correctly and check the validity of all data in both languages.</div>												
Outcome	<div>The outcome is not correct. I can introduce a negative value in the fee field and I can introduce html code in the fields.</div> <table><tr><th>Logo</th><th>Nombre</th><th>Direccion</th><th>Cuota (euros)</th></tr><tr><td>https://i.ytimg.com/vi/iWm0beJM6Bk/maxresdefault.jpg</td><td>gym rock</td><td>pueblo paleta</td><td>-4.67</td></tr><tr><td>http://www.picture.com</td><td>Gimnasio haha</td><td>Calle omg</td><td>-5.0</td></tr></table>	Logo	Nombre	Direccion	Cuota (euros)	https://i.ytimg.com/vi/iWm0beJM6Bk/maxresdefault.jpg	gym rock	pueblo paleta	-4.67	http://www.picture.com	Gimnasio haha	Calle omg	-5.0
Logo	Nombre	Direccion	Cuota (euros)										
https://i.ytimg.com/vi/iWm0beJM6Bk/maxresdefault.jpg	gym rock	pueblo paleta	-4.67										
http://www.picture.com	Gimnasio haha	Calle omg	-5.0										
Notes													

Test <#016>	
Description	Delete a gym from the available list. The gym in this case is not deleted from the system.
Expected	<p>Pressing the delete button of a gym in the list view must delete the gym. The gym must have disappeared from the list of gyms, and must not be available if a user tries to search for it.</p> <p>The function must work in both languages.</p>

Outcome	<i>The outcome was as expected. It works in both languages.</i>
Notes	

Use case <009> <Managing the activities of a gym>

Description

An user authenticated as manager can list, create and delete activities for the gyms he or she manages.

Access

Managers can access the system with any of the following credentials:

Usuario: manager1

Contraseña: manager1

Usuario: manager2

Contraseña: manager2

Tests

Test <#017>	
Description	<i>Listing the activities of a manager's gym.</i>
Expected	<i>Authenticated as manager, going to the 'My Gyms' tab and the 'List of Gyms' option to open the list of gyms. From any of them, click on their list of activities to open the corresponding view:</i>

List of Activities

Title or description

Day

Hour

Search

Title	Pictures	Description	Day of Week	Start Time	End Time	Number of Seats
Spinning		A very funny class	1	09:00	10:00	22

The view must work correctly in both languages.

The outcome was as expected.

Outcome

Notes

Test <#018>	
Description	<i>Creating a new activity.</i>
Expected	<p><i>From the list of gyms, pressing the 'New Activity' button will lead to the new activity form:</i></p> <div><h3>Create Activity</h3><div><div>Title</div><div></div></div><div><div>Pictures</div><div>[]</div><div>The format must be [photo1,photo2,...]</div></div><div><div>Description</div><div></div></div><div><div>Day of Week</div><div>1</div></div><div><div>Start Time</div><div>00:00</div><div>The format must be HH:mm</div></div><div><div>End Time</div><div>00:00</div><div>The format must be HH:mm</div></div><div><div>Number of Seats</div><div>1</div></div></div>
	<p><i>It must work correctly in both languages.</i></p>
Outcome	<i>The outcome was not the expected. I can introduce negative value in the number of seats,</i>

the pictures are shown rare, and I can introduce html code in some fields.

Crear Actividad

Título

Fotos

El formato ha de ser [foto1,foto2,...]

Descripcion

Día de la semana

Hora inicio

El formato debe ser HH:mm

Hora fin

No encaja en el patrón

El formato debe ser HH:mm

Plazas

Lista de Actividades

Título o descripcion Día Hora

Titulo	Fotos	Descripcion	Día de la semana	Hora inicio	Hora fin	Plazas
Spinning		A very funny class	1	09:00	10:00	22
Actividadx	[[http://www.picture.com omg]]	descriptionx	1	00:00	21:00	-7

Notes

Test <#019>

Description

Cancelling an activity.

Expected	<p>As manager, from the list of gyms access the list of activities. There we can choose any of them and click on the cancel button:</p> <table><tr><th>Number of Seats</th><th>Annotations</th><th>Gym</th><th>Trainers</th><th></th></tr><tr><td>22</td><td>Annotations</td><td>Gym</td><td>Trainers</td><td>Create Annotation Cancel Add Trainer</td></tr></table> <p>Upon cancelling, the button will disappear, and the activity won't be listed for other users. The function must work in both languages.</p>	Number of Seats	Annotations	Gym	Trainers		22	Annotations	Gym	Trainers	Create Annotation Cancel Add Trainer
Number of Seats	Annotations	Gym	Trainers								
22	Annotations	Gym	Trainers	Create Annotation Cancel Add Trainer							
Outcome	<p>The outcome was as expected. It works in both languages.</p>										
Notes											

Use case <010> <Listing and searching trainers by a single key word that must be contained in their names or surnames>

Description

An actor authenticated as manager can browse a list of trainers and search them using a key word search function.

Access

To access as manager, any of the following credentials can be used:

User: manager1

Password: manager1

User: manager2

Password: manager2

Tests

Test <#020>	
Description	Listing trainers and searching using the key word function.

Expected	<i>Once logged in as manager, the 'Trainers' tab and the 'List of Trainers' menu will show a list of trainers and a search box. Using the search box, the trainer list can be filtered using a keyword The view must work correctly in both languages.</i>
Outcome	<i>The outcome was not the expected. There is no such search box in the view.</i>
Notes	

Use case <011> <Associating a trainer to a gym>

Description

An actor authenticated as manager can associate a trainer to one of his or her gyms.

Access

To access as manager, any of the following credentials can be used:

User: manager1

Password: manager1

User: manager2

Password: manager2

Tests

Test <#021>	
Description	<i>Associating a trainer to a gym belonging to the authorized manager.</i>
Expected	<i>Once logged in as manager, clicking the 'Add Trainer' button in one of the gym listed in the appropriate view will lead to the assigning view, as long as there is at least one available trainer. Otherwise, it will show a message saying there's nothing to display. The view must work correctly in both languages.</i>
Outcome	<i>The outcome was not the expected. Can not test this because there is only one trainer in the system and he is already assigned to a gym, and we can not register more trainers because the register doesn't work.</i>

Use case <012> <Joining or leaving a gym>

Description

An actor authenticated as customer can join or leave a gym at will.

Access

An user can log in as customer with any of the following credentials:

User: customer2

Password: customer2

Tests

Test <#022>	
Description	<i>A customer can join or leave any gym that's not deleted.</i>
Expected	<i>Once logged in as customer, accessing the 'My Gyms' tab will provide the option to join or leave a gym. The 'join' and 'leave' options alternate as the user presses them. The view must work in both languages.</i>
Outcome	<i>The outcome was not the expected. There is only one gym that the customer2 is joined, and when we click on leave. The gym disappears and I can not join or leave a gym anymore.</i>
Notes	

Use case <013> <Joining or leaving an activity>

Description

An actor authenticated as customer can join or leave an activity, provided he or she has joined the corresponding gym.


Access

An user can log in as customer with any of the following credentials:

User: customer2

Password: customer2

Tests

Test <#023>	
Description	A customer can join or leave an activity. He or she can only join if he or she has joined the corresponding gym.
Expected	<div>Once logged in, accessing the 'My Activities' tab will present a join/leave view for each of them.</div> <div></div> <div>The views must work correctly in both languages.</div>
Outcome	The outcome was not the expected. We tried but we can not join or leave any activity.
Notes	

Use case <014> <Banning or unbanning managers>

Description

An actor authenticated as administrator can ban or unban managers when he or she deems it necessary.

Access

To log in as admin, the following credentials can be used:

User: administrator

Password: admin

Tests

Test <#024>																						
Description	An administrator can access the list of managers and ban or unban them.																					
Expected	Once logged in as admin, accessing the 'Managers' tab and the 'List' menu presents the following view:																					
	<div><div>List of Managers</div><table><tr><th>Name</th><th>Surname</th><th>Email</th><th>Phone</th><th>Postal address</th><th>City</th><th>Country</th></tr><tr><td>Brook</td><td>Lopez</td><td>Brook@hotmail.com</td><td>+5 (10) 9151</td><td>41001</td><td>Sevilla</td><td>España</td></tr><tr><td>Misty</td><td>Lopez</td><td>Misty@hotmail.com</td><td>+5 (10) 9152</td><td>41001</td><td>Sevilla</td><td>España</td></tr></table></div>	Name	Surname	Email	Phone	Postal address	City	Country	Brook	Lopez	Brook@hotmail.com	+5 (10) 9151	41001	Sevilla	España	Misty	Lopez	Misty@hotmail.com	+5 (10) 9152	41001	Sevilla	España
	Name	Surname	Email	Phone	Postal address	City	Country															
Brook	Lopez	Brook@hotmail.com	+5 (10) 9151	41001	Sevilla	España																
Misty	Lopez	Misty@hotmail.com	+5 (10) 9152	41001	Sevilla	España																
	The 'Admit' and 'Reject' menus present views where the administrator can ban or readmit managers. The views must work correctly in both languages.																					
Outcome	The outcome was as expected. It works in both languages																					
Notes																						

Use case <015> <Administrator's Dashboard>

Description

An actor authenticated as administrator can access a personal dashboard with site statistics.

Access

To log in as admin, the following credentials can be used:

User: administrator

Password: admin

Tests

Test <#025>	
Description	An administrator can access his or her personal dashboard with data about website statistics.
Expected	Once logged in as admin, the 'My Dashboard' tab will show a view of the administrator's site statistics. It must work correctly in both languages.
Outcome	The outcome was as expected. It works in both languages
Notes	

Use case <016> <Browsing annotations>

Description

Any actor can display the annotations associated with different entities.

Access

This case of use is available to any actor, authenticated or not.

Tests

Test <#026>	
Description	Display the annotations associated with annotable entities such as gyms and activities.
Expected	Authenticated or not, displaying the list of gyms or activities should show an 'Annotations' button. Pressing on each individual button will present the view of the list of annotations for that specific entity. The views must work in both languages:

	List of Annotations	
	Written Moment	Text
	30-07-2017 20:20	bad gym
Outcome	The outcome was as expected. It works in both languages.	
Notes		

Use case <017> <Writing annotations>

Description

Any authenticated user can write comments on the entities which accept them.

Access

Any authenticated user can enter with the credentials previously provided.

Tests

Test <#027>	
Description	Write an annotation on an annotable entity.
Expected	Once logged in, the lists of gyms and activities present a 'Create Annotation' button, which leads to the creation view:

Create Annotation

Written Moment

00-00-0000 00:00

The format must be dd-MM-yyyy HH:mm

Text

Rate

0

Save

Cancel

The view must work correctly in both languages.

Outcome

The outcome was not the expected. I can introduce any moment I want in the written moment, it should be done automatically, and I can introduce html code in the text.

Momento de creacion	Texto
30-07-2017 20:20	bad gym
10-01-1000 00:00	Madre mia
10-10-0100 00:00	lololo

Notes

Use case <018> <Deleting annotations>

Description

A system administrator can delete any annotations he or she thinks are inappropriate.

Access

An administrator can log in with the appropriate credentials.

Tests

Test <#028>	
Description	Delete an annotation.
Expected	Once logged in, the administrator can visit any annotation and use the 'Delete' button to delete it from the system.
Outcome	The outcome was the expected.
Notes	