

Acceptance tests

<Acme-Logistics> <1.0>

Development team	
Identifier	<i>DelEscLopPadSanVal</i>
Members	<i>Delgado Chaves, Gonzalo</i>
	<i>Escobar Aguilera, Jesús Javier</i>
	<i>López Muñoz, Juan Carlos</i>
	<i>Padial González, Laura</i>
	<i>Sánchez Reyes, Adrián</i>
	<i>Valle Zarza, Juan José</i>
Testing team	
Identifier	<i>ReiCarMacLuq</i>
Members	<i>Carrascosa Oliva, Sergio</i>
	<i>Macías López, Pablo</i>
	<i>Reina López, Pablo</i>
	<i>Luque Mendoza, José Manuel</i>
Indexing data	
Test designers	<i>Delgado Chaves, Gonzalo</i>
	<i>Escobar Aguilera, Jesús Javier</i>
	<i>López Muñoz, Juan Carlos</i>
	<i>Padial González, Laura</i>
	<i>Sánchez Reyes, Adrián</i>
	<i>Valle Zarza, Juan José</i>
Testers	<i>Carrascosa Oliva, Sergio</i>
	<i>Macías López, Pablo</i>
	<i>Reina López, Pablo</i>
	<i>Luque Mendoza, José Manuel</i>

Table of contents

Use case <001> <Registering as fisherman>	3
Use case <002> <Registering as buyer>	4
Use case <003> <Registering as businessman>	5
Use case <004> <Registering as transporter>	6
Use case <005> <Displaying the personal wall of markets>	7
Use case <006> <Editing personal data>	8
Use case <007> <Publishing a comment>	9
Use case <008> <Searching for an offer>	9
Use case <009> <Exchanging messages>	10
Use case <010> <Following an actor>	11
Use case <011> <Displaying tickers>	12
Use case <012> <Registering a daily catch>	12
Use case <013> <Managing transport offers>	13
Use case <014> <Managing varieties of fish>	16
Use case <015> <Managing properties of fish>	17
Use case <016> <Managing spam words>	17
Use case <017> <Administrator's dashboard>	19

Use case <001> <Registering as fisherman>

Description

A non authenticated actor must be able to register to the system as fisherman.

Access

Only non authenticated actors can access this use case.

Tests

Test <#>	
Description	<i>Register as fisherman.</i>
Expected	<i>Once in the master page, the 'Register as fisherman' tab will lead to the creation view. It must work in both languages.</i>

	<h2>Register as fisherman</h2> <p>Name</p> <input type="text"/> <p>Surname</p> <input type="text"/> <p>Identification number</p> <input type="text"/> <p>City</p> <input type="text"/> <p>Phone</p> <input type="text"/> <p>Postal Code</p> <input type="text"/> <p>Email</p> <input type="text"/> <p>Username</p> <input type="text"/> <p>Pass</p> <input type="text"/> <p> <input type="button" value="Save"/> <input type="button" value="Cancel"/> <input type="button" value="Clear"/> </p>
Outcome	<p><i>La información se muestra correctamente tanto en inglés como español y los botones de cancelar y limpiar funcionan. Pero es imposible registrar un fisherman puesto que sale un error HTTP 500 al intentarlo.</i></p>
Notes	

Use case <002> <Registering as buyer>

Description

A non authenticated actor must be able to register to the system as buyer.

Access

Only non authenticated actors can access this use case.

Tests

Test <#>	
Description	Register as buyer.
Expected	Once in the master page, the 'Register as buyer' tab will lead to the creation view. It must work in both languages.
Outcome	La información se muestra correctamente tanto en inglés como español y los botones de cancelar y limpiar funcionan. Pero es imposible registrar un buyer puesto que sale un error HTTP 500 al intentarlo.
Notes	

Use case <003> <Registering as businessman>

Description

A non authenticated actor must be able to register to the system as businessman.

Access

Only non authenticated actors can access this use case.

Tests

Test <#>	
Description	<i>Register as businessman.</i>
Expected	<i>Once in the master page, the 'Register as businessman' tab will lead to the creation view. It must work in both languages.</i>
Outcome	<i>La información se muestra correctamente tanto en inglés como español y los botones de cancelar y limpiar funcionan. Pero es imposible registrar un businessman puesto que sale un error HTTP 500 al intentarlo.</i>
Notes	

Use case <004> <Registering as transporter>

Description

A non authenticated actor must be able to register to the system as transporter.

Access

Only non authenticated actors can access this use case.

Tests

Test <#>	
Description	Register as transporter.
Expected	Once in the master page, the 'Register as transporter' tab will lead to the creation view. It must work in both languages.
Outcome	<i>No aparece la opción de registrarme como transportista. Pero si pulsamos en "Nueva oferta de transporte" nos redirecciona al formulario de registro de un transportista.</i> <i>Dicho formulario no funciona, salta el error HTTP 500, debido a que falta un "code" en los messages.properties.</i>
Notes	

Use case <005> <Displaying the personal wall of markets>

Description

An actor must be able to access his or her personal wall of markets.

Access

Any authenticated actor can access this use case. Please, use the following credentials:

User: fisherman1

Password: fisherman1

User: buyer1

Password: buyer1

User: businessman1

Password: businessman1

User: transporter1

Password: transporter1

User: admin

Password: admin

Tests

Test <#>	
Description	<i>Display the personal wall of markets.</i>
Expected	<i>Once logged in, the 'Wall' menu will display the user's wall. The 'Change name' button allows the user to change the wall's name. The views must work in both languages.</i>

	<h2>Wall</h2> <p>Change name</p> <table> <tr> <td>Name</td><td>wall 2</td></tr> <tr> <td>Favorite offer</td><td></td></tr> </table>	Name	wall 2	Favorite offer	
Name	wall 2				
Favorite offer					
Outcome	<p><i>La información se muestra correctamente en ambos idiomas pero la funcionalidad de cambiar el nombre nos permite introducir código html.</i></p> <p><i>PD: los botones de cancelar redireccionan a la vista anterior, con lo cual si haces varias pruebas fallidas en el formulario te redirecciona a esos intentos fallidos.</i></p>				
Notes					

Use case <006> <Editing personal data>

Description

An actor must be able to edit his or her personal data.

Access

Any authenticated actor can access this use case.

Tests

Test <#>	
Description	<i>Edit personal data.</i>
Expected	<i>Once logged in, the 'Edit my data' menu will lead to the edition view. It must work in both languages.</i>

	<div> <h2>Edit my data</h2> <div> <div>Name</div> <input type="text" value="Juan"/> </div> <div> <div>Surname</div> <input type="text" value="Valle"/> </div> <div> <div>Identification number</div> <input type="text" value="44689267K"/> </div> <div> <div>City</div> <input type="text" value="Sevilla"/> </div> <div> <div>Phone</div> <input type="text" value="+34 (88) 3788"/> </div> <div> <div>Postal Code</div> <input type="text" value="41100"/> </div> <div> <div>Email</div> <input type="text" value="jj@hotmail.com"/> </div> <div> <input type="button" value="Save"/> <input type="button" value="Cancel"/> <input type="button" value="Clear"/> </div> </div>
Outcome	<p><i>La información se muestra correctamente en ambos idiomas pero nos deja introducir código html, además aunque la operación se lleve a cabo, nos redirecciona a una vista a la cual no tenemos acceso.</i></p> <p><i>PD: los botones de cancelar redireccionan a la vista anterior, con lo cual si haces varias pruebas fallidas en el formulario te redirecciona a esos intentos fallidos.</i></p>
Notes	

Use case <007> <Publishing a comment>

Description

An actor must be able to publish a comment in any of the entities which allow comments.

Access

Any authenticated actor who can view a store can access this use case.

Tests

Test <#>	
Description	<i>Publish a comment.</i>
Expected	<p><i>Once logged in as the proper account (such as a businessman), the 'Write comment' button in a store's view will display the writing view. It must work in both languages.</i></p> <div><p>Body</p><div></div><div><button>Save</button><button>Cancel</button><button>Clear</button></div></div>
Outcome	<p><i>Al realizar un comentario sobre una tienda, comprobamos que la acción funciona, y no nos deja crear un comentario vacío, pero sin embargo si nos deja introducir código html.</i></p> <p><i>PD: Al intentar acceder a una tienda para probar la creación del comentario en español, ésta sigue saliendo como "Store" en lugar de "Tienda",</i></p> <p><i>PD2: los botones de cancelar redireccionan a la vista anterior, con lo cual si haces varias pruebas fallidas en el formulario te redirecciona a esos intentos fallidos.</i></p>
Notes	

Use case <008> <Searching for an offer>

Description

An actor must be able to search for an offer in a market using a single keyword that must appear in its name or city.

Access

Any authenticated actor can access this use case.

Tests

Test <#>	
Description	<i>Search for offers.</i>
Expected	<p><i>Once logged in, the 'Search offers' button will display a searcher view. Introducing a keyword will display any associated offers. The view must work in both languages.</i></p> <div><h2>Search offers</h2><div><input type="text" value="Search..."/></div><div><input type="button" value="Search..."/></div><div>Nothing found to display.</div></div>
Outcome	<p><i>La información se muestra correctamente en ambos idiomas (la de las ofertas buscadas). Pero en la descripción del requisito nos dice que esta palabra puede aparecer tanto en la ciudad como en el nombre y, sin embargo, puede aparecer en cualquiera de los campos mostrados.</i></p> <p><i>PD: Al intentar acceder en español existe un fallo gramatical, la opción nos aparece como "Buscador de de ofertas".</i></p>
Notes	

Use case <009> <Exchanging messages>

Description

An actor can exchange (send and receive) messages with other actors.

Access

Any authenticated actor can access this use case.

Tests

Test <#>	
Description	Exchange a message.
Expected	<p>Once logged in, the 'Folders' menu will display a list of folders. The 'New message' button will allow the user to write a message and provide a receiver. It must work in both languages.</p> <div><h3>New Message</h3><p>Subject</p><input type="text"/><p>Body</p><input type="text"/><p>Priority HIGH</p><p>To</p><input type="text"/><p>Send Cancel Clear</p></div>
Outcome	<p><i>Todas las funcionalidades "parecen" funcionar correctamente, pero de nuevo nos deja introducir código html. Mencionar que en el campo "To" debería aparecer algún tipo de información para saber que debes introducir el nombre de usuario de otro actor.</i></p> <p><i>PD: Es imposible comprobar en la página web que el mensaje le llega al destinatario, pero en la BD si aparece. Tampoco parece funcionar el sistema de spam, pues enviamos mensajes con dichas palabras y no nos llegan a la carpeta de spam. Cuando entramos en español para crear un mensaje aparece "Crear mensaje".</i></p>
Notes	

Use case <010> <Following an actor>

Description

An actor can follow other actors in the system, and access the list of users he's followed and the users that follow him or her.

Access

Any authenticated actor can access this use case.

Tests

Test <#>	
Description	Follow an actor.
Expected	Once logged in, the 'Actors list' menu will display a list of actors. The 'Follow' button will allow the user to follow any of them. It must work in both languages.
Outcome	<i>La información se muestra correctamente en ambos idiomas y nos permite seguir a cualquier usuario que no sigamos ya.</i> <i>PD: No es posible dejar de seguir a nadie, no es un fallo como tal, puesto que la funcionalidad es la de seguir, pero es curioso.</i>
Notes	

Test <#>	
Description	Display the list of followers and followeds.
Expected	Once logged in, the 'Followers' and 'Followeds' menus will display the corresponding view. They must work in both languages.
Outcome	<i>La información se muestra correctamente en ambos idiomas y nos permite seguir a cualquier usuario que no sigamos ya.</i> <i>PD: No es posible dejar de seguir a nadie, no es un fallo como tal, puesto que la funcionalidad es la de seguir, pero es curioso.</i>
Notes	

Use case <011> <Displaying tickers>

Description

A buyer must be able to see a list of his or her tickers.

Access

Only a buyer can access this use case. Please, use the following credentials:

User: buyer1

Password: buyer1

Tests

Test <#>	
Description	Display a buyer's tickers.
Expected	Once logged in, the 'My tikers' view will display a list of the buyer's tickers. It must work in both languages.
Outcome	La información se muestra correctamente, pero en el menu aparece como "My tikers" o "Mis tikers" y luego en las vistas hacen referencia a "Tickers".
Notes	

Use case <012> <Registering a daily catch>

Description

A fisherman can register his or her daily catch in the system.

Access

Only a fisherman can access this use case. Please, use the following credentials:

User: fisherman1

Password: fisherman1

Tests

Test <#>	
Description	Registering a daily catch.
Expected	Once logged in, the 'Create daily catch' menu will lead to the creation view. It must work in both languages. <div><div>Create Daily Catch</div><div>Quantity</div><div><input type="text"/></div><div>Measure KG</div><div>Fish magikarp</div><div>Save Cancel Clear</div></div>
Outcome	La acción se lleva a cabo correctamente aunque no se emite ningun mensaje de error si se deja vacío el campo de "Quantity". El boton de "Cancel" no funciona correctamente.
Notes	

Use case <013> <Managing transport offers>

Description

A transporter can manage his or her transport offers. This includes listing, creating and deleting them.

Access

Only a transporter can access this use case. Please, use the following credentials:

User: transporter1

Password: transporter1

Tests

Test <#>																																											
Description	List a transporter's offers.																																										
Expected	Once logged in, the 'My offers transport' menu will lead to the listing view. It must work in both languages. <div><div>My offers transport</div><div>5 items found, displaying all items.1</div><table><tr><th>Transporter identification</th><th>Origin</th><th>Destination</th><th>Charge max</th><th>Measure</th><th>Price</th><th>available</th></tr><tr><td>4444-22-AA</td><td>Sevilla</td><td>Madrid</td><td>2.0</td><td>KG</td><td>2.0</td><td>false</td></tr><tr><td>4444-22-AB</td><td>Sevilla</td><td>Madrid</td><td>2.0</td><td>KG</td><td>2.0</td><td>false</td></tr><tr><td>4894-22-AA</td><td>Sevilla</td><td>Madrid</td><td>2.0</td><td>KG</td><td>2.0</td><td>true</td></tr><tr><td>4444-22-AA</td><td>Granada</td><td>Madrid</td><td>10.0</td><td>KG</td><td>120.0</td><td>true</td></tr><tr><td>4444-22-AA</td><td>Sevilla</td><td>Andromeda</td><td>20.0</td><td>KG</td><td>2000.0</td><td>true</td></tr></table></div>	Transporter identification	Origin	Destination	Charge max	Measure	Price	available	4444-22-AA	Sevilla	Madrid	2.0	KG	2.0	false	4444-22-AB	Sevilla	Madrid	2.0	KG	2.0	false	4894-22-AA	Sevilla	Madrid	2.0	KG	2.0	true	4444-22-AA	Granada	Madrid	10.0	KG	120.0	true	4444-22-AA	Sevilla	Andromeda	20.0	KG	2000.0	true
Transporter identification	Origin	Destination	Charge max	Measure	Price	available																																					
4444-22-AA	Sevilla	Madrid	2.0	KG	2.0	false																																					
4444-22-AB	Sevilla	Madrid	2.0	KG	2.0	false																																					
4894-22-AA	Sevilla	Madrid	2.0	KG	2.0	true																																					
4444-22-AA	Granada	Madrid	10.0	KG	120.0	true																																					
4444-22-AA	Sevilla	Andromeda	20.0	KG	2000.0	true																																					
Outcome	La acción se lleva a cabo correctamente.																																										
Notes																																											

Test <#>	
Description	Create a transport offer.
Expected	Once logged in, the 'New offer transport' menu will lead to the creation view. It must work in both languages.

	<h2>New offer transport</h2> <p>Origin</p> <input type="text"/> <p>Destination</p> <input type="text"/> <p>Charge max</p> <input type="text"/> <p>Price</p> <input type="text"/> <p>Periode start</p> <input type="text" value="dd/MM/yyyy"/> <p>periode end</p> <input type="text" value="dd/MM/yyyy"/> <p>Measure</p> <input type="text" value="KG"/> <p> <input type="button" value="Save"/> <input type="button" value="Cancel"/> <input type="button" value="Clear"/> </p>
Outcome	<p><i>La acción se lleva a cabo correctamente. Aunque permite introducción de código HTML inseguro, fechas de fin anteriores a las fechas de comienzo y el identificador de la oferta generado al crear la misma, dista mucho del formato que poseen el resto, en las cuales, coincide dicho identificador en varias de ellas.</i></p>
Notes	

Test <#>	
Description	<p>Delete a transport offer.</p>
Expected	<p>Once in the 'My offers transport' view, clicking the 'View' button on any of them will display the information about that transport offer. Clicking the 'Delete' button will then delete that offer. The views and functions must work in both languages.</p>

	Offers transport	
	Delete	
	Transporter identification	4444-22-AA
	Origin	Granada
	Destination	Madrid
	Charge max	10.0
	Measure	KG
	Price	120.0
	Periode start	09/10/2019 12:00
	periode end	10/04/2020 12:00
	avallable	true
Outcome	La acción se lleva a cabo correctamente.	
Notes		

Use case <014> <Managing varieties of fish>

Description

An administrator can manage the varieties of fish introduced to the system, which includes listing, creating and editing them.

Access

Only an administrator can access this use case.

Tests

Test <#>	
Description	Browse the varieties of fish.
Expected	Once logged in, the 'Fishers' view will display a list of fish varieties. The 'View' button will display information about an specific variety of fish. The views must work in both languages.
Outcome	La acción se lleva a cabo correctamente.

Notes	
-------	--

Test <#>	
Description	Create a variety of fish.
Expected	Once logged in, the 'New fish' view will display the creation view. It must work in both languages.
Outcome	<p>La acción se lleva a cabo correctamente, aunque permite introducir HTML inseguro en los campos correspondientes a la creación.</p> <p>PD: Se permite registrar peces con nombres poco realistas como números.</p>
Notes	

Test <#>	
Description	Edit a variety of fish.
Expected	Once in the 'Fishers' view, the 'Edit' button will lead to the edition view. It must work in both languages.
Outcome	La acción se lleva a cabo correctamente.
Notes	

Use case <015> <Managing properties of fish>

Description

An administrator can manage the properties fish can have in the system. This includes listing, creating and deleting them.

Access

Only an administrator can access this use case.

Tests

Test <#>	
Description	List properties of fish.
Expected	Once in the 'Fishers' view, the 'View' button will display the properties of a given fish along with other information about the fish variety.
Outcome	<p>La acción se lleva a cabo correctamente, aunque no hay restricciones de ningún tipo en cuanto a la introducción de código HTML inseguro.</p> <p>PD: Hay un error gramatical en el título en ingles, pone "Fishers" para referirse al pescado o "Peces",</p>
Notes	

Test <#>	
Description	Create a property.
Expected	Once in the view of a particular fish, the 'Edit' button will lead to edition view. There, the 'Add property' view will lead to the creation view. It must work in both languages.
Outcome	<p>La acción se lleva a cabo correctamente, aunque no hay restricciones de ningún tipo en cuanto a la introducción de código HTML inseguro.</p> <p>PD: Se permite registrar propiedades con nombres poco realistas como números.</p>
Notes	

Test <#>	
Description	Delete a property.
Expected	Once in the 'Edit' view for a fish, the 'Delete' view on each property will delete said property from the system.
Outcome	La acción se lleva a cabo correctamente.
Notes	

Use case <016> <Managing spam words>

Description

An administrator can manage spam words. This means listing, creating, editing and deleting them.

Access

Only an administrator can access this use case.

Tests

Test <#>																
Description	List the spam words in the system.															
Expected	<p>Once logged in, the 'Spam words' view will display a list of spam words. It must work in both languages.</p> <div><h3>List of spam words</h3><p>4 items found, displaying all items.1</p><table><tr><th>Name</th><th></th><th></th></tr><tr><td>viagra</td><td>Edit</td><td>Delete</td></tr><tr><td>cialis</td><td>Edit</td><td>Delete</td></tr><tr><td>sex</td><td>Edit</td><td>Delete</td></tr><tr><td>love</td><td>Edit</td><td>Delete</td></tr></table></div>	Name			viagra	Edit	Delete	cialis	Edit	Delete	sex	Edit	Delete	love	Edit	Delete
Name																
viagra	Edit	Delete														
cialis	Edit	Delete														
sex	Edit	Delete														
love	Edit	Delete														
Outcome	<p>La acción se lleva a cabo correctamente.</p> <p>PD:Hay un error gramatical en la versión en inglés. "Span Words" en lugar de "Spam Words".</p>															
Notes																

Test <#>	
Description	Create a spam word.

Expected	<i>Once logged in, the 'New spam word' menu will lead to the creation view. It must work in both languages.</i>
Outcome	<i>La acción se lleva a cabo correctamente, aunque no hay restricciones de ningún tipo en cuanto a la introducción de código HTML inseguro.</i>
Notes	

Test <#>	
Description	<i>Edit a spam word.</i>
Expected	<i>Once in the 'Spam words' view, the 'Edit' button will lead to the edition view. It must work in both languages.</i>
Outcome	<i>La acción se lleva a cabo correctamente, aunque no hay restricciones de ningún tipo en cuanto a la introducción de código HTML inseguro.</i>
Notes	

Test <#>	
Description	<i>Delete a spam word.</i>
Expected	<i>Once in the 'Spam words' view, the 'Delete' button will delete the selected spam word from the system.</i>
Outcome	<i>La acción se lleva a cabo correctamente,.</i>
Notes	

Use case <017> <Administrator's dashboard>

Description

An administrator can display a dashboard with information and statistics about the system.

Access

Only an administrator can access this use case.

Tests

Test <#>	
Description	Display the administrator's dashboard.
Expected	<p>Once logged in, the 'Dashboard' menu will display the administrator's dashboard.</p> <div><h3>Dashboard</h3><p>Average of messages sent by actor: 0.2308 Maximum of messages sent by actor: 3 Minimum of messages sent by actor: 0 Average of messages received by actor: 0.3077 Maximum of messages received by actor: 2 Minimum of messages received by actor: 0 Average of offers publishes: 1.0 Maximum of offers publishes: 1 Minimum of offers publishes: 1 Average of offers publishes today: Maximum of offers publishes today: Minimum of offers publishes today: Ratio of static offers: 0 Number of fishermen registered: 3 Number of buyers registered: 3 Number of businessmen registered: 3 Number of transporters registered: 3 Average of orders by businessman: 1.0 Maximum of orders by businessman: 2 Minimum of orders by businessman: 0 Average of orders by businessman today: Maximum of orders by businessman today: Minimum of orders by businessman today: Average of properties by fish name: 1.3333 Maximum of properties by fish name: 2 Minimum of properties by fish name: 0</p></div>
Outcome	Hay queries que no muestran valor alguno. El resto parecen dar un valor correcto.
Notes	