



Using Croissant with Lucidchart

1 Open the Lucidchart document

2 Click "File"




3 Export the Lucidchart as a CSV of Shape Data



4 Navigate to Croissant

5 Click "Browse..."



6 Select the Lucidchart CSV from your computer

7

Optionally, use the "Filter Site(s)" button to filter out sites that should not be built

Create Menu

Croissant Reference Call Flow.csv

Search..

- ☒ Select all
- ☒ Site 1
- ☒ Site 2
- ☒ Site 3

Instructions

Building from the BRD [↗](#)

Building from Lucidchart [↗](#)

Resources

Documentation [↗](#)

Sample BRD [↗](#)

Sample Lucidchart [↗](#)

8

Click "Submit"

Menu

Croissant Reference Call Flow.csv


BRD [↗](#)

idchart [↗](#)


art [↗](#)

9 Login to the RingCentral account

10 Click "Phone System"




11 Click "Auto-Receptionist"



The screenshot shows the 'Phone System' menu in a web application. The menu is open, displaying several options. The 'Auto-Receptionist' option is highlighted with an orange circle. The main content area on the right shows a search bar and a table with columns 'Ext.' and 'Name/Type'. The table contains three rows: 'Main Site', '30001 Site 1', and '30002 Site 2'.

Ext.	Name/Type
	Main Site
30001	Site 1
30002	Site 2


12 Click "IVR Editor"



The screenshot shows the 'Phone System' menu in a web application. The menu is open, displaying several options. The 'IVR Editor' option is highlighted with an orange circle. The main content area on the right shows a search bar and a table with columns 'Ext.' and 'Name/Type'. The table contains three rows: 'Main Site', '30001 Site 1', and '30002 Site 2'.

Ext.	Name/Type
	Main Site
30001	Site 1
30002	Site 2

13 Click "Import"



14 Select the generated XML file

15 Click "OK"

