Home | PCB Quote | Advanced PCB (New) | PCB Assembly | Components Sourcing | Gerber Viewer | DFM | Products & Capabilities | Blog | About Us

NextPCB
Reliable Multilayer PCB Manufacturer

Standard PCB | Rigid-Flex Board | Advanced PCB (New) | Aluminum | Copper | Ceramic

Gerber File

Only zip / rar files, Up to 50MB

K9HZ_VHF_UHF_Line_Section_022526_gerber.zip

Please select the specifications below to place an order.

DFM Analysis + Gerber Viewer | Advanced PCB Capabilities

Basic Information

Material Type: FR4(Mid TG) | FR4(Halogen Free) | FR4(High CTI>=600V) | FR4(High CTI>=600V&Hallogen Free) | FR4(High TG) | High Speed | High Frequency | High Temperature | Custom

Material Code: RO4003C | RO4350B | RO3003 | RO5880 | RO5870 | Custom

High Frequency:ROGERS RO3003

Layer Count: 2 | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | 34 | 36 | 38 | 40 | Custom

Hybrid Lamination Type: Lamination-Only | Hybrid Lamination

Size (single)*: 63.5 X 44.4 mm | inch ⇋ mm | Case Display

Quantity(single)*: 10 pcs

Board Type: Single piece | Panel by Customer | Panel by NextPCB

Cross Outs: Not Accept | Accept

Break-away Rail: N/A

PCB Parameters

PCB Thickness: 4mil (0.101mm) | 6.6mil (0.168mm) | 8mil (0.203mm) | 10mil (0.254mm) | 12mil (0.305mm) | 13.3mil (0.338mm) | 16mil (0.406mm) | 16.6mil (0.422mm) | 20mil (0.508mm) | 30mil (0.762mm) | 32mil (0.813mm) | 60mil (1.524mm) | Custom

Contact Us

0

Black | Matte Black | Purple | Gray | Orange | Silver | Clear

Silkscreen: White | Black | Gray | Yellow | Clear

Outer Copper Weight: 1oz | 2oz | 3oz | 4oz | 5oz | 6oz | Custom

Trace Width/Spacing: 10/10mil↑ | 8/8mil | 6/6mil | 5/5mil | 4/4mil | 3.5/3.5mil | 3/3mil | 2/2mil | Custom

Min. Drill Hole: 0.3mm | 0.25mm | 0.2mm | 0.15mm | Custom

PCB | **PCB+Stencil** | Reset

Resin Fill - No Cap (V) | Non-Conductive Fill & Cap (VII) | Conductive Fill & Cap (VII) | Silver Fill & Cap (VII)

Surface Finish: HASL | Lead Free HASL | OSP | ENIG | Immersion Silver | Immersion Tin | ENIG + OSP | Electroplated Gold | Gold Finger Plating | Gold Plating | ENEPIG | Custom

Personalized Information

Special Process: Blind/Buried Vias | Impedance Control | Plated Half-holes | Edge Plating | Edge Connector Bevel | Stack up | Carbon ink | Countersink/Counterbore | Black FR4 (black core) | Embedded copper PCB | Cavity PCB | Semi-Flex PCB | Back drill PCB | Leadless partially plated hard gold | Bonding Board | Step Hole | Step Slot | Blind Slot | Depth Control Milling | Gold Finger(Hard Gold) | Peelable Solder Mask | Blue Solder Mask

Electrical Test: 100% FPT for Batches | Test Fixture

Working Gerber: Not Required | Require Approval

Quote Parameters

PCB Cost

Build Time

5 days

100% AOI & E-test coverage for each

Product Price (USD)

Add to Cart

Ord

Shipping Estimate

Ship to: UNITED STATES OF AME

Channel: DHL

2-5

Weight

Flexible Payment O
PayPal | Credit Card | Bank Transfer
PayPal MasterCard VISA B

Precision PCB
Guaranteed Quality
Explore Our Rigorous QC Process for PCB Production & Assembly

0

Contact Us

Production Films | Ionic Cleanliness Test | Solderability Test
Solder Mask Adhesion Test | Impedance Test | Hi-pot Test
Moisture and Insulation Resistance (MIR) Test | Thermal Stress Test
Thermal Shock Test | Interconnect Stress Test | Chemical Resistance Test
Solder Mask Hardness Test | Peel Strength Test | Bond Strength Test
Pull-off Strength Test | Elongation Test

IPC Class: IPC Level 2 Standard | IPC Level 3 Standard | IATF16949 | ISO13485 | Follow customer standards

Paper between PCBs: No | Yes

Add PO No.

Special Requests: Please fill in your special requirements for the PCB order(within 5-1000 characters).

Add PCB Assembly Free assembly for 1-10 pieces promo Continue

What is NextPCB's Advanced PCB Service?

NextPCB's Advanced PCB service include fabrication technologies and materials that **go beyond standard FR4 boards**. These boards support higher signal integrity, tighter tolerances, and improved thermal performance and more complex interconnect structures. NextPCB's capabiltiies include **HDI**, **high-layer-count**, **high-speed**, **high-frequency (RF/microwave)**, **ceramic**, **flex**, **rigid-flex**, **metal-core**, and other **special-process** PCBs. Each substrate type has its own quotation form to cater to it's specific features, but all are part of NextPCB's the broader Advanced PCB capabilities.

Advanced PCB Materials & Substrates

High-speed & Low-loss Materials

Megtron 6/7, Isola 370HR, ITEQ IT-958G, and TUC TU-872SLK.

RF & Microwave Laminates

Rogers 4350B, Rogers 4003C, and PTFE-based composites.

0
Contact Us

Aluminum nitride (AlN) and alumina (Al_2O_3) for high thermal conductivity.

Flex & Rigid-Flex

Polyimide flex materials and multi-layer rigid-flex stackups.

Metal-core & Copper-core

Aluminum-based MCPCBs and copper-core PCBs for thermal performance.

Browse Advanced PCBs by Type →

Advanced PCB Structures & Processes

HDI Blind/buried vias, via stacking, via-in-pad (VIPPO), sequential lamination

High-layer count 12-40+ layers with controlled impedance

Fine-line copper 2.5/2.5 mil standard, ultra-fine-line available by material

Cavity PCBs Embedded components, depth-controlled routing, back-drilling

Thermal structures Copper coin, heavy copper up to 10 oz, thermal vias

Mechanical Castellated holes, countersinks, counterbores, edge plating

Advanced FR4 & HDI Capability Reference

These specifications apply to FR4-based and FR4-like materials such as Shengyi, Megtron, Isola, ITEQ, TUC and Rogers materials.

FR4 PCB Specifications	
Circuit Layers	Up to 32 layers
HDI Blind/Buried Vias	Up to HDI III designs
Base Material	Rogers, Megtron, Isola, TUC, EMC, ITEQ and Shengyi laminates.
Surface Finishes	HASL, Lead Free HASL, ENIG, OSP, Hard Gold, Electrolytic Gold, Gold Fingers, Immersion Tin, Immersion Silver and ENEPIG.
Copper Thickness	Up to 10 oz
Min. Trace Width/Spacing	2.5/2.5 mil
Drill and Via Capabilities	Blind/buried vias, microvias, Via-in-pad fill and cap (POFV), castellated holes, counterbore/countersunk holes, z-axis milling, 20:1 aspect ratio and more.
PCB Solder Mask Color	Matte green, purple, orange, clear, custom solder mask colors.

Contact Us
0

Extras	Custom stack-up, impedance control, microsection report, IPC Class 3, UL Marking, beveled/chamferred edges, edge-plating and more.

Browse NextPCB's Premium Material Options →

Advanced PCB Manufacturing

Build Confidence Into Every Layer

From Any-Layer HDI to PTFE high-frequency and ceramic substrates, scale confidently from prototype to mass production with certified quality systems and expert engineering review at every stage.

ISO 9001 | ISO 14001 | ISO 13485 (PCBA) | IATF 16949 | UL Certified | RoHS | REACH

Schedule a Meeting with an Account Manager

View Full Capabilities

How to Request an Advanced PCB Quote

1. **Prepare your design files:** Upload Gerber or ODB++ with all copper, drill, mask, and mechanical layers.
2. **Add a simple fabrication note (optional):** Mention HDI, impedance, special materials, or mechanical features.
3. **Select materials & options:** Choose substrate, layer count, finish, copper weight, and HDI options in the form.
4. **For PCBA:** Upload your BOM (Excel) and Centroid/Pick-and-Place file.
5. **Submit for review:** Select Add to Cart and wait for a senior engineer to update your quotation.

Standard quote processing for advanced boards takes less than 2 hours during working hours.

Get an Advanced PCB Quote

Advanced PCB Quote & Technical FAQ

What materials do you support for high-speed, low-loss, and RF PCB fabrication? ▼

What is the minimum trace/space and drill size you can achieve for HDI PCBs? ▼

Contact Us

0

Do you support flex and rigid-flex PCB manufacturing and assembly?

What services do you provide for impedance-controlled PCBs?

Do you provide engineering review or DFM checks before production?

What files are required to request an advanced PCB quote?

What is the typical lead time for HDI, RF, ceramic, or flex PCBs?

What quality certifications do you hold for PCB and PCBA manufacturing?

Do you offer PCBA services for advanced PCBs, including HDI and RF?

©2026 NEXTPCB All Rights Reserved

0

Contact Us