









$$Weight = \beta_0 + \beta_1 Male + \beta_2 Height$$

$$Weight = \beta_0 + \beta_1 Male + \beta_2 Height$$



$$Weight = \beta_0 + \beta_1 Male + \beta_2 Height$$



$$Weight = \beta_0 + \beta_1 Male + \beta_2 Height$$



$$Weight = \beta_0 + \beta_1 Male + \beta_2 Height$$



$$Weight = \beta_0 + \beta_1 Male + \beta_2 Height$$



$$Weight = \beta_0 + \beta_1 Male + \beta_2 Height$$



$$Weight = \beta_0 + \beta_1 Male + \beta_2 Height$$

	Gender	
	Male	Female
Male	1	0



- Regression by itself does not establish 'causation'.
- Regression is essentially a correlation technique.
- Some additional requirements are needed to interpret this correlation as causation.
- Wrong to say, 'Height causes Weight'.



- Regression by itself does not establish 'causation'.
- Regression is essentially a correlation technique.
- Some additional requirements are needed to interpret this correlation as causation.
- Wrong to say, 'Height causes Weight'.



- Regression by itself does not establish 'causation'.
- Regression is essentially a correlation technique.
- Some additional requirements are needed to interpret this correlation as causation.
- Wrong to say, 'Height causes Weight'.



- Regression by itself does not establish 'causation'.
- Regression is essentially a correlation technique.
- Some additional requirements are needed to interpret this correlation as causation.
- Wrong to say, 'Height causes Weight'.



- Regression by itself does not establish 'causation'.
- Regression is essentially a correlation technique.
- Some additional requirements are needed to interpret this correlation as causation.
- Wrong to say, 'Height causes Weight'.



$$Weight = \beta_0 + \beta_1 Male + \beta_2 Height$$



- Subtracting the mean from every value of a variable.
- It redefines the zero point for that variable.
- We could also center a variable around some value other than the mean.



- Subtracting the mean from every value of a variable.
- It redefines the zero point for that variable.
- We could also center a variable around some value other than the mean.



- Subtracting the mean from every value of a variable.
- It redefines the zero point for that variable.
- We could also center a variable around some value other than the mean.



Mean-Centering of Variables. (Height and Weight.xlsx)

- Subtracting the mean from every value of a variable.
- It redefines the zero point for that variable.
- We could also center a variable around some value other than the mean.

When should you mean center your X variables?

> Depends on the kind of interpretations you are looking for.



Mean-Centering of Variables. (Height and Weight.xlsx)

- Subtracting the mean from every value of a variable.
- It redefines the zero point for that variable.
- We could also center a variable around some value other than the mean.

When should you mean center your X variables?

> Depends on the kind of interpretations you are looking for.