

Linear Regression for Business Statistics

Hypothesis Testing in a regression context

- The t-cutoff approach
- The p-value approach
- *The confidence interval approach*

Linear Regression for Business Statistics

Hypothesis Testing in a regression context

- ➤ The t-cutoff approach
- The p-value approach
- *The confidence interval approach*

Linear Regression for Business Statistics

Hypothesis Testing in a regression context

- The t-cutoff approach

- ➔ ➤ The p-value approach

- *The confidence interval approach*

Linear Regression for Business Statistics

Hypothesis Testing in a regression context

- The t-cutoff approach
- The p-value approach
- ➤ *The confidence interval approach*



Linear Regression for Business Statistics

The confidence interval approach to Hypothesis Testing

$$H_0: \beta_2 = 500$$

$$H_A: \beta_2 \neq 500$$

Linear Regression for Business Statistics

The confidence interval approach to Hypothesis Testing

Step 1 : Formulate Hypothesis

$$H_0: \beta_2 = 500$$

$$H_A: \beta_2 \neq 500$$

Linear Regression for Business Statistics

The confidence interval approach to Hypothesis Testing

Step 1 : Formulate Hypothesis

$$H_0: \beta_2 = 500$$

$$H_A: \beta_2 \neq 500$$

Step 2 : Consider the 95% confidence interval for β_2

Linear Regression for Business Statistics

The confidence interval approach to Hypothesis Testing

Step 1 : Formulate Hypothesis

$$H_0: \beta_2 = 500$$

$$H_A: \beta_2 \neq 500$$

Step 2 : Consider the 95% confidence interval for β_2

$$= [212.6, 1084.6]$$

Linear Regression for Business Statistics

The confidence interval approach to Hypothesis Testing

Step 1 : Formulate Hypothesis

$$H_0: \beta_2 = 500$$

$$H_A: \beta_2 \neq 500$$

Step 2 : Consider the 95% confidence interval for β_2

$$= [212.6, 1084.6]$$

Conclusion:

- Since 500 falls in the confidence interval, hence do not reject the Null hypothesis.
- We cannot reject the H_0 for any value that is in the confidence interval.

Linear Regression for Business Statistics

The confidence interval approach to Hypothesis Testing

Step 1 : Formulate Hypothesis

$$H_0: \beta_2 = 500$$

$$H_A: \beta_2 \neq 500$$

Step 2 : Consider the 95% confidence interval for β_2

$$= [212.6, 1084.6]$$

Conclusion:

- Since 500 falls in the confidence interval, hence do not reject the Null hypothesis.
- We cannot reject the H_0 for any value that is in the confidence interval.

Linear Regression for Business Statistics

The confidence interval approach to Hypothesis Testing

Step 1 : Formulate Hypothesis

$$H_0: \beta_2 = 500$$

$$H_A: \beta_2 \neq 500$$

Step 2 : Consider the 95% confidence interval for β_2

$$= [212.6, 1084.6]$$

↑
center point = 648.6

Conclusion:

- Since 500 falls in the confidence interval, hence do not reject the Null hypothesis.
- We cannot reject the H_0 for any value that is in the confidence interval.

Linear Regression for Business Statistics

✓ The confidence interval approach to Hypothesis Testing

Step 1 : Formulate Hypothesis

$$H_0: \beta_2 = 500$$

$$H_A: \beta_2 \neq 500$$

Step 2 : Consider the 95% confidence interval for β_2

$$= [212.6, 1084.6]$$

↑
center point = 648.6

Conclusion:

- Since 500 falls in the confidence interval, hence do not reject the Null hypothesis.
- We cannot reject the H_0 for any value that is in the confidence interval.

Linear Regression for Business Statistics

Perform the hypothesis test at an alpha level $\alpha = 0.01$

Step 1 : Formulate Hypothesis

$$H_0: \beta_2 = 500$$

$$H_A: \beta_2 \neq 500$$

Step 2 : Consider the 99% confidence interval for β_2

Linear Regression for Business Statistics

Perform the hypothesis test at an alpha level $\alpha = 0.01$

Step 1 : Formulate Hypothesis

$$H_0: \beta_2 = 500$$

$$H_A: \beta_2 \neq 500$$

Step 2 : Consider the 99% confidence interval for β_2



Linear Regression for Business Statistics

Perform the hypothesis test at an alpha level $\alpha = 0.01$

Step 1 : Formulate Hypothesis

$$H_0: \beta_2 = 500$$

$$H_A: \beta_2 \neq 500$$

Step 2 : Consider the 99% confidence interval for β_2



Linear Regression for Business Statistics

p-values and their importance in interpreting regression results

$$Sales = \beta_0 + \beta_1 Price + \beta_2 AdExp + \beta_3 PromExp$$

Linear Regression for Business Statistics

p-values and their importance in interpreting regression results

$$Sales = \beta_0 + \beta_1 Price + \beta_2 AdExp + \beta_3 PromExp$$

ANOVA						
	<i>df</i>	<i>SS</i>	<i>MS</i>	<i>F</i>	<i>Significance F</i>	
Regression	3	197798832.8	65932944	40.56262	1.0848E-08	
Residual	20	32509212.11	1625461			
Total	23	230308045				
	<i>Coefficients</i>	<i>Standard Error</i>	<i>t Stat</i>	<i>P-value</i>	<i>Lower 95%</i>	<i>Upper 95%</i>
Intercept	-25096.83	24859.61131	-1.009542	0.324773	-76953.0734	26759.408
Price (\$)	-5055.27	526.3995537	-9.603484	6.22E-09	-6153.32009	-3957.22
Adexp ('000\$)	648.61214	209.0048787	3.103335	0.005602	212.635603	1084.5887
Promexp ('000\$)	1802.611	392.8485427	4.588565	0.000178	983.143256	2622.0787

Linear Regression for Business Statistics

p-values and their importance in interpreting regression results

$$Sales = \beta_0 + \beta_1 Price + \beta_2 AdExp + \beta_3 PromExp$$

ANOVA						
	<i>df</i>	<i>SS</i>	<i>MS</i>	<i>F</i>	<i>Significance F</i>	
Regression	3	197798832.8	65932944	40.56262	1.0848E-08	
Residual	20	32509212.11	1625461			
Total	23	230308045				
	<i>Coefficients</i>	<i>Standard Error</i>	<i>t Stat</i>	<i>P-value</i>	<i>Lower 95%</i>	<i>Upper 95%</i>
Intercept	-25096.83	24859.61131	-1.009542	0.324773	-76953.0734	26759.408
Price (\$)	-5055.27	526.3995537	-9.603484	6.22E-09	-6153.32009	-3957.22
Adexp ('000\$)	648.61214	209.0048787	3.103335	0.005602	212.635603	1084.5887
Promexp ('000\$)	1802.611	392.8485427	4.588565	0.000178	983.143256	2622.0787

Linear Regression for Business Statistics

p-values and their importance in interpreting regression results

$$\text{Sales} = \beta_0 + \beta_1 \text{Price} + \beta_2 \text{AdExp} + \beta_3 \text{PromExp}$$

ANOVA						
	<i>df</i>	<i>SS</i>	<i>MS</i>	<i>F</i>	<i>Significance F</i>	
Regression	3	197798832.8	65932944	40.56262	1.0848E-08	
Residual	20	32509212.11	1625461			
Total	23	230308045				
	<i>Coefficients</i>	<i>Standard Error</i>	<i>t Stat</i>	<i>P-value</i>	<i>Lower 95%</i>	<i>Upper 95%</i>
Intercept	-25096.83	24859.61131	-1.009542	0.324773	-76953.0734	26759.408
Price (\$)	-5055.27	526.3995537	-9.603484	6.22E-09	-6153.32009	-3957.22
Adexp ('000\$)	648.61214	209.0048787	3.103335	0.005602	212.635603	1084.5887
Promexp ('000\$)	1802.611	392.8485427	4.588565	0.000178	983.143256	2622.0787

$$H_0: \beta_0 = 0$$

$$H_A: \beta_0 \neq 0$$

$$H_0: \beta_1 = 0$$

$$H_A: \beta_1 \neq 0$$

$$H_0: \beta_2 = 0$$

$$H_A: \beta_2 \neq 0$$

$$H_0: \beta_3 = 0$$

$$H_A: \beta_3 \neq 0$$

Linear Regression for Business Statistics

p-values and their importance in interpreting regression results

$$Sales = \beta_0 + \beta_1 Price + \beta_2 AdExp + \beta_3 PromExp$$

ANOVA						
	df	SS	MS	F	Significance F	
Regression	3	197798832.8	65932944	40.56262	1.0848E-08	
Residual	20	32509212.11	1625461			
Total	23	230308045				
	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%
Intercept	-25096.83	24859.61131	-1.009542	0.324773	-76953.0734	26759.408
Price (\$)	-5055.27	526.3995537	-9.603484	6.22E-09	-6153.32009	-3957.22
Adexp ('000\$)	648.61214	209.0048787	3.103335	0.005602	212.635603	1084.5887
Promexp ('000\$)	1802.611	392.8485427	4.588565	0.000178	983.143256	2622.0787

$$H_0: \beta_0 = 0$$

$$H_A: \beta_0 \neq 0$$

$$H_0: \beta_1 = 0$$

$$H_A: \beta_1 \neq 0$$

$$H_0: \beta_2 = 0$$

$$H_A: \beta_2 \neq 0$$

$$H_0: \beta_3 = 0$$

$$H_A: \beta_3 \neq 0$$

Linear Regression for Business Statistics

p-values and their importance in interpreting regression results

$$Sales = \beta_0 + \beta_1 Price + \beta_2 AdExp + \beta_3 PromExp$$

$$H_0: \beta_0 = 0$$
$$H_A: \beta_0 \neq 0$$

$$H_0: \beta_1 = 0$$
$$H_A: \beta_1 \neq 0$$

$$H_0: \beta_2 = 0$$
$$H_A: \beta_2 \neq 0$$

$$H_0: \beta_3 = 0$$
$$H_A: \beta_3 \neq 0$$

Linear Regression for Business Statistics

p-values and their importance in interpreting regression results

$$Sales = \beta_0 + \beta_1 Price + \beta_2 AdExp + \beta_3 PromExp$$

$$H_0: \beta_0 = 0$$
$$H_A: \beta_0 \neq 0$$

$$H_0: \beta_1 = 0$$
$$H_A: \beta_1 \neq 0$$

$$H_0: \beta_2 = 0$$
$$H_A: \beta_2 \neq 0$$

$$H_0: \beta_3 = 0$$
$$H_A: \beta_3 \neq 0$$

- Failure to reject the hypothesis (a high p-value) implies an insignificant impact.
- Low p-values (*less than α*) are good.

Linear Regression for Business Statistics

p-values and their importance in interpreting regression results

$$Sales = \beta_0 + \beta_1 Price + \beta_2 AdExp + \beta_3 PromExp$$

$$H_0: \beta_0 = 0$$

$$H_0: \beta_1 = 0$$

$$H_0: \beta_2 = 0$$

$$H_0: \beta_3 = 0$$

$$H_A: \beta_0 \neq 0$$

$$H_A: \beta_1 \neq 0$$

$$H_A: \beta_2 \neq 0$$

$$H_A: \beta_3 \neq 0$$

- Failure to reject the hypothesis (a high p-value) implies an insignificant impact.
- Low p-values (*less than α*) are good.

Linear Regression for Business Statistics

p-values and their importance in interpreting regression results

$$Sales = \beta_0 + \beta_1 Price + \beta_2 AdExp + \beta_3 PromExp$$

ANOVA						
	df	SS	MS	F	Significance F	
Regression	3	197798832.8	65932944	40.56262	1.0848E-08	
Residual	20	32509212.11	1625461			
Total	23	230308045				
	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%
Intercept	-25096.83	24859.61131	-1.009542	0.324773	-76953.0734	26759.408
Price (\$)	-5055.27	526.3995537	-9.603484	6.22E-09	-6153.32009	-3957.22
Adexp ('000\$)	648.61214	209.0048787	3.103335	0.005602	212.635603	1084.5887
Promexp ('000\$)	1802.611	392.8485427	4.588565	0.000178	983.143256	2622.0787

$$H_0: \beta_0 = 0$$

$$H_A: \beta_0 \neq 0$$

$$H_0: \beta_1 = 0$$

$$H_A: \beta_1 \neq 0$$

$$H_0: \beta_2 = 0$$

$$H_A: \beta_2 \neq 0$$

$$H_0: \beta_3 = 0$$

$$H_A: \beta_3 \neq 0$$

Linear Regression for Business Statistics

p-values and their importance in interpreting regression results

$$\text{Sales} = \beta_0 + \beta_1 \text{Price} + \beta_2 \text{AdExp} + \beta_3 \text{PromExp}$$

ANOVA							
	df	SS	MS	F	Significance F		
Regression	3	197798832.8	65932944	40.56262	1.0848E-08		$H_0: \beta_0 = 0$ $H_A: \beta_0 \neq 0$
Residual	20	32509212.11	1625461				$H_0: \beta_1 = 0$ $H_A: \beta_1 \neq 0$
Total	23	230308045					
	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	
Intercept	-25096.83	24859.61131	-1.009542	0.324773	-76953.0734	26759.408	$H_0: \beta_2 = 0$ $H_A: \beta_2 \neq 0$
Price (\$)	-5055.27	526.3995537	-9.603484	6.22E-09	-6153.32009	-3957.22	$H_0: \beta_3 = 0$ $H_A: \beta_3 \neq 0$
Adexp ('000\$)	648.61214	209.0048787	3.103335	0.005602	212.635603	1084.5887	
Promexp ('000\$)	1802.611	392.8485427	4.588565	0.000178	983.143256	2622.0787	

- **Reject the Null hypothesis that $\beta_2 = 0$.**
- Advertising expenditure is an important variable in explaining Sales.

Linear Regression for Business Statistics

p-values and their importance in interpreting regression results

$$\text{Sales} = \beta_0 + \beta_1 \text{Price} + \beta_2 \text{AdExp} + \beta_3 \text{PromExp}$$

ANOVA							
	df	SS	MS	F	Significance F		
Regression	3	197798832.8	65932944	40.56262	1.0848E-08		$H_0: \beta_0 = 0$ $H_A: \beta_0 \neq 0$
Residual	20	32509212.11	1625461				$H_0: \beta_1 = 0$ $H_A: \beta_1 \neq 0$
Total	23	230308045					
	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	
Intercept	-25096.83	24859.61131	-1.009542	0.324773	-76953.0734	26759.408	$H_0: \beta_2 = 0$ $H_A: \beta_2 \neq 0$
Price (\$)	-5055.27	526.3995537	-9.603484	6.22E-09	-6153.32009	-3957.22	$H_0: \beta_3 = 0$ $H_A: \beta_3 \neq 0$
Adexp ('000\$)	648.61214	209.0048787	3.103335	0.005602	212.635603	1084.5887	
Promexp ('000\$)	1802.611	392.8485427	4.588565	0.000178	983.143256	2622.0787	

- **Reject the Null hypothesis that $\beta_2 = 0$.**
- **Advertising expenditure is an important variable in explaining Sales.**