


Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Register Page	1 m 31.092 s	14	9	5	0	70	65	5	0	

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	Register Page	Verify that the user is able to enter valid username in the username field
2		Verify that the user is able to enter valid username in the username field
3		Verify that the user is able to enter valid username in the username field
4		Verify that user gets an error message upon entering invalid username
5		Verify that the user gets error upon entering invalid passwords

FEATURES SUMMARY

-- 4 --




#	Feature Name	T	P	F	S	Duration
1	Register Page	14	9	5	0	1 m 31.092 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Register Page	Verify that User is able to launch ds-algo portal	5	5	0	0	6.846 s
2		Verify that the user is able to enter valid username in the username field	5	4	1	0	6.333 s
3		Verify that the user is able to enter valid username in the username field	5	4	1	0	4.951 s
4		Verify that the user is able to enter valid username in the username field	5	4	1	0	4.757 s
5		Verify that user gets an error message upon entering invalid username	5	5	0	0	5.092 s
6		Verify that user gets an error message upon entering invalid username	5	5	0	0	4.568 s
7		Verify that user gets an error message upon entering invalid username	5	4	1	0	14.920 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8		Verify that the user is able to enter valid passwords in the <u>field</u>	5	5	0	0	5.293 s


SCENARIOS SUMMARY -- 7 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
9	Register Page	Verify that the user is able to enter valid passwords in the field	5	5	0	0	4.432 s
10		Verify that the user gets error upon entering invalid passwords	5	5	0	0	5.021 s
11		Verify that the user gets error upon entering invalid passwords	5	5	0	0	5.363 s
12		Verify that the user gets error upon entering invalid passwords	5	4	1	0	15.163 s
13		Verify pop-up message when password and password confirmation fields are left blank	5	5	0	0	4.262 s
14		Verify pop-up message when password and password confirmation fields are left blank	5	5	0	0	3.971 s

DETAILED SECTION -- 8 --

Register Page




Verify that User is able to launch ds-algo portal



#	Step / Hook Details	Status	Duration
1	Given User is in the ds-algo launch page	PASSED	0.010 s
2	When User clicks the Get Started button	PASSED	0.582 s
3	Given User is in the home page after launching ds-algo portal page	PASSED	0.001 s
4	When User clicks Register link in the home page	PASSED	0.258 s
5	Then User should be able to navigate to Register page	PASSED	0.045 s

Verify that the user is able to enter valid username in the username field




#	Step / Hook Details	Status	Duration
1	Given User is in the ds-algo launch page	PASSED	0.003 s
2	When User clicks the Get Started button	PASSED	0.584 s
3	Given User navigates to register page after clicking register link	PASSED	0.269 s
4	When User enters data from excel sheet 'Register' and 1 for the username field	PASSED	1.445 s
5	Then User should be able to enter username and click Register button	FAILED	0.028 s
	incucumber.core.exception.CucumberException: Step [User should be able to enter username and click Register button] is defined with 2 parameters at "StepDefinitions.RegistrationPageStep.user_should_be_able_to_enter_username_and_click_register_button(java.lang.String, int)". However, the gherkin step has 0 arguments. Step text: User should be able to enter username and click Register button at lio.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:82) at io.cucumber.core.runner.PickleStepDefinitionMatch.runstep(PickleStepDefinitionMatch.java:41) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.PickleStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.PickleStep.executeStep(TestStep.java:83) at io.cucumber.core.runner.PickleStep.frestStep.run(TestStep.java:83) at io.cucumber.core.runner.PickleStep.frestStep.run(TestStep.java:81) at io.cucumber.core.runner.PickleStep.frestStep.grava:77) at io.cucumber.core.runner.PickleStep.frestStep.grava:77) at io.cucumber.core.runner.StatSGcucumberRunner.java:77) at io.cucumber.core.runtime.CucumberRunner.grava:136) at io.cucumber.core.runtime.CucumberRunner.grava:136) at io.cucumber.core.runtime.RunderSunderStep.grava:81 at io.cucumber.core.runtime.RunderStep.grava:81 at io.cucumber.core.runtime.RunderStep.grava:81 at io.cucumber.grava:132) at io.cucumber.core.runtime.RunderStep.grava:81 at io.cucumber.grava:132 at io.grava:133 at io.grava:133 at io.grava:134 at io.grava:		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1208)		
	at org.testng.TestNG.runSuites(TestNG.java:1112)		
	at org.testng.TestNG.run(TestNG.java:1079)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91)		
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	PASSED	2.189 s
	screenshot		
	Mayapping Section Leave Square Square		
	Thermore (intelligendext) Thermore (intellig		
	* In your control miles to write to go and your control write. * Name your control write.		
	The same power and sold to the violation. Some First shared were assess place (a) resided.		

Verify that the user is able to enter valid username in the username field




#	Step / Hook Details	Status	Duration
1	Given User is in the ds-algo launch page	PASSED	0.004 s
2	When User clicks the Get Started button	PASSED	0.706 s
3	Given User navigates to register page after clicking register link	PASSED	0.270 s
4	When User enters data from excel sheet 'Register' and 2 for the username field	PASSED	0.523 s
5	Then User should be able to enter username and click Register button	FAILED	0.002 s
	io.cucumber.core.exception.CucumberException: Step [User should be able to enter username and click Register button] is defined with 2 parameters at 'StepDefinitions.RegistrationPageStep.user_should_be_able_to_enter_username_and_click_register_button(java.lang.String, int)'. However, the gherkin step has 0 arguments. Step text: User should be able to enter username and click Register button at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:82)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:41)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:86)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:77)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:135)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:687)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:995)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1597)		
	at org.testng.TestRunner.privateRun(TestRunner.java:741)		
	at org.testng.TestRunner.run(TestRunner.java:616)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:421)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:312)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1208)		
	at org.testng.TestNG.runSuites(TestNG.java:1112)		
	at org.testng.TestNG.run(TestNG.java:1079)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91)		
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	PASSED	1.792 s

#	Step / Hook Details	Status	Duration
	screenshot		
	Manage (Mission and Mission an		

Verify that the user is able to enter valid username in the username field




#	Step / Hook Details	Status	Duration
1	Given User is in the ds-algo launch page	PASSED	0.002 s
2	When User clicks the Get Started button	PASSED	0.541 s
3	Given User navigates to register page after clicking register link	PASSED	0.250 s
4	When User enters data from excel sheet 'Register' and 3 for the username field	PASSED	0.510 s
5	Then User should be able to enter username and click Register button	FAILED	0.003 s
	io.cucumber.core.exception.CucumberException: Step [User should be able to enter username and click Register button] is defined with 2 parameters at 'StepDefinitions.RegistrationPageStep.user_should_be_able_to_enter_username_and_click_register_button(java.lang.String, int)'. However, the gherkin step has 0 arguments. Step text: User should be able to enter username and click Register button at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:82) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:41) at io.cucumber.core.runner.TestStep.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:86) at io.cucumber.core.runner.Runner.runPickle(Runner.java:77) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:135) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		

DETAILED SECTION -- 13 --

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:687)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:995)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1597)		
	at org.testng.TestRunner.privateRun(TestRunner.java:741)		
	at org.testng.TestRunner.run(TestRunner.java:616)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:421)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:312)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1208)		
	at org.testng.TestNG.runSuites(TestNG.java:1112)		
	at org.testng.TestNG.run(TestNG.java:1079)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91)		
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	PASSED	1.727 s
	screenshot		
	Nama/Nagi Sandandanina Sandanina San		
	Unerwork (distinguishi) Barrier Hill Generative share the state of the production of the state o		
	* To proceed that it control keal feedings. * To proceed that it controlled pages at the control page at the control pa		
	Fig. deady has a secure of before the control of th		


Verify that user gets an error message upon entering invalid username

DETAILED SECTION -- 14 --



#	Step / Hook Details	Status	Duration
1	Given User is in the ds-algo launch page	PASSED	0.002 s
2	When User clicks the Get Started button	PASSED	0.540 s
3	Given User navigates to register page after clicking register link	PASSED	0.354 s
4	When User enters invalid data from excel sheet 'Register' and 5 for the username field	PASSED	0.770 s
5	Then User gets error message for username in the Register page	PASSED	0.267 s


Verify that user gets an error message upon entering invalid username



#	Step / Hook Details	Status	Duration
1	Given User is in the ds-algo launch page	PASSED	0.006 s
2	When User clicks the Get Started button	PASSED	0.601 s
3	Given User navigates to register page after clicking register link	PASSED	0.230 s
4	When User enters invalid data from excel sheet 'Register' and 6 for the username field	PASSED	0.700 s
5	Then User gets error message for username in the Register page	PASSED	0.309 s

Verify that user gets an error message upon entering invalid username

DETAILED SECTION -- 15 --




#	Step / Hook Details	Status	Duration
1	Given User is in the ds-algo launch page	PASSED	0.004 s
2	When User clicks the Get Started button	PASSED	0.566 s
3	Given User navigates to register page after clicking register link	PASSED	0.247 s
4	When User enters invalid data from excel sheet 'Register' and 7 for the username field	PASSED	0.754 s
5	Then User gets error message for username in the Register page	FAILED	10.127 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div/@class='alert alert-primary]"} (Session info: MicrosoftEdge=136.0.3240.64) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '1.31.0', revision: '11ef9f18787" System info: os. name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [bcfad00729570c4478f4005ff9993033, findElement {value=//div/@class=alert alert-primary], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 136.0.3240.64, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:49261}, msedge: {msedgedriverVersion: 136.0.3240.64, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:49261}, msedge: {msedgedriverVersion: 136.0.3240.64, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:49261/devtoo, se:cdpVersion: 136.0.3240.64, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:redBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, sebauthn:virtualAuthenticators: true} Session ID: bcfad00729570c4478f4005ff9993033 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:3501) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:3501) at org.openqa.selenium.remote.Eremote.Gec.dec.dec.dec.dec.dec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:150) at org.openqa.selenium		

DETAILED SECTION -- 16 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at PageObject.RegistrationPageObject.errorMessageDisplayed(RegistrationPageObject.java:78) at StepDefinitions.RegistrationPageStep.user_gets_error_message_for_username_in_the_register_page(RegistrationPageStep.java:94) at ?.User gets error message for username in the Register page(file:///C:/Users/skurr/eclipse-workspace/ClubNinjas-dsAlgoBDD/src/test/resources/features/RegisterPage.feature:26) * Not displayable characters are replaced by '?'.		
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	PASSED	1.601 s
	Registry to be a fact that the state of the		


Verify that the user is able to enter valid passwords in the field



#	Step / Hook Details	Status	Duration
1	Given User is in the ds-algo launch page	PASSED	0.003 s
2	When User clicks the Get Started button	PASSED	0.480 s
3	Given User navigates to register page after clicking register link	PASSED	0.177 s
4	When User enters data from excel sheet 'Register' and 8 for the password fields	PASSED	0.364 s
5	Then User should be able to enter password and click Register button	PASSED	0.156 s


Verify that the user is able to enter valid passwords in the field

DETAILED SECTION -- 17 --



#	Step / Hook Details	Status	Duration
1	Given User is in the ds-algo launch page	PASSED	0.002 s
2	When User clicks the Get Started button	PASSED	0.553 s
3	Given User navigates to register page after clicking register link	PASSED	0.269 s
4	When User enters data from excel sheet 'Register' and 9 for the password fields	PASSED	0.421 s
5	Then User should be able to enter password and click Register button	PASSED	0.146 s


Verify that the user gets error upon entering invalid passwords



#	Step / Hook Details	Status	Duration
1	Given User is in the ds-algo launch page	PASSED	0.002 s
2	When User clicks the Get Started button	PASSED	0.520 s
3	Given User navigates to register page after clicking register link	PASSED	0.204 s
4	When User enters invalid data from excel sheet 'Register' and 10 for the password field	PASSED	0.761 s
5	Then User gets an error message for password in the Register page	PASSED	0.057 s


Verify that the user gets error upon entering invalid passwords

DETAILED SECTION -- 18 --



#	Step / Hook Details	Status	Duration
1	Given User is in the ds-algo launch page	PASSED	0.005 s
2	When User clicks the Get Started button	PASSED	0.731 s
3	Given User navigates to register page after clicking register link	PASSED	0.266 s
4	When User enters invalid data from excel sheet 'Register' and 11 for the password field	PASSED	1.205 s
5	Then User gets an error message for password in the Register page	PASSED	0.042 s

Verify that the user gets error upon entering invalid passwords




#	Step / Hook Details	Status	Duration
1	Given User is in the ds-algo launch page	PASSED	0.002 s
2	When User clicks the Get Started button	PASSED	0.562 s
3	Given User navigates to register page after clicking register link	PASSED	0.261 s
4	When User enters invalid data from excel sheet 'Register' and 12 for the password field	PASSED	0.874 s
5	Then User gets an error message for password in the Register page	FAILED	10.011 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='alert alert-primary']"} (Session info: MicrosoftEdge=136.0.3240.64) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os. name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.edge.EdgeDriver Command:		

DETAILED SECTION -- 19 --

#	Step / Hook Details	Status	Duration
	[a7ffdcc4b10da0c30a86a61f07a6ebd3, findElement {value=//div[@class='alert alert-primary], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 136.0.3240.64, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:49707}, msedge: {msedgedriverVersion: 136.0.3240.64 (e3a39d3fa3c6, userDataDir: C:\Users\skurr\AppData\Loca}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy; Proxy(), se::dp: ws://localhost:49707/devtoo, se::cdp\version: 136.0.3240.64, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:nirplictength: true, webauthn:extension:nirplictength: true, webauthn:extension:nirplictength: true, webauthn:extension:nirplictength: true, webauthn:extension:nirplictength: session ID: a7ffdcc4b10da0c30a86a61f07a6ebd3 at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.odec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.ElementLocationsElementTinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocationsElementTinder\$2.findElement(ElementLocation.java:369) at org.openqa.selenium.remote.ElementLocation.se		
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	PASSED	1.594 s
	screenshot		
	Magnifying: Text benderal Magnifying and Magnifying		


Verify pop-up message when password and password confirmation fields are left blank

DETAILED SECTION -- 20 --



#	Step / Hook Details	Status	Duration
1	Given User is in the ds-algo launch page	PASSED	0.001 s
2	When User clicks the Get Started button	PASSED	0.544 s
3	Given User navigates to register page after clicking register link	PASSED	0.243 s
4	When User enters data from excel sheet 'Register' and 13 for blank feilds	PASSED	0.756 s
5	Then User gets error message in register page	PASSED	0.024 s

Verify pop-up message when password and password confirmation fields are left blank



#	Step / Hook Details	Status	Duration
1	Given User is in the ds-algo launch page	PASSED	0.002 s
2	When User clicks the Get Started button	PASSED	0.555 s
3	Given User navigates to register page after clicking register link	PASSED	0.237 s
4	When User enters data from excel sheet 'Register' and 14 for blank feilds	PASSED	0.797 s
5	Then User gets error message in register page	PASSED	0.016 s