

Cucumber Report

May 10, 2025, 11:58:58 PM

Start : May 10, 11:58:56.548 PM

End : May 10, 11:58:57.536 PM

Duration : 0.988 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 14
SKIPPED - 0


PASSED - 0
FAILED - 0
SKIPPED - 70




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Register Page</u>	0.988 s	14	0	14	0	70	0	0	70

#	Feature Name	Scenario Name
1	<u>Register Page</u>	<u>Verify that User is able to launch ds-algo portal</u>
2		<u>Verify that the user is able to enter valid username in the username field</u>
3		<u>Verify that the user is able to enter valid username in the username field</u>
4		<u>Verify that the user is able to enter valid username in the username field</u>
5		<u>Verify that user gets an error message upon entering invalid username</u>
6		<u>Verify that user gets an error message upon entering invalid username</u>
7		<u>Verify that user gets an error message upon entering invalid username</u>
8		<u>Verify that the user is able to enter valid passwords in the field</u>
9		<u>Verify that the user is able to enter valid passwords in the field</u>
10		<u>Verify that the user gets error upon entering invalid passwords</u>
11		<u>Verify that the user gets error upon entering invalid passwords</u>
12		<u>Verify that the user gets error upon entering invalid passwords</u>

#	Feature Name	Scenario Name
13	<u>Register Page</u>	<u>Verify pop-up message when password and password confirmation fields are left blank</u>
14		<u>Verify pop-up message when password and password confirmation fields are left blank</u>




#	Feature Name	T	P	F	S	Duration
1	<u>Register Page</u>	14	0	14	0	0.988 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Register Page</u>	<u>Verify that User is able to launch ds-algo portal</u>	5	0	0	5	0.668 s
2		<u>Verify that the user is able to enter valid username in the username field</u>	5	0	0	5	0.017 s
3		<u>Verify that the user is able to enter valid username in the username field</u>	5	0	0	5	0.018 s
4		<u>Verify that the user is able to enter valid username in the username field</u>	5	0	0	5	0.015 s
5		<u>Verify that user gets an error message upon entering invalid username</u>	5	0	0	5	0.011 s
6		<u>Verify that user gets an error message upon entering invalid username</u>	5	0	0	5	0.011 s
7		<u>Verify that user gets an error message upon entering invalid username</u>	5	0	0	5	0.010 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>Verify that the user is able to enter valid passwords in the field</u>	5	0	0	5	0.009 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Register Page</u>	<u>Verify that the user is able to enter valid passwords in the field</u>	5	0	0	5	0.009 s
10		<u>Verify that the user gets error upon entering invalid passwords</u>	5	0	0	5	0.014 s
11		<u>Verify that the user gets error upon entering invalid passwords</u>	5	0	0	5	0.009 s
12		<u>Verify that the user gets error upon entering invalid passwords</u>	5	0	0	5	0.013 s
13		<u>Verify pop-up message when password and password confirmation fields are left blank</u>	5	0	0	5	0.011 s
14		<u>Verify pop-up message when password and password confirmation fields are left blank</u>	5	0	0	5	0.010 s

Register Page



FAILED	DURATION - 0.988 s	Scenarios Total - 14 Pass - 0 Fail - 14 Skip - 0		Steps Total - 70 Pass - 0 Fail - 0 Skip - 70	
/ 11:58:56.548 PM // 11:58:57.536 PM /					

Verify that User is able to launch ds-algo portal

<div>FAILED</div> <div>DURATION - 0.668 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	<div></div>
/ 11:58:56.554 PM // 11:58:57.222 PM /				
Register Page				



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup() java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:31)	FAILED	0.083 s
1	Given User is in the ds-algo launch page	SKIPPED	0.004 s
2	When User clicks the Get Started button	SKIPPED	0.000 s
3	Given User is in the home page after launching ds-algo portal page	SKIPPED	0.000 s
4	When User clicks Register link in the home page	SKIPPED	0.000 s
5	Then User should be able to navigate to Register page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:40)	FAILED	0.566 s

Verify that the user is able to enter valid username in the username field

<div>FAILED</div> <div>DURATION - 0.017 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
/ 11:58:57.263 PM // 11:58:57.280 PM /				
Register Page				

#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup() java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:31)	FAILED	0.005 s
1	Given User is in the ds-algo launch page	SKIPPED	0.000 s
2	When User clicks the Get Started button	SKIPPED	0.000 s
3	Given User navigates to register page after clicking register link	SKIPPED	0.000 s
4	When User enters data from excel sheet 'Register' and 1 for the username field	SKIPPED	0.000 s
5	Then User should be able to enter username and click Register button	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:40)	FAILED	0.004 s



Verify that the user is able to enter valid username in the username field

<div>FAILED</div> <div>DURATION - 0.018 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	<div></div>
/ 11:58:57.297 PM // 11:58:57.315 PM /				
Register Page				

#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:31)		
1	Given User is in the ds-algo launch page	SKIPPED	0.001 s
2	When User clicks the Get Started button	SKIPPED	0.000 s
3	Given User navigates to register page after clicking register link	SKIPPED	0.000 s
4	When User enters data from excel sheet 'Register' and 2 for the username field	SKIPPED	0.000 s
5	Then User should be able to enter username and click Register button	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.004 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:40)		



Verify that the user is able to enter valid username in the username field

FAILED		DURATION - 0.015 s			Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 11:58:57.326 PM // 11:58:57.341 PM /						
Register Page						

#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.005 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:31)		
1	Given User is in the ds-algo launch page	SKIPPED	0.000 s
2	When User clicks the Get Started button	SKIPPED	0.000 s
3	Given User navigates to register page after clicking register link	SKIPPED	0.001 s
4	When User enters data from excel sheet 'Register' and 3 for the username field	SKIPPED	0.002 s
5	Then User should be able to enter username and click Register button	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		



#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:40)		

Verify that user gets an error message upon entering invalid username

<div>FAILED</div> <div>DURATION - 0.011 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	<div></div>
/ 11:58:57.351 PM // 11:58:57.362 PM /				
Register Page				



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup() java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:31)	FAILED	0.002 s
1	Given User is in the ds-algo launch page	SKIPPED	0.001 s
2	When User clicks the Get Started button	SKIPPED	0.000 s
3	Given User navigates to register page after clicking register link	SKIPPED	0.000 s
4	When User enters invalid data from excel sheet 'Register' and 5 for the username field	SKIPPED	0.000 s
5	Then User gets error message for username in the Register page	SKIPPED	0.001 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:40)	FAILED	0.003 s

Verify that user gets an error message upon entering invalid username

<div>FAILED</div> <div>DURATION - 0.011 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	<div></div>
<div>/ 11:58:57.371 PM // 11:58:57.382 PM /</div>				
<div>Register Page</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup() java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:31)	FAILED	0.003 s
1	Given User is in the ds-algo launch page	SKIPPED	0.000 s
2	When User clicks the Get Started button	SKIPPED	0.001 s
3	Given User navigates to register page after clicking register link	SKIPPED	0.000 s
4	When User enters invalid data from excel sheet 'Register' and 6 for the username field	SKIPPED	0.000 s
5	Then User gets error message for username in the Register page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:40)	FAILED	0.003 s



Verify that user gets an error message upon entering invalid username

<div>FAILED</div> <div>DURATION - 0.010 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
/ 11:58:57.392 PM // 11:58:57.402 PM /				
Register Page				

#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:31)		
1	Given User is in the ds-algo launch page	SKIPPED	0.001 s
2	When User clicks the Get Started button	SKIPPED	0.000 s
3	Given User navigates to register page after clicking register link	SKIPPED	0.000 s
4	When User enters invalid data from excel sheet 'Register' and 7 for the username field	SKIPPED	0.000 s
5	Then User gets error message for username in the Register page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.004 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:40)		



Verify that the user is able to enter valid passwords in the field

FAILED	DURATION - 0.009 s		<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
/ 11:58:57.410 PM // 11:58:57.419 PM /				
Register Page				

#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.002 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:31)		
1	Given User is in the ds-algo launch page	SKIPPED	0.000 s
2	When User clicks the Get Started button	SKIPPED	0.000 s
3	Given User navigates to register page after clicking register link	SKIPPED	0.000 s
4	When User enters data from excel sheet 'Register' and 8 for the password fields	SKIPPED	0.001 s
5	Then User should be able to enter password and click Register button	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		



#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:40)		

Verify that the user is able to enter valid passwords in the field

<div>FAILED</div> <div>DURATION - 0.009 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
/ 11:58:57.427 PM // 11:58:57.436 PM /				
Register Page				



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup() java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:31)	FAILED	0.002 s
1	Given User is in the ds-algo launch page	SKIPPED	0.000 s
2	When User clicks the Get Started button	SKIPPED	0.000 s
3	Given User navigates to register page after clicking register link	SKIPPED	0.000 s
4	When User enters data from excel sheet 'Register' and 9 for the password fields	SKIPPED	0.000 s
5	Then User should be able to enter password and click Register button	SKIPPED	0.001 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:40)	FAILED	0.002 s

Verify that the user gets error upon entering invalid passwords

<div>FAILED</div> <div>DURATION - 0.014 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
/ 11:58:57.445 PM // 11:58:57.459 PM /				
Register Page				

#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup() java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:31)	FAILED	0.006 s
1	Given User is in the ds-algo launch page	SKIPPED	0.000 s
2	When User clicks the Get Started button	SKIPPED	0.001 s
3	Given User navigates to register page after clicking register link	SKIPPED	0.000 s
4	When User enters invalid data from excel sheet 'Register' and 10 for the password field	SKIPPED	0.000 s
5	Then User gets an error message for password in the Register page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:40)	FAILED	0.003 s



Verify that the user gets error upon entering invalid passwords

<div>FAILED</div> <div>DURATION - 0.009 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
/ 11:58:57.467 PM // 11:58:57.476 PM /				
Register Page				

#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:31)		
1	Given User is in the ds-algo launch page	SKIPPED	0.000 s
2	When User clicks the Get Started button	SKIPPED	0.001 s
3	Given User navigates to register page after clicking register link	SKIPPED	0.000 s
4	When User enters invalid data from excel sheet 'Register' and 11 for the password field	SKIPPED	0.001 s
5	Then User gets an error message for password in the Register page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:40)		



Verify that the user gets error upon entering invalid passwords

FAILED	DURATION - 0.013 s		Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 11:58:57.484 PM // 11:58:57.497 PM /				
Register Page				

#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.003 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:31)		
1	Given User is in the ds-algo launch page	SKIPPED	0.001 s
2	When User clicks the Get Started button	SKIPPED	0.000 s
3	Given User navigates to register page after clicking register link	SKIPPED	0.000 s
4	When User enters invalid data from excel sheet 'Register' and 12 for the password field	SKIPPED	0.000 s
5	Then User gets an error message for password in the Register page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.007 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		



#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:40)		

Verify pop-up message when password and password confirmation fields are left blank

<div>FAILED</div> <div>DURATION - 0.011 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
/ 11:58:57.506 PM // 11:58:57.517 PM /				
Register Page				

#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup() java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:31)	FAILED	0.005 s
1	Given User is in the ds-algo launch page	SKIPPED	0.001 s
2	When User clicks the Get Started button	SKIPPED	0.000 s
3	Given User navigates to register page after clicking register link	SKIPPED	0.000 s
4	When User enters data from excel sheet 'Register' and 13 for blank feilds	SKIPPED	0.000 s
5	Then User gets error message in register page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:40)	FAILED	0.004 s

Verify pop-up message when password and password confirmation fields are left blank

<div>FAILED</div> <div>DURATION - 0.010 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	<div></div>
/ 11:58:57.526 PM // 11:58:57.536 PM /				
Register Page				

#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup() java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:31)	FAILED	0.003 s
1	Given User is in the ds-algo launch page	SKIPPED	0.000 s
2	When User clicks the Get Started button	SKIPPED	0.001 s
3	Given User navigates to register page after clicking register link	SKIPPED	0.000 s
4	When User enters data from excel sheet 'Register' and 14 for blank feilds	SKIPPED	0.000 s
5	Then User gets error message in register page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:40)	FAILED	0.003 s