


| Feature | | | Scer | nario | | | St | Step | |
|-----------------------------|-------------|----|------|-------|---|-----|-----|------|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| Queue Page of DSAlgo portal | 2 m 7.971 s | 27 | 22 | 5 | 0 | 135 | 130 | 5 | 0 |

FAIL & SKIP SCENARIOS -- 3 --


| # | Feature Name | Scenario Name |
|---|-----------------------------|--|
| 1 | Queue Page of DSAlgo portal | Verify that user receives error when click on Run button for "Implementation of Queue in Python" try Editor page |
| 2 | | Verify that user is able to navigate to "Practice Questions" Page for "Implementation of Queue in Python" page |
| 3 | | Verify that user receives error when click on Run button for "Implementation using collections.deque" try Editor page |
| 4 | | Verify that user receives error when click on Run button for "Implementation using array" try Editor page |
| 5 | | Verify that user receives error when click on Run button for "Queue Operations" try Editor page |

FEATURES SUMMARY




| 7 | ⊧ Feature | Name | T | P | F | S | Duration |
|---|-----------|-----------------------|----|----|---|---|-------------|
| - | Queue P | eage of DSAlgo portal | 27 | 22 | 5 | 0 | 2 m 7.971 s |

SCENARIOS SUMMARY -- 5 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|-----------------------------|---|---|---|---|---|----------|
| 1 | Queue Page of DSAlgo portal | Verify that user is able to navigate to Queue data structure page | 5 | 5 | 0 | 0 | 6.098 s |
| 2 | | Verify that user is able to navigate to Queue data structure page | 5 | 5 | 0 | 0 | 3.422 s |
| 3 | | Verify that user is able to navigate to "Implementation of Queue in Python" page | 5 | 5 | 0 | 0 | 3.565 s |
| 4 | | Verify that user is able to navigate to "try Editor" page for "Implementation of Queue in Python" page | 5 | 5 | 0 | 0 | 4.217 s |
| 5 | | Verify that user receives error when click on Run button for "Implementation of Queue in Python" try Editor page | 5 | 4 | 1 | 0 | 4.982 s |
| 6 | | Verify that user receives error when click on Run button for "Implementation of Queue in Python" try Editor page | 5 | 5 | 0 | 0 | 4.773 s |
| 7 | | Verify that user receives error when click on Run button for "Implementation of Queue in Python" try Editor page | 5 | 5 | 0 | 0 | 4.376 s |

SCENARIOS SUMMARY -- 6 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-----------------------------|--|---|---|---|---|----------|
| 8 | Queue Page of DSAlgo portal | Verify that user is able to see output for valid python code for "Implementation of Queue in Python" try Editor page | 5 | 5 | 0 | 0 | 5.310 s |
| 9 | | Verify that user is able to navigate to "Practice Questions" Page for "Implementation of Queue in Python" page | 5 | 4 | 1 | 0 | 14.544 s |
| 10 | | Verify that user is able to navigate to "Implementation using collections.deque" page | 5 | 5 | 0 | 0 | 3.510 s |
| 11 | | Verify that user is able to navigate to "try Editor" page for "Implementation using collections.deque" page | 5 | 5 | 0 | 0 | 4.093 s |
| 12 | | Verify that user receives error when click on Run button for "Implementation using collections.deque" try Editor page | 5 | 4 | 1 | 0 | 4.630 s |
| 13 | | Verify that user receives error when click on Run button for "Implementation using collections.deque" try Editor page | 5 | 5 | 0 | 0 | 4.181 s |
| 14 | | Verify that user receives error when click on Run button for "Implementation using collections.deque" try Editor page | 5 | 5 | 0 | 0 | 4.326 s |

SCENARIOS SUMMARY -- 7 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-----------------------------|---|---|---|---|---|----------|
| 15 | Queue Page of DSAlgo portal | Verify that user is able to see output for valid python code for "Implementation using collections.deque" try Editor page | 5 | 5 | 0 | 0 | 4.371 s |
| 16 | | Verify that user is able to navigate to "Implementation using array" page | 5 | 5 | 0 | 0 | 3.736 s |
| 17 | | Verify that user is able to navigate to "try Editor" page for "Implementation using array" page | 5 | 5 | 0 | 0 | 4.176 s |
| 18 | | Verify that user receives error when click on Run button for "Implementation using array" try Editor page | 5 | 4 | 1 | 0 | 4.805 s |
| 19 | | Verify that user receives error when click on Run button for "Implementation using array" try Editor page | 5 | 5 | 0 | 0 | 4.312 s |
| 20 | | Verify that user receives error when click on Run button for "Implementation using array" try Editor page | 5 | 5 | 0 | 0 | 4.451 s |
| 21 | | Verify that user is able to see output for valid python code for "Implementation using array" try Editor page | 5 | 5 | 0 | 0 | 4.373 s |

SCENARIOS SUMMARY -- 8 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-----------------------------|---|---|---|---|---|----------|
| 22 | Queue Page of DSAlgo portal | Verify that user is able to navigate to "Queue Operations" page | 5 | 5 | 0 | 0 | 3.506 s |
| 23 | | Verify that user is able to navigate to "try Editor" page for "Queue Operations" page | 5 | 5 | 0 | 0 | 4.205 s |
| 24 | | Verify that user receives error when click on Run button for "Queue Operations" try Editor page | 5 | 4 | 1 | 0 | 4.578 s |
| 25 | | Verify that user receives error when click on Run button for "Queue Operations" try Editor page | 5 | 5 | 0 | 0 | 4.259 s |
| 26 | | Verify that user receives error when click on Run button for "Queue Operations" try Editor page | 5 | 5 | 0 | 0 | 4.341 s |
| 27 | | Verify that user is able to see output for valid python code for "Queue Operations" try Editor page | 5 | 5 | 0 | 0 | 4.498 s |

Queue Page of DSAlgo portal




Verify that user is able to navigate to Queue data structure page




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the Home page and clicks Sign In | PASSED | 0.591 s |
| 2 | When The user gets data from excel sheet "Valid_Login" and 1 for the login page | PASSED | 1.688 s |
| 3 | Given The user is in the Home page after Sign in | PASSED | 0.021 s |
| 4 | When The user clicks the Get Started button in Queue Panel | PASSED | 0.320 s |
| 5 | Then The user should be directed to Queue Data Structure Page | PASSED | 0.025 s |

Verify that user is able to navigate to Queue data structure page




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the Home page and clicks Sign In | PASSED | 0.578 s |
| 2 | When The user gets data from excel sheet "Valid_Login" and 1 for the login page | PASSED | 0.494 s |
| 3 | Given The user is in the Home page after Sign in | PASSED | 0.479 s |
| 4 | When The user select Queue item from the drop down menu | PASSED | 0.344 s |
| 5 | Then The user should be directed to Queue Data Structure Page | PASSED | 0.015 s |

Verify that user is able to navigate to "Implementation of Queue in Python" page




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the Home page and clicks Sign In | PASSED | 0.607 s |
| 2 | When The user gets data from excel sheet "Valid_Login" and 1 for the login page | PASSED | 0.441 s |
| 3 | Given The user is in the Queue page | PASSED | 0.694 s |
| 4 | When The user clicks Implementation of Queue in Python button | PASSED | 0.320 s |
| 5 | Then The user should be redirected to Implementation of Queue in Python page | PASSED | 0.017 s |

Verify that user is able to navigate to "try Editor" page for "Implementation of Queue in Python" page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on the Home page and clicks Sign In | PASSED | 0.586 s |
| 2 | When The user gets data from excel sheet "Valid_Login" and 1 for the login page | PASSED | 0.984 s |
| 3 | Given The user is in the Implementation of Queue in Python page | PASSED | 0.616 s |
| 4 | When The user clicks Try Here button in Implementation of Queue in Python page | PASSED | 0.585 s |
| 5 | Then The user should be redirected to a page having a try Editor with a Run button to test | PASSED | 0.008 s |

Verify that user receives error when click on Run button for "Implementation of Queue in Python" try Editor page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on the Home page and clicks Sign In | PASSED | 0.614 s |
| 2 | When The user gets data from excel sheet "Valid_Login" and 1 for the login page | PASSED | 1.016 s |
| 3 | Given The user is in the Implementation of Queue in Python tryEditor page | PASSED | 1.160 s |
| 4 | When The user enters "TryCode" and 1 clicks the Run Button in tryEditor page | PASSED | 0.239 s |
| 5 | Then The user should able to see a error message from "TryCode" and 1 | FAILED | 0.074 s |
| | java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1590) at org.testng.Assert.assertTrue(Assert.java:57) at org.testng.Assert.assertTrue(Assert.java:67) at StepDefinitions.ArrayPageStep.the_user_should_able_to_see_a_error_message_from_and(ArrayPageStep.java:123) at ?.The user should able to see a error message from "TryCode" and 1(file:///C:/Users/jimre/eclipse-workspace/DSAlgoBDD_ClubNinjas/clubNinjas-BDD/src/test/resources/features/QueuePage.feature:33) * Not displayable characters are replaced by '?'. | | |
| | AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario) | PASSED | 0.657 s |
| | screenshot | | |


| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| | | | |
| | | | |
| | | | |
| | | | |

Verify that user receives error when click on Run button for "Implementation of Queue in Python" try Editor page

| PASSED DURATION - 4.773 s | 2 Steps |
|--|-------------|
| / 11:25:57.589 PM // 11:26:02.362 PM / | 1.5 |
| / 11.23.37.369 FW // 11.20.02.302 FW / | 1 |
| Queue Page of DSAlgo portal | 05 Fail - 0 |
| | Skip - 0 |
| | 1 2 3 4 5 |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the Home page and clicks Sign In | PASSED | 0.651 s |
| 2 | When The user gets data from excel sheet "Valid_Login" and 1 for the login page | PASSED | 1.016 s |
| 3 | Given The user is in the Implementation of Queue in Python tryEditor page | PASSED | 1.250 s |
| 4 | When The user enters "TryCode" and 2 clicks the Run Button in tryEditor page | PASSED | 0.217 s |
| 5 | Then The user should able to see a error message from "TryCode" and 2 | PASSED | 0.070 s |

Verify that user receives error when click on Run button for "Implementation of Queue in Python" try Editor page




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the Home page and clicks Sign In | PASSED | 0.662 s |
| 2 | When The user gets data from excel sheet "Valid_Login" and 1 for the login page | PASSED | 0.940 s |
| 3 | Given The user is in the Implementation of Queue in Python tryEditor page | PASSED | 1.067 s |
| 4 | When The user enters "TryCode" and 3 clicks the Run Button in tryEditor page | PASSED | 0.206 s |
| 5 | Then The user should able to see a error message from "TryCode" and 3 | PASSED | 0.055 s |

Verify that user is able to see output for valid python code for "Implementation of Queue in Python" try Editor page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the Home page and clicks Sign In | PASSED | 1.540 s |
| 2 | When The user gets data from excel sheet "Valid_Login" and 1 for the login page | PASSED | 0.785 s |
| 3 | Given The user is in the Implementation of Queue in Python tryEditor page | PASSED | 1.137 s |
| 4 | When The user enters "TryCode" and 4 clicks the Run Button in tryEditor page | PASSED | 0.210 s |
| 5 | Then The user should able to see output in the console from "TryCode" and 4 | PASSED | 0.090 s |


Verify that user is able to navigate to "Practice Questions" Page for "Implementation of Queue in Python" page



DETAILED SECTION -- 14 --

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the Home page and clicks Sign In | PASSED | 0.631 s |
| 2 | When The user gets data from excel sheet "Valid_Login" and 1 for the login page | PASSED | 0.500 s |
| 3 | Given The user is in the Implementation of Queue in Python page | PASSED | 1.340 s |
| 4 | When The user clicks Practice Questions button | PASSED | 0.209 s |
| 5 | Then The user should be redirected to Practice page | FAILED | 10.044 s |
| | java.lang.AssertionError: No Practise Questions found expected [true] but found [false] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1590) at org.testng.Assert.assertTrue(Assert.java:57) at StepDefinitions.ArrayPageStep.the_user_should_be_redirected_to_practice_page(ArrayPageStep.java:144) at ?.The user should be redirected to Practice page(file:///C:/Users/jimre/eclipse-workspace/DSAlgoBDD_ClubNinjas/clubNinjas-BDD/src/ test/resources/features/QueuePage.feature:54) * Not displayable characters are replaced by '?'. | | |
| | AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario) screenshot | PASSED | 0.566 s |


Verify that user is able to navigate to "Implementation using collections.deque" page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the Home page and clicks Sign In | PASSED | 0.554 s |
| 2 | When The user gets data from excel sheet "Valid_Login" and 1 for the login page | PASSED | 0.340 s |
| 3 | Given The user is in the Queue page | PASSED | 0.835 s |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 4 | When The user clicks Implementation using collections.deque button | PASSED | 0.301 s |
| 5 | Then The user should be redirected to Implementation using collections.deque page | PASSED | 0.013 s |

Verify that user is able to navigate to "try Editor" page for "Implementation using collections.deque" page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on the Home page and clicks Sign In | PASSED | 0.557 s |
| 2 | When The user gets data from excel sheet "Valid_Login" and 1 for the login page | PASSED | 0.847 s |
| 3 | Given The user is on the Implementation using collections.deque page | PASSED | 0.573 s |
| 4 | When The user clicks Try Here button in Implementation using collections.deque page | PASSED | 0.654 s |
| 5 | Then The user should be redirected to a page having a try Editor with a Run button to test | PASSED | 0.008 s |

Verify that user receives error when click on Run button for "Implementation using collections.deque" try Editor page




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the Home page and clicks Sign In | PASSED | 0.569 s |
| 2 | When The user gets data from excel sheet "Valid_Login" and 1 for the login page | PASSED | 0.356 s |
| 3 | Given The user is in the Implementation using collections.deque tryEditor page | PASSED | 1.615 s |

DETAILED SECTION -- 16 --


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 4 | When The user enters "TryCode" and 1 clicks the Run Button in tryEditor page | PASSED | 0.174 s |
| 5 | Then The user should able to see a error message from "TryCode" and 1 | FAILED | 0.028 s |
| | java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1590) at org.testng.Assert.assertTrue(Assert.java:57) at org.testng.Assert.assertTrue(Assert.java:67) at StepDefinitions.ArrayPageStep.the_user_should_able_to_see_a_error_message_from_and(ArrayPageStep.java:123) at ?.The user should able to see a error message from "TryCode" and 1(file:///C:/Users/jimre/eclipse-workspace/DSAlgoBDD_ClubNinjas/clubNinjas-BDD/src/test/resources/features/QueuePage.feature:69) * Not displayable characters are replaced by '?'. | | |
| | AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario) | PASSED | 0.603 s |
| | screenshot | | |

Verify that user receives error when click on Run button for "Implementation using collections.deque" try Editor page




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the Home page and clicks Sign In | PASSED | 0.588 s |
| 2 | When The user gets data from excel sheet "Valid_Login" and 1 for the login page | PASSED | 0.821 s |
| 3 | Given The user is in the Implementation using collections.deque tryEditor page | PASSED | 1.146 s |
| 4 | When The user enters "TryCode" and 2 clicks the Run Button in tryEditor page | PASSED | 0.186 s |
| 5 | Then The user should able to see a error message from "TryCode" and 2 | PASSED | 0.045 s |

Verify that user receives error when click on Run button for "Implementation using collections.deque" try Editor page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the Home page and clicks Sign In | PASSED | 0.627 s |
| 2 | When The user gets data from excel sheet "Valid_Login" and 1 for the login page | PASSED | 0.422 s |
| 3 | Given The user is in the Implementation using collections.deque tryEditor page | PASSED | 1.572 s |
| 4 | When The user enters "TryCode" and 3 clicks the Run Button in tryEditor page | PASSED | 0.191 s |
| 5 | Then The user should able to see a error message from "TryCode" and 3 | PASSED | 0.038 s |


Verify that user is able to see output for valid python code for "Implementation using collections.deque" try Editor page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the Home page and clicks Sign In | PASSED | 0.608 s |
| 2 | When The user gets data from excel sheet "Valid_Login" and 1 for the login page | PASSED | 0.879 s |
| 3 | Given The user is in the Implementation using collections.deque tryEditor page | PASSED | 1.143 s |
| 4 | When The user enters "TryCode" and 4 clicks the Run Button in tryEditor page | PASSED | 0.183 s |
| 5 | Then The user should able to see output in the console from "TryCode" and 4 | PASSED | 0.066 s |


DETAILED SECTION -- 18 --

Verify that user is able to navigate to "Implementation using array" page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the Home page and clicks Sign In | PASSED | 0.658 s |
| 2 | When The user gets data from excel sheet "Valid_Login" and 1 for the login page | PASSED | 0.825 s |
| 3 | Given The user is in the Queue page | PASSED | 0.375 s |
| 4 | When The user clicks Implementation using array button | PASSED | 0.402 s |
| 5 | Then The user should be redirected to Implementation using array page | PASSED | 0.019 s |


Verify that user is able to navigate to "try Editor" page for "Implementation using array" page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on the Home page and clicks Sign In | PASSED | 0.620 s |
| 2 | When The user gets data from excel sheet "Valid_Login" and 1 for the login page | PASSED | 0.417 s |
| 3 | Given The user is on the Implementation using array page | PASSED | 1.043 s |
| 4 | When The user clicks Try Here button in Implementation using array page | PASSED | 0.524 s |
| 5 | Then The user should be redirected to a page having a try Editor with a Run button to test | PASSED | 0.010 s |

Verify that user receives error when click on Run button for "Implementation using array" try Editor page


DETAILED SECTION -- 19 --



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on the Home page and clicks Sign In | PASSED | 0.627 s |
| 2 | When The user gets data from excel sheet "Valid_Login" and 1 for the login page | PASSED | 0.837 s |
| 3 | Given The user is in the Implementation using array tryEditor page | PASSED | 1.127 s |
| 4 | When The user enters "TryCode" and 1 clicks the Run Button in tryEditor page | PASSED | 0.186 s |
| 5 | Then The user should able to see a error message from "TryCode" and 1 | FAILED | 0.025 s |
| | java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1590) at org.testng.Assert.assertTrue(Assert.java:57) at org.testng.Assert.assertTrue(Assert.java:67) at StepDefinitions.ArrayPageStep.the_user_should_able_to_see_a_error_message_from_and(ArrayPageStep.java:123) at ?.The user should able to see a error message from "TryCode" and 1(file:///C:/Users/jimre/eclipse-workspace/DSAlgoBDD_ClubNinjas/clubNinjas-BDD/src/test/resources/features/QueuePage.feature:99) * Not displayable characters are replaced by '?'. | | |
| | AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario) screenshot | PASSED | 0.695 s |


Verify that user receives error when click on Run button for "Implementation using array" try Editor page

DETAILED SECTION -- 20 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the Home page and clicks Sign In | PASSED | 0.656 s |
| 2 | When The user gets data from excel sheet "Valid_Login" and 1 for the login page | PASSED | 0.392 s |
| 3 | Given The user is in the Implementation using array tryEditor page | PASSED | 1.574 s |
| 4 | When The user enters "TryCode" and 2 clicks the Run Button in tryEditor page | PASSED | 0.186 s |
| 5 | Then The user should able to see a error message from "TryCode" and 2 | PASSED | 0.035 s |


Verify that user receives error when click on Run button for "Implementation using array" try Editor page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the Home page and clicks Sign In | PASSED | 0.618 s |
| 2 | When The user gets data from excel sheet "Valid_Login" and 1 for the login page | PASSED | 0.805 s |
| 3 | Given The user is in the Implementation using array tryEditor page | PASSED | 1.176 s |
| 4 | When The user enters "TryCode" and 3 clicks the Run Button in tryEditor page | PASSED | 0.208 s |
| 5 | Then The user should able to see a error message from "TryCode" and 3 | PASSED | 0.041 s |


Verify that user is able to see output for valid python code for "Implementation using array" try Editor page

DETAILED SECTION -- 21 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the Home page and clicks Sign In | PASSED | 0.644 s |
| 2 | When The user gets data from excel sheet "Valid_Login" and 1 for the login page | PASSED | 0.415 s |
| 3 | Given The user is in the Implementation using array tryEditor page | PASSED | 1.581 s |
| 4 | When The user enters "TryCode" and 4 clicks the Run Button in tryEditor page | PASSED | 0.185 s |
| 5 | Then The user should able to see output in the console from "TryCode" and 4 | PASSED | 0.064 s |


Verify that user is able to navigate to "Queue Operations" page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the Home page and clicks Sign In | PASSED | 0.631 s |
| 2 | When The user gets data from excel sheet "Valid_Login" and 1 for the login page | PASSED | 0.832 s |
| 3 | Given The user is in the Queue page | PASSED | 0.316 s |
| 4 | When The user clicks Queue Operations button | PASSED | 0.314 s |
| 5 | Then The user should be redirected to Queue Operations page | PASSED | 0.014 s |


Verify that user is able to navigate to "try Editor" page for "Queue Operations" page

DETAILED SECTION -- 22 --



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on the Home page and clicks Sign In | PASSED | 0.655 s |
| 2 | When The user gets data from excel sheet "Valid_Login" and 1 for the login page | PASSED | 0.870 s |
| 3 | Given The user is on the Queue Operations page | PASSED | 0.665 s |
| 4 | When The user clicks Try Here button in Queue Operations page | PASSED | 0.491 s |
| 5 | Then The user should be redirected to a page having a try Editor with a Run button to test | PASSED | 0.006 s |

Verify that user receives error when click on Run button for "Queue Operations" try Editor page




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the Home page and clicks Sign In | PASSED | 0.564 s |
| 2 | When The user gets data from excel sheet "Valid_Login" and 1 for the login page | PASSED | 0.430 s |
| 3 | Given The user is in the Queue Operations tryEditor page | PASSED | 1.490 s |
| 4 | When The user enters "TryCode" and 1 clicks the Run Button in tryEditor page | PASSED | 0.187 s |
| 5 | Then The user should able to see a error message from "TryCode" and 1 | FAILED | 0.023 s |
| | java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1590) at org.testng.Assert.assertTrue(Assert.java:57) | | |

DETAILED SECTION -- 23 --

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.testng.Assert.assertTrue(Assert.java:67) at StepDefinitions.ArrayPageStep.the_user_should_able_to_see_a_error_message_from_and(ArrayPageStep.java:123) at ?.The user should able to see a error message from "TryCode" and 1(file:///C:/Users/jimre/eclipse-workspace/DSAlgoBDD_ClubNinjas/clubNinjas-BDD/src/test/resources/features/QueuePage.feature:129) * Not displayable characters are replaced by '?'. | | |
| | AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario) | PASSED | 0.647 s |
| | screenshot | - | |
| | | | |
| | | | |


Verify that user receives error when click on Run button for "Queue Operations" try Editor page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the Home page and clicks Sign In | PASSED | 0.625 s |
| 2 | When The user gets data from excel sheet "Valid_Login" and 1 for the login page | PASSED | 0.403 s |
| 3 | Given The user is in the Queue Operations tryEditor page | PASSED | 1.584 s |
| 4 | When The user enters "TryCode" and 2 clicks the Run Button in tryEditor page | PASSED | 0.187 s |
| 5 | Then The user should able to see a error message from "TryCode" and 2 | PASSED | 0.040 s |


Verify that user receives error when click on Run button for "Queue Operations" try Editor page

DETAILED SECTION -- 24 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the Home page and clicks Sign In | PASSED | 0.598 s |
| 2 | When The user gets data from excel sheet "Valid_Login" and 1 for the login page | PASSED | 0.419 s |
| 3 | Given The user is in the Queue Operations tryEditor page | PASSED | 1.628 s |
| 4 | When The user enters "TryCode" and 3 clicks the Run Button in tryEditor page | PASSED | 0.178 s |
| 5 | Then The user should able to see a error message from "TryCode" and 3 | PASSED | 0.039 s |

Verify that user is able to see output for valid python code for "Queue Operations" try Editor page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the Home page and clicks Sign In | PASSED | 0.609 s |
| 2 | When The user gets data from excel sheet "Valid_Login" and 1 for the login page | PASSED | 0.815 s |
| 3 | Given The user is in the Queue Operations tryEditor page | PASSED | 1.087 s |
| 4 | When The user enters "TryCode" and 4 clicks the Run Button in tryEditor page | PASSED | 0.213 s |
| 5 | Then The user should able to see output in the console from "TryCode" and 4 | PASSED | 0.068 s |