


Feature				Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S		
Home Page	1 m 4.481 s	8	2	6	0	32	23	5	4		

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	Home Page	Verify warning message when selecting Arrays without signing in
2		Verify warning message when selecting Linked List without signing in
3		Verify warning message when selecting Stack without signing in
4		Verify warning message when selecting Queue without signing in
5		Verify warning message when selecting Tree without signing in
6		Verify warning message when selecting Graph without signing in

FEATURES SUMMARY




#	Feature Name	T	P	F	S	Duration
1	Home Page	8	2	6	0	1 m 4.481 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Home Page	Verify that the user can view Data Structures dropdown options without signing in	4	4	0	0	6.815 s
2		Verify warning message when selecting Arrays without signing in	4	3	1	0	12.776 s
3		Verify warning message when selecting Linked List without signing in	4	0	0	4	1.331 s
4		Verify warning message when selecting Stack without signing in	4	3	1	0	1.434 s
5		Verify warning message when selecting Queue without signing in	4	3	1	0	12.502 s
6		Verify warning message when selecting Tree without signing in	4	3	1	0	12.925 s
7		Verify warning message when selecting Graph without signing in	4	3	1	0	14.289 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
8	Home Page	Verify that the user stays on the same page when clicking	4	4	0	0	2.326 s
		<u>elsewhere</u>					

Home Page




Verify that the user can view Data Structures dropdown options without signing in



#	Step / Hook Details	Status	Duration
1	Given User is in the ds-algo launch page	PASSED	0.013 s
2	When User clicks the Get Started button	PASSED	0.805 s
3	When User clicks on the Data Structures dropdown	PASSED	0.096 s
4	Then User should be able to see the options: Arrays, Linked List, Stack, Queue, Tree, Graph in the dropdown menu	PASSED	0.035 s


Verify warning message when selecting Arrays without signing in



1	Civan Llear is in the de algo launch page		
	Given User is in the ds-algo launch page	PASSED	0.003 s
2	When User clicks the Get Started button	PASSED	0.489 s
3	When User selects Arrays from the dropdown without signing in	PASSED	0.241 s
4	Then User should be able to see a warning message You are not logged in	FAILED	10.028 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath";"selector":"/divi/contains(text/0, logged in)]") (Session info: chrome=135.0.7049.115) For documentation on this error, please visit: https://www.selenium.dev/documentation/webforve/troubleshooting/errors/bno-such-element-exception Build info: version: '4.31.0', revision: '1e/9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.chrome.chrome/ore Command: [4ca0ccf/ff60f850502e/2a425a1c541, findElement (value—/div/contains(text/0, logged in')], using=xpatf) (2apabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: (chromedriverVersion: 135.0.7049.114 (63f68a7d9d0, userDataDir: C:VUsers/skurr/AppDataLl.oca), fedem:accounts: true, goog:chromeOptions: (debuggerAddress: localhosts/52119), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52119/devtoo, se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension.credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:prif: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:prif: true, webauthn:extension:prif: true, webauthn:extension:largeBlob: true, webauthn:extension:prif: true, webauthn:extension:largeBlob: true, webauthn:extension:prif: true, webauthn:	PASSED	0.471 s
	LAFTER - Hooks Hooks teardown(io cuclimber lava Scenario)	LPASSED	⊺U.4/1 S

#				Step / Hook Details	Status	Duration
	NampyNinja - Data Strustown*		Playabe Dyn is			
	Data Structures introduction A foral structure is a way to store, organise, and manage informational data is a way that allows the programmer to easily access or modify the values in these.	Array An array data structure, or simply an erray, is a deat structure consisting of a collection of elements induce or waterlains, each identified by at least one array index of key.	United List If we have frequent insertions and deletions, sarrys may not be a good choice. There is another data structure called blind bits Linked bits a sites structure fact cannot of a group of indice which together represent a sequence or a bit.			
	Get Started Stack If we need to organize some data like a stack, so	Get Stannel Queue A queue is a linear class structure used to	Gre Started Tree The type of non-linear anangement where a node			
	that we will take out those on the top of the stack first, then we have Stack olds Structure.	represent a linear list, it allows invention of an element to be done at one and and deletion of an element to be necleared at the other and	is attached to one or more nodes clinicity beneath it. It is a special type of graph towns as too. In this data resonant, the two soon socks is railed the core			

Verify warning message when selecting Linked List without signing in




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	1.318 s
	BEFORE - Hooks.Hooks.setup() org.openqa.selenium.WebDriverException: unknown error: JavaScript code failed from unknown command: 'Runtime.evaluate' wasn't found (Session info: chrome=135.0.7049.115) Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b011f4516105f2f5afbf5de454521850, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114, 63fd8a7d9d0, userDataDir: C:\Users\skurr\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52152}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52152/devtoo, se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b011f4516105f2f5afbf5de454521850 at java.base/jaki.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:485) at org.openqa.selenium.remote.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.EHttpCommandExecutor.execute(HttpCommandExecutor.java:215)	FAILED	1.318 s
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1067) at DriverFactory.DriverFactory.createDriver(DriverFactory.java:34) at Hooks.Hooks.setup(Hooks.java:24)		
1	Given User is in the ds-algo launch page	SKIPPED	0.001 s
2	When User clicks the Get Started button	SKIPPED	0.001 s
3	When User selects Linked List from the dropdown without signing in	SKIPPED	0.000 s
4	Then User should be able to see a warning message You are not logged in	SKIPPED	0.001 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.006 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0, userDataDir: C:\Users\skurr\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52119}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52119/devtoo, se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:176) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)		

Verify warning message when selecting Stack without signing in




DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
1	Given User is in the ds-algo launch page	PASSED	0.002 s
2	When User clicks the Get Started button	PASSED	0.463 s
3	When User selects Stack from the dropdown without signing in	PASSED	0.197 s
4	Then User should be able to see a warning message You are not logged in	FAILED	0.018 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method:":xpath";selector:"/fivir/contains(text/), logged in)")" (Session info: chrome=135.0.7049.115) For documentation on this error, please visit. https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/mo-such-element-exception Build info: version: '4.31.0', revision: '1ef918787" System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [b0114516105f2f5afbf5de454521850, findElement [value=/idiv[contains(text(), logged in')], using=xpath] Capabilities (acceptinseducereCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: (chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0, userDataDir. C:\Users/skurr/AppDataLl.oca), fedcm:accounts: true, goog:chromeOptions: (debuggerAddress: localhost:52152/devtoo, se:cdp/version: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:mirpInLengtir. true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:prf: true, webauthn:		
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.341 s

#			Status	Duration		
	NumpyNinja Data Structures *		Register Sign in			
	Data Structures-Introduction A Data structure is a vey to store, organize, and manage information(or data) in a very that allowed in fee programments auxily access or modify the values in them.	Array An anny defendracture, or simply an anny, its adata directure consisting of a collection of elements bythem or variables, each identified by at least one array index or key.	Linked List If we have frequent insertions and distation, arrays may not be a good choice. There is another data shutcher called Linked tits Linked List is a data shutcher first consists of a group of sodes which sognities represent a sequence or a fee.			
	Get Started Stack	Get Started Queue	Get Started Tree			

Verify warning message when selecting Queue without signing in




#	Step / Hook Details	Status	Duration
1	Given User is in the ds-algo launch page	PASSED	0.001 s
2	When User clicks the Get Started button	PASSED	0.448 s
3	When User selects Queue from the dropdown without signing in	PASSED	0.213 s
4	Then User should be able to see a warning message You are not logged in	FAILED	10.061 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//div[contains(text(), 'logged in')]"} (Session info: chrome=135.0.7049.115) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [f80b001e1de3d5aa9a942346d3e09ffb, findElement {value=//div[contains(text(),'logged in')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0, userDataDir: C:\Users\skurr\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52177}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52177/devtoo, se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f80b001e1de3d5aa9a942346d3e09ffb at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		

DETAILED SECTION -- 13 --

ŧ	Step / Hook Details	Status	Duration
at org.o	penga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
at org.o	penqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)		
at org.o	penqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
at org.o	penqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
at org.o	penqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
at org.o	penga.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
at org.o	penga.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
at org.o	penga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
at org.o	penga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
at Page	Object.HomePageObject.getHomeLogInMsg(HomePageObject.java:43)		
at Step[Definitions.HomePageStep.user_should_be_able_to_see_a_warning_message_you_are_not_logged_in(HomePageStep.java:55)		
at ?.Use	r should be able to see a warning message You are not logged in(file:///C:/Users/skurr/eclipse-workspace/ClubNinjas-dsAlgoBDD/		
src/test/res	sources/features/HomePage.feature:28)		
* Not displ	ayable characters are replaced by '?'.		
AFTER -	Hooks.Hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.415 s
screenshot]	
NampyNinja Dida Unatures*	Name (and		
Cuts Structure-Introduction A Date doubles is a way to obtain capable, and emerge information of all in a way that allows the papersone in early ensure or modify the water in them. Out 24*md	Any time of an indication of the plant of th		
Stack If we need to regenice some delse like a wlack, so that we will shist out these on the top of the stack first, then we have Stack clast Structure.	Once The state of		

Verify warning message when selecting Tree without signing in




#	Step / Hook Details	Status	Duration
1	Given User is in the ds-algo launch page	PASSED	0.001 s
2	When User clicks the Get Started button	PASSED	0.515 s
3	When User selects Tree from the dropdown without signing in	PASSED	0.203 s
4	Then User should be able to see a warning message You are not logged in	FAILED	10.075 s

DETAILED SECTION -- 14 --

#	Step / Hook Details	Status	Duration
T T	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/div[contains(text(),'logged in']]"} (Session info: chrome=135.0.7049.115) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: (lob0361ccad902f13f9c372047e5f9ae, findElement (value=//div[contains(text(),logged in')], using=xpath]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.114 (63fd8a7d9d0, userDataDir: C:\Usersiskurr\appData\Loca), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52210/, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52210/devtoo, se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unlandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0b0361ccad902f13f9c3720af7e5f9ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:15) at org.openqa.selenium.remote.service.DriverCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.java:215) at org.openqa.seleni	Julius	
	at StepDefinitions.HomePageStep.user_should_be_able_to_see_a_warning_message_you_are_not_logged_in(HomePageStep.java:55) at ?.User should be able to see a warning message You are not logged in(file:///C:/Users/skurr/eclipse-workspace/ClubNinjas-dsAlgoBDD/		
	src/test/resources/features/HomePage.feature:32) * Not displayable characters are replaced by '?'.		
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.435 s
	screenshot		
	Mappings to the boundary of the control of the cont		


DETAILED SECTION -- 15 --



#	Step / Hook Details	Status	Duration
1	Given User is in the ds-algo launch page	PASSED	0.003 s
2	When User clicks the Get Started button	PASSED	0.477 s
3	When User selects Graph from the dropdown without signing in	PASSED	0.229 s
4	Then User should be able to see a warning message You are not logged in	FAILED	10.073 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath","selector":"/div[contains(text(), logged in')]") (Session info: chrome=135.0.7049.115) For documentation on this error, please visit. https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception Build info: version: '4.31.0', revision: '1ef9f18787" System info: os.name: Windows 11, os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [\$42521489h1d3e1b1d88055271a0667b, findElement (value=//div[contains(text(), logged in')], using=xpath)] Capabilities (acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: (chromedriverVersion: 135.0.7049.115, chrome: (chromedriverVersion: 135.0.7049.115, chrome: (chromedriverVersion: 135.0.7049.115, setWindowRect: true, goog:chromeOptions: (debuggerAddress: localhost:52242/, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws:/localhost:52242/devtoo, se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFielnteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:pf: true, webauthn:vitualAuthenticators: true} Session ID: 542521489b1d3e1b1d88055271a06679 at java.base/java.lang.reflect.Constructor newInstance(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.ErrorCodec.decode(CrorCodec.java:167) at org.openqa.selenium.remote.errorcodec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:174) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:174) at		

#	Step / Hook Details	Status	Duration
	at PageObject.HomePageObject.getHomeLogInMsg(HomePageObject.java:43) at StepDefinitions.HomePageStep.user_should_be_able_to_see_a_warning_message_you_are_not_logged_in(HomePageStep.java:55) at ?.User should be able to see a warning message You are not logged in(file:///C:/Users/skurr/eclipse-workspace/ClubNinjas-dsAlgoBDD/src/test/resources/features/HomePage.feature:36) * Not displayable characters are replaced by '?'.		
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario) screenshot	PASSED	2.070 s
	Management of the contract of		

Verify that the user stays on the same page when clicking elsewhere



#	Step / Hook Details	Status	Duration
1	Given User is in the ds-algo launch page	PASSED	0.002 s
2	When User clicks the Get Started button	PASSED	0.490 s
3	When User clicks on the launch page other than the Get Started	PASSED	0.128 s
4	Then User should stay in the same launch page	PASSED	0.001 s