



SETUP & USER GUIDE

# Site Inspection App

The v4 form, offline, on the iPad you already carry.

App v1.3 · Form 4.2 · Project 2.1

[ds-js1.github.io/dryspace-inspect](https://ds-js1.github.io/dryspace-inspect)

THE PROBLEM IT SOLVES

## Why the app exists

### Assessments were written twice

On paper on site, then typed up at a desk — with the second version arriving days later.

### Photos lived on one device

Full-quality originals were gone the moment a phone was wiped or an inspection deleted.

### Measurements arrived as prose

Pricing had to interpret a paragraph instead of reading a schedule of wall faces.

PART A

## What has been built

13

sections, every dynamic reveal preserved

154

labelled fields, each with its own reference number

400

data points captured per completed inspection

An offline-first app built from the v4 Site Inspection Form — not a simplified version of it.

## PART A

# Key behaviours

### Continuous autosave

Every keystroke, tick and photo saved within half a second.  
No Save button.

### Suspend and resume

Leave an inspection at any point, reopen it later. Several can be open at once.

### Stage tracking

Who holds it, who last edited it, when — logged to an audit trail that travels with the record.

### Works with no signal at all

Everything is stored on the device until you are back in coverage.

### Edit after completion

A completed inspection can be reopened, edited and re-sent.

### One-tap send and backup

A self-contained HTML report with embedded photos, plus a JSON backup of every inspection.

## RELEASE

# What changed in v1.3

- 01**    Photos upload to SharePoint by themselves  
Full-quality originals, filed into the inspection's own folder. The largest change, and the reason for the rest.
- 02**    You sign in once  
With your Dryspace Microsoft account. It is remembered, and losing signal does not sign you out.
- 03**    Nothing is deleted on trust  
The app reads every uploaded file back out of SharePoint and confirms it arrived complete.
- 04**    Updates are announced, not silent  
A bar appears when a new version is ready, with an Update button — plus a check-on-demand button at home.



## Setting up

Install, sign in, set your name. Once per device, at a desk with signal.

PART C

# Installing on each device

## iPad / iPhone — Safari

Open the live address in Safari

Share icon → Add to Home Screen

Open it once from the icon, online

## Android — Chrome

Open the same address in Chrome

: menu → Add to Home screen

## Windows PC — for office pre-fill

Open the address in Chrome or Edge

Click the install icon in the address bar

Always open the installed icon, never a browser tab — installed apps get protected storage.

Then sign in once with your Dryspace Microsoft account, and fill in *Your name* at the top of any inspection.



## Using it on site

Office pre-fill, the field walk-through, and the measurement schedule.



PART D

## Office workflow — the qualification call

- 1 New inspection, stage *01 Office*. Fill Section 01 — HubSpot deal name, client, property, both contacts.
- 2 Paste the property listing URL, and upload any floor plans into Section 11.
- 3 Change the stage to *02 Field*, then tap *Share draft*.
- 4 Follow the five-step handover ritual in the Handover and Version Control Protocol.

*This is the stage to do it — there is signal at a desk.*

PART D

## Field workflow — a day on site

|                  |                                                                      |                    |                                                                             |
|------------------|----------------------------------------------------------------------|--------------------|-----------------------------------------------------------------------------|
| ON<br>ARRIVAL    | Import the draft, or start a new inspection for a walk-in job.       | WALKING<br>THE JOB | Work through Sections 02 to 06. Blank fields are fine.                      |
| NEVER<br>SKIPPED | Section 03A — asbestos likelihood, hazards, access, discharge point. | PHOTOS             | Shoot in the Camera app, then attach to the right field.                    |
| PAUSING          | Just leave. Resume from the list whenever you like.                  | BEFORE<br>HANDOVER | Check the photos have uploaded, then set the stage to <i>03 Technical</i> . |

Watch for “*Saved [time]*” in the top bar — that is the app confirming it has everything.

PART D

## Seeing what is still empty

-  Green, ticked  
The field has content. For photo blocks, at least one photo is attached.
-  Grey  
Nothing entered — often perfectly correct, which is why grey stays quiet.
-  Amber  
Only when *Highlight gaps* is on. Use it when reviewing before handover.

*Blank is not the same as wrong. The counts exist to find genuine gaps, not to be driven to 100%.*

# The measurement schedule

| FACE               | LENGTH   | HEIGHT | AREA                 | TREATMENT             | GRADE   | NOTE                   |
|--------------------|----------|--------|----------------------|-----------------------|---------|------------------------|
| East wall          | 6.20 m   | 2.40 m | 14.88 m <sup>2</sup> | Cavity drain membrane | Grade 3 | Behind stairs          |
| North wall         | 4.05 m   | 2.40 m | 9.72 m <sup>2</sup>  | Cavity drain membrane | Grade 3 | Obstructed by services |
| Floor — plant room | 4.05 m   | 3.10 m | 12.56 m <sup>2</sup> | BaseDrain to sump     | Grade 2 | Lift pit adjacent      |
| Totals             | 14.30 lm |        | 37.16 m <sup>2</sup> |                       |         |                        |

Area calculates itself, totals carry into the report — and this is the number the quote is built from.

## PART E

# Photos, video and files

## Do

Shoot in the Camera app, then attach — your camera roll keeps an independent second copy, with location detail.

Set every field device to 1080p at 30 fps, High Efficiency — about 60 MB a minute instead of 400.

Send clips over 30 seconds to the inspection folder through the OneDrive app.

The app keeps three copies of every photo: a 240 px thumbnail for the form, a 1,600 px copy for the emailed report, and the untouched original for SharePoint.

## Don't

Don't photograph through the form — browser photos carry no location detail.

Don't attach HEIC files on a Windows PC — convert to JPEG first. iPad and iPhone convert for you.

Don't delete an inspection until its report is sent and its photos show as uploaded. Delete is permanent.

## PART E

# Uploading, back in signal

Car, office or wifi — tap *Upload now* on the home screen. It tells you how many files are waiting.

Wait until it says “*All photos uploaded*”. Until then, those photos exist only on your device.

Download a data backup weekly and file it in SharePoint — field data only; photos are covered by the upload.

“No connection”

Normal in a basement. Nothing to do.

“Need attention”

Tap *Try again*. If it repeats, tell the office — before deleting anything. A failed upload leaves the original untouched.

“All photos uploaded”

The app has read every file back out of SharePoint and confirmed it arrived complete.

## PART G

# Known limits of v1.3

No live cross-device sync — by design.  
Drafts plus the SharePoint protocol are the transfer mechanism.

Video never travels inside a draft or a report — it goes via OneDrive.

Printing works best from the emailed report file, not inside the installed app.

Report photos are compressed to about 1,600 px so emails stay deliverable. Originals sit in SharePoint.

Backups cover field data only, not photos or video.

The Dryspace Guide still shows the 2009 grades; the form moved to BS8102:2022 in v1.2.1.

NEXT

## What happens next

Install the app from the icon and sign in this week, on every device that goes out.

Run your next inspection in it end to end — office pre-fill, site visit, upload, handover.

Tell the office anything that felt slower than paper. That is what the next version fixes.