HYPOTHESES TESTING WITH DUMMY VARIABLES

Research question


- Teach for America is a federally-funded program to train non-education majors to be teachers through an intensive program after students graduate with a non-teaching degree. They are often placed in low-income schools that experience teacher shortages.
- We are interested in whether the program is effective with regards to teacher performance in the classroom. Do Teach for America fellows generate better student performance than regular teachers?
- We will compare TFA fellows to other teachers with regular education degrees, and we will control for suburban (typically high-income) and urban (typically low-income) school environments.

Group means as a table:

(group means)	Suburban	Urban
Regular Teachers	75	57
Teach for America	75	66

Average math score in each group measured in percentiles

Raw data:



DV: Math Scores (percentile)

10 Teach for America teaching fellows (tfa) 10 regular teachers (reg)

11 teachers in suburban schools (sub) 9 teachers in urban schools (urb)

math	d.sub.tfa	d.sub.reg	d.urb.tfa	d.urb.reg
75	1	0	0	0
75	1	0	0	0
75	1	0	0	0
75	1	0	0	0
75	0	1	0	0
75	0	1	0	0
75	0	1	0	0
75	0	1	0	0
75	0	1	0	0
75	0	1	0	0
75	0	1	0	0
66	0	0	1	0
66	0	0	1	0
66	0	0	1	0
66	0	0	1	0
66	0	0	1	0
66	0	0	1	0
57	0	0	0	1
57	0	0	0	1
57	0	0	0	1

Average performance SUBURBAN SCHOOLS:

$$\frac{(11)(75)}{11} = 75$$

Average performance URBAN SCHOOLS:

$$\frac{(6)(66) + (3)(57)}{9} = 63$$

Kids do better in suburban schools

	_					
math	d.sub.tfa	d.sub.reg	d.urb.tfa	d.urb.reg		
75	1	0	0	0	Average performance	
75	1	0	0	0	TFA INSTRUCTORS:	
75	1	0	0	0		
75	1	0	0	0		
75	0	1	0	0	$\frac{(4)(75) + (6)(66)}{10} = 69.6$	
75	0	1	0	0	$/\frac{10}{10} = 69.6$	
75	0	1	0	0	/ 10	
75	0	1	0	0	- /	
75	0	1	0	0		`Is Teac
75	0	1	0	0		
75	0	1	0	0		Amer
66	0	0	1	0		Effectiv
66	0	0	1	0		/
66	0	0	1	0		
66	0	0	1	0		
66	0	0	1	0	Average performance	No
66	0	0	1	0		perform
57	0	0	0	1	REGULAR TEACHERS:	differer
57	0	0	0	1		Gillordi
57	0	0	0	1	$\sqrt{7}(75) + (2)(57)$	
A					$\frac{(7)(75) + (3)(57)}{10} = 69.6$	Do we
					10	these re
						Could
DV. V	Math Sco	ores (per	centile			
□ + . 1	*13111000					be bias

math	d.sub.tfa	d.sub.reg	d.urb.tfa	d.urb.reg
75	1	0	0	0
75	1	0	0	0
75	1	0	0	0
75	1	0	0	0
75	0	1	0	0
75	0	1	0	0
75	0	1	0	0
75	0	1	0	0
75	0	1	0	0
75	0	1	0	0
75	0	1	0	0
66	0	0	1	0
66	0	0	1	0
66	0	0	1	0
66	0	0	1	0
66	0	0	1	0
66	0	0	1	0
57	0	0	0	1
57	0	0	0	1
57	0	0	0	1
A				

Average performance
TFA INSTRUCTORS IN SUBURBAN SCHOOLS:

$$\frac{(4)(75)}{4} = 75$$

Average performance REGULAR TEACHERS IN SUBURBAN SCHOOLS:

$$\frac{(7)(75)}{7} = 75$$

Performance of both teacher types is identical in suburban schools

math	d.sub.tfa	d.sub.reg	d.urb.tfa	d.urb.reg
75	1	0	0	0
75	1	0	0	0
75	1	0	0	0
75	1	0	0	0
75	0	1	0	0
75	0	1	0	0
75	0	1	0	0
75	0	1	0	0
75	0	1	0	0
75	0	1	0	0
75	0	1	0	0
66	0	0	1	0
66	0	0	1	0
66	0	0	1	0
66	0	0	1	0
66	0	0	1	0
66	0	0	1	0
57	0	0	0	1
57	0	0	0	1
57	0	0	0	1
A				

Teach for America is effective training for teachers in urban schools.

Average performance
TFA INSTRUCTORS IN SUBURBAN SCHOOLS:


$$\frac{(6)(66)}{6} = 66$$

Average performance REGULAR TEACHERS IN URBAN SCHOOLS:

$$\frac{(3)(57)}{3} = 57$$

9-point performance difference in urban schools for teacher types!

Question:



math d.sub.tfa d.sub.reg d.urb.tfa d.urb.reg 75 1 0 0 0 75 1 0 0 0 75 1 0 0 0 75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0					
75 1 0 0 0 75 1 0 0 0 75 1 0 0 0 75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0<	math	d.sub.tfa	d.sub.reg	d.urb.tfa	d.urb.reg
75 1 0 0 0 75 1 0 0 0 75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0<	75	1	0	0	0
75 1 0 0 0 75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 57 0 0 0 1 57 0 0 0 1 0 0 1 0 0 1 0 <td>75</td> <td>1</td> <td>0</td> <td>0</td> <td>0</td>	75	1	0	0	0
75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 57 0 0 0 1 57 0 0 0 1 57 0 0 0 1	75	1	0	0	0
75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 57 0 0 0 1 57 0 0 0 0 1	75	1	0	0	0
75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 57 0 0 0 1 57 0 0 0 1 57 0 0 0 0	75	0	1	0	0
75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 57 0 0 0 1 57 0 0 0 1 57 0 0 0 0	75	0	1	0	0
75 0 1 0 0 75 0 1 0 0 75 0 1 0 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 57 0 0 0 1 57 0 0 0 1 57 0 0 0 1	75	0	1	0	0
75 0 1 0 0 75 0 1 0 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 57 0 0 0 1 57 0 0 0 1 57 0 0 0 1	75	0	1	0	0
75 0 1 0 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 57 0 0 0 1 57 0 0 0 1 57 0 0 0 1	75	0	1	0	0
66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 57 0 0 0 1 57 0 0 0 1 57 0 0 0 1	75	0	1	0	0
66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 57 0 0 0 1 57 0 0 0 1 57 0 0 0 1	75	0	1	0	0
66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 57 0 0 0 1 57 0 0 0 1 57 0 0 0 1	66	0	0	1	0
66 0 0 1 0 66 0 0 1 0 66 0 0 1 0 57 0 0 0 1 57 0 0 0 1 57 0 0 0 1	66	0	0	1	0
66 0 0 1 0 66 0 0 1 0 57 0 0 0 1 57 0 0 0 1	66	0	0	1	0
66 0 0 1 0 57 0 0 0 1 57 0 0 0 1	66	0	0	1	0
57 0 0 0 1 57 0 0 0 1	66	0	0	1	0
57 0 0 0 1	66	0	0	1	0
	57	0	0	0	1
57 0 0 0 1	57	0	0	0	1
	57	0	0	0	1
▲	A				


But we find a 9-point difference here?

Average performance
TFA INSTRUCTORS IN SUBURBAN SCHOOLS:

$$\frac{(6)(66)}{6} = 66$$

Average performance REGULAR TEACHERS IN URBAN SCHOOLS:

$$\frac{(3)(57)}{3} = 57$$



math	d.sub.tfa	d.sub.reg	d.urb.tfa	d.urb.reg	
75	1	0	0	0	
75	1	0	0	0	
75	1	0	0	0	٦
75	1	0	0	0	
75	0	1	0	0	
75	0	1	0	0	
75	0	1	0	0	
75	0	1	0	0	}
75	0	1	0	0	
75	0	1	0	0	
75	0	1	0	0	
66	0	0	1	0	
66	0	0	1	0	
66	0	0	1	0	
66	0	0	1	0	
66	0	0	1	0	
66	0	0	1	0	J
57	0	0	0	1	
57	0	0	0	1	_
57	0	0	0	1	
†					

Average performance TFA INSTRUCTORS:

$$\frac{(4)(75) + (6)(66)}{10} = 69.6$$

So comparing teaching programs without controlling for differences in teaching environments leads to bias.

Average performance REGULAR TEACHERS:

$$\frac{(7)(75) + (3)(57)}{10} = 69.6$$

We incorrectly conclude the TFA training program is **NOT** working when **IT IS**, but just in urban schools.

Specification: Dummy Variable Design Matrix

math	d.sub.tfa	d.sub.reg	d.urb.tfa	d.urb.reg
75	1	0	0	0
75	1	0	0	0
75	1	0	0	0
75	1	0	0	0
75	0	1	0	0
75	0	1	0	0
75	0	1	0	0
75	0	1	0	0
75	0	1	0	0
75	0	1	0	0
75	0	1	0	0
66	0	0	1	0
66	0	0	- 1	0
66	0	0	1	0
66	0	0	1	0
66	0	0	1	0
66	0	0	1	0
	<u> </u>		0	1
57	0	0	0	1
57	0	0	0	1
57	0	0	0	1
A				

10 Teach for America teaching fellows (tfa) 10 regular teachers (reg)

11 teachers in suburban schools (sub) 9 teachers in urban schools (urb)

math	d.sub.tfa	d.sub.reg	d.urb.tfa	d.urb.reg	D1+D2+D3+D4	Intercept
75	1	0	0	0	1	1
75	1	0	0	0	1	1
75	1	0	0	0	1	1
75	1	0	0	0	1	1
75	0	1	0	0	1	1
75	0	1	0	0	1	1
75	0	1	0	0	1	1
75	0	1	0	0	1	1
75	0	1	0	0	1	1
75	0	1	0	0	1	1
75	0	1	0	0	1	1
66	0	0	1	0	1	1
66	0	0	1	0	1	1
66	0	0	1	0	1	1
66	0	0	1	0	1	1
66	0	0	1	0	1	1
66	0	0	1	0	1	1
57	0	0	0	1	1	1
57	0	0	0	1	1	1
57	0	0	0	1	1	1

This is a fully-interacted design matrix where there is exactly one dummy variable for each group.

Since the linear combination of all dummy variables would give us a columns of 1's, we cannot run this model with an intercept due to perfect multi-collinearity (you cannot include two identical variables in a model – the statistics program will automatically drop one.

(group means)	Suburban	Urban
Regular Teachers	75	57
Teach for America	75	66

math	d.sub.tfa	d.sub.reg	d.urb.tfa	d.urb.reg
75	1	0	0	0
75	0	1	0	0
66	0	0	1	0
57	0	0	0	1

(design matrix)

math	intercept	d.sub	d.reg	d.sub.reg
75	1	1	0	0
75	1	1	1	1
66	1	0	0	0
57	1	0	1	0

(75) (75) (66) (57) math =
$$b_1$$
·d.sub.tfa + b_2 ·d.sub.reg + b_3 ·d.urb.tfa + b_4 ·d.urb.reg

Each coefficient represents a separate group mean. Note, there is no intercept!

(66) (9) (-9) (9) The groups are math =
$$b_0 + b_1 \cdot d.sub + b_2 \cdot d.reg + b_3 \cdot d.sub.reg$$

$$b_0 + b_1 = 66 + 9 = 75$$
 (suburban TFA)
 $b_0 + b_1 + b_2 + b_3 = 66 + 9 - 9 + 9 = 75$ (suburban regular)
 $b_0 = 66$ (urban TFA – reference group)
 $b_0 + b_2 = 66 - 9 = 57$ (urban regular)

(group means)	Suburban	Urban
Regular Teachers	75	57
Teach for America	75	66

math	intercept	d.urb	d.tfa	d.urb.tfa
75	1	0	1	0
75	1	0	0	0
66	1	1	1	1
57	1	1	0	0

(design matrix)

math	intercept	d.sub	d.reg	d.sub.reg
75	1	1	0	0
75	1	1	1	1
66	1	0	0	0
57	1	0	1	0

No matter which groups you omit, you can always recover the group means. You just multiply all coefficients by the appropriate row in the design matrix.

(75) (-18) (0) (9)
math =
$$b_0 + b_1 \cdot d.urb + b_2 \cdot d.tfa + b_3 \cdot d.urb.tfa$$

 $b_0 + b_2 = 75 + 0 = 75$ (suburban TFA)
 $b_0 = 75$ (suburban regular – reference group)
 $b_0 + b_1 = 75 - 18 + 9 = 66$ (urban TFA)
 $b_0 + b_2 = 75 - 18 = 57$ (urban regular)

(66) (9) (-9) (9)
math =
$$b_0 + b_1 \cdot d.sub + b_2 \cdot d.reg + b_3 \cdot d.sub.reg$$

$$b_0 + b_1 = 66 + 9 = 75$$
 (suburban TFA)
 $b_0 + b_1 + b_2 + b_3 = 66 + 9 - 9 + 9 = 75$ (suburban regular)
 $b_0 = 66$ (urban TFA - reference group)
 $b_0 + b_2 = 66 - 9 = 57$ (urban regular)

Hypothesis-Testing

(group means)	Suburban	Urban
Regular Teachers	75	57
Teach for America	75	66


math	d.sub.tfa	d.sub.reg	d.urb.tfa	d.urb.reg
75	1	0	0	0
75	0	1	0	0
66	0	0	1	0
57	0	0	0	1

(75) (75) (66) (57) math =
$$b_1$$
·d.sub.tfa + b_2 ·d.sub.reg + b_3 ·d.urb.tfa + b_4 ·d.urb.reg

If this is the most intuitive way to get group means, why don't we run this regression model?

(group means)	Suburban	Urban
Regular Teachers	75	57
Teach for America	75	66

math	d.sub.tfa	d.sub.reg	d.urb.tfa	d.urb.reg
75	1	0	0	0
75	0	1	0	0
66	0	0	1	0
57	0	0	0	1




Our research question is whether teachers trained in the Teach for America (TFA) program perform better than teachers trained in the regular program? None of the tests for significance of coefficients b₀ to b₃ in this regression reflect meaningful tests. We already know the group means will not be zero!

It makes it easier to calculate group means, but makes it impossible to answer our research question based upon regression results.

ALL POSSIBLE TESTS (CONTRASTS)

(group means)	Suburban	Urban
Regular Teachers	А	В
Teach for America	С	D



 H_1 : A = B? Do regular teachers perform differently in urban and suburban schools?

 H_2 : B = D? Do regular and TFA teachers perform different in urban schools?

 H_3 : A = C? Do regular and TFA teachers perform different in suburban schools?

etc...

(group means)	Suburban	Urban
Regular Teachers	75	57
Teach for America	75	66

math	intercept	d.sub	d.reg	d.sub.reg
75	1	1	0	0
75	1	1	1	1
66	1	0	0	0
57	1	0	1	0

(66) (9) (-9) (9) The groups are math =
$$b_0 + b_1 \cdot d.sub + b_2 \cdot d.reg + b_3 \cdot d.sub.reg$$

$$b_0 + b_1 = 66 + 9 = 75$$
 (suburban TFA)
 $b_0 + b_1 + b_2 + b_3 = 66 + 9 - 9 + 9 = 75$ (suburban regular)
 $b_0 = 66$ (urban TFA – **reference group**)
 $b_0 + b_2 = 66 - 9 = 57$ (urban regular)

$$b_0 = b_0 + b_1$$

 $0 = b_1$ (suburban TFA different than urban TFA?)

$$b_0 = b_0 + b_2$$

 $0 = b_2$ (urban regular different than urban TFA?)

Each specification creates a set of hypotheses tests.

We can never test all hypotheses with a single model, but we get several tests from one.

$$b_0 + b_1 + b_2 = b_0 + b_1 + b_2 + b_3$$

 $0 = b_3$
(suburban **x** regular different than suburban + regular ?)

(group means)	Suburban	Urban
Regular Teachers	А	В
Teach for America	С	D

math	intercept	d.sub	d.reg	d.sub.reg
75	1	1	0	0
75	1	1	1	1
66	1	0	0	0
57	1	0	1	0


(66) (9) (-9) (9)
math =
$$b_0 + b_1 \cdot d.sub + b_2 \cdot d.reg + b_3 \cdot d.sub.reg$$

$$b_0 + b_1 = 66 + 9 = 75$$
 (suburban TFA)
 $b_0 + b_1 + b_2 + b_3 = 66 + 9 - 9 + 9 = 75$ (suburban regular)
 $b_0 = 66$ (urban TFA – **reference group**)
 $b_0 + b_2 = 66 - 9 = 57$ (urban regular)

$$b_0 = b_0 + b_1$$
 (suburban TFA different than urban TFA?)
$$b_0 = b_0 + b_2$$

$$0 = b_2$$
 (urban regular different than urban TFA?)
$$b_0 + b_1 + b_2 = b_0 + b_1 + b_2 + b_3$$

$$0 = b_3$$
 (suburban **x** regular different than suburban + regular ?)



(group means)	Suburban	Urban	
Regular Teachers	А	В	
Teach for America	С	D	

math	intercept	d.urb	d.tfa	d.urb.tfa
75	1	0	1	0
75	1	0	0	0
66	1	1	1	1
57	1	1	0	0

(75) (-18) (0) (9)
math =
$$b_0 + b_1 \cdot d.urb + b_2 \cdot d.tfa + b_3 \cdot d.urb.tfa$$


$$b_0 + b_2 = 75 + 0 = 75$$
 (suburban TFA)
 $b_0 = 75$ (suburban regular – **reference group**)
 $b_0 + b_1 = 75 - 18 + 9 = 66$ (urban TFA)
 $b_0 + b_2 = 75 - 18 = 57$ (urban regular)

$$b_0 = b_0 + b_1$$
 (suburban regular different than urban regular?)

 $b_0 = b_0 + b_2$ (suburban regular different than suburban TFA?)

 $b_0 + b_1 + b_2 = b_0 + b_1 + b_2 + b_3$
 $0 = b_3$

suburban x regular different than suburban + regular ?)




Test for treatment effects in pre-post design with control group:


Does the treatment group improve more than expected? (the counterfactual captures the expectation if they have similar gains as control)

outcome = $b_0 + b_1 \cdot d.treat + b_2 \cdot d.time2 + b_3 \cdot d.treat.post$

$$b_0 + b_1 + b_2 = b_0 + b_1 + b_2 + b_3$$

 $0 = b_3$





b₃: Test for whether the treatment was effective – if the group looks different than we would expect

Test for b_3 : $b_0 + b_1 + b_2 = b_0 + b_1 + b_2 + b_3$

