Name- Arkadeep Maji
Roll- UG/04/BTCSE/2025/035
SEC-A

1. (b) Data and a pointer to the next node.
2. (c) NULL.
3. (b) self-referential Structure.
4. (b) head == NULL
5. (b) newnode -> Next = head; head = new node.
6. (b) temp = head; head = head -> next; (free temp);
7. (c) traversing from tail to head.
8. (b) n.
9. (c) coping the data of P -> next into P, then deleting P -> next.

Name- Arkadeep Maji
ROLL- UG/04/BTCSE/2025/035

10. (b) While (P != NULL)
11. (b) P -> next == NULL
12. (c) Two pointers advasing at different rates.
13. (c) Three.
14. (b) Exactly one nodes.
15. (b) P = (Struct node*) malloc(sizeof(~~struct~~ struct node));
16. (b) Avoid sp. case handling for insertion and deletion at the head.
17. (c) The first node.
18. (b) It does not support random (index) access.

Name- Arkadeep Maji
ROLL- UG/04/BTCSE/2025/035

19. (b) Loss of access to all nodes causing a memory leak.

20. (b) A slow pointer and a fast pointer.

21. (c) The last node.

22. (b) Nodes may be scattered anywhere in memory.

Name- Arkadeep Maji ROLL - UG/04/BTCSE/ 2025/035

23. ~~Struct node *head int data;~~ Struct node{
    int data;
    Struct node *head;
};

24. Output: 10+20=30
20+30=50
40+

10+20=30
20+30=50
30+40=70

25. Error: if(*head==NULL){
    *head=t;
    return;
}

Name- Arkadeep Maji ROLL- UG/04/BTCSE/ 2025/035

26. Struct node *reverse (struct node *head){
    Struct node *prev = NULL;
    Struct node * curr= head;
    Struct node * next;
    While (curr!=NULL){
    next = curr -> next;
    curr -> next = perv;

Name-Arkadeep Maji
ROLL-035

```
Prev=curr;
curr=next;
}
return prev;
}
```

28.

(i) 7 -> 5 -> 8 -> 12 -> 3 -> NULL.

(ii) 5 -> 8 -> 3 -> NULL.

(iii) 5 -> 8 -> 12 -> 3 -> 9 -> NULL.